



# wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 22, 2023 – 05:49 PM EDT

PDB ID : 3E0V  
Title : Crystal structure of pyruvate kinase from *Leishmania mexicana* in complex with sulphate ions  
Authors : Tulloch, L.B.; Gillmore, L.A.; Walkinshaw, M.D.  
Deposited on : 2008-08-01  
Resolution : 3.30 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1149 (3.34-3.26)
Clashscore	141614	1205 (3.34-3.26)
Ramachandran outliers	138981	1183 (3.34-3.26)
Sidechain outliers	138945	1182 (3.34-3.26)
RSRZ outliers	127900	1115 (3.34-3.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	539	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 65%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 24%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 8%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 3%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">65%      24%      • 8%</p>
1	B	539	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 65%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 24%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 8%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 3%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">2%      65%      24%      • 8%</p>
1	C	539	<div style="display: flex; align-items: center;"> <div style="width: 63%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 25%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 8%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 3%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">63%      25%      • 8%</p>
1	D	539	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 69%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 21%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 8%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 3%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">2%      69%      21%      • 8%</p>
1	E	539	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 66%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 23%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 8%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 3%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">66%      23%      • 8%</p>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	539	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GOL	E	508	-	-	-	X

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 23331 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	494	Total 3793	C 2368	N 666	O 732	S 27	0	2	0
1	B	497	Total 3800	C 2369	N 668	O 736	S 27	0	1	0
1	C	494	Total 3812	C 2379	N 673	O 733	S 27	0	4	0
1	D	495	Total 3783	C 2357	N 667	O 732	S 27	0	1	0
1	E	495	Total 3804	C 2372	N 670	O 735	S 27	0	3	0
1	F	496	Total 3802	C 2371	N 667	O 737	S 27	0	3	0

There are 270 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-40	MET	-	expression tag	UNP Q27686
A	-39	GLY	-	expression tag	UNP Q27686
A	-38	SER	-	expression tag	UNP Q27686
A	-37	SER	-	expression tag	UNP Q27686
A	-36	HIS	-	expression tag	UNP Q27686
A	-35	HIS	-	expression tag	UNP Q27686
A	-34	HIS	-	expression tag	UNP Q27686
A	-33	HIS	-	expression tag	UNP Q27686
A	-32	HIS	-	expression tag	UNP Q27686
A	-31	HIS	-	expression tag	UNP Q27686
A	-30	SER	-	expression tag	UNP Q27686
A	-29	SER	-	expression tag	UNP Q27686
A	-28	GLY	-	expression tag	UNP Q27686
A	-27	LEU	-	expression tag	UNP Q27686
A	-26	VAL	-	expression tag	UNP Q27686
A	-25	PRO	-	expression tag	UNP Q27686
A	-24	ARG	-	expression tag	UNP Q27686

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-23	GLY	-	expression tag	UNP Q27686
A	-22	SER	-	expression tag	UNP Q27686
A	-21	HIS	-	expression tag	UNP Q27686
A	-20	MET	-	expression tag	UNP Q27686
A	-19	GLY	-	expression tag	UNP Q27686
A	-18	SER	-	expression tag	UNP Q27686
A	-17	SER	-	expression tag	UNP Q27686
A	-16	HIS	-	expression tag	UNP Q27686
A	-15	HIS	-	expression tag	UNP Q27686
A	-14	HIS	-	expression tag	UNP Q27686
A	-13	HIS	-	expression tag	UNP Q27686
A	-12	HIS	-	expression tag	UNP Q27686
A	-11	HIS	-	expression tag	UNP Q27686
A	-10	SER	-	expression tag	UNP Q27686
A	-9	SER	-	expression tag	UNP Q27686
A	-8	GLY	-	expression tag	UNP Q27686
A	-7	LEU	-	expression tag	UNP Q27686
A	-6	VAL	-	expression tag	UNP Q27686
A	-5	PRO	-	expression tag	UNP Q27686
A	-4	ARG	-	expression tag	UNP Q27686
A	-3	GLY	-	expression tag	UNP Q27686
A	-2	SER	-	expression tag	UNP Q27686
A	-1	HIS	-	expression tag	UNP Q27686
A	382	SER	GLY	conflict	UNP Q27686
A	389	TYR	SER	conflict	UNP Q27686
A	404	ARG	ALA	conflict	UNP Q27686
A	405	SER	GLY	conflict	UNP Q27686
A	451	TRP	GLU	engineered mutation	UNP Q27686
B	-40	MET	-	expression tag	UNP Q27686
B	-39	GLY	-	expression tag	UNP Q27686
B	-38	SER	-	expression tag	UNP Q27686
B	-37	SER	-	expression tag	UNP Q27686
B	-36	HIS	-	expression tag	UNP Q27686
B	-35	HIS	-	expression tag	UNP Q27686
B	-34	HIS	-	expression tag	UNP Q27686
B	-33	HIS	-	expression tag	UNP Q27686
B	-32	HIS	-	expression tag	UNP Q27686
B	-31	HIS	-	expression tag	UNP Q27686
B	-30	SER	-	expression tag	UNP Q27686
B	-29	SER	-	expression tag	UNP Q27686
B	-28	GLY	-	expression tag	UNP Q27686
B	-27	LEU	-	expression tag	UNP Q27686

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-26	VAL	-	expression tag	UNP Q27686
B	-25	PRO	-	expression tag	UNP Q27686
B	-24	ARG	-	expression tag	UNP Q27686
B	-23	GLY	-	expression tag	UNP Q27686
B	-22	SER	-	expression tag	UNP Q27686
B	-21	HIS	-	expression tag	UNP Q27686
B	-20	MET	-	expression tag	UNP Q27686
B	-19	GLY	-	expression tag	UNP Q27686
B	-18	SER	-	expression tag	UNP Q27686
B	-17	SER	-	expression tag	UNP Q27686
B	-16	HIS	-	expression tag	UNP Q27686
B	-15	HIS	-	expression tag	UNP Q27686
B	-14	HIS	-	expression tag	UNP Q27686
B	-13	HIS	-	expression tag	UNP Q27686
B	-12	HIS	-	expression tag	UNP Q27686
B	-11	HIS	-	expression tag	UNP Q27686
B	-10	SER	-	expression tag	UNP Q27686
B	-9	SER	-	expression tag	UNP Q27686
B	-8	GLY	-	expression tag	UNP Q27686
B	-7	LEU	-	expression tag	UNP Q27686
B	-6	VAL	-	expression tag	UNP Q27686
B	-5	PRO	-	expression tag	UNP Q27686
B	-4	ARG	-	expression tag	UNP Q27686
B	-3	GLY	-	expression tag	UNP Q27686
B	-2	SER	-	expression tag	UNP Q27686
B	-1	HIS	-	expression tag	UNP Q27686
B	382	SER	GLY	conflict	UNP Q27686
B	389	TYR	SER	conflict	UNP Q27686
B	404	ARG	ALA	conflict	UNP Q27686
B	405	SER	GLY	conflict	UNP Q27686
B	451	TRP	GLU	engineered mutation	UNP Q27686
C	-40	MET	-	expression tag	UNP Q27686
C	-39	GLY	-	expression tag	UNP Q27686
C	-38	SER	-	expression tag	UNP Q27686
C	-37	SER	-	expression tag	UNP Q27686
C	-36	HIS	-	expression tag	UNP Q27686
C	-35	HIS	-	expression tag	UNP Q27686
C	-34	HIS	-	expression tag	UNP Q27686
C	-33	HIS	-	expression tag	UNP Q27686
C	-32	HIS	-	expression tag	UNP Q27686
C	-31	HIS	-	expression tag	UNP Q27686
C	-30	SER	-	expression tag	UNP Q27686

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-29	SER	-	expression tag	UNP Q27686
C	-28	GLY	-	expression tag	UNP Q27686
C	-27	LEU	-	expression tag	UNP Q27686
C	-26	VAL	-	expression tag	UNP Q27686
C	-25	PRO	-	expression tag	UNP Q27686
C	-24	ARG	-	expression tag	UNP Q27686
C	-23	GLY	-	expression tag	UNP Q27686
C	-22	SER	-	expression tag	UNP Q27686
C	-21	HIS	-	expression tag	UNP Q27686
C	-20	MET	-	expression tag	UNP Q27686
C	-19	GLY	-	expression tag	UNP Q27686
C	-18	SER	-	expression tag	UNP Q27686
C	-17	SER	-	expression tag	UNP Q27686
C	-16	HIS	-	expression tag	UNP Q27686
C	-15	HIS	-	expression tag	UNP Q27686
C	-14	HIS	-	expression tag	UNP Q27686
C	-13	HIS	-	expression tag	UNP Q27686
C	-12	HIS	-	expression tag	UNP Q27686
C	-11	HIS	-	expression tag	UNP Q27686
C	-10	SER	-	expression tag	UNP Q27686
C	-9	SER	-	expression tag	UNP Q27686
C	-8	GLY	-	expression tag	UNP Q27686
C	-7	LEU	-	expression tag	UNP Q27686
C	-6	VAL	-	expression tag	UNP Q27686
C	-5	PRO	-	expression tag	UNP Q27686
C	-4	ARG	-	expression tag	UNP Q27686
C	-3	GLY	-	expression tag	UNP Q27686
C	-2	SER	-	expression tag	UNP Q27686
C	-1	HIS	-	expression tag	UNP Q27686
C	382	SER	GLY	conflict	UNP Q27686
C	389	TYR	SER	conflict	UNP Q27686
C	404	ARG	ALA	conflict	UNP Q27686
C	405	SER	GLY	conflict	UNP Q27686
C	451	TRP	GLU	engineered mutation	UNP Q27686
D	-40	MET	-	expression tag	UNP Q27686
D	-39	GLY	-	expression tag	UNP Q27686
D	-38	SER	-	expression tag	UNP Q27686
D	-37	SER	-	expression tag	UNP Q27686
D	-36	HIS	-	expression tag	UNP Q27686
D	-35	HIS	-	expression tag	UNP Q27686
D	-34	HIS	-	expression tag	UNP Q27686
D	-33	HIS	-	expression tag	UNP Q27686

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	-32	HIS	-	expression tag	UNP Q27686
D	-31	HIS	-	expression tag	UNP Q27686
D	-30	SER	-	expression tag	UNP Q27686
D	-29	SER	-	expression tag	UNP Q27686
D	-28	GLY	-	expression tag	UNP Q27686
D	-27	LEU	-	expression tag	UNP Q27686
D	-26	VAL	-	expression tag	UNP Q27686
D	-25	PRO	-	expression tag	UNP Q27686
D	-24	ARG	-	expression tag	UNP Q27686
D	-23	GLY	-	expression tag	UNP Q27686
D	-22	SER	-	expression tag	UNP Q27686
D	-21	HIS	-	expression tag	UNP Q27686
D	-20	MET	-	expression tag	UNP Q27686
D	-19	GLY	-	expression tag	UNP Q27686
D	-18	SER	-	expression tag	UNP Q27686
D	-17	SER	-	expression tag	UNP Q27686
D	-16	HIS	-	expression tag	UNP Q27686
D	-15	HIS	-	expression tag	UNP Q27686
D	-14	HIS	-	expression tag	UNP Q27686
D	-13	HIS	-	expression tag	UNP Q27686
D	-12	HIS	-	expression tag	UNP Q27686
D	-11	HIS	-	expression tag	UNP Q27686
D	-10	SER	-	expression tag	UNP Q27686
D	-9	SER	-	expression tag	UNP Q27686
D	-8	GLY	-	expression tag	UNP Q27686
D	-7	LEU	-	expression tag	UNP Q27686
D	-6	VAL	-	expression tag	UNP Q27686
D	-5	PRO	-	expression tag	UNP Q27686
D	-4	ARG	-	expression tag	UNP Q27686
D	-3	GLY	-	expression tag	UNP Q27686
D	-2	SER	-	expression tag	UNP Q27686
D	-1	HIS	-	expression tag	UNP Q27686
D	382	SER	GLY	conflict	UNP Q27686
D	389	TYR	SER	conflict	UNP Q27686
D	404	ARG	ALA	conflict	UNP Q27686
D	405	SER	GLY	conflict	UNP Q27686
D	451	TRP	GLU	engineered mutation	UNP Q27686
E	-40	MET	-	expression tag	UNP Q27686
E	-39	GLY	-	expression tag	UNP Q27686
E	-38	SER	-	expression tag	UNP Q27686
E	-37	SER	-	expression tag	UNP Q27686
E	-36	HIS	-	expression tag	UNP Q27686

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	-35	HIS	-	expression tag	UNP Q27686
E	-34	HIS	-	expression tag	UNP Q27686
E	-33	HIS	-	expression tag	UNP Q27686
E	-32	HIS	-	expression tag	UNP Q27686
E	-31	HIS	-	expression tag	UNP Q27686
E	-30	SER	-	expression tag	UNP Q27686
E	-29	SER	-	expression tag	UNP Q27686
E	-28	GLY	-	expression tag	UNP Q27686
E	-27	LEU	-	expression tag	UNP Q27686
E	-26	VAL	-	expression tag	UNP Q27686
E	-25	PRO	-	expression tag	UNP Q27686
E	-24	ARG	-	expression tag	UNP Q27686
E	-23	GLY	-	expression tag	UNP Q27686
E	-22	SER	-	expression tag	UNP Q27686
E	-21	HIS	-	expression tag	UNP Q27686
E	-20	MET	-	expression tag	UNP Q27686
E	-19	GLY	-	expression tag	UNP Q27686
E	-18	SER	-	expression tag	UNP Q27686
E	-17	SER	-	expression tag	UNP Q27686
E	-16	HIS	-	expression tag	UNP Q27686
E	-15	HIS	-	expression tag	UNP Q27686
E	-14	HIS	-	expression tag	UNP Q27686
E	-13	HIS	-	expression tag	UNP Q27686
E	-12	HIS	-	expression tag	UNP Q27686
E	-11	HIS	-	expression tag	UNP Q27686
E	-10	SER	-	expression tag	UNP Q27686
E	-9	SER	-	expression tag	UNP Q27686
E	-8	GLY	-	expression tag	UNP Q27686
E	-7	LEU	-	expression tag	UNP Q27686
E	-6	VAL	-	expression tag	UNP Q27686
E	-5	PRO	-	expression tag	UNP Q27686
E	-4	ARG	-	expression tag	UNP Q27686
E	-3	GLY	-	expression tag	UNP Q27686
E	-2	SER	-	expression tag	UNP Q27686
E	-1	HIS	-	expression tag	UNP Q27686
E	382	SER	GLY	conflict	UNP Q27686
E	389	TYR	SER	conflict	UNP Q27686
E	404	ARG	ALA	conflict	UNP Q27686
E	405	SER	GLY	conflict	UNP Q27686
E	451	TRP	GLU	engineered mutation	UNP Q27686
F	-40	MET	-	expression tag	UNP Q27686
F	-39	GLY	-	expression tag	UNP Q27686

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
F	-38	SER	-	expression tag	UNP Q27686
F	-37	SER	-	expression tag	UNP Q27686
F	-36	HIS	-	expression tag	UNP Q27686
F	-35	HIS	-	expression tag	UNP Q27686
F	-34	HIS	-	expression tag	UNP Q27686
F	-33	HIS	-	expression tag	UNP Q27686
F	-32	HIS	-	expression tag	UNP Q27686
F	-31	HIS	-	expression tag	UNP Q27686
F	-30	SER	-	expression tag	UNP Q27686
F	-29	SER	-	expression tag	UNP Q27686
F	-28	GLY	-	expression tag	UNP Q27686
F	-27	LEU	-	expression tag	UNP Q27686
F	-26	VAL	-	expression tag	UNP Q27686
F	-25	PRO	-	expression tag	UNP Q27686
F	-24	ARG	-	expression tag	UNP Q27686
F	-23	GLY	-	expression tag	UNP Q27686
F	-22	SER	-	expression tag	UNP Q27686
F	-21	HIS	-	expression tag	UNP Q27686
F	-20	MET	-	expression tag	UNP Q27686
F	-19	GLY	-	expression tag	UNP Q27686
F	-18	SER	-	expression tag	UNP Q27686
F	-17	SER	-	expression tag	UNP Q27686
F	-16	HIS	-	expression tag	UNP Q27686
F	-15	HIS	-	expression tag	UNP Q27686
F	-14	HIS	-	expression tag	UNP Q27686
F	-13	HIS	-	expression tag	UNP Q27686
F	-12	HIS	-	expression tag	UNP Q27686
F	-11	HIS	-	expression tag	UNP Q27686
F	-10	SER	-	expression tag	UNP Q27686
F	-9	SER	-	expression tag	UNP Q27686
F	-8	GLY	-	expression tag	UNP Q27686
F	-7	LEU	-	expression tag	UNP Q27686
F	-6	VAL	-	expression tag	UNP Q27686
F	-5	PRO	-	expression tag	UNP Q27686
F	-4	ARG	-	expression tag	UNP Q27686
F	-3	GLY	-	expression tag	UNP Q27686
F	-2	SER	-	expression tag	UNP Q27686
F	-1	HIS	-	expression tag	UNP Q27686
F	382	SER	GLY	conflict	UNP Q27686
F	389	TYR	SER	conflict	UNP Q27686
F	404	ARG	ALA	conflict	UNP Q27686
F	405	SER	GLY	conflict	UNP Q27686

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	451	TRP	GLU	engineered mutation	UNP Q27686

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	A	1	5	4	1	0	0
2	A	1	5	4	1	0	0
2	A	1	5	4	1	0	0
2	A	1	5	4	1	0	0
2	A	1	5	4	1	0	0
2	A	1	5	4	1	0	0
2	A	1	5	4	1	0	0
2	B	1	5	4	1	0	0
2	B	1	5	4	1	0	0
2	B	1	5	4	1	0	0
2	B	1	5	4	1	0	0
2	B	1	5	4	1	0	0

Continued on next page...

*Continued from previous page...*


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	B	1	10	8	2	0	1
2	B	1	5	4	1	0	0
2	B	1	5	4	1	0	0
2	C	1	5	4	1	0	0
2	C	1	5	4	1	0	0
2	C	1	5	4	1	0	0
2	C	1	5	4	1	0	0
2	C	1	5	4	1	0	0
2	C	1	5	4	1	0	0
2	C	1	5	4	1	0	0
2	C	1	5	4	1	0	0
2	D	1	5	4	1	0	0
2	D	1	5	4	1	0	0
2	D	1	5	4	1	0	0
2	D	1	5	4	1	0	0
2	D	1	5	4	1	0	0
2	D	1	5	4	1	0	0
2	D	1	5	4	1	0	0
2	D	1	5	4	1	0	0
2	E	1	5	4	1	0	0
2	E	1	5	4	1	0	0
2	E	1	5	4	1	0	0
2	E	1	5	4	1	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	E	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	E	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>	<b>ZeroOcc</b>	<b>AltConf</b>
4	A	46	Total O 46 46	0	0
4	B	59	Total O 59 59	0	0
4	C	49	Total O 49 49	0	0
4	D	51	Total O 51 51	0	0
4	E	53	Total O 53 53	0	0
4	F	56	Total O 56 56	0	0


### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Pyruvate kinase






- Molecule 1: Pyruvate kinase








• Molecule 1: Pyruvate kinase



• Molecule 1: Pyruvate kinase



• Molecule 1: Pyruvate kinase





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 42 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	261.95Å 261.95Å 185.54Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	99.06 – 3.30 99.06 – 3.30	Depositor EDS
% Data completeness (in resolution range)	87.2 (99.06-3.30) 87.4 (99.06-3.30)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.80 (at 3.33Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.227 , 0.290 0.220 , 0.276	Depositor DCC
$R_{free}$ test set	4284 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	86.0	Xtrriage
Anisotropy	0.137	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 104.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	23331	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	74.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.91 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.2039e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.46	0/3855	0.62	1/5219 (0.0%)
1	B	0.48	0/3861	0.63	1/5226 (0.0%)
1	C	0.47	0/3877	0.63	1/5247 (0.0%)
1	D	0.48	0/3843	0.62	0/5202
1	E	0.45	0/3868	0.61	1/5235 (0.0%)
1	F	0.46	0/3869	0.61	1/5237 (0.0%)
All	All	0.47	0/23173	0.62	5/31366 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	357	LEU	CA-CB-CG	6.27	129.72	115.30
1	E	357	LEU	CA-CB-CG	5.98	129.06	115.30
1	F	357	LEU	CA-CB-CG	5.19	127.25	115.30
1	B	408	LEU	CA-CB-CG	5.10	127.03	115.30
1	A	357	LEU	CA-CB-CG	5.02	126.84	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	294	CYS	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3793	0	3784	90	0
1	B	3800	0	3790	88	0
1	C	3812	0	3809	105	0
1	D	3783	0	3778	83	0
1	E	3804	0	3799	85	0
1	F	3802	0	3794	93	0
2	A	30	0	0	1	0
2	B	45	0	0	0	0
2	C	35	0	0	2	0
2	D	35	0	0	0	0
2	E	30	0	0	0	0
2	F	30	0	0	0	0
3	A	12	0	16	0	0
3	E	6	0	8	1	0
4	A	46	0	0	3	0
4	B	59	0	0	8	0
4	C	49	0	0	2	0
4	D	51	0	0	5	0
4	E	53	0	0	4	0
4	F	56	0	0	4	0
All	All	23331	0	22778	522	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

The worst 5 of 522 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:338:TYR:O	1:C:342:VAL:HG23	1.47	1.12
1:A:338:TYR:O	1:A:342:VAL:HG23	1.58	1.03
1:C:396:MET:HE1	1:C:414:PRO:HG3	1.42	1.01

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:25:CYS:HB2	1:A:45:MET:HE3	1.41	1.00
1:E:84:THR:CG2	1:E:211:SER:H	1.76	0.99

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	492/539 (91%)	448 (91%)	37 (8%)	7 (1%)	11	38
1	B	494/539 (92%)	437 (88%)	51 (10%)	6 (1%)	13	42
1	C	494/539 (92%)	454 (92%)	32 (6%)	8 (2%)	9	36
1	D	492/539 (91%)	452 (92%)	33 (7%)	7 (1%)	11	38
1	E	494/539 (92%)	445 (90%)	44 (9%)	5 (1%)	15	46
1	F	495/539 (92%)	456 (92%)	36 (7%)	3 (1%)	25	57
All	All	2961/3234 (92%)	2692 (91%)	233 (8%)	36 (1%)	13	42

5 of 36 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	104	GLY
1	B	490	ASN
1	D	18	TYR
1	D	100	VAL
1	D	103	ARG

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	415/451 (92%)	381 (92%)	34 (8%)	11	36
1	B	416/451 (92%)	370 (89%)	46 (11%)	6	23
1	C	417/451 (92%)	383 (92%)	34 (8%)	11	36
1	D	415/451 (92%)	380 (92%)	35 (8%)	11	35
1	E	417/451 (92%)	375 (90%)	42 (10%)	7	27
1	F	417/451 (92%)	378 (91%)	39 (9%)	8	30
All	All	2497/2706 (92%)	2267 (91%)	230 (9%)	9	31

5 of 230 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	3	LEU
1	F	425	LEU
1	D	424	ARG
1	F	401	ASN
1	F	129	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 44 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	243	GLN
1	F	129	GLN
1	D	286	ASN
1	E	159	GLN
1	F	151	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

44 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SO4	C	507	-	4,4,4	0.13	0	6,6,6	0.13	0
2	SO4	F	508	-	4,4,4	0.13	0	6,6,6	0.07	0
2	SO4	E	507	-	4,4,4	0.17	0	6,6,6	0.18	0
2	SO4	A	508	-	4,4,4	0.14	0	6,6,6	0.06	0
2	SO4	B	502	-	4,4,4	0.16	0	6,6,6	0.20	0
2	SO4	D	504	-	4,4,4	0.17	0	6,6,6	0.15	0
2	SO4	E	504	-	4,4,4	0.14	0	6,6,6	0.21	0
2	SO4	D	507	-	4,4,4	0.17	0	6,6,6	0.28	0
2	SO4	C	505	-	4,4,4	0.13	0	6,6,6	0.18	0
2	SO4	E	501	-	4,4,4	0.15	0	6,6,6	0.13	0
2	SO4	F	507	-	4,4,4	0.15	0	6,6,6	0.09	0
2	SO4	B	503	-	4,4,4	0.12	0	6,6,6	0.15	0
2	SO4	F	503	-	4,4,4	0.11	0	6,6,6	0.15	0
3	GOL	A	510	-	5,5,5	0.36	0	5,5,5	0.35	0
2	SO4	B	507	-	4,4,4	0.13	0	6,6,6	0.15	0
2	SO4	B	505	-	4,4,4	0.14	0	6,6,6	0.13	0
2	SO4	D	501	-	4,4,4	0.18	0	6,6,6	0.15	0
3	GOL	E	508	-	5,5,5	0.43	0	5,5,5	0.45	0
2	SO4	D	503	-	4,4,4	0.14	0	6,6,6	0.14	0
2	SO4	A	501	-	4,4,4	0.18	0	6,6,6	0.29	0
2	SO4	C	506	-	4,4,4	0.15	0	6,6,6	0.08	0
2	SO4	C	501	-	4,4,4	0.17	0	6,6,6	0.23	0
2	SO4	E	506	-	4,4,4	0.16	0	6,6,6	0.13	0
2	SO4	D	506	-	4,4,4	0.15	0	6,6,6	0.27	0
3	GOL	A	509	-	5,5,5	0.43	0	5,5,5	0.31	0
2	SO4	A	506	-	4,4,4	0.15	0	6,6,6	0.14	0
2	SO4	C	508	-	4,4,4	0.15	0	6,6,6	0.11	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SO4	F	501	-	4,4,4	0.19	0	6,6,6	0.24	0
2	SO4	B	506[A]	-	4,4,4	0.15	0	6,6,6	0.27	0
2	SO4	B	501	-	4,4,4	0.15	0	6,6,6	0.18	0
2	SO4	D	505	-	4,4,4	0.14	0	6,6,6	0.15	0
2	SO4	D	502	-	4,4,4	0.22	0	6,6,6	0.25	0
2	SO4	E	502	-	4,4,4	0.11	0	6,6,6	0.25	0
2	SO4	B	504	-	4,4,4	0.11	0	6,6,6	0.24	0
2	SO4	F	502	-	4,4,4	0.16	0	6,6,6	0.30	0
2	SO4	B	508	-	4,4,4	0.13	0	6,6,6	0.13	0
2	SO4	A	502	-	4,4,4	0.12	0	6,6,6	0.31	0
2	SO4	C	502	-	4,4,4	0.15	0	6,6,6	0.32	0
2	SO4	C	503	-	4,4,4	0.11	0	6,6,6	0.29	0
2	SO4	F	506	-	4,4,4	0.14	0	6,6,6	0.29	0
2	SO4	B	506[B]	-	4,4,4	0.13	0	6,6,6	0.10	0
2	SO4	E	503	-	4,4,4	0.13	0	6,6,6	0.09	0
2	SO4	A	507	-	4,4,4	0.17	0	6,6,6	0.24	0
2	SO4	A	503	-	4,4,4	0.14	0	6,6,6	0.24	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	510	-	-	4/4/4/4	-
3	GOL	A	509	-	-	0/4/4/4	-
3	GOL	E	508	-	-	4/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 8 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	510	GOL	C1-C2-C3-O3
3	E	508	GOL	C1-C2-C3-O3
3	E	508	GOL	O2-C2-C3-O3
3	E	508	GOL	O1-C1-C2-O2
3	A	510	GOL	O1-C1-C2-C3

There are no ring outliers.



4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	505	SO4	1	0
3	E	508	GOL	1	0
2	C	503	SO4	1	0
2	A	503	SO4	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	494/539 (91%)	0.50	4 (0%) 86 86	59, 74, 84, 92	11 (2%)
1	B	497/539 (92%)	0.53	10 (2%) 65 64	60, 74, 83, 97	8 (1%)
1	C	494/539 (91%)	0.47	1 (0%) 95 96	61, 73, 83, 90	16 (3%)
1	D	495/539 (91%)	0.51	10 (2%) 65 64	62, 73, 84, 96	11 (2%)
1	E	495/539 (91%)	0.49	5 (1%) 82 82	60, 74, 83, 95	13 (2%)
1	F	496/539 (92%)	0.54	12 (2%) 59 56	62, 74, 84, 93	16 (3%)
All	All	2971/3234 (91%)	0.51	42 (1%) 75 75	59, 74, 84, 97	75 (2%)

The worst 5 of 42 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	-2	SER	4.3
1	F	-3	GLY	3.6
1	B	488	TYR	3.2
1	B	-2	SER	3.1
1	D	-2	SER	2.8

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	GOL	E	508	6/6	0.69	0.51	81,84,85,85	0
2	SO4	F	503	5/5	0.70	0.27	146,147,147,147	0
2	SO4	C	508	5/5	0.73	0.21	142,143,143,143	0
2	SO4	C	503	5/5	0.74	0.33	125,125,125,126	0
2	SO4	B	505	5/5	0.76	0.28	140,141,141,141	0
2	SO4	D	504	5/5	0.77	0.25	128,128,129,129	0
2	SO4	F	508	5/5	0.77	0.19	153,153,154,154	0
2	SO4	E	506	5/5	0.77	0.27	117,117,118,118	0
2	SO4	D	505	5/5	0.78	0.25	150,151,152,152	0
3	GOL	A	509	6/6	0.78	0.32	83,87,89,89	0
2	SO4	F	506	5/5	0.78	0.29	100,101,102,102	0
2	SO4	C	505	5/5	0.79	0.28	137,137,138,138	0
2	SO4	A	503	5/5	0.80	0.22	123,123,123,124	0
2	SO4	E	503	5/5	0.80	0.23	151,152,152,152	0
2	SO4	A	506	5/5	0.81	0.28	110,111,111,111	0
2	SO4	A	508	5/5	0.82	0.17	129,130,130,130	0
2	SO4	B	508	5/5	0.82	0.24	147,147,147,148	0
2	SO4	D	503	5/5	0.83	0.24	135,136,137,137	0
2	SO4	D	506	5/5	0.85	0.27	105,105,105,105	0
2	SO4	F	501	5/5	0.86	0.22	101,101,102,103	0
2	SO4	B	503	5/5	0.86	0.24	140,140,140,141	0
2	SO4	B	506[A]	5/5	0.87	0.38	63,63,64,64	5
2	SO4	C	506	5/5	0.87	0.20	102,103,103,103	0
2	SO4	B	506[B]	5/5	0.87	0.38	80,81,81,81	5
2	SO4	C	501	5/5	0.89	0.26	105,105,106,106	0
2	SO4	D	501	5/5	0.90	0.21	104,105,105,106	0
2	SO4	A	501	5/5	0.90	0.21	99,100,100,100	0
2	SO4	E	501	5/5	0.91	0.21	98,99,99,100	0
2	SO4	E	504	5/5	0.92	0.14	112,112,113,113	0
2	SO4	B	504	5/5	0.92	0.18	123,123,124,125	0
2	SO4	E	502	5/5	0.93	0.23	87,87,87,88	0
2	SO4	B	501	5/5	0.93	0.22	102,103,103,104	0
3	GOL	A	510	6/6	0.94	0.17	76,78,81,81	0
2	SO4	A	507	5/5	0.94	0.20	77,78,78,79	0
2	SO4	B	507	5/5	0.95	0.16	84,84,85,85	0
2	SO4	E	507	5/5	0.95	0.16	77,78,79,80	0
2	SO4	C	507	5/5	0.95	0.19	77,77,78,79	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	SO4	A	502	5/5	0.96	0.26	77,78,78,79	0
2	SO4	C	502	5/5	0.96	0.27	85,87,89,89	0
2	SO4	B	502	5/5	0.96	0.25	82,83,83,84	0
2	SO4	F	502	5/5	0.96	0.25	83,84,85,85	0
2	SO4	D	507	5/5	0.96	0.23	68,68,68,70	0
2	SO4	D	502	5/5	0.97	0.22	80,81,81,82	0
2	SO4	F	507	5/5	0.97	0.21	78,78,79,79	0

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.