



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 9, 2023 – 08:25 AM EDT

PDB ID : 8E0F
Title : Human Adenosine Deaminase Acting on dsRNA (ADAR2-RD) bound to dsRNA containing a G-G pair adjacent to the target site
Authors : Wilcox, X.E.; Fisher, A.J.; Beal, P.A.
Deposited on : 2022-08-09
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)
RNA backbone	3102	1159 (3.00-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	488	 11% 64% 14% • 21%
1	B	488	 11% 63% 28% • 7%
2	C	32	 47% 47% 6%
3	D	32	 69% 22% 9%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 8056 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Double-stranded RNA-specific editase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	384	3033	1913	554	555	11	0	2	0
1	B	454	3547	2242	639	653	13	0	1	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	214	GLY	-	expression tag	UNP P78563
A	488	GLN	GLU	engineered mutation	UNP P78563
B	214	GLY	-	expression tag	UNP P78563
B	488	GLN	GLU	engineered mutation	UNP P78563


- Molecule 2 is a RNA chain called RNA (5-R(*GP*CP*UP*CP*GP*CP*GP*AP*UP*GP*CP*GP*(8AZ)P*GP*AP*GP*GP*GP*CP*UP*CP*UP*GP*AP*UP*AP*GP*CP*UP*AP*CP*G)-3).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	C	32	685	305	126	223	31	0	0	0

- Molecule 3 is a RNA chain called RNA(5-R(*CP*GP*UP*AP*GP*CP*UP*AP*UP*CP*AP*GP*AP*GP*CP*CP*CP*CP*CP*CP*GP*GP*CP*AP*UP*CP*GP*CP*GP*AP*GP*C)-3).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	D	32	676	303	122	220	31	0	0	0

- Molecule 4 is INOSITOL HEXAKISPHOSPHATE (three-letter code: IHP) (formula: C₆H₁₈O₂₄P₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
4	A	1	Total	C	O	P	0	0
			36	6	24	6		
4	B	1	Total	C	O	P	0	0
			36	6	24	6		

- Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Zn	0	0
			1	1		
5	B	1	Total	Zn	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	24	Total	O	0	0
			24	24		
6	B	11	Total	O	0	0
			11	11		
6	C	3	Total	O	0	0
			3	3		
6	D	3	Total	O	0	0
			3	3		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Double-stranded RNA-specific editase 1




- Molecule 1: Double-stranded RNA-specific editase 1






- Molecule 2: RNA (5-R(*GP*CP*UP*CP*GP*CP*GP*AP*UP*GP*CP*GP*(8AZ)P*GP*AP*GP*GP*GP*CP*UP*CP*UP*GP*AP*UP*AP*GP*CP*UP*AP*CP*G)-3)



- Molecule 3: RNA(5-R(*CP*GP*UP*AP*GP*CP*UP*AP*UP*CP*AP*GP*AP*GP*CP*CP*CP*CP*CP*GP*GP*CP*AP*UP*CP*GP*CP*GP*AP*GP*C)-3)



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	171.52Å 63.39Å 142.13Å 90.00° 117.69° 90.00°	Depositor
Resolution (Å)	65.73 – 2.70 125.86 – 2.70	Depositor EDS
% Data completeness (in resolution range)	91.0 (65.73-2.70) 97.5 (125.86-2.70)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.99 (at 2.69Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.193 , 0.231 0.196 , 0.230	Depositor DCC
R_{free} test set	1859 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	70.5	Xtrriage
Anisotropy	0.333	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 58.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8056	wwPDB-VP
Average B, all atoms (Å ²)	88.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 8AZ, ZN, IHP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/3101	0.84	3/4190 (0.1%)
1	B	0.37	0/3621	0.73	2/4890 (0.0%)
2	C	0.42	0/740	0.94	2/1151 (0.2%)
3	D	0.42	0/754	0.98	1/1173 (0.1%)
All	All	0.40	0/8216	0.82	8/11404 (0.1%)

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	12	G	O4'-C1'-N9	6.11	113.09	108.20
1	A	674	ARG	CG-CD-NE	-6.03	99.14	111.80
1	B	621	LEU	CA-CB-CG	6.01	129.13	115.30
1	B	315	LEU	CA-CB-CG	5.83	128.72	115.30
1	A	590	ARG	C-N-CA	-5.35	108.32	121.70
1	A	690	LYS	CB-CG-CD	5.27	125.30	111.60
3	D	10	C	C2-N1-C1'	5.20	124.52	118.80
2	C	19	C	O5'-P-OP1	-5.01	101.19	105.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3033	0	3072	49	0
1	B	3547	0	3576	103	0
2	C	685	0	337	15	0
3	D	676	0	350	5	0
4	A	36	0	6	2	0
4	B	36	0	6	1	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	24	0	0	4	0
6	B	11	0	0	1	0
6	C	3	0	0	0	0
6	D	3	0	0	0	0
All	All	8056	0	7347	164	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (164) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:618:LYS:NZ	6:A:902:HOH:O	1.92	1.03
4:A:801:IHP:O35	6:A:901:HOH:O	1.91	0.88
1:B:240:LEU:HD21	1:B:247:LEU:HD23	1.52	0.88
1:B:383:MET:HE1	1:B:511:LEU:HD13	1.55	0.88
1:B:511:LEU:HD11	1:B:690:LYS:HE3	1.60	0.82
1:B:516:CYS:O	1:B:520:ILE:HD12	1.80	0.81
1:A:436:LEU:HD21	1:A:540:ILE:HG12	1.64	0.80
1:B:302:ASP:HB2	1:B:307:ARG:HH12	1.50	0.75
1:A:455:ARG:NH2	2:C:13:8AZ:OP1	2.21	0.74
1:A:657:VAL:HG22	1:A:660:GLU:HG2	1.70	0.74
1:B:320:PRO:HB3	1:B:580:LEU:HD11	1.71	0.73
1:B:620:GLU:N	1:B:620:GLU:OE2	2.21	0.72
6:A:902:HOH:O	1:B:461:GLU:OE1	2.08	0.71
1:A:364:LYS:HD2	1:A:364:LYS:H	1.55	0.71
1:B:431:ARG:NH1	1:B:538:GLU:OE2	2.24	0.70
1:B:690:LYS:HD2	4:B:801:IHP:O36	1.92	0.70
1:A:419:ASP:O	1:A:422:LYS:NZ	2.21	0.69
1:B:392:ASP:OD2	1:B:483:LYS:NZ	2.27	0.68
1:B:308:GLN:OE1	1:B:308:GLN:N	2.27	0.67
1:A:323:LEU:O	1:A:327:VAL:HG13	1.97	0.64
1:A:357:MET:HE2	1:A:369:ILE:HD11	1.80	0.64
2:C:24:A:H2'	2:C:25:U:H6	1.64	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:327:VAL:HG21	1:B:546:ILE:HG13	1.80	0.63
1:B:300:HIS:CG	1:B:301:LEU:H	2.16	0.63
2:C:24:A:H2'	2:C:25:U:C6	2.35	0.62
1:B:362:ASP:OD2	1:B:364:LYS:HG3	2.00	0.62
1:B:434:PHE:HB2	1:B:537:VAL:HG12	1.82	0.61
1:B:262:SER:HA	1:B:279:ARG:HA	1.81	0.61
1:B:325:ASP:O	1:B:329:ARG:HG3	2.00	0.61
1:B:303:GLN:HG3	1:B:305:PRO:HD2	1.84	0.60
1:A:443:HIS:ND1	1:A:544:SER:OG	2.31	0.59
1:B:249:TYR:CD2	1:B:285:LYS:HE2	2.38	0.59
1:B:400:ARG:HD3	1:B:523:TRP:CE2	2.38	0.59
1:B:300:HIS:CD2	1:B:301:LEU:H	2.21	0.58
1:A:487:GLY:O	2:C:14:G:H1'	2.03	0.58
1:A:507:GLN:OE1	1:B:455:ARG:NH2	2.37	0.58
1:B:302:ASP:HB2	1:B:307:ARG:NH1	2.17	0.57
1:B:307:ARG:HH11	1:B:307:ARG:HG2	1.68	0.57
1:A:510:ARG:HD2	1:B:593:GLY:HA2	1.86	0.57
1:B:307:ARG:NH1	1:B:307:ARG:HG2	2.20	0.57
3:D:15:C:H2'	3:D:16:C:O4'	2.04	0.57
1:A:657:VAL:HG22	1:A:660:GLU:CG	2.35	0.56
1:B:281:LYS:NZ	2:C:19:C:OP1	2.36	0.56
1:A:463:ILE:HD13	1:A:465:GLU:OE2	2.05	0.56
1:A:680:ILE:HD11	1:A:686:ALA:HB2	1.87	0.56
1:B:385:ASP:OD1	1:B:386:ARG:HD3	2.06	0.56
1:A:400:ARG:HD3	1:A:523:TRP:CE2	2.41	0.55
1:A:657:VAL:CG2	1:A:660:GLU:HG2	2.35	0.55
1:B:594:LYS:HD2	1:B:595:ALA:H	1.72	0.55
1:B:310:ILE:H	1:B:310:ILE:HD12	1.71	0.55
1:B:281:LYS:NZ	2:C:19:C:P	2.81	0.54
1:A:532:LEU:HB3	1:A:636:TRP:CD1	2.43	0.54
1:B:272:GLN:HB2	1:B:274:PHE:CE2	2.42	0.54
1:A:316:GLN:N	1:A:364:LYS:HZ3	2.06	0.54
1:B:660:GLU:HA	1:B:663:LEU:HD12	1.90	0.54
2:C:30:A:H2'	2:C:31:C:C6	2.43	0.53
1:B:338:LEU:HD22	1:B:609:ILE:HG23	1.89	0.53
1:B:235:ASN:ND2	3:D:8:A:O2'	2.39	0.53
1:B:277:SER:O	1:B:287:ARG:NH1	2.32	0.53
1:A:514:MET:HG3	1:A:687:TRP:CE2	2.43	0.53
1:B:241:ASN:ND2	3:D:7:U:O2'	2.41	0.53
1:A:463:ILE:HG13	1:A:466:GLU:HG2	1.91	0.52
2:C:23:G:H2'	2:C:24:A:C8	2.44	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:310:ILE:HG21	1:B:315:LEU:HD21	1.92	0.52
1:B:240:LEU:HD22	1:B:249:TYR:OH	2.10	0.52
1:B:602:TRP:HB2	1:B:609:ILE:HG22	1.92	0.52
1:B:665:ALA:O	1:B:669:GLN:HG2	2.10	0.52
1:A:414:TYR:O	1:A:421:GLN:HG2	2.10	0.52
1:B:241:ASN:O	1:B:245:PRO:HA	2.10	0.51
1:B:429:SER:OG	1:B:432:GLY:O	2.28	0.51
2:C:23:G:H2'	2:C:24:A:H8	1.75	0.51
1:B:296:ILE:HG22	1:B:297:PHE:CE1	2.46	0.51
2:C:30:A:H2'	2:C:31:C:H6	1.76	0.51
1:B:242:GLU:OE2	1:B:243:LEU:HD23	2.10	0.51
1:B:558:ARG:HH11	1:B:558:ARG:HG3	1.76	0.51
1:A:431:ARG:NE	1:A:573:LEU:HD21	2.27	0.50
1:B:610:GLU:OE1	1:B:626:ARG:HG3	2.11	0.50
1:A:373:THR:OG1	1:A:600:VAL:HG22	2.11	0.50
1:B:235:ASN:O	1:B:239:ILE:HD12	2.12	0.50
1:B:458:SER:HB2	1:B:461:GLU:HG3	1.93	0.50
1:B:304:THR:HG23	1:B:305:PRO:HD3	1.92	0.50
1:B:566:ASN:HD21	1:B:682:ALA:HB2	1.76	0.50
2:C:11:C:O2'	2:C:12:G:H5'	2.12	0.49
1:B:251:PHE:CE1	1:B:263:PHE:HD2	2.30	0.49
1:B:323:LEU:O	1:B:327:VAL:HG13	2.12	0.49
1:A:690:LYS:HE2	4:A:801:IHP:O36	2.13	0.49
1:A:460:HIS:C	1:A:550:LEU:HD22	2.32	0.49
1:A:491:ILE:CG2	1:A:492:PRO:HD2	2.44	0.48
1:B:621:LEU:HD21	1:B:623:ARG:NH2	2.28	0.48
1:A:426:PHE:HE1	1:A:537:VAL:HG11	1.77	0.48
1:B:345:PRO:O	1:B:348:ARG:HG2	2.14	0.48
1:B:350:LYS:HE3	1:B:591:GLN:O	2.14	0.48
1:A:568:GLU:OE2	6:A:903:HOH:O	2.20	0.48
1:B:254:GLU:HB3	1:B:263:PHE:CE2	2.49	0.48
1:B:500:GLN:HB2	1:B:691:PRO:HD3	1.96	0.48
1:A:426:PHE:CE1	1:A:537:VAL:HG11	2.49	0.48
1:A:455:ARG:HH12	1:A:550:LEU:HD12	1.78	0.48
1:B:492:PRO:O	1:B:494:ARG:NH1	2.46	0.48
1:B:532:LEU:HB3	1:B:636:TRP:CD1	2.49	0.48
1:B:410:GLN:HG3	1:B:425:ILE:HG12	1.96	0.48
1:A:501:THR:OG1	1:B:489:GLY:HA3	2.14	0.47
1:B:428:LYS:HD3	1:B:428:LYS:H	1.80	0.47
1:B:556:LEU:HD23	1:B:581:LEU:HB3	1.96	0.47
1:B:693:GLU:N	1:B:693:GLU:OE1	2.47	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:457:PHE:CE1	1:A:477:ARG:NH1	2.83	0.47
1:A:417:ASN:O	1:A:421:GLN:HG3	2.14	0.47
1:A:418:LYS:NZ	1:A:421:GLN:HE22	2.12	0.47
2:C:2:C:H2'	2:C:3:U:H6	1.80	0.47
1:B:386:ARG:NH1	6:B:901:HOH:O	2.18	0.46
1:B:621:LEU:HD21	1:B:623:ARG:HH21	1.79	0.46
1:B:319:LEU:O	1:B:322:VAL:HG22	2.15	0.46
1:B:644:PRO:HG2	1:B:647:LEU:HD23	1.96	0.46
1:B:523:TRP:HB3	1:B:528:ILE:HG22	1.98	0.46
1:B:305:PRO:HG3	1:B:462:PRO:HB2	1.97	0.46
1:B:251:PHE:HE1	1:B:263:PHE:HD2	1.63	0.46
1:A:448:THR:OG1	1:A:550:LEU:HD12	2.16	0.46
1:B:639:VAL:O	1:B:643:VAL:HG22	2.15	0.46
3:D:24:A:H2'	3:D:25:U:C6	2.51	0.46
1:B:480:LEU:O	1:B:493:VAL:HG12	2.16	0.46
2:C:20:U:H2'	2:C:21:C:H6	1.81	0.45
2:C:8:A:H2'	2:C:9:U:C6	2.51	0.45
1:B:430:GLU:H	1:B:430:GLU:CD	2.18	0.45
1:B:490:THR:HG21	1:B:515:SER:HB2	1.99	0.45
1:B:379:ASN:HB3	1:B:382:TYR:HD2	1.80	0.45
1:A:327:VAL:O	1:A:331:VAL:HG23	2.16	0.45
1:B:572:PRO:O	1:B:573:LEU:HB2	2.17	0.45
1:A:670:ALA:O	1:A:674:ARG:HG2	2.17	0.44
1:B:247:LEU:CD2	1:B:269:VAL:HB	2.47	0.44
1:B:504:GLY:O	1:B:509:GLU:OE2	2.35	0.44
1:A:436:LEU:CD2	1:A:540:ILE:HG12	2.41	0.44
1:A:318:HIS:CE1	1:A:361:THR:O	2.70	0.44
1:B:300:HIS:CG	1:B:301:LEU:N	2.83	0.43
1:B:422:LYS:O	1:B:437:LYS:NZ	2.51	0.43
1:A:531:SER:HB3	1:A:668:TYR:CD1	2.53	0.43
1:B:379:ASN:HA	1:B:485:GLU:OE2	2.19	0.43
1:B:556:LEU:O	1:B:560:MET:HG2	2.19	0.43
1:A:438:GLU:H	1:A:438:GLU:CD	2.22	0.43
1:A:554:ASP:OD1	1:A:554:ASP:N	2.51	0.43
1:B:248:LYS:HD3	1:B:249:TYR:H	1.83	0.43
1:B:274:PHE:CE1	1:B:295:ALA:HB3	2.54	0.43
1:B:247:LEU:HD22	1:B:269:VAL:HB	2.01	0.42
1:A:659:HIS:CE1	1:A:663:LEU:HD11	2.54	0.42
1:A:594:LYS:HD2	1:A:594:LYS:HA	1.90	0.42
1:B:514:MET:HG3	1:B:687:TRP:CE2	2.55	0.42
1:B:509:GLU:H	1:B:509:GLU:CD	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:394:HIS:CE1	1:A:483:LYS:HE3	2.55	0.42
3:D:24:A:H2'	3:D:25:U:H6	1.85	0.42
1:B:280:ASN:OD1	1:B:283:LEU:HB2	2.20	0.42
1:B:611:VAL:O	1:B:612:ILE:HD12	2.20	0.41
1:B:412:GLU:HG3	1:B:639:VAL:HG22	2.02	0.41
2:C:20:U:H2'	2:C:21:C:C6	2.55	0.41
1:A:658:TYR:CZ	1:A:662:LYS:HE3	2.56	0.41
1:B:383:MET:HE1	1:B:511:LEU:CD1	2.39	0.41
1:B:500:GLN:CB	1:B:691:PRO:HD3	2.50	0.41
1:A:418:LYS:HE2	1:A:421:GLN:NE2	2.35	0.41
1:B:383:MET:HB3	1:B:502:TRP:CH2	2.55	0.41
1:B:491:ILE:HD13	1:B:491:ILE:HA	1.86	0.41
1:B:268:VAL:HA	1:B:272:GLN:O	2.21	0.41
1:B:561:TYR:O	1:B:564:ILE:HD12	2.21	0.41
1:A:372:SER:HA	1:A:600:VAL:O	2.21	0.40
1:B:541:TYR:HB3	1:B:577:ASN:ND2	2.35	0.40
1:B:302:ASP:OD1	1:B:302:ASP:N	2.50	0.40
1:B:308:GLN:HA	1:B:551:TYR:OH	2.21	0.40
1:B:375:THR:CG2	1:B:595:ALA:HB1	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	384/488 (79%)	374 (97%)	8 (2%)	2 (0%)	29	54
1	B	451/488 (92%)	430 (95%)	17 (4%)	4 (1%)	17	40
All	All	835/976 (86%)	804 (96%)	25 (3%)	6 (1%)	22	46

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	652	ILE
1	A	656	ASN
1	B	561	TYR
1	A	561	TYR
1	B	318	HIS
1	B	508	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	331/415 (80%)	324 (98%)	7 (2%)	53 80
1	B	385/415 (93%)	372 (97%)	13 (3%)	37 66
All	All	716/830 (86%)	696 (97%)	20 (3%)	43 73

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	316	GLN
1	A	327	VAL
1	A	334	LYS
1	A	488	GLN
1	A	590	ARG
1	A	623	ARG
1	A	635	ARG
1	B	266	SER
1	B	361	THR
1	B	364	LYS
1	B	381	GLU
1	B	386	ARG
1	B	428	LYS
1	B	435	ARG
1	B	438	GLU
1	B	558	ARG
1	B	580	LEU
1	B	607	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	647	LEU
1	B	693	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	391	ASN
1	A	416	ASN
1	A	421	GLN
1	A	479	GLN
1	A	488	GLN
1	A	659	HIS
1	B	241	ASN
1	B	290	GLN
1	B	300	HIS
1	B	439	ASN

5.3.3 RNA

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	C	30/32 (93%)	1 (3%)	0
3	D	31/32 (96%)	6 (19%)	0
All	All	61/64 (95%)	7 (11%)	0

All (7) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	C	29	U
3	D	7	U
3	D	10	C
3	D	11	A
3	D	16	C
3	D	17	C
3	D	22	G

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	8AZ	C	13	2,5	17,24,25	0.72	0	14,35,38	0.73	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	8AZ	C	13	2,5	-	2/3/35/36	0/3/3/3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	13	8AZ	O4'-C4'-C5'-O5'
2	C	13	8AZ	C3'-C4'-C5'-O5'

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	13	8AZ	1	0

5.5 Carbohydrates

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	IHP	A	801	-	36,36,36	0.87	2 (5%)	54,60,60	0.67	0
4	IHP	B	801	-	36,36,36	0.83	0	54,60,60	0.64	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	IHP	A	801	-	-	7/30/54/54	0/1/1/1
4	IHP	B	801	-	-	2/30/54/54	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	801	IHP	P2-O12	2.15	1.63	1.59
4	A	801	IHP	P5-O15	2.09	1.63	1.59

There are no bond angle outliers.

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	801	IHP	C2-O12-P2-O32
4	A	801	IHP	C4-O14-P4-O34
4	B	801	IHP	C1-O11-P1-O21
4	B	801	IHP	C4-O14-P4-O44
4	A	801	IHP	C4-C5-O15-P5
4	A	801	IHP	C6-C5-O15-P5

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	A	801	IHP	C1-O11-P1-O21
4	A	801	IHP	C2-O12-P2-O42
4	A	801	IHP	C5-O15-P5-O45


There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	801	IHP	2	0
4	B	801	IHP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	384/488 (78%)	0.43	6 (1%) 72 74	50, 67, 113, 151	0
1	B	454/488 (93%)	0.92	52 (11%) 4 4	58, 85, 146, 169	0
2	C	31/32 (96%)	-0.48	0 100 100	65, 88, 166, 171	0
3	D	32/32 (100%)	-0.52	0 100 100	60, 114, 157, 163	0
All	All	901/1040 (86%)	0.61	58 (6%) 19 18	50, 77, 143, 171	0

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	497	ALA	9.5
1	B	502	TRP	9.4
1	B	506	LEU	8.5
1	B	505	VAL	7.9
1	B	300	HIS	7.5
1	A	496	ASN	7.3
1	B	313	GLU	6.4
1	A	497	ALA	6.2
1	B	511	LEU	6.1
1	B	507	GLN	5.8
1	B	272	GLN	5.5
1	B	503	ASP	5.4
1	B	251	PHE	5.4
1	B	476	ALA	4.8
1	A	318	HIS	4.6
1	B	500	GLN	4.3
1	B	496	ASN	4.2
1	B	316	GLN	4.0
1	B	293	LEU	3.8
1	B	510	ARG	3.7
1	B	254	GLU	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	248	LYS	3.6
1	B	253	SER	3.5
1	B	499	ILE	3.5
1	B	486	SER	3.5
1	B	249	TYR	3.5
1	B	508	GLY	3.4
1	B	297	PHE	3.3
1	B	318	HIS	3.2
1	B	265	MET	3.0
1	B	501	THR	3.0
1	B	314	GLY	3.0
1	B	266	SER	2.9
1	B	256	GLY	2.9
1	B	693	GLU	2.9
1	B	262	SER	2.8
1	A	319	LEU	2.8
1	B	276	GLY	2.7
1	B	504	GLY	2.7
1	B	269	VAL	2.7
1	B	498	SER	2.6
1	B	462	PRO	2.6
1	B	296	ILE	2.5
1	B	647	LEU	2.5
1	B	240	LEU	2.5
1	B	274	PHE	2.4
1	B	485	GLU	2.4
1	A	498	SER	2.3
1	B	317	LEU	2.3
1	B	434	PHE	2.3
1	B	268	VAL	2.3
1	A	371	VAL	2.2
1	B	292	ALA	2.1
1	B	275	GLU	2.1
1	B	383	MET	2.1
1	B	651	LYS	2.1
1	B	324	ALA	2.1
1	B	494	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	8AZ	C	13	22/23	0.96	0.19	59,61,84,105	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)



In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	IHP	A	801	36/36	0.98	0.19	53,56,64,70	0
4	IHP	B	801	36/36	0.98	0.16	55,67,82,88	0
5	ZN	A	802	1/1	0.99	0.21	55,55,55,55	0
5	ZN	B	802	1/1	1.00	0.22	62,62,62,62	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around IHP A 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.