



wwPDB X-ray Structure Validation Summary Report ⓘ

Oct 15, 2023 – 03:36 AM EDT

PDB ID : 8E1P
Title : Crystal structure of BG505 SOSIP.v4.1-GT1.2 trimer in complex with gl-PGV20 and PGT124 Fabs
Authors : Sarkar, A.; Kumar, S.; Wilson, I.A.
Deposited on : 2022-08-11
Resolution : 3.82 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1231 (4.04-3.60)
Clashscore	141614	1031 (4.02-3.62)
Ramachandran outliers	138981	1261 (4.04-3.60)
Sidechain outliers	138945	1255 (4.04-3.60)
RSRZ outliers	127900	1139 (4.04-3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	F	225	<div style="display: flex; align-items: center;"> <div style="width: 8%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 72%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 26%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 100%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="text-align: center;">8% 72% 26% ..</p>
1	H	225	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 81%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 17%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 100%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="text-align: center;">2% 81% 17% ..</p>
1	N	225	<div style="display: flex; align-items: center;"> <div style="width: 18%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 78%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 20%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 100%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="text-align: center;">18% 78% 20% .</p>
2	I	210	<div style="display: flex; align-items: center;"> <div style="width: 9%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 80%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 15%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 100%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="text-align: center;">9% 80% 15% ..</p>
3	L	210	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 77%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 18%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 100%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="text-align: center;">2% 77% 18% ..</p>






Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	O	210	14% 80% 15% ..
4	A	214	11% 86% 12% .
4	C	214	14% 85% 13% ..
4	J	214	16% 81% 17% .
5	E	474	2% 74% 19% . 6%
5	G	474	73% 20% . 5%
5	M	474	3% 73% 19% . 5%
6	B	236	8% 77% 18% .
6	D	236	16% 75% 20% .
6	K	236	6% 77% 18% .
7	X	153	3% 76% 8% 16%
7	Y	153	74% 10% 16%
7	Z	153	3% 71% 13% 16%
8	P	3	100%
8	U	3	33% 67%
8	c	3	67% 33%
8	e	3	100%
9	Q	2	100%
9	S	2	50% 50%
9	T	2	50% 50%
9	V	2	100%
9	W	2	100%
9	b	2	50% 50%
9	d	2	100%
9	f	2	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	i	2	 100%
10	R	7	 14% 86%
11	a	9	 22% 78%
12	g	6	 33% 67%
13	h	3	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
9	NAG	T	2	-	-	-	X

2 Entry composition [i](#)

There are 14 unique types of molecules in this entry. The entry contains 34410 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called germline PGV20 heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	F	222	1690	1060	294	326	10	0	0	0
1	H	222	1690	1060	294	326	10	0	0	0
1	N	222	1690	1060	294	326	10	0	0	0

- Molecule 2 is a protein called germline PGV20 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	I	205	1526	954	250	316	6	0	0	0

- Molecule 3 is a protein called germline PGV20 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	L	204	1521	952	249	314	6	0	0	0
3	O	205	1526	954	250	316	6	0	0	0

- Molecule 4 is a protein called PGT124 Fab Light Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	A	210	1595	1005	270	315	5	0	0	0
4	C	210	1595	1005	270	315	5	0	0	0
4	J	210	1595	1005	270	315	5	0	0	0

- Molecule 5 is a protein called BG505-SOSIP.v4.1-GT1.2gp120.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	447	Total	C	N	O	S	0	0	0
			3526	2219	622	658	27			
5	G	449	Total	C	N	O	S	0	0	0
			3541	2227	625	662	27			
5	M	449	Total	C	N	O	S	0	0	0
			3541	2227	625	662	27			

- Molecule 6 is a protein called PGT124 Fab Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	B	226	Total	C	N	O	S	0	0	0
			1720	1093	287	335	5			
6	D	226	Total	C	N	O	S	0	0	0
			1720	1093	287	335	5			
6	K	226	Total	C	N	O	S	0	0	0
			1720	1093	287	335	5			


- Molecule 7 is a protein called Envelope glycoprotein gp41.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	Y	129	Total	C	N	O	S	0	0	0
			1030	655	176	193	6			
7	X	129	Total	C	N	O	S	0	0	0
			1030	655	176	193	6			
7	Z	129	Total	C	N	O	S	0	0	0
			1030	655	176	193	6			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Y	559	PRO	ILE	conflict	UNP Q2N0S6
Y	605	CYS	THR	conflict	UNP Q2N0S6
X	559	PRO	ILE	conflict	UNP Q2N0S6
X	605	CYS	THR	conflict	UNP Q2N0S6
Z	559	PRO	ILE	conflict	UNP Q2N0S6
Z	605	CYS	THR	conflict	UNP Q2N0S6

- Molecule 8 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
8	P	3	Total	C	N	O	0	0	0
			39	22	2	15			
8	U	3	Total	C	N	O	0	0	0
			39	22	2	15			
8	c	3	Total	C	N	O	0	0	0
			39	22	2	15			
8	e	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 9 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
9	Q	2	Total	C	N	O	0	0	0
			28	16	2	10			
9	S	2	Total	C	N	O	0	0	0
			28	16	2	10			
9	T	2	Total	C	N	O	0	0	0
			28	16	2	10			
9	V	2	Total	C	N	O	0	0	0
			28	16	2	10			
9	W	2	Total	C	N	O	0	0	0
			28	16	2	10			
9	b	2	Total	C	N	O	0	0	0
			28	16	2	10			
9	d	2	Total	C	N	O	0	0	0
			28	16	2	10			
9	f	2	Total	C	N	O	0	0	0
			28	16	2	10			
9	i	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 10 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
10	R	7	83	46	2	35	0	0	0

- Molecule 11 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
11	a	9	108	60	3	45	0	0	0

- Molecule 12 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
12	g	6	72	40	2	30	0	0	0

- Molecule 13 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
			Total	C	O			
13	h	3	33	18	15	0	0	0

- Molecule 14 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
14	E	1	Total	C	N	O	0	0
			14	8	1	5		
14	E	1	Total	C	N	O	0	0
			14	8	1	5		
14	E	1	Total	C	N	O	0	0
			14	8	1	5		
14	E	1	Total	C	N	O	0	0
			14	8	1	5		
14	E	1	Total	C	N	O	0	0
			14	8	1	5		
14	E	1	Total	C	N	O	0	0
			14	8	1	5		
14	E	1	Total	C	N	O	0	0
			14	8	1	5		
14	E	1	Total	C	N	O	0	0
			14	8	1	5		
14	G	1	Total	C	N	O	0	0
			14	8	1	5		
14	G	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
14	G	1	Total	C	N	O	0	0
			14	8	1	5		
14	G	1	Total	C	N	O	0	0
			14	8	1	5		
14	G	1	Total	C	N	O	0	0
			14	8	1	5		
14	G	1	Total	C	N	O	0	0
			14	8	1	5		
14	G	1	Total	C	N	O	0	0
			14	8	1	5		
14	M	1	Total	C	N	O	0	0
			14	8	1	5		
14	M	1	Total	C	N	O	0	0
			14	8	1	5		
14	M	1	Total	C	N	O	0	0
			14	8	1	5		
14	M	1	Total	C	N	O	0	0
			14	8	1	5		
14	M	1	Total	C	N	O	0	0
			14	8	1	5		
14	M	1	Total	C	N	O	0	0
			14	8	1	5		
14	M	1	Total	C	N	O	0	0
			14	8	1	5		
14	M	1	Total	C	N	O	0	0
			14	8	1	5		
14	Y	1	Total	C	N	O	0	0
			14	8	1	5		
14	Y	1	Total	C	N	O	0	0
			14	8	1	5		
14	Y	1	Total	C	N	O	0	0
			14	8	1	5		
14	X	1	Total	C	N	O	0	0
			14	8	1	5		
14	X	1	Total	C	N	O	0	0
			14	8	1	5		
14	Z	1	Total	C	N	O	0	0
			14	8	1	5		
14	Z	1	Total	C	N	O	0	0
			14	8	1	5		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: germline PGV20 heavy chain




- Molecule 1: germline PGV20 heavy chain





- Molecule 1: germline PGV20 heavy chain









- Molecule 2: germline PGV20 light chain





- Molecule 3: germline PGV20 light chain




- Molecule 3: germline PGV20 light chain




- Molecule 4: PGT124 Fab Light Chain





- Molecule 4: PGT124 Fab Light Chain








• Molecule 4: PGT124 Fab Light Chain



• Molecule 5: BG505-SOSIP.v4.1-GT1.2gp120





• Molecule 5: BG505-SOSIP.v4.1-GT1.2gp120









• Molecule 5: BG505-SOSIP.v4.1-GT1.2gp120




• Molecule 6: PGT124 Fab Heavy Chain




• Molecule 6: PGT124 Fab Heavy Chain




• Molecule 6: PGT124 Fab Heavy Chain






- Molecule 7: Envelope glycoprotein gp41

Chain Y: 74% 10% 16%




- Molecule 7: Envelope glycoprotein gp41

Chain X: 3% 76% 8% 16%



- Molecule 7: Envelope glycoprotein gp41

Chain Z: 3% 71% 13% 16%



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P: 100%



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U: 33% 67%



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  67% 33%

MAG1
MAG2
BMA3

- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  100%

MAG1
MAG2
BMA3

- Molecule 9: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  100%

MAG1
MAG2

- Molecule 9: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  50% 50%

MAG1
MAG2

- Molecule 9: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  50% 50%

MAG1
MAG2

- Molecule 9: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  100%

MAG1
MAG2

- Molecule 9: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  100%

MAG1
MAG2

- Molecule 9: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  50% 50%

MAG1
MAG2

- Molecule 9: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  100%

MAG1
MAG2

- Molecule 9: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:  100%

MAG1
MAG2

- Molecule 9: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain i:  100%

MAG1
MAG2

- Molecule 10: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  14% 86%


MAG1
MAG2
BKAS
MAN4
MANS
MANG
MAN7

- Molecule 11: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  22% 78%

MAG1
MAG2
MAG3
MAN4
MANS
MANG
MAN7
MANS
MANG

- Molecule 12: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain g:  33% 67%

MAN1
MAN2
MAN3
MAN4
MAN5
MAN6

- Molecule 13: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose

Chain h:  100%

MAN1
MAN2
MAN3

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	146.06Å 157.67Å 158.56Å 90.00° 102.97° 90.00°	Depositor
Resolution (Å)	49.76 – 3.82 49.76 – 3.82	Depositor EDS
% Data completeness (in resolution range)	94.3 (49.76-3.82) 94.3 (49.76-3.82)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.37 (at 3.88Å)	Xtrriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.271 , 0.301 0.270 , 0.300	Depositor DCC
R_{free} test set	3181 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	104.9	Xtrriage
Anisotropy	0.303	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 45.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.24$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.84	EDS
Total number of atoms	34410	wwPDB-VP
Average B, all atoms (Å ²)	122.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.84% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MAN, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	F	0.27	0/1732	0.51	0/2354
1	H	0.26	0/1732	0.49	0/2354
1	N	0.25	0/1732	0.50	0/2354
2	I	0.26	0/1564	0.46	0/2132
3	L	0.26	0/1558	0.47	0/2122
3	O	0.25	0/1563	0.46	0/2129
4	A	0.24	0/1638	0.47	0/2238
4	C	0.25	0/1638	0.46	0/2238
4	J	0.24	0/1638	0.46	0/2238
5	E	0.25	0/3601	0.49	0/4889
5	G	0.26	0/3618	0.50	0/4916
5	M	0.25	0/3617	0.49	0/4913
6	B	0.25	0/1763	0.49	0/2407
6	D	0.25	0/1763	0.49	0/2407
6	K	0.25	0/1763	0.50	0/2407
7	X	0.23	0/1048	0.42	0/1421
7	Y	0.24	0/1048	0.43	0/1421
7	Z	0.24	0/1048	0.43	0/1421
All	All	0.25	0/34064	0.48	0/46361

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	1690	0	1645	38	0
1	H	1690	0	1645	26	0
1	N	1690	0	1645	26	0
2	I	1526	0	1462	20	0
3	L	1521	0	1461	25	0
3	O	1526	0	1461	23	0
4	A	1595	0	1541	12	0
4	C	1595	0	1541	17	0
4	J	1595	0	1541	24	0
5	E	3526	0	3463	65	0
5	G	3541	0	3478	68	0
5	M	3541	0	3477	70	0
6	B	1720	0	1686	24	0
6	D	1720	0	1686	27	0
6	K	1720	0	1686	27	0
7	X	1030	0	1019	10	0
7	Y	1030	0	1018	16	0
7	Z	1030	0	1019	23	0
8	P	39	0	34	0	0
8	U	39	0	34	1	0
8	c	39	0	34	0	0
8	e	39	0	34	0	0
9	Q	28	0	25	0	0
9	S	28	0	25	1	0
9	T	28	0	25	2	0
9	V	28	0	25	0	0
9	W	28	0	25	0	0
9	b	28	0	25	0	0
9	d	28	0	25	0	0
9	f	28	0	25	0	0
9	i	28	0	25	0	0
10	R	83	0	70	0	0
11	a	108	0	91	0	0
12	g	72	0	61	0	0
13	h	33	0	28	0	0
14	E	112	0	104	3	0
14	G	98	0	91	5	0
14	M	112	0	104	3	0
14	X	28	0	26	0	0
14	Y	42	0	39	0	0
14	Z	28	0	26	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	34410	0	33475	495	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 495 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:186(A):ASN:H	5:E:187:GLN:HA	1.41	0.86
1:N:121:SER:HA	1:N:122:SER:HB3	1.60	0.84
5:M:186(A):ASN:N	5:M:187:GLN:HA	1.94	0.82
4:A:148:TRP:HE1	4:A:176:SER:HG	1.25	0.81
5:E:186(A):ASN:N	5:E:187:GLN:HA	1.96	0.81

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	F	218/225 (97%)	203 (93%)	14 (6%)	1 (0%)	29	66
1	H	218/225 (97%)	202 (93%)	15 (7%)	1 (0%)	29	66
1	N	218/225 (97%)	201 (92%)	17 (8%)	0	100	100
2	I	203/210 (97%)	187 (92%)	12 (6%)	4 (2%)	7	40
3	L	200/210 (95%)	183 (92%)	12 (6%)	5 (2%)	5	36
3	O	201/210 (96%)	183 (91%)	17 (8%)	1 (0%)	29	66
4	A	208/214 (97%)	194 (93%)	12 (6%)	2 (1%)	15	52
4	C	208/214 (97%)	196 (94%)	11 (5%)	1 (0%)	29	66
4	J	208/214 (97%)	196 (94%)	11 (5%)	1 (0%)	29	66

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	E	437/474 (92%)	405 (93%)	30 (7%)	2 (0%)	29	66
5	G	443/474 (94%)	403 (91%)	35 (8%)	5 (1%)	14	51
5	M	441/474 (93%)	406 (92%)	31 (7%)	4 (1%)	17	54
6	B	222/236 (94%)	214 (96%)	6 (3%)	2 (1%)	17	54
6	D	222/236 (94%)	214 (96%)	8 (4%)	0	100	100
6	K	222/236 (94%)	211 (95%)	11 (5%)	0	100	100
7	X	125/153 (82%)	119 (95%)	6 (5%)	0	100	100
7	Y	125/153 (82%)	121 (97%)	4 (3%)	0	100	100
7	Z	125/153 (82%)	120 (96%)	5 (4%)	0	100	100
All	All	4244/4536 (94%)	3958 (93%)	257 (6%)	29 (1%)	22	59

5 of 29 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	L	110	PRO
3	O	112	ALA
5	G	140	ASP
5	G	449	ILE
5	M	136	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	F	188/191 (98%)	182 (97%)	6 (3%)	39	65
1	H	188/191 (98%)	182 (97%)	6 (3%)	39	65
1	N	188/191 (98%)	183 (97%)	5 (3%)	44	68
2	I	173/176 (98%)	167 (96%)	6 (4%)	36	63
3	L	172/176 (98%)	166 (96%)	6 (4%)	36	63
3	O	173/176 (98%)	167 (96%)	6 (4%)	36	63
4	A	176/180 (98%)	173 (98%)	3 (2%)	60	78

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	C	176/180 (98%)	174 (99%)	2 (1%)	73	85
4	J	176/180 (98%)	172 (98%)	4 (2%)	50	71
5	E	399/422 (94%)	390 (98%)	9 (2%)	50	71
5	G	401/422 (95%)	390 (97%)	11 (3%)	44	68
5	M	401/422 (95%)	386 (96%)	15 (4%)	34	61
6	B	194/204 (95%)	193 (100%)	1 (0%)	88	94
6	D	194/204 (95%)	192 (99%)	2 (1%)	76	86
6	K	194/204 (95%)	191 (98%)	3 (2%)	65	80
7	X	112/129 (87%)	112 (100%)	0	100	100
7	Y	112/129 (87%)	112 (100%)	0	100	100
7	Z	112/129 (87%)	112 (100%)	0	100	100
All	All	3729/3906 (96%)	3644 (98%)	85 (2%)	50	71

5 of 85 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	G	369	LEU
5	M	218	CYS
5	G	466	GLU
5	M	71	THR
5	M	370	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
4	C	50	ASN
5	M	136	ASN
6	B	60	ASN
7	Z	651	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

55 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	NAG	P	1	5,8	14,14,15	0.18	0	17,19,21	0.55	0
8	NAG	P	2	8	14,14,15	0.37	0	17,19,21	0.36	0
8	BMA	P	3	8	11,11,12	0.77	0	15,15,17	0.75	0
9	NAG	Q	1	5,9	14,14,15	0.34	0	17,19,21	0.46	0
9	NAG	Q	2	9	14,14,15	0.31	0	17,19,21	0.37	0
10	NAG	R	1	5,10	14,14,15	0.39	0	17,19,21	0.45	0
10	NAG	R	2	10	14,14,15	0.46	0	17,19,21	0.82	1 (5%)
10	BMA	R	3	10	11,11,12	1.48	2 (18%)	15,15,17	1.52	3 (20%)
10	MAN	R	4	10	11,11,12	1.25	1 (9%)	15,15,17	2.47	3 (20%)
10	MAN	R	5	10	11,11,12	0.56	0	15,15,17	1.15	2 (13%)
10	MAN	R	6	10	11,11,12	0.73	0	15,15,17	0.98	1 (6%)
10	MAN	R	7	10	11,11,12	0.97	1 (9%)	15,15,17	1.50	2 (13%)
9	NAG	S	1	5,9	14,14,15	0.23	0	17,19,21	0.49	0
9	NAG	S	2	9	14,14,15	0.35	0	17,19,21	1.23	1 (5%)
9	NAG	T	1	5,9	14,14,15	1.05	1 (7%)	17,19,21	1.12	3 (17%)
9	NAG	T	2	9	14,14,15	0.35	0	17,19,21	0.66	0
8	NAG	U	1	5,8	14,14,15	0.35	0	17,19,21	0.42	0
8	NAG	U	2	8	14,14,15	0.39	0	17,19,21	0.67	0
8	BMA	U	3	8	11,11,12	0.64	0	15,15,17	0.72	0
9	NAG	V	1	5,9	14,14,15	0.28	0	17,19,21	0.38	0
9	NAG	V	2	9	14,14,15	0.22	0	17,19,21	0.38	0
9	NAG	W	1	5,9	14,14,15	0.39	0	17,19,21	0.43	0
9	NAG	W	2	9	14,14,15	0.31	0	17,19,21	0.48	0
11	NAG	a	1	5,11	14,14,15	0.26	0	17,19,21	0.41	0
11	NAG	a	2	11	14,14,15	0.33	0	17,19,21	0.48	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	NAG	a	3	11	14,14,15	0.16	0	17,19,21	0.74	1 (5%)
11	MAN	a	4	11	11,11,12	1.28	1 (9%)	15,15,17	1.80	3 (20%)
11	MAN	a	5	11	11,11,12	0.75	0	15,15,17	1.07	2 (13%)
11	MAN	a	6	11	11,11,12	0.71	0	15,15,17	1.37	2 (13%)
11	MAN	a	7	11	11,11,12	1.00	1 (9%)	15,15,17	0.95	1 (6%)
11	MAN	a	8	11	11,11,12	0.85	0	15,15,17	0.98	1 (6%)
11	MAN	a	9	11	11,11,12	0.95	1 (9%)	15,15,17	1.42	1 (6%)
9	NAG	b	1	5,9	14,14,15	0.28	0	17,19,21	0.36	0
9	NAG	b	2	9	14,14,15	0.57	0	17,19,21	1.30	2 (11%)
8	NAG	c	1	5,8	14,14,15	0.22	0	17,19,21	0.45	0
8	NAG	c	2	8	14,14,15	0.24	0	17,19,21	0.55	0
8	BMA	c	3	8	11,11,12	0.79	1 (9%)	15,15,17	0.77	0
9	NAG	d	1	5,9	14,14,15	0.14	0	17,19,21	0.56	0
9	NAG	d	2	9	14,14,15	0.26	0	17,19,21	0.57	0
8	NAG	e	1	5,8	14,14,15	0.21	0	17,19,21	0.75	0
8	NAG	e	2	8	14,14,15	0.52	0	17,19,21	0.52	0
8	BMA	e	3	8	11,11,12	0.78	0	15,15,17	0.76	0
9	NAG	f	1	5,9	14,14,15	0.33	0	17,19,21	0.42	0
9	NAG	f	2	9	14,14,15	0.27	0	17,19,21	0.37	0
12	NAG	g	1	5,12	14,14,15	0.37	0	17,19,21	0.40	0
12	NAG	g	2	12	14,14,15	0.29	0	17,19,21	0.55	0
12	BMA	g	3	12	11,11,12	0.62	0	15,15,17	0.96	1 (6%)
12	MAN	g	4	12	11,11,12	0.83	0	15,15,17	1.35	2 (13%)
12	MAN	g	5	12	11,11,12	0.74	0	15,15,17	1.26	1 (6%)
12	MAN	g	6	12	11,11,12	0.81	1 (9%)	15,15,17	1.12	2 (13%)
13	MAN	h	1	13	11,11,12	1.00	1 (9%)	15,15,17	1.28	1 (6%)
13	MAN	h	2	13	11,11,12	0.79	0	15,15,17	1.50	2 (13%)
13	MAN	h	3	13	11,11,12	0.68	0	15,15,17	0.94	1 (6%)
9	NAG	i	1	5,9	14,14,15	0.31	0	17,19,21	0.51	0
9	NAG	i	2	9	14,14,15	0.27	0	17,19,21	0.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	P	1	5,8	-	2/6/23/26	0/1/1/1
8	NAG	P	2	8	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	BMA	P	3	8	-	1/2/19/22	0/1/1/1
9	NAG	Q	1	5,9	-	2/6/23/26	0/1/1/1
9	NAG	Q	2	9	-	0/6/23/26	0/1/1/1
10	NAG	R	1	5,10	-	1/6/23/26	0/1/1/1
10	NAG	R	2	10	-	3/6/23/26	0/1/1/1
10	BMA	R	3	10	-	1/2/19/22	0/1/1/1
10	MAN	R	4	10	-	0/2/19/22	0/1/1/1
10	MAN	R	5	10	-	2/2/19/22	0/1/1/1
10	MAN	R	6	10	-	0/2/19/22	0/1/1/1
10	MAN	R	7	10	-	0/2/19/22	0/1/1/1
9	NAG	S	1	5,9	-	3/6/23/26	0/1/1/1
9	NAG	S	2	9	-	3/6/23/26	0/1/1/1
9	NAG	T	1	5,9	-	1/6/23/26	0/1/1/1
9	NAG	T	2	9	-	2/6/23/26	0/1/1/1
8	NAG	U	1	5,8	-	2/6/23/26	0/1/1/1
8	NAG	U	2	8	-	3/6/23/26	0/1/1/1
8	BMA	U	3	8	-	1/2/19/22	0/1/1/1
9	NAG	V	1	5,9	-	3/6/23/26	0/1/1/1
9	NAG	V	2	9	-	1/6/23/26	0/1/1/1
9	NAG	W	1	5,9	-	3/6/23/26	0/1/1/1
9	NAG	W	2	9	-	2/6/23/26	0/1/1/1
11	NAG	a	1	5,11	-	1/6/23/26	0/1/1/1
11	NAG	a	2	11	-	4/6/23/26	0/1/1/1
11	NAG	a	3	11	-	2/6/23/26	0/1/1/1
11	MAN	a	4	11	-	2/2/19/22	0/1/1/1
11	MAN	a	5	11	-	2/2/19/22	0/1/1/1
11	MAN	a	6	11	-	2/2/19/22	0/1/1/1
11	MAN	a	7	11	-	2/2/19/22	0/1/1/1
11	MAN	a	8	11	-	0/2/19/22	0/1/1/1
11	MAN	a	9	11	-	0/2/19/22	0/1/1/1
9	NAG	b	1	5,9	-	2/6/23/26	0/1/1/1
9	NAG	b	2	9	-	5/6/23/26	0/1/1/1
8	NAG	c	1	5,8	-	3/6/23/26	0/1/1/1
8	NAG	c	2	8	-	2/6/23/26	0/1/1/1
8	BMA	c	3	8	-	1/2/19/22	0/1/1/1
9	NAG	d	1	5,9	-	0/6/23/26	0/1/1/1
9	NAG	d	2	9	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	e	1	5,8	-	2/6/23/26	0/1/1/1
8	NAG	e	2	8	-	2/6/23/26	0/1/1/1
8	BMA	e	3	8	-	2/2/19/22	0/1/1/1
9	NAG	f	1	5,9	-	2/6/23/26	0/1/1/1
9	NAG	f	2	9	-	2/6/23/26	0/1/1/1
12	NAG	g	1	5,12	-	1/6/23/26	0/1/1/1
12	NAG	g	2	12	-	1/6/23/26	0/1/1/1
12	BMA	g	3	12	-	0/2/19/22	0/1/1/1
12	MAN	g	4	12	-	0/2/19/22	1/1/1/1
12	MAN	g	5	12	-	0/2/19/22	0/1/1/1
12	MAN	g	6	12	-	0/2/19/22	0/1/1/1
13	MAN	h	1	13	-	0/2/19/22	0/1/1/1
13	MAN	h	2	13	-	1/2/19/22	0/1/1/1
13	MAN	h	3	13	-	2/2/19/22	0/1/1/1
9	NAG	i	1	5,9	-	2/6/23/26	0/1/1/1
9	NAG	i	2	9	-	2/6/23/26	0/1/1/1

The worst 5 of 11 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	T	1	NAG	O5-C1	-3.88	1.37	1.43
11	a	4	MAN	C1-C2	3.35	1.59	1.52
10	R	3	BMA	O5-C1	-3.31	1.38	1.43
10	R	4	MAN	O5-C5	2.83	1.49	1.43
10	R	3	BMA	C4-C5	2.72	1.58	1.53

The worst 5 of 39 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	R	4	MAN	C1-O5-C5	7.49	122.34	112.19
11	a	4	MAN	C1-O5-C5	5.48	119.62	112.19
10	R	7	MAN	C1-O5-C5	4.82	118.73	112.19
13	h	2	MAN	C1-O5-C5	4.41	118.17	112.19
9	S	2	NAG	C2-N2-C7	4.26	128.96	122.90

There are no chirality outliers.

5 of 87 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	T	2	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	W	1	NAG	C4-C5-C6-O6
9	b	2	NAG	C4-C5-C6-O6
11	a	3	NAG	C4-C5-C6-O6
11	a	4	MAN	C4-C5-C6-O6


All (1) ring outliers are listed below:



Mol	Chain	Res	Type	Atoms
12	g	4	MAN	C1-C2-C3-C4-C5-O5


4 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	S	2	NAG	1	0
9	T	1	NAG	2	0
8	U	2	NAG	1	0
8	U	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.












































5.6 Ligand geometry [i](#)

30 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
14	NAG	E	607	5	14,14,15	0.37	0	17,19,21	0.48	0
14	NAG	Y	703	7	14,14,15	0.30	0	17,19,21	0.50	0
14	NAG	M	607	5	14,14,15	0.40	0	17,19,21	0.52	0
14	NAG	M	603	5	14,14,15	0.24	0	17,19,21	0.49	0
14	NAG	M	606	5	14,14,15	0.29	0	17,19,21	0.41	0
14	NAG	G	604	5	14,14,15	0.62	1 (7%)	17,19,21	1.29	2 (11%)
14	NAG	G	607	5	14,14,15	0.24	0	17,19,21	0.43	0
14	NAG	X	701	7	14,14,15	0.29	0	17,19,21	0.38	0
14	NAG	X	702	7	14,14,15	0.25	0	17,19,21	0.38	0
14	NAG	E	602	5	14,14,15	0.55	0	17,19,21	0.62	0
14	NAG	G	601	5	14,14,15	0.49	0	17,19,21	1.22	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
14	NAG	E	604	5	14,14,15	0.30	0	17,19,21	0.43	0
14	NAG	M	605	5	14,14,15	0.29	0	17,19,21	0.42	0
14	NAG	Z	702	7	14,14,15	0.45	0	17,19,21	0.60	0
14	NAG	M	602	5	14,14,15	0.42	0	17,19,21	0.43	0
14	NAG	Y	702	7	14,14,15	0.19	0	17,19,21	0.47	0
14	NAG	E	601	5	14,14,15	0.40	0	17,19,21	0.41	0
14	NAG	E	606	5	14,14,15	0.24	0	17,19,21	0.35	0
14	NAG	G	603	5	14,14,15	0.32	0	17,19,21	0.50	0
14	NAG	Y	701	7	14,14,15	0.36	0	17,19,21	0.37	0
14	NAG	G	606	5	14,14,15	0.23	0	17,19,21	0.39	0
14	NAG	G	602	5	14,14,15	0.44	0	17,19,21	0.58	0
14	NAG	E	608	5	14,14,15	0.21	0	17,19,21	0.40	0
14	NAG	E	605	5	14,14,15	0.22	0	17,19,21	0.41	0
14	NAG	G	605	5	14,14,15	0.23	0	17,19,21	0.41	0
14	NAG	Z	701	7	14,14,15	0.55	0	17,19,21	0.95	1 (5%)
14	NAG	M	608	5	14,14,15	0.28	0	17,19,21	0.56	0
14	NAG	E	603	5	14,14,15	0.20	0	17,19,21	0.38	0
14	NAG	M	604	5	14,14,15	0.20	0	17,19,21	0.47	0
14	NAG	M	601	5	14,14,15	0.35	0	17,19,21	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	NAG	E	607	5	-	0/6/23/26	0/1/1/1
14	NAG	Y	703	7	-	0/6/23/26	0/1/1/1
14	NAG	M	607	5	-	0/6/23/26	0/1/1/1
14	NAG	M	603	5	-	0/6/23/26	0/1/1/1
14	NAG	M	606	5	-	0/6/23/26	0/1/1/1
14	NAG	G	604	5	-	5/6/23/26	0/1/1/1
14	NAG	G	607	5	-	2/6/23/26	0/1/1/1
14	NAG	X	701	7	-	0/6/23/26	0/1/1/1
14	NAG	X	702	7	-	1/6/23/26	0/1/1/1
14	NAG	E	602	5	-	4/6/23/26	0/1/1/1
14	NAG	G	601	5	-	4/6/23/26	0/1/1/1
14	NAG	E	604	5	-	1/6/23/26	0/1/1/1
14	NAG	M	605	5	-	1/6/23/26	0/1/1/1
14	NAG	Z	702	7	-	2/6/23/26	0/1/1/1
14	NAG	M	602	5	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	NAG	Y	702	7	-	3/6/23/26	0/1/1/1
14	NAG	E	601	5	-	4/6/23/26	0/1/1/1
14	NAG	E	606	5	-	2/6/23/26	0/1/1/1
14	NAG	G	603	5	-	0/6/23/26	0/1/1/1
14	NAG	Y	701	7	-	0/6/23/26	0/1/1/1
14	NAG	G	606	5	-	1/6/23/26	0/1/1/1
14	NAG	G	602	5	-	3/6/23/26	0/1/1/1
14	NAG	E	608	5	-	2/6/23/26	0/1/1/1
14	NAG	E	605	5	-	0/6/23/26	0/1/1/1
14	NAG	G	605	5	-	2/6/23/26	0/1/1/1
14	NAG	Z	701	7	-	2/6/23/26	0/1/1/1
14	NAG	M	608	5	-	0/6/23/26	0/1/1/1
14	NAG	E	603	5	-	0/6/23/26	0/1/1/1
14	NAG	M	604	5	-	2/6/23/26	0/1/1/1
14	NAG	M	601	5	-	0/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	G	604	NAG	C1-C2	2.06	1.55	1.52

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	G	604	NAG	C2-N2-C7	4.35	129.09	122.90
14	G	601	NAG	C2-N2-C7	4.22	128.91	122.90
14	Z	701	NAG	C1-O5-C5	3.51	116.95	112.19
14	G	604	NAG	C1-C2-N2	2.27	114.36	110.49

There are no chirality outliers.

5 of 43 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
14	E	602	NAG	C3-C2-N2-C7
14	M	602	NAG	C4-C5-C6-O6
14	M	602	NAG	O5-C5-C6-O6
14	G	604	NAG	O5-C5-C6-O6
14	G	601	NAG	C8-C7-N2-C2



There are no ring outliers.



8 monomers are involved in 11 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
14	M	603	NAG	1	0
14	G	604	NAG	1	0
14	E	602	NAG	2	0
14	G	601	NAG	1	0
14	E	601	NAG	1	0
14	G	602	NAG	3	0
14	M	604	NAG	1	0
14	M	601	NAG	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



















































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	F	222/225 (98%)	0.42	19 (8%) 10 8	79, 119, 185, 222	0
1	H	222/225 (98%)	0.07	4 (1%) 68 61	71, 103, 145, 208	0
1	N	222/225 (98%)	0.95	41 (18%) 1 1	83, 123, 252, 272	0
2	I	205/210 (97%)	0.48	19 (9%) 8 7	81, 137, 179, 217	0
3	L	204/210 (97%)	0.13	4 (1%) 65 57	81, 112, 144, 186	0
3	O	205/210 (97%)	0.85	30 (14%) 2 2	87, 173, 239, 254	0
4	A	210/214 (98%)	0.53	24 (11%) 5 5	76, 158, 224, 235	0
4	C	210/214 (98%)	0.64	29 (13%) 2 3	77, 127, 224, 227	0
4	J	210/214 (98%)	0.89	34 (16%) 1 2	81, 156, 192, 206	0
5	E	447/474 (94%)	0.12	9 (2%) 65 57	66, 95, 152, 181	0
5	G	449/474 (94%)	0.00	2 (0%) 92 88	53, 81, 140, 177	0
5	M	449/474 (94%)	0.09	13 (2%) 51 41	61, 92, 141, 195	0
6	B	226/236 (95%)	0.50	20 (8%) 10 8	70, 131, 203, 212	0
6	D	226/236 (95%)	0.69	38 (16%) 1 1	72, 122, 237, 252	0
6	K	226/236 (95%)	0.36	15 (6%) 18 14	78, 138, 195, 210	0
7	X	129/153 (84%)	0.13	4 (3%) 49 39	68, 112, 169, 194	0
7	Y	129/153 (84%)	-0.00	0 100 100	62, 90, 136, 166	0
7	Z	129/153 (84%)	0.10	5 (3%) 39 32	70, 116, 164, 193	0
All	All	4320/4536 (95%)	0.35	310 (7%) 15 12	53, 109, 217, 272	0

The worst 5 of 310 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	N	168	LEU	10.6
7	X	518	VAL	9.7
6	B	126	PRO	8.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	J	107	SER	8.4
1	N	135	PRO	7.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	BMA	P	3	11/12	0.69	0.24	129,129,129,129	0
10	MAN	R	7	11/12	0.70	0.31	111,111,111,111	0
8	BMA	e	3	11/12	0.75	0.27	116,116,116,116	0
8	BMA	U	3	11/12	0.75	0.26	113,113,113,113	0
9	NAG	b	2	14/15	0.76	0.29	110,110,110,110	0
9	NAG	T	2	14/15	0.78	0.73	157,157,157,157	0
9	NAG	V	2	14/15	0.79	0.18	118,118,118,118	0
11	MAN	a	9	11/12	0.80	0.23	103,103,103,103	0
8	BMA	c	3	11/12	0.81	0.20	161,161,161,161	0
12	MAN	g	6	11/12	0.82	0.25	109,109,109,109	0
9	NAG	i	2	14/15	0.83	0.38	123,123,123,123	0
12	MAN	g	4	11/12	0.84	0.15	120,120,120,120	0
8	NAG	e	2	14/15	0.84	0.23	114,114,114,114	0
9	NAG	Q	2	14/15	0.85	0.21	134,134,134,134	0
8	NAG	c	2	14/15	0.86	0.18	144,144,144,144	0
9	NAG	T	1	14/15	0.86	0.37	139,139,139,139	0
9	NAG	d	2	14/15	0.87	0.21	121,121,121,121	0
12	BMA	g	3	11/12	0.87	0.17	100,100,100,100	0
9	NAG	f	2	14/15	0.88	0.21	131,131,131,131	0
11	MAN	a	5	11/12	0.88	0.28	90,90,90,90	0
8	NAG	c	1	14/15	0.88	0.24	115,115,115,115	0
11	MAN	a	6	11/12	0.89	0.34	88,88,88,88	0
11	MAN	a	8	11/12	0.89	0.19	95,95,95,95	0
9	NAG	S	2	14/15	0.89	0.21	106,106,106,106	0
12	NAG	g	1	14/15	0.89	0.33	97,97,97,97	0
8	NAG	P	2	14/15	0.89	0.17	127,127,127,127	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
11	NAG	a	3	14/15	0.89	0.25	88,88,88,88	0
9	NAG	W	1	14/15	0.89	0.27	104,104,104,104	0
9	NAG	i	1	14/15	0.90	0.25	111,111,111,111	0
9	NAG	d	1	14/15	0.90	0.27	111,111,111,111	0
9	NAG	W	2	14/15	0.90	0.29	114,114,114,114	0
12	MAN	g	5	11/12	0.90	0.13	123,123,123,123	0
8	NAG	e	1	14/15	0.90	0.27	103,103,103,103	0
11	MAN	a	4	11/12	0.91	0.17	86,86,86,86	0
13	MAN	h	1	11/12	0.91	0.18	96,96,96,96	0
9	NAG	f	1	14/15	0.92	0.20	112,112,112,112	0
8	NAG	U	2	14/15	0.92	0.15	116,116,116,116	0
10	NAG	R	2	14/15	0.92	0.20	94,94,94,94	0
10	BMA	R	3	11/12	0.92	0.20	94,94,94,94	0
12	NAG	g	2	14/15	0.92	0.21	95,95,95,95	0
10	NAG	R	1	14/15	0.93	0.23	95,95,95,95	0
9	NAG	b	1	14/15	0.93	0.18	91,91,91,91	0
9	NAG	S	1	14/15	0.93	0.17	100,100,100,100	0
10	MAN	R	4	11/12	0.93	0.27	90,90,90,90	0
9	NAG	Q	1	14/15	0.93	0.25	109,109,109,109	0
9	NAG	V	1	14/15	0.93	0.15	102,102,102,102	0
11	NAG	a	1	14/15	0.94	0.26	78,78,78,78	0
11	MAN	a	7	11/12	0.95	0.12	87,87,87,87	0
10	MAN	R	6	11/12	0.95	0.19	90,90,90,90	0
8	NAG	P	1	14/15	0.95	0.20	104,104,104,104	0
8	NAG	U	1	14/15	0.95	0.23	91,91,91,91	0
11	NAG	a	2	14/15	0.95	0.17	77,77,77,77	0
13	MAN	h	2	11/12	0.95	0.20	99,99,99,99	0
13	MAN	h	3	11/12	0.95	0.29	107,107,107,107	0
10	MAN	R	5	11/12	0.96	0.16	84,84,84,84	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain P:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain U:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain c:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain e:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain Q:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain S:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain T:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain V:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain W:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain d:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain i:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around Chain a:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain g:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain h:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
14	NAG	M	606	14/15	0.64	0.33	147,147,147,147	0
14	NAG	E	606	14/15	0.65	0.33	135,135,135,135	0
14	NAG	Z	702	14/15	0.66	0.31	198,198,198,198	0
14	NAG	E	601	14/15	0.73	0.24	134,134,134,134	0
14	NAG	M	604	14/15	0.73	0.36	117,117,117,117	0
14	NAG	M	608	14/15	0.74	0.35	124,124,124,124	0
14	NAG	G	604	14/15	0.78	0.32	106,106,106,106	0
14	NAG	Y	703	14/15	0.78	0.32	140,140,140,140	0
14	NAG	G	606	14/15	0.78	0.25	138,138,138,138	0
14	NAG	E	605	14/15	0.80	0.34	107,107,107,107	0
14	NAG	G	602	14/15	0.81	0.25	123,123,123,123	0
14	NAG	X	701	14/15	0.81	0.34	159,159,159,159	0
14	NAG	E	608	14/15	0.81	0.24	116,116,116,116	0
14	NAG	G	603	14/15	0.82	0.23	117,117,117,117	0
14	NAG	X	702	14/15	0.82	0.51	152,152,152,152	0
14	NAG	M	601	14/15	0.82	0.39	131,131,131,131	0
14	NAG	Z	701	14/15	0.83	0.23	149,149,149,149	0
14	NAG	Y	701	14/15	0.84	0.24	139,139,139,139	0
14	NAG	G	605	14/15	0.84	0.23	126,126,126,126	0
14	NAG	E	603	14/15	0.84	0.30	115,115,115,115	0
14	NAG	M	607	14/15	0.85	0.26	109,109,109,109	0
14	NAG	M	602	14/15	0.85	0.24	126,126,126,126	0
14	NAG	E	602	14/15	0.86	0.25	97,97,97,97	0
14	NAG	E	607	14/15	0.87	0.43	144,144,144,144	0
14	NAG	G	607	14/15	0.87	0.28	102,102,102,102	0
14	NAG	G	601	14/15	0.88	0.30	99,99,99,99	0
14	NAG	M	605	14/15	0.89	0.20	102,102,102,102	0
14	NAG	E	604	14/15	0.89	0.21	114,114,114,114	0
14	NAG	Y	702	14/15	0.91	0.22	101,101,101,101	0
14	NAG	M	603	14/15	0.91	0.17	112,112,112,112	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around NAG M 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAG E 606:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)









Electron density around NAG M 604:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAG M 608:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)









Electron density around NAG Y 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAG G 606:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around NAG X 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAG E 608:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG G 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAG X 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG M 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAG Z 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG Y 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAG G 605:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG E 603:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NAG M 607:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG E 602:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around NAG G 607:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG G 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAG M 605:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around NAG E 604:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAG Y 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.