



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 21, 2023 – 12:30 AM JST

PDB ID : 7E4G  
Title : Crystal structure of schizorhodopsin 4  
Authors : Shihoya, W.; Nureki, O.  
Deposited on : 2021-02-12  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	210	 2% 89% 6% 5%
1	B	210	 4% 82% 11% 7%
1	C	210	 4% 82% 10% 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	OLC	A	312	-	-	-	X
5	OLC	A	313	-	-	-	X
5	OLC	A	315	-	-	-	X
5	OLC	B	305	-	-	-	X
5	OLC	B	306	-	-	-	X
5	OLC	B	310	-	-	-	X
5	OLC	B	313	-	-	-	X
5	OLC	B	314	-	-	-	X
5	OLC	B	315	-	-	-	X
5	OLC	C	304	-	-	-	X
5	OLC	C	309	-	-	-	X
5	OLC	C	310	-	-	-	X
5	OLC	C	311	-	-	-	X
5	OLC	C	312	-	-	-	X

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 5782 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called schizorhodopsin 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	199	Total 1624	C 1112	N 238	O 265	S 9	0	0	0
1	B	196	Total 1600	C 1098	N 234	O 259	S 9	0	0	0
1	C	193	Total 1575	C 1085	N 226	O 255	S 9	0	0	0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total 3	Zn 3	0	0
2	B	2	Total 2	Zn 2	0	0
2	C	1	Total 1	Zn 1	0	0

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	C	1	Total O S 5 4 1	0	0

- Molecule 4 is RETINAL (three-letter code: RET) (formula: C<sub>20</sub>H<sub>28</sub>O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C 20 20	0	0
4	B	1	Total C 20 20	0	0
4	C	1	Total C 20 20	0	0

- Molecule 5 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (three-letter code: OLC) (formula: C<sub>21</sub>H<sub>40</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 25 21 4	0	0
5	A	1	Total C O 25 21 4	0	0
5	A	1	Total C O 25 21 4	0	0
5	A	1	Total C O 25 21 4	0	0
5	A	1	Total C O 13 9 4	0	0
5	A	1	Total C O 14 10 4	0	0
5	A	1	Total C O 14 10 4	0	0
5	A	1	Total C O 25 21 4	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			23	19	4		
5	A	1	Total	C	O	0	0
			20	16	4		
5	B	1	Total	C	O	0	0
			22	18	4		
5	B	1	Total	C	O	0	0
			25	21	4		
5	B	1	Total	C	O	0	0
			25	21	4		
5	B	1	Total	C	O	0	0
			25	21	4		
5	B	1	Total	C	O	0	0
			25	21	4		
5	B	1	Total	C	O	0	0
			25	21	4		
5	B	1	Total	C	O	0	0
			25	21	4		
5	B	1	Total	C	O	0	0
			25	21	4		
5	B	1	Total	C	O	0	0
			25	21	4		
5	B	1	Total	C	O	0	0
			22	18	4		
5	B	1	Total	C	O	0	0
			25	21	4		
5	C	1	Total	C	O	0	0
			25	21	4		
5	C	1	Total	C	O	0	0
			25	21	4		
5	C	1	Total	C	O	0	0
			25	21	4		
5	C	1	Total	C	O	0	0
			25	21	4		
5	C	1	Total	C	O	0	0
			25	21	4		
5	C	1	Total	C	O	0	0
			25	21	4		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	C	O	0	0
			25	21	4		
5	C	1	Total	C	O	0	0
			25	21	4		
5	C	1	Total	C	O	0	0
			25	21	4		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	53	Total	O	0	0
			53	53		
6	B	46	Total	O	0	0
			46	46		
6	C	45	Total	O	0	0
			45	45		



### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: schizorhodopsin 4

Chain A: 





- Molecule 1: schizorhodopsin 4

Chain B: 



- Molecule 1: schizorhodopsin 4

Chain C: 



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	106.00Å 61.14Å 98.75Å 90.00° 99.35° 90.00°	Depositor
Resolution (Å)	49.56 – 2.10 49.56 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.6 (49.56-2.10) 99.9 (49.56-2.10)	Depositor EDS
$R_{merge}$	0.38	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.36 (at 2.10Å)	Xtrriage
Refinement program	PHENIX 1.19_4092	Depositor
R, $R_{free}$	0.202 , 0.237 0.202 , 0.238	Depositor DCC
$R_{free}$ test set	1728 reflections (4.73%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	26.0	Xtrriage
Anisotropy	0.676	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 74.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	5782	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.38% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: RET, ZN, OLC, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.25	0/1671	0.38	0/2269
1	B	0.25	0/1646	0.38	0/2235
1	C	0.25	0/1620	0.37	0/2199
All	All	0.25	0/4937	0.38	0/6703

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1624	0	1679	11	0
1	B	1600	0	1654	18	0
1	C	1575	0	1639	15	0
2	A	3	0	0	0	0
2	B	2	0	0	0	0
2	C	1	0	0	0	0
3	A	15	0	0	0	0
3	C	5	0	0	0	0
4	A	20	0	27	3	0
4	B	20	0	27	3	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	C	20	0	27	4	0
5	A	209	0	309	22	0
5	B	294	0	462	22	0
5	C	250	0	400	9	0
6	A	53	0	0	1	0
6	B	46	0	0	1	0
6	C	45	0	0	1	0
All	All	5782	0	6224	80	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (80) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:126:SER:HB3	5:B:315:OLC:H9	1.70	0.73
5:B:304:OLC:H13	5:B:306:OLC:H14A	1.72	0.72
4:B:303:RET:H8	4:B:303:RET:H171	1.80	0.64
4:A:307:RET:H171	4:A:307:RET:H8	1.83	0.60
1:C:1:MET:HG3	1:C:174:PHE:HB2	1.83	0.60
1:A:76:SER:HB3	5:A:308:OLC:H6A	1.84	0.60
4:C:303:RET:H8	4:C:303:RET:H161	1.83	0.59
1:B:162:ILE:HG12	5:B:311:OLC:H10	1.84	0.58
1:B:175:TRP:CD1	5:B:309:OLC:H10	2.38	0.58
1:C:137:ALA:HA	1:C:147:ILE:HD13	1.86	0.57
1:A:21:PHE:HA	1:A:35:ILE:HD11	1.87	0.57
5:A:308:OLC:H12A	5:A:309:OLC:H13	1.88	0.55
1:C:90:ASN:ND2	6:C:403:HOH:O	2.39	0.54
5:B:304:OLC:H14	5:B:306:OLC:H10	1.88	0.54
5:A:313:OLC:H22	5:A:316:OLC:H12	1.90	0.54
1:B:30:LEU:HD22	1:B:81:GLU:HG3	1.90	0.53
1:B:29:LYS:NZ	6:B:401:HOH:O	2.43	0.52
1:B:77:PHE:CE2	5:B:304:OLC:H9	2.44	0.52
1:A:22:PHE:HE1	5:A:315:OLC:H12A	1.75	0.52
1:C:123:ILE:HG23	5:C:311:OLC:H11A	1.92	0.51
1:B:194:HIS:HD2	5:B:314:OLC:H24A	1.75	0.51
1:A:122:PHE:CE2	5:A:312:OLC:H2	2.45	0.51
5:A:308:OLC:H2	5:A:309:OLC:H3	1.91	0.51
1:A:140:ARG:NH1	6:A:401:HOH:O	2.44	0.50
1:C:21:PHE:HA	1:C:35:ILE:HD11	1.94	0.50
5:B:309:OLC:H5	5:B:310:OLC:H7A	1.94	0.49

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:171:LEU:HA	5:B:309:OLC:H11A	1.94	0.48
1:C:179:PHE:HZ	5:C:306:OLC:H7A	1.77	0.48
5:A:311:OLC:H11	5:A:311:OLC:H8A	1.61	0.48
5:B:306:OLC:H13A	5:B:307:OLC:H16A	1.95	0.48
5:C:306:OLC:H14A	5:C:308:OLC:H16A	1.95	0.48
1:B:21:PHE:HA	1:B:35:ILE:HD11	1.96	0.47
1:A:36:ILE:HG23	1:C:98:VAL:HG11	1.96	0.47
1:A:53:PHE:HB3	1:A:65:TRP:CZ2	2.49	0.46
1:C:99:PHE:O	1:C:103:VAL:HG23	2.16	0.46
1:C:58:THR:O	5:C:307:OLC:H14A	2.16	0.46
5:C:312:OLC:H8	5:C:312:OLC:H11	1.61	0.46
1:B:98:VAL:HG11	1:C:36:ILE:HG23	1.97	0.46
5:A:311:OLC:H16A	5:B:305:OLC:H8A	1.98	0.46
5:A:315:OLC:H24	5:A:316:OLC:H10	1.96	0.46
1:B:198:LYS:HE3	1:B:199:HIS:CE1	2.50	0.46
1:A:127:VAL:HG21	5:B:308:OLC:H8A	1.97	0.45
4:B:303:RET:H171	4:B:303:RET:C8	2.47	0.45
4:C:303:RET:H181	4:C:303:RET:H7	1.73	0.45
5:A:311:OLC:H3A	5:A:311:OLC:H6	1.85	0.44
5:A:310:OLC:H8	5:A:310:OLC:H11	1.66	0.44
5:A:310:OLC:O20	5:A:310:OLC:O25	2.30	0.44
4:A:307:RET:H181	4:A:307:RET:H7	1.73	0.44
1:A:10:ILE:HG21	5:A:314:OLC:H2A	1.98	0.44
4:B:303:RET:H7	4:B:303:RET:H181	1.72	0.44
5:B:310:OLC:H11	5:B:310:OLC:H8	1.73	0.44
5:B:309:OLC:H4	5:B:310:OLC:H5A	1.99	0.43
5:A:313:OLC:H2A	1:C:127:VAL:HG21	1.99	0.43
5:C:311:OLC:H11A	5:C:311:OLC:H14A	1.85	0.43
1:C:163:LEU:HD13	5:C:308:OLC:H5	2.00	0.43
5:B:306:OLC:H8A	5:B:306:OLC:H5	1.78	0.43
5:A:309:OLC:H11	5:A:309:OLC:H8	1.83	0.43
1:B:99:PHE:O	1:B:103:VAL:HG23	2.18	0.43
5:A:308:OLC:H17A	5:A:308:OLC:H14	1.79	0.43
5:B:314:OLC:H8A	5:B:314:OLC:H5	1.78	0.43
5:A:309:OLC:H5A	5:B:306:OLC:H18	2.01	0.42
1:B:119:TRP:CE2	5:B:311:OLC:H5	2.54	0.42
1:A:119:TRP:CE2	5:A:312:OLC:H22	2.55	0.42
1:C:38:SER:O	1:C:42:ILE:HG13	2.20	0.42
5:A:316:OLC:H8	5:A:316:OLC:H11	1.86	0.42
1:A:98:VAL:HG11	1:B:36:ILE:HG23	2.01	0.42
1:B:1:MET:HG3	1:B:174:PHE:CD1	2.55	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:309:OLC:H13A	5:A:309:OLC:H16A	1.89	0.41
1:B:161:TRP:HZ3	5:B:311:OLC:H9	1.85	0.41
1:B:119:TRP:NE1	5:B:311:OLC:H5	2.35	0.41
5:A:315:OLC:H8	5:A:315:OLC:H11	1.85	0.41
1:B:185:PHE:CD2	5:B:312:OLC:H14	2.56	0.41
5:C:304:OLC:H12A	5:C:304:OLC:H15A	1.80	0.41
5:C:313:OLC:H6A	5:C:313:OLC:H9	1.66	0.41
4:A:307:RET:H171	4:A:307:RET:C8	2.48	0.41
5:B:307:OLC:H3	1:C:93:ARG:NH1	2.36	0.41
1:C:30:LEU:HD22	1:C:81:GLU:HG3	2.03	0.41
4:C:303:RET:H11	4:C:303:RET:H191	1.95	0.41
4:C:303:RET:H161	4:C:303:RET:C8	2.49	0.40
5:A:308:OLC:H13	5:A:309:OLC:H15	2.03	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	197/210 (94%)	193 (98%)	4 (2%)	0	100	100
1	B	192/210 (91%)	191 (100%)	1 (0%)	0	100	100
1	C	189/210 (90%)	187 (99%)	2 (1%)	0	100	100
All	All	578/630 (92%)	571 (99%)	7 (1%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	177/189 (94%)	177 (100%)	0	100	100
1	B	174/189 (92%)	173 (99%)	1 (1%)	86	90
1	C	172/189 (91%)	172 (100%)	0	100	100
All	All	523/567 (92%)	522 (100%)	1 (0%)	93	96

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	87	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	194	HIS
1	B	199	HIS
1	C	131	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 45 ligands modelled in this entry, 6 are monoatomic - leaving 39 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	OLC	A	316	-	22,22,24	0.95	1 (4%)	23,23,25	0.84	1 (4%)
5	OLC	B	306	-	24,24,24	0.93	1 (4%)	25,25,25	0.86	1 (4%)
5	OLC	B	308	-	24,24,24	0.92	1 (4%)	25,25,25	0.92	1 (4%)
4	RET	B	303	1	20,20,21	2.42	5 (25%)	27,27,28	1.38	4 (14%)
5	OLC	B	305	-	24,24,24	0.91	1 (4%)	25,25,25	0.73	0
5	OLC	A	313	-	13,13,24	1.22	1 (7%)	14,14,25	0.89	1 (7%)
3	SO4	A	305	-	4,4,4	0.14	0	6,6,6	0.06	0
5	OLC	A	308	-	24,24,24	0.90	1 (4%)	25,25,25	0.97	1 (4%)
5	OLC	B	315	-	24,24,24	0.91	1 (4%)	25,25,25	0.79	1 (4%)
5	OLC	A	315	-	24,24,24	0.93	1 (4%)	25,25,25	0.90	1 (4%)
5	OLC	B	304	-	21,21,24	0.99	1 (4%)	22,22,25	0.89	1 (4%)
5	OLC	C	305	-	24,24,24	0.93	1 (4%)	25,25,25	0.87	1 (4%)
5	OLC	A	317	-	19,19,24	1.03	1 (5%)	20,20,25	0.92	1 (5%)
5	OLC	A	311	-	24,24,24	0.91	1 (4%)	25,25,25	0.87	1 (4%)
5	OLC	C	304	-	24,24,24	0.93	1 (4%)	25,25,25	0.80	1 (4%)
5	OLC	B	310	-	24,24,24	0.93	1 (4%)	25,25,25	0.94	2 (8%)
5	OLC	B	312	-	24,24,24	0.93	1 (4%)	25,25,25	0.96	2 (8%)
5	OLC	B	311	-	24,24,24	0.91	1 (4%)	25,25,25	0.75	1 (4%)
5	OLC	B	314	-	21,21,24	0.99	1 (4%)	22,22,25	0.97	2 (9%)
5	OLC	A	312	-	12,12,24	1.28	1 (8%)	13,13,25	1.14	2 (15%)
5	OLC	B	309	-	24,24,24	0.92	1 (4%)	25,25,25	0.97	2 (8%)
5	OLC	A	314	-	13,13,24	1.23	1 (7%)	14,14,25	1.07	1 (7%)
4	RET	C	303	1	20,20,21	2.41	5 (25%)	27,27,28	1.40	5 (18%)
4	RET	A	307	1	20,20,21	2.46	5 (25%)	27,27,28	1.37	4 (14%)
5	OLC	C	306	-	24,24,24	0.91	1 (4%)	25,25,25	0.81	1 (4%)
5	OLC	C	308	-	24,24,24	0.93	1 (4%)	25,25,25	0.92	1 (4%)
5	OLC	A	310	-	24,24,24	0.91	1 (4%)	25,25,25	0.87	1 (4%)
5	OLC	C	313	-	24,24,24	0.92	1 (4%)	25,25,25	0.83	1 (4%)
5	OLC	B	313	-	24,24,24	0.92	1 (4%)	25,25,25	0.88	1 (4%)
5	OLC	B	307	-	24,24,24	0.91	1 (4%)	25,25,25	0.74	0
3	SO4	A	306	-	4,4,4	0.14	0	6,6,6	0.05	0
3	SO4	C	302	-	4,4,4	0.14	0	6,6,6	0.06	0



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	OLC	C	311	-	24,24,24	0.93	1 (4%)	25,25,25	0.91	1 (4%)
5	OLC	C	307	-	24,24,24	0.91	1 (4%)	25,25,25	0.85	1 (4%)
5	OLC	C	310	-	24,24,24	0.93	1 (4%)	25,25,25	0.89	2 (8%)
5	OLC	C	309	-	24,24,24	0.92	1 (4%)	25,25,25	0.84	1 (4%)
5	OLC	C	312	-	24,24,24	0.91	1 (4%)	25,25,25	0.87	1 (4%)
3	SO4	A	304	2	4,4,4	0.14	0	6,6,6	0.06	0
5	OLC	A	309	-	24,24,24	0.91	1 (4%)	25,25,25	0.81	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	OLC	A	316	-	-	6/22/22/24	-
5	OLC	B	306	-	-	6/24/24/24	-
5	OLC	B	308	-	-	4/24/24/24	-
4	RET	B	303	1	-	0/13/30/31	0/1/1/1
5	OLC	B	305	-	-	6/24/24/24	-
5	OLC	A	313	-	-	5/13/13/24	-
5	OLC	A	308	-	-	5/24/24/24	-
5	OLC	B	315	-	-	11/24/24/24	-
5	OLC	A	315	-	-	9/24/24/24	-
5	OLC	B	304	-	-	6/21/21/24	-
5	OLC	C	305	-	-	1/24/24/24	-
5	OLC	A	317	-	-	6/19/19/24	-
5	OLC	A	311	-	-	6/24/24/24	-
5	OLC	C	304	-	-	12/24/24/24	-
5	OLC	B	310	-	-	5/24/24/24	-
5	OLC	B	312	-	-	4/24/24/24	-
5	OLC	B	311	-	-	8/24/24/24	-
5	OLC	B	314	-	-	9/21/21/24	-
5	OLC	A	312	-	-	5/12/12/24	-
5	OLC	B	309	-	-	9/24/24/24	-
5	OLC	A	314	-	-	2/13/13/24	-
4	RET	C	303	1	-	0/13/30/31	0/1/1/1
4	RET	A	307	1	-	0/13/30/31	0/1/1/1

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	OLC	C	306	-	-	7/24/24/24	-
5	OLC	C	308	-	-	7/24/24/24	-
5	OLC	A	310	-	-	0/24/24/24	-
5	OLC	C	313	-	-	17/24/24/24	-
5	OLC	B	313	-	-	10/24/24/24	-
5	OLC	B	307	-	-	7/24/24/24	-
5	OLC	C	311	-	-	12/24/24/24	-
5	OLC	C	307	-	-	4/24/24/24	-
5	OLC	C	310	-	-	2/24/24/24	-
5	OLC	C	309	-	-	7/24/24/24	-
5	OLC	C	312	-	-	7/24/24/24	-
5	OLC	A	309	-	-	5/24/24/24	-

All (47) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	307	RET	C14-C13	8.55	1.40	1.33
4	B	303	RET	C14-C13	8.26	1.40	1.33
4	C	303	RET	C14-C13	8.20	1.40	1.33
5	B	312	OLC	O20-C1	4.33	1.46	1.33
5	C	308	OLC	O20-C1	4.32	1.46	1.33
5	A	315	OLC	O20-C1	4.32	1.46	1.33
5	B	310	OLC	O20-C1	4.31	1.45	1.33
5	B	314	OLC	O20-C1	4.31	1.45	1.33
5	C	310	OLC	O20-C1	4.31	1.45	1.33
5	B	306	OLC	O20-C1	4.31	1.45	1.33
5	C	305	OLC	O20-C1	4.31	1.45	1.33
5	C	311	OLC	O20-C1	4.30	1.45	1.33
5	A	317	OLC	O20-C1	4.29	1.45	1.33
5	B	304	OLC	O20-C1	4.29	1.45	1.33
5	B	309	OLC	O20-C1	4.29	1.45	1.33
5	C	309	OLC	O20-C1	4.28	1.45	1.33
5	C	304	OLC	O20-C1	4.27	1.45	1.33
5	A	314	OLC	O20-C1	4.27	1.45	1.33
5	C	313	OLC	O20-C1	4.25	1.45	1.33
5	B	308	OLC	O20-C1	4.25	1.45	1.33
5	C	312	OLC	O20-C1	4.25	1.45	1.33
5	A	312	OLC	O20-C1	4.24	1.45	1.33
5	B	313	OLC	O20-C1	4.24	1.45	1.33
5	A	311	OLC	O20-C1	4.24	1.45	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	309	OLC	O20-C1	4.23	1.45	1.33
5	A	310	OLC	O20-C1	4.23	1.45	1.33
5	B	315	OLC	O20-C1	4.23	1.45	1.33
5	A	316	OLC	O20-C1	4.22	1.45	1.33
5	C	307	OLC	O20-C1	4.22	1.45	1.33
5	B	311	OLC	O20-C1	4.22	1.45	1.33
5	C	306	OLC	O20-C1	4.21	1.45	1.33
5	A	313	OLC	O20-C1	4.21	1.45	1.33
5	B	307	OLC	O20-C1	4.20	1.45	1.33
5	A	308	OLC	O20-C1	4.19	1.45	1.33
5	B	305	OLC	O20-C1	4.17	1.45	1.33
4	B	303	RET	C10-C9	4.00	1.41	1.35
4	A	307	RET	C10-C9	3.99	1.41	1.35
4	C	303	RET	C10-C9	3.96	1.41	1.35
4	B	303	RET	C8-C9	-2.78	1.40	1.45
4	C	303	RET	C8-C9	-2.75	1.40	1.45
4	A	307	RET	C8-C9	-2.72	1.40	1.45
4	C	303	RET	C15-C14	-2.72	1.39	1.49
4	B	303	RET	C15-C14	-2.71	1.39	1.49
4	A	307	RET	C15-C14	-2.67	1.39	1.49
4	C	303	RET	C12-C13	-2.20	1.41	1.45
4	B	303	RET	C12-C13	-2.20	1.41	1.45
4	A	307	RET	C12-C13	-2.13	1.41	1.45

All (49) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	303	RET	C19-C9-C10	-3.97	117.36	122.92
4	A	307	RET	C19-C9-C10	-3.83	117.55	122.92
4	B	303	RET	C19-C9-C10	-3.75	117.67	122.92
5	B	310	OLC	O20-C1-C2	3.16	121.81	111.91
5	B	309	OLC	O20-C1-C2	3.14	121.76	111.91
5	B	312	OLC	O20-C1-C2	3.08	121.57	111.91
5	A	312	OLC	O20-C1-C2	3.02	121.39	111.91
5	C	308	OLC	O20-C1-C2	2.92	121.06	111.91
5	C	311	OLC	O20-C1-C2	2.91	121.04	111.91
5	A	308	OLC	O20-C1-C2	2.91	121.03	111.91
5	B	314	OLC	O20-C1-C2	2.91	121.03	111.91
5	A	315	OLC	O20-C1-C2	2.89	120.97	111.91
5	B	308	OLC	O20-C1-C2	2.85	120.84	111.91
5	B	313	OLC	O20-C1-C2	2.78	120.63	111.91
5	B	304	OLC	O20-C1-C2	2.76	120.57	111.91

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	310	OLC	O20-C1-C2	2.75	120.53	111.91
5	A	314	OLC	O20-C1-C2	2.74	120.51	111.91
5	C	313	OLC	O20-C1-C2	2.63	120.15	111.91
5	C	305	OLC	O20-C1-C2	2.62	120.13	111.91
5	B	306	OLC	O20-C1-C2	2.62	120.12	111.91
5	A	310	OLC	O20-C1-C2	2.61	120.09	111.91
5	C	312	OLC	O20-C1-C2	2.58	120.01	111.91
5	A	311	OLC	O20-C1-C2	2.57	119.97	111.91
5	C	309	OLC	O20-C1-C2	2.55	119.92	111.91
5	C	307	OLC	O20-C1-C2	2.53	119.86	111.91
5	C	304	OLC	O20-C1-C2	2.53	119.85	111.91
5	A	316	OLC	O20-C1-C2	2.50	119.76	111.91
4	C	303	RET	C2-C1-C6	2.48	114.30	110.48
5	A	317	OLC	O20-C1-C2	2.40	119.45	111.91
5	A	309	OLC	O20-C1-C2	2.38	119.38	111.91
4	B	303	RET	C19-C9-C8	2.31	121.72	118.08
4	A	307	RET	C2-C1-C6	2.29	114.01	110.48
5	B	315	OLC	O20-C1-C2	2.27	119.02	111.91
4	B	303	RET	C1-C6-C7	2.23	122.08	115.78
4	A	307	RET	C19-C9-C8	2.23	121.58	118.08
5	C	306	OLC	O20-C1-C2	2.22	118.89	111.91
4	B	303	RET	C2-C1-C6	2.22	113.90	110.48
4	C	303	RET	C19-C9-C8	2.20	121.55	118.08
4	C	303	RET	C1-C6-C7	2.20	122.01	115.78
4	A	307	RET	C1-C6-C7	2.20	122.00	115.78
5	A	313	OLC	O20-C1-C2	2.17	118.73	111.91
5	B	309	OLC	O20-C1-O19	-2.17	118.11	123.59
5	B	310	OLC	O20-C1-O19	-2.15	118.17	123.59
5	A	312	OLC	O20-C1-O19	-2.06	118.40	123.59
5	B	312	OLC	O20-C1-O19	-2.05	118.41	123.59
5	B	314	OLC	O20-C1-O19	-2.05	118.41	123.59
4	C	303	RET	C1-C6-C5	-2.05	119.73	122.61
5	B	311	OLC	O20-C1-C2	2.04	118.30	111.91
5	C	310	OLC	O20-C1-O19	-2.00	118.54	123.59

There are no chirality outliers.

All (210) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	317	OLC	C10-C11-C12-C13
5	A	317	OLC	O20-C21-C22-O23
5	B	314	OLC	O20-C21-C22-O23

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
5	C	306	OLC	O20-C21-C22-C24
5	C	307	OLC	O20-C21-C22-C24
5	C	309	OLC	O20-C21-C22-C24
5	C	313	OLC	O20-C21-C22-C24
5	A	311	OLC	C2-C1-O20-C21
5	B	304	OLC	C2-C1-O20-C21
5	B	307	OLC	C2-C1-O20-C21
5	B	307	OLC	O19-C1-O20-C21
5	B	305	OLC	C2-C1-O20-C21
5	B	309	OLC	O20-C21-C22-O23
5	C	307	OLC	O20-C21-C22-O23
5	C	313	OLC	O20-C21-C22-O23
5	B	315	OLC	C11-C12-C13-C14
5	B	305	OLC	O19-C1-O20-C21
5	A	311	OLC	O19-C1-O20-C21
5	B	304	OLC	O19-C1-O20-C21
5	A	313	OLC	C2-C1-O20-C21
5	B	309	OLC	C2-C1-O20-C21
5	B	311	OLC	C2-C1-O20-C21
5	C	306	OLC	C2-C1-O20-C21
5	B	314	OLC	O20-C21-C22-C24
5	B	309	OLC	O19-C1-O20-C21
5	A	308	OLC	O20-C21-C22-O23
5	B	311	OLC	O19-C1-O20-C21
5	B	313	OLC	C2-C1-O20-C21
5	C	306	OLC	O19-C1-O20-C21
5	A	313	OLC	O19-C1-O20-C21
5	C	313	OLC	C6-C7-C8-C9
5	A	312	OLC	O20-C21-C22-O23
5	C	309	OLC	O20-C21-C22-O23
5	C	308	OLC	C2-C1-O20-C21
5	B	313	OLC	C6-C7-C8-C9
5	C	312	OLC	C1-C2-C3-C4
5	B	311	OLC	C5-C6-C7-C8
5	C	312	OLC	C4-C5-C6-C7
5	A	308	OLC	O20-C21-C22-C24
5	A	312	OLC	O20-C21-C22-C24
5	A	315	OLC	C3-C4-C5-C6
5	A	315	OLC	C4-C5-C6-C7
5	B	308	OLC	C11-C12-C13-C14
5	C	313	OLC	C5-C6-C7-C8
5	B	309	OLC	C2-C3-C4-C5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
5	B	313	OLC	O19-C1-O20-C21
5	B	306	OLC	C4-C5-C6-C7
5	B	311	OLC	C14-C15-C16-C17
5	C	306	OLC	C11-C12-C13-C14
5	B	304	OLC	C3-C4-C5-C6
5	C	313	OLC	C4-C5-C6-C7
5	B	307	OLC	C21-C22-C24-O25
5	B	315	OLC	O20-C21-C22-O23
5	C	306	OLC	O20-C21-C22-O23
5	A	317	OLC	C1-C2-C3-C4
5	C	313	OLC	C11-C12-C13-C14
5	B	313	OLC	C4-C5-C6-C7
5	A	308	OLC	C2-C1-O20-C21
5	A	314	OLC	C2-C1-O20-C21
5	B	306	OLC	C13-C14-C15-C16
5	C	311	OLC	C13-C14-C15-C16
5	B	315	OLC	C13-C14-C15-C16
5	C	309	OLC	C5-C6-C7-C8
5	C	308	OLC	O19-C1-O20-C21
5	B	313	OLC	C11-C12-C13-C14
5	A	308	OLC	O19-C1-O20-C21
5	C	304	OLC	C10-C11-C12-C13
5	C	313	OLC	C10-C11-C12-C13
5	B	306	OLC	C12-C13-C14-C15
5	C	312	OLC	C3-C4-C5-C6
5	A	316	OLC	C1-C2-C3-C4
5	B	310	OLC	C1-C2-C3-C4
5	A	316	OLC	C3-C4-C5-C6
5	B	312	OLC	C11-C12-C13-C14
5	C	311	OLC	C12-C13-C14-C15
5	C	306	OLC	C1-C2-C3-C4
5	A	309	OLC	C10-C11-C12-C13
5	B	306	OLC	C10-C11-C12-C13
5	B	313	OLC	C10-C11-C12-C13
5	C	313	OLC	C14-C15-C16-C17
5	C	307	OLC	C11-C12-C13-C14
5	B	305	OLC	C5-C6-C7-C8
5	A	314	OLC	O19-C1-O20-C21
5	B	304	OLC	C4-C5-C6-C7
5	B	304	OLC	C6-C7-C8-C9
5	B	315	OLC	C6-C7-C8-C9
5	B	310	OLC	C15-C16-C17-C18

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
5	A	317	OLC	O20-C21-C22-C24
5	C	312	OLC	C12-C13-C14-C15
5	A	309	OLC	C2-C1-O20-C21
5	C	313	OLC	C2-C1-O20-C21
5	A	312	OLC	C1-C2-C3-C4
5	B	309	OLC	C1-C2-C3-C4
5	C	311	OLC	C2-C1-O20-C21
5	C	304	OLC	C15-C16-C17-C18
5	B	304	OLC	C2-C3-C4-C5
5	B	315	OLC	C2-C1-O20-C21
5	C	312	OLC	C2-C1-O20-C21
5	C	304	OLC	C6-C7-C8-C9
5	C	311	OLC	O20-C21-C22-C24
5	A	315	OLC	C2-C1-O20-C21
5	C	311	OLC	C6-C7-C8-C9
5	B	310	OLC	C3-C4-C5-C6
5	A	309	OLC	O19-C1-O20-C21
5	C	308	OLC	C11-C12-C13-C14
5	B	306	OLC	C11-C12-C13-C14
5	C	304	OLC	C5-C6-C7-C8
5	A	308	OLC	C4-C5-C6-C7
5	C	313	OLC	O19-C1-O20-C21
5	C	304	OLC	C2-C1-O20-C21
5	C	311	OLC	O20-C21-C22-O23
5	B	315	OLC	O19-C1-O20-C21
5	B	313	OLC	C12-C13-C14-C15
5	C	311	OLC	O19-C1-O20-C21
5	A	315	OLC	O23-C22-C24-O25
5	C	304	OLC	C14-C15-C16-C17
5	C	305	OLC	C10-C11-C12-C13
5	C	312	OLC	O19-C1-O20-C21
5	B	313	OLC	C2-C3-C4-C5
5	C	304	OLC	C12-C13-C14-C15
5	A	317	OLC	C4-C5-C6-C7
5	C	312	OLC	C14-C15-C16-C17
5	C	313	OLC	C2-C3-C4-C5
5	A	313	OLC	O20-C21-C22-O23
5	A	316	OLC	O20-C21-C22-O23
5	B	314	OLC	C2-C1-O20-C21
5	C	304	OLC	O19-C1-O20-C21
5	A	315	OLC	O19-C1-O20-C21
5	B	315	OLC	C1-C2-C3-C4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
5	B	309	OLC	C11-C12-C13-C14
5	B	315	OLC	C14-C15-C16-C17
5	C	309	OLC	C1-C2-C3-C4
5	B	308	OLC	C3-C4-C5-C6
5	C	310	OLC	C2-C3-C4-C5
5	A	311	OLC	C4-C5-C6-C7
5	C	309	OLC	C15-C16-C17-C18
5	B	314	OLC	O19-C1-O20-C21
5	B	309	OLC	C14-C15-C16-C17
5	C	308	OLC	C10-C11-C12-C13
5	B	309	OLC	O20-C21-C22-C24
5	B	311	OLC	C13-C14-C15-C16
5	A	316	OLC	C4-C5-C6-C7
5	B	310	OLC	C2-C3-C4-C5
5	A	312	OLC	C2-C1-O20-C21
5	C	313	OLC	C1-C2-C3-C4
5	B	309	OLC	C7-C8-C9-C10
5	B	307	OLC	C13-C14-C15-C16
5	B	315	OLC	C5-C6-C7-C8
5	C	311	OLC	C14-C15-C16-C17
5	A	316	OLC	C2-C3-C4-C5
5	A	309	OLC	O20-C21-C22-C24
5	C	304	OLC	O20-C21-C22-O23
5	B	314	OLC	C7-C8-C9-C10
5	C	304	OLC	C7-C8-C9-C10
5	C	308	OLC	C9-C10-C11-C12
5	A	312	OLC	O19-C1-O20-C21
5	B	311	OLC	O20-C1-C2-C3
5	B	306	OLC	C5-C6-C7-C8
5	B	315	OLC	C4-C5-C6-C7
5	C	309	OLC	C12-C13-C14-C15
5	B	308	OLC	C5-C6-C7-C8
5	C	311	OLC	C2-C3-C4-C5
5	A	311	OLC	C14-C15-C16-C17
5	A	317	OLC	C9-C10-C11-C12
5	C	304	OLC	C9-C10-C11-C12
5	A	315	OLC	C21-C22-C24-O25
5	B	314	OLC	C21-C22-C24-O25
5	B	308	OLC	C2-C3-C4-C5
5	B	314	OLC	C9-C10-C11-C12
5	B	313	OLC	O20-C1-C2-C3
5	C	313	OLC	C15-C16-C17-C18

*Continued on next page...*



*Continued from previous page...*




Mol	Chain	Res	Type	Atoms
5	B	311	OLC	C2-C3-C4-C5
5	A	311	OLC	O20-C21-C22-C24
5	A	313	OLC	O20-C21-C22-C24
5	C	304	OLC	O20-C21-C22-C24
5	A	315	OLC	O20-C1-C2-C3
5	C	309	OLC	C7-C8-C9-C10
5	C	313	OLC	C7-C8-C9-C10
5	A	315	OLC	C2-C3-C4-C5
5	C	308	OLC	O20-C1-C2-C3
5	A	316	OLC	C7-C8-C9-C10
5	B	307	OLC	C7-C8-C9-C10
5	B	311	OLC	C9-C10-C11-C12
5	C	311	OLC	C9-C10-C11-C12
5	A	311	OLC	O20-C21-C22-O23
5	C	306	OLC	C2-C3-C4-C5
5	B	307	OLC	O23-C22-C24-O25
5	C	313	OLC	O20-C1-C2-C3
5	B	307	OLC	O20-C1-C2-C3
5	B	312	OLC	C12-C13-C14-C15
5	A	313	OLC	C4-C5-C6-C7
5	C	308	OLC	O19-C1-C2-C3
5	B	310	OLC	C12-C13-C14-C15
5	B	314	OLC	C4-C5-C6-C7
5	B	313	OLC	O19-C1-C2-C3
5	A	309	OLC	C9-C10-C11-C12
5	C	311	OLC	C11-C12-C13-C14
5	C	307	OLC	C12-C13-C14-C15
5	A	315	OLC	O19-C1-C2-C3
5	C	311	OLC	C4-C5-C6-C7
5	B	305	OLC	O20-C21-C22-O23
5	C	310	OLC	O20-C21-C22-C24
5	B	314	OLC	O23-C22-C24-O25
5	B	305	OLC	C4-C5-C6-C7
5	B	312	OLC	C2-C1-O20-C21
5	C	313	OLC	C9-C10-C11-C12
5	B	315	OLC	C7-C8-C9-C10
5	B	305	OLC	C1-C2-C3-C4
5	C	313	OLC	O19-C1-C2-C3
5	B	312	OLC	C7-C8-C9-C10


There are no ring outliers.


30 monomers are involved in 61 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	316	OLC	3	0
5	B	306	OLC	5	0
5	B	308	OLC	1	0
4	B	303	RET	3	0
5	B	305	OLC	1	0
5	A	313	OLC	2	0
5	A	308	OLC	5	0
5	B	315	OLC	1	0
5	A	315	OLC	3	0
5	B	304	OLC	3	0
5	A	311	OLC	3	0
5	C	304	OLC	1	0
5	B	310	OLC	3	0
5	B	312	OLC	1	0
5	B	311	OLC	4	0
5	B	314	OLC	2	0
5	A	312	OLC	2	0
5	B	309	OLC	4	0
5	A	314	OLC	1	0
4	C	303	RET	4	0
4	A	307	RET	3	0
5	C	306	OLC	2	0
5	C	308	OLC	2	0
5	A	310	OLC	2	0
5	C	313	OLC	1	0
5	B	307	OLC	2	0
5	C	311	OLC	2	0
5	C	307	OLC	1	0
5	C	312	OLC	1	0
5	A	309	OLC	6	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	199/210 (94%)	0.33	5 (2%) 57 62	18, 27, 53, 96	0
1	B	196/210 (93%)	0.51	9 (4%) 32 38	19, 29, 55, 102	0
1	C	193/210 (91%)	0.43	9 (4%) 31 37	19, 29, 56, 121	0
All	All	588/630 (93%)	0.42	23 (3%) 39 45	18, 28, 55, 121	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	140	ARG	4.9
1	B	139	ASN	4.9
1	C	143	LYS	3.7
1	B	1	MET	3.4
1	A	199	HIS	3.4
1	A	142	GLU	3.4
1	C	196	THR	3.3
1	B	84	TYR	3.2
1	C	59	SER	3.1
1	C	193	PHE	3.0
1	B	138	LYS	3.0
1	B	88	ILE	2.8
1	A	52	LEU	2.5
1	A	193	PHE	2.4
1	C	52	LEU	2.4
1	C	84	TYR	2.4
1	C	197	PHE	2.3
1	C	145	ALA	2.3
1	A	26	LYS	2.3
1	B	198	LYS	2.3
1	B	145	ALA	2.2
1	C	22	PHE	2.1
1	B	197	PHE	2.0



## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	ZN	B	301	1/1	0.23	0.23	149,149,149,149	1
5	OLC	A	311	25/25	0.48	0.36	51,66,78,81	0
5	OLC	B	310	25/25	0.48	0.41	47,57,67,71	0
5	OLC	B	314	22/25	0.48	0.42	52,66,75,78	0
5	OLC	B	313	25/25	0.54	0.53	38,63,85,87	0
5	OLC	A	312	13/25	0.54	0.42	38,45,53,54	0
2	ZN	A	303	1/1	0.55	0.18	90,90,90,90	0
5	OLC	A	315	25/25	0.57	0.45	51,66,74,79	0
5	OLC	C	311	25/25	0.59	0.49	50,64,82,85	0
5	OLC	A	317	20/25	0.60	0.38	51,60,68,72	0
5	OLC	B	306	25/25	0.60	0.44	61,67,76,83	0
5	OLC	C	306	25/25	0.61	0.35	47,56,65,68	0
5	OLC	B	305	25/25	0.62	0.41	48,70,78,80	0
5	OLC	B	315	25/25	0.62	0.43	44,48,57,62	0
5	OLC	A	310	25/25	0.63	0.38	36,66,97,99	0
5	OLC	B	304	22/25	0.63	0.40	39,54,73,75	0
2	ZN	A	302	1/1	0.64	0.16	109,109,109,109	1
5	OLC	C	309	25/25	0.65	0.47	51,66,75,77	0
5	OLC	A	314	14/25	0.65	0.36	53,60,72,77	0
5	OLC	C	308	25/25	0.66	0.36	48,59,69,73	0
5	OLC	C	305	25/25	0.66	0.39	31,56,72,74	0
5	OLC	B	308	25/25	0.66	0.38	48,62,69,71	0
5	OLC	C	313	25/25	0.66	0.35	64,73,82,84	0
5	OLC	B	312	25/25	0.67	0.30	39,50,71,76	0
5	OLC	C	304	25/25	0.67	0.42	56,63,78,80	0
5	OLC	B	309	25/25	0.67	0.32	39,50,68,70	0
5	OLC	A	316	23/25	0.67	0.36	41,67,75,75	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	OLC	C	312	25/25	0.70	0.42	45,56,66,75	0
5	OLC	A	313	14/25	0.70	0.45	50,59,71,73	0
5	OLC	B	307	25/25	0.71	0.36	43,54,75,78	0
5	OLC	B	311	25/25	0.71	0.40	35,48,74,77	0
5	OLC	C	307	25/25	0.72	0.26	43,54,59,62	0
5	OLC	C	310	25/25	0.75	0.42	37,48,62,64	0
5	OLC	A	308	25/25	0.77	0.39	50,58,70,72	0
2	ZN	A	301	1/1	0.78	0.10	101,101,101,101	0
2	ZN	B	302	1/1	0.79	0.09	109,109,109,109	0
5	OLC	A	309	25/25	0.80	0.35	61,67,75,77	0
3	SO4	C	302	5/5	0.83	0.22	61,67,74,80	0
2	ZN	C	301	1/1	0.84	0.12	106,106,106,106	0
4	RET	A	307	20/21	0.87	0.17	18,24,30,32	0
4	RET	B	303	20/21	0.89	0.15	17,24,31,33	0
3	SO4	A	304	5/5	0.90	0.27	71,71,73,73	0
4	RET	C	303	20/21	0.93	0.14	17,22,28,29	0
3	SO4	A	305	5/5	0.96	0.21	52,56,57,68	0
3	SO4	A	306	5/5	0.97	0.13	42,45,46,46	5




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around OLC A 311:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLC B 310:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLC B 314:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLC B 313:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLC A 312:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLC A 315:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLC C 311:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLC A 317:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLC B 306:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLC C 306:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLC B 305:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around OLC B 315:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around OLC A 310:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLC B 304:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLC C 309:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLC A 314:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLC C 308:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLC C 305:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLC B 308:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around OLC C 313:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around OLC B 312:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLC C 304:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLC B 309:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLC A 316:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLC C 312:**

$2mF_o-DF_c$  (at 0.7 rnsd) in gray  
 $mF_o-DF_c$  (at 3 rnsd) in purple (negative)  
and green (positive)




**Electron density around OLC A 313:**

$2mF_o-DF_c$  (at 0.7 rnsd) in gray  
 $mF_o-DF_c$  (at 3 rnsd) in purple (negative)  
and green (positive)






**Electron density around OLC B 307:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around OLC B 311:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)









**Electron density around OLC C 307:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)


**Electron density around OLC C 310:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)









## 6.5 Other polymers [i](#)

There are no such residues in this entry.