

# Full wwPDB X-ray Structure Validation Report (i)

#### Sep 20, 2023 – 09:35 PM EDT

PDB ID	:	$5 \mathrm{EGQ}$
Title	:	Structure of tetrameric rat phenylalanine hydroxylase mutant R270K, residues
		25-453
Authors	:	Taylor, A.B.; Khan, C.A.; Fitzpatrick, P.F.
Deposited on	:	2015-10-27
Resolution	:	2.50  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motric	Whole archive	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$		
Wiethic	$(\# { m Entries})$			
$R_{free}$	130704	4661 (2.50-2.50)		
Clashscore	141614	5346 (2.50-2.50)		
Ramachandran outliers	138981	5231 (2.50-2.50)		
Sidechain outliers	138945	5233 (2.50-2.50)		
RSRZ outliers	127900	4559 (2.50-2.50)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
1	А	453	<sup>2%</sup> <b>7</b> 5%	15%		9%
1	В	453	5%	15%		9%
1	С	453	70%	18%	·	10%
1	D	453	76%	15%		9%



#### $5 \mathrm{EGQ}$

# 2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 13538 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Δ	419	Total	С	Ν	0	$\mathbf{S}$	0	0	0
	A	413	3353	2152	567	624	10	0	0	0
1	Р	411	Total	С	Ν	0	S	0	0	0
1	D	411	3336	2140	564	622	10	0	0	U
1	C	C 406	Total	С	Ν	0	S	0	0	0
1			3299	2121	554	614	10			
1	1 D	419	Total	С	Ν	0	S	0	0	0
	412	3344	2146	565	623	10	0	0	0	

• Molecule 1 is a protein called Phenylalanine-4-hydroxylase.

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	270	LYS	ARG	engineered mutation	UNP P04176
В	270	LYS	ARG	engineered mutation	UNP P04176
С	270	LYS	ARG	engineered mutation	UNP P04176
D	270	LYS	ARG	engineered mutation	UNP P04176

• Molecule 2 is SULFATE ION (three-letter code: SO4) (formula:  $O_4S$ ).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	45	$\begin{array}{cc} \text{Total} & \text{O} \\ 45 & 45 \end{array}$	0	0
3	В	35	Total         O           35         35	0	0
3	С	33	Total O 33 33	0	0
3	D	63	Total O 63 63	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Phenylalanine-4-hydroxylase







## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	90.14Å 96.51Å 202.58Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution(A)	47.16 - 2.50	Depositor
Resolution (A)	47.15 - 2.50	EDS
% Data completeness	98.7 (47.16-2.50)	Depositor
(in resolution range)	98.7 (47.15 - 2.50)	EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.10	Depositor
$< I/\sigma(I) > 1$	$2.19 (at 2.51 \text{\AA})$	Xtriage
Refinement program	PHENIX (1.10_2155: ???)	Depositor
B B.	0.211 , $0.256$	Depositor
$\Lambda, \Lambda_{free}$	0.212 , $0.257$	DCC
$R_{free}$ test set	1999 reflections $(3.27\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	38.6	Xtriage
Anisotropy	0.711	Xtriage
Bulk solvent $k_{sol}(e/A^3)$ , $B_{sol}(A^2)$	0.33 , $35.9$	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	13538	wwPDB-VP
Average B, all atoms $(Å^2)$	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.80% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
IVIOI	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.39	0/3436	0.68	0/4651	
1	В	0.40	0/3419	0.65	0/4629	
1	С	0.42	0/3381	0.64	0/4578	
1	D	0.40	0/3427	0.63	0/4640	
All	All	0.41	0/13663	0.65	0/18498	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3353	0	3301	66	0
1	В	3336	0	3277	58	0
1	С	3299	0	3243	85	0
1	D	3344	0	3288	35	0
2	А	5	0	0	0	0
2	В	5	0	0	1	0
2	С	10	0	0	1	0
2	D	10	0	0	1	0
3	A	45	0	0	1	0



0 0	e chunada ji chu preces as pageni								
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes			
3	В	35	0	0	0	0			
3	С	33	0	0	0	0			
3	D	63	0	0	0	0			
All	All	13538	0	13109	238	0			

Continued from previous page...

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (238) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:278:THR:H	1:C:279:PRO:HD3	1.21	1.03
1:C:72:LEU:HD13	1:C:428:GLN:HG2	1.38	1.02
1:C:135:ILE:HG22	1:C:136:LEU:H	1.32	0.94
1:C:278:THR:N	1:C:279:PRO:CD	2.32	0.93
1:B:35:ILE:HG21	1:B:91:LEU:HD11	1.50	0.93
1:B:60:ILE:HD11	1:B:87:THR:CG2	2.03	0.88
1:A:88:LYS:CD	1:A:91:LEU:HD12	2.04	0.88
1:D:129:ASP:OD1	1:D:243:ARG:NH2	2.06	0.88
1:C:278:THR:H	1:C:279:PRO:CD	1.87	0.87
1:C:270:LYS:NZ	1:C:277:TYR:O	2.09	0.85
1:B:60:ILE:HD11	1:B:87:THR:HG23	1.60	0.82
1:B:359:SER:O	1:B:362:PRO:HD2	1.81	0.81
1:C:243:ARG:HG3	1:C:243:ARG:HH11	1.45	0.81
1:A:88:LYS:HD2	1:A:91:LEU:HD12	1.64	0.80
1:B:60:ILE:CD1	1:B:87:THR:CG2	2.63	0.77
1:A:88:LYS:HA	1:A:91:LEU:HG	1.65	0.77
1:C:111:ARG:HD3	1:C:131:PHE:CE2	2.20	0.76
1:D:204:TYR:N	1:D:336:GLU:OE2	2.18	0.76
1:B:35:ILE:HG21	1:B:91:LEU:CD1	2.17	0.75
1:C:135:ILE:HG22	1:C:136:LEU:N	2.02	0.74
1:C:129:ASP:HA	1:C:243:ARG:HH21	1.51	0.74
1:B:201:HIS:CD2	1:B:358:LEU:HD12	2.23	0.74
1:C:111:ARG:HD3	1:C:131:PHE:CZ	2.24	0.73
1:A:88:LYS:HD3	1:A:91:LEU:HD12	1.68	0.73
1:A:58:ASN:OD1	1:A:90:VAL:HG21	1.88	0.72
1:B:197:LEU:HD21	1:B:355:GLN:HG3	1.72	0.72
1:B:91:LEU:O	1:B:95:ILE:HG13	1.89	0.72
1:C:135:ILE:HG23	1:C:248:LEU:H	1.56	0.71
1:B:35:ILE:CG2	1:B:91:LEU:HD11	2.20	0.71
1:C:111:ARG:NE	1:C:131:PHE:CE2	2.58	0.71



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:111:ARG:CD	1:C:131:PHE:CE2	2.74	0.70
1:B:60:ILE:CD1	1:B:87:THR:HG23	2.21	0.70
1:C:57:GLU:O	1:C:57:GLU:HG3	1.91	0.70
1:B:97:SER:O	1:B:101:ASP:HB2	1.92	0.69
1:A:129:ASP:OD1	1:A:243:ARG:NH2	2.25	0.68
1:B:274:LYS:HE3	1:B:276:MET:HB2	1.76	0.68
1:C:278:THR:N	1:C:279:PRO:HD3	1.94	0.68
1:A:131:PHE:HB3	1:A:134:GLN:HG3	1.77	0.67
1:C:297:ARG:NH1	2:C:501:SO4:O3	2.27	0.67
1:B:60:ILE:CD1	1:B:87:THR:HG21	2.24	0.67
1:B:413:ARG:HG3	1:C:443:ILE:HD13	1.75	0.66
1:B:44:GLU:HB2	1:B:47:ALA:HB2	1.78	0.66
1:D:209:ILE:HD13	1:D:295:SER:HB2	1.78	0.66
1:A:209:ILE:HD13	1:A:295:SER:HB2	1.76	0.66
1:A:214:GLU:HA	1:A:219:PHE:HB2	1.78	0.65
1:A:32:ASN:O	1:A:85:LYS:HG3	1.98	0.64
1:A:418:THR:O	1:A:420:ARG:HG3	1.97	0.64
1:C:135:ILE:HG23	1:C:248:LEU:N	2.12	0.64
1:A:85:LYS:HE2	1:A:112:ASP:OD2	1.98	0.63
1:B:54:LEU:O	1:B:58:ASN:ND2	2.31	0.63
1:B:53:ARG:O	1:B:56:GLU:N	2.31	0.63
1:A:243:ARG:HG2	1:A:243:ARG:HH11	1.62	0.62
1:B:60:ILE:HD13	1:B:87:THR:HG21	1.81	0.62
1:C:111:ARG:NE	1:C:131:PHE:CD2	2.66	0.62
1:A:243:ARG:HH11	1:A:243:ARG:CG	2.13	0.61
1:D:365:LEU:HD12	1:D:385:LEU:HD21	1.81	0.61
1:B:208:HIS:O	1:C:77:TYR:OH	2.10	0.61
1:C:41:LEU:HD11	1:C:102:ILE:HG22	1.82	0.61
1:A:168:TYR:CG	1:A:244:PRO:HG2	2.35	0.61
1:C:243:ARG:HH11	1:C:243:ARG:CG	2.12	0.60
1:D:231:SER:HB2	1:D:242:LEU:HB2	1.84	0.60
1:B:326:TRP:CH2	1:B:379:VAL:HG12	2.37	0.59
1:B:197:LEU:HD21	1:B:355:GLN:CG	2.33	0.59
1:C:425:ASP:OD1	1:C:428:GLN:N	2.27	0.59
1:A:299:PHE:HZ	1:A:329:VAL:HG13	1.68	0.58
1:C:214:GLU:HA	1:C:219:PHE:HB2	1.85	0.58
1:A:71:ARG:NH2	2:D:501:SO4:O3	2.36	0.57
1:B:129:ASP:OD1	1:B:243:ARG:NH2	2.37	0.57
1:B:320:LYS:HB3	1:B:373:ALA:HB1	1.86	0.57
1:C:278:THR:N	1:C:279:PRO:HD2	2.18	0.57
1:A:409:PRO:HG2	1:A:410:PHE:CD2	2.39	0.57



Interatomic Clas				
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:C:290:HIS:HE1	1:C:329:VAL:HG12	1.69	0.57	
1:C:111:ARG:CD	1:C:131:PHE:CZ	2.87	0.56	
1:B:174:ILE:HG21	1:B:227:LEU:HB2	1.87	0.56	
1:C:286:GLU:O	1:C:291:VAL:HG23	2.06	0.56	
1:D:282:ASP:O	1:D:286:GLU:HG2	2.05	0.56	
1:C:135:ILE:CG2	1:C:136:LEU:H	2.12	0.55	
1:B:356:TYR:O	1:B:359:SER:OG	2.13	0.55	
1:C:260:PHE:CZ	1:C:421:VAL:HG23	2.42	0.55	
1:C:135:ILE:HG13	1:C:246:ALA:HB3	1.89	0.55	
1:C:394:ASP:OD2	1:C:398:LYS:NZ	2.38	0.55	
1:B:209:ILE:HD13	1:B:295:SER:HB2	1.88	0.54	
1:C:194:LEU:CD2	1:C:351:PHE:HB2	2.37	0.54	
1:A:72:LEU:H	1:A:72:LEU:HD12	1.71	0.54	
1:A:282:ASP:O	1:A:286:GLU:HG2	2.07	0.54	
1:B:201:HIS:CG	1:B:358:LEU:HD12	2.42	0.54	
1:D:285:HIS:ND1	1:D:286:GLU:OE2	2.41	0.54	
1:C:82:TYR:N	1:C:82:TYR:CD1	2.73	0.54	
1:D:149:PHE:O	1:D:155:ARG:HD2	2.08	0.54	
1:A:201:HIS:CD2	1:A:358:LEU:HD12	2.42	0.54	
1:C:67:SER:O	1:C:68:ARG:NH1	2.40	0.54	
1:B:83:LEU:HD13	1:B:87:THR:HG21	1.90	0.54	
1:C:168:TYR:HD2	1:C:243:ARG:NH1	2.06	0.53	
1:A:409:PRO:HG2	1:A:410:PHE:CE2	2.44	0.53	
1:B:278:THR:H	1:B:279:PRO:CD	2.20	0.53	
2:B:501:SO4:O2	1:C:71:ARG:NH2	2.41	0.53	
1:C:209:ILE:HG21	1:C:295:SER:HB2	1.90	0.53	
1:D:403:ALA:HA	1:D:406:ILE:HD12	1.91	0.53	
1:B:282:ASP:O	1:B:286:GLU:HG2	2.08	0.52	
1:B:94:ILE:HG22	1:B:98:LEU:HD12	1.92	0.52	
1:B:149:PHE:O	1:B:155:ARG:NH1	2.38	0.52	
1:C:282:ASP:O	1:C:285:HIS:N	2.42	0.52	
1:C:88:LYS:N	1:C:89:PRO:HD2	2.25	0.52	
1:D:320:LYS:HB3	1:D:373:ALA:HB1	1.92	0.52	
1:B:443:ILE:HG12	1:C:400:ARG:HD3	1.92	0.51	
1:B:41:LEU:HD11	1:B:102:ILE:HG21	1.92	0.51	
1:C:270:LYS:HD2	1:C:275:PRO:O	2.10	0.51	
1:A:54:LEU:O	1:A:58:ASN:ND2	2.43	0.51	
1:C:244:PRO:HA	1:C:265:CYS:O	2.11	0.51	
1:A:58:ASN:OD1	1:A:90:VAL:CG2	2.59	0.51	
1:C:60:ILE:HD13	1:C:83:LEU:HD21	1.93	0.51	
1:A:41:LEU:HD21	1:A:47:ALA:HB1	1.93	0.50	



Interatomic Clash				
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:85:LYS:CE	1:A:112:ASP:OD2	2.58	0.50	
1:A:424:LEU:CD2	1:A:432:ILE:HD11	2.41	0.50	
1:A:269:ILE:HA	1:A:282:ASP:HB2	1.94	0.50	
1:A:385:LEU:HD23	1:A:385:LEU:C	2.32	0.50	
1:C:193:THR:HG22	1:C:351:PHE:CD1	2.47	0.50	
1:A:88:LYS:HA	1:A:91:LEU:CG	2.41	0.50	
1:B:39:PHE:CD2	1:B:98:LEU:HD22	2.46	0.50	
1:C:135:ILE:HD13	1:C:135:ILE:N	2.27	0.50	
1:A:216:TYR:CE1	1:D:66:GLU:HA	2.47	0.49	
1:A:41:LEU:HD22	1:A:51:VAL:HG21	1.92	0.49	
1:A:122:PRO:HG3	1:A:128:LEU:HD23	1.94	0.49	
1:B:191:PHE:CD1	1:B:191:PHE:C	2.85	0.49	
1:C:438:ASN:HA	1:D:441:VAL:HG11	1.95	0.49	
1:C:129:ASP:HA	1:C:243:ARG:NH2	2.24	0.49	
1:A:243:ARG:CG	1:A:243:ARG:NH1	2.73	0.48	
1:C:41:LEU:HD13	1:C:104:ALA:HB2	1.95	0.48	
1:B:38:ILE:HD13	1:B:423:VAL:HG21	1.95	0.48	
1:B:243:ARG:HH11	1:B:243:ARG:HG2	1.78	0.48	
1:D:152:PRO:HA	1:D:155:ARG:HD3	1.95	0.48	
1:C:73:ASN:HB2	1:C:76:GLU:HG2	1.96	0.48	
1:A:88:LYS:HD3	1:A:91:LEU:CD1	2.39	0.48	
1:C:375:GLN:HG3	1:C:387:TYR:OH	2.14	0.48	
1:D:41:LEU:HD21	1:D:47:ALA:HB1	1.95	0.47	
1:B:52:LEU:HD13	1:C:215:LYS:HE2	1.95	0.47	
1:B:87:THR:O	1:B:87:THR:HG22	2.14	0.47	
1:C:214:GLU:HG2	1:C:219:PHE:O	2.13	0.47	
1:C:425:ASP:OD1	1:C:428:GLN:HB2	2.15	0.47	
1:C:293:LEU:HD23	1:C:293:LEU:HA	1.79	0.47	
1:C:111:ARG:NH2	1:C:253:ASP:OD2	2.48	0.47	
1:A:278:THR:H	1:A:279:PRO:HD3	1.78	0.47	
1:C:55:PHE:CB	1:C:65:ILE:HD11	2.45	0.47	
1:D:214:GLU:HA	1:D:219:PHE:HB2	1.97	0.47	
1:C:270:LYS:CE	1:C:277:TYR:O	2.63	0.46	
1:C:37:LEU:HD21	1:C:95:ILE:HD11	1.98	0.46	
1:A:410:PHE:CD1	1:A:423:VAL:HG13	2.51	0.46	
1:C:41:LEU:O	1:C:76:GLU:HB2	2.16	0.46	
1:C:375:GLN:HG3	1:C:387:TYR:CE2	2.51	0.46	
1:D:136:LEU:HD13	1:D:248:LEU:HD12	1.98	0.46	
1:D:244:PRO:HA	1:D:265:CYS:O	2.16	0.46	
1:D:191:PHE:CD1	1:D:191:PHE:C	2.89	0.46	
1:A:169:ARG:NH1	3:A:608:HOH:O	2.47	0.45	



	, and page	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:269:ILE:HA	1:B:282:ASP:HB2	1.98	0.45	
1:C:41:LEU:HD21	1:C:47:ALA:HB1	1.97	0.45	
1:A:424:LEU:HB3	1:A:428:GLN:HB2	1.98	0.45	
1:C:277:TYR:CZ	1:C:279:PRO:HG2	2.52	0.45	
1:A:297:ARG:HD2	1:A:297:ARG:HA	1.85	0.45	
1:B:201:HIS:CD2	1:B:358:LEU:CD1	2.96	0.45	
1:C:243:ARG:CG	1:C:243:ARG:NH1	2.73	0.45	
1:A:146:HIS:NE2	1:A:280:GLU:OE2	2.42	0.44	
1:C:418:THR:O	1:C:420:ARG:HG2	2.17	0.44	
1:A:80:PHE:CD1	1:A:80:PHE:N	2.84	0.44	
1:C:277:TYR:CE1	1:C:279:PRO:HG2	2.51	0.44	
1:D:197:LEU:HD21	1:D:355:GLN:HG3	1.99	0.44	
1:D:97:SER:O	1:D:101:ASP:HB2	2.18	0.44	
1:C:440:GLU:OE1	1:C:440:GLU:HA	2.17	0.43	
1:A:133:ASN:OD1	1:A:166:TYR:HA	2.18	0.43	
1:A:209:ILE:HG21	1:A:295:SER:HB2	2.00	0.43	
1:C:98:LEU:HD23	1:C:102:ILE:HD12	2.00	0.43	
1:C:320:LYS:HB3	1:C:373:ALA:HB1	2.00	0.43	
1:A:424:LEU:CD2	1:A:432:ILE:CD1	2.96	0.43	
1:B:60:ILE:HD13	1:B:87:THR:CG2	2.42	0.43	
1:A:363:LYS:O	1:A:385:LEU:HA	2.18	0.43	
1:A:424:LEU:HD21	1:A:432:ILE:CD1	2.49	0.42	
1:C:111:ARG:HH22	1:C:253:ASP:CG	2.22	0.42	
1:D:333:LEU:HD23	1:D:342:ALA:HA	2.00	0.42	
1:A:80:PHE:N	1:A:80:PHE:HD1	2.18	0.42	
1:B:278:THR:H	1:B:279:PRO:HD3	1.83	0.42	
1:B:39:PHE:CE2	1:B:98:LEU:HD22	2.54	0.42	
1:C:109:LEU:HD21	1:C:121:PHE:CE1	2.54	0.42	
1:C:324:ILE:HD11	1:C:373:ALA:HB2	2.01	0.42	
1:D:67:SER:HB2	1:D:79:PHE:CE2	2.55	0.42	
1:D:293:LEU:HB3	1:D:299:PHE:CD2	2.55	0.42	
1:A:61:ASN:OD1	1:A:63:THR:HG22	2.20	0.42	
1:A:131:PHE:CD1	1:A:131:PHE:N	2.88	0.42	
1:A:240:PHE:HA	1:A:261:ARG:O	2.20	0.42	
1:C:174:ILE:HG21	1:C:227:LEU:HB2	2.02	0.42	
1:A:260:PHE:N	1:A:260:PHE:CD1	2.88	0.42	
1:C:124:THR:HG22	1:C:420:ARG:CD	2.49	0.42	
1:C:297:ARG:HA	1:C:297:ARG:HD3	1.85	0.42	
1:C:375:GLN:CG	1:C:387:TYR:OH	2.68	0.42	
1:D:35:ILE:HD13	1:D:110:SER:HA	2.01	0.42	
1:D:46:GLY:O	1:D:50:LYS:HG3	2.20	0.42	



		Interatomic Clash		
Atom-1 Atom-2		distance (Å)	overlap (Å)	
1:D:260:PHE:N	1:D:260:PHE:CD1	2.88	0.42	
1:A:424:LEU:HD21	1:A:432:ILE:HD11	2.02	0.42	
1:C:413:ARG:O	1:C:422:GLU:HG2	2.20	0.42	
1:A:64:HIS:HB3	1:A:82:TYR:O	2.20	0.41	
1:C:41:LEU:CD2	1:C:47:ALA:HB1	2.50	0.41	
1:A:174:ILE:HG23	1:A:244:PRO:HG3	2.02	0.41	
1:C:385:LEU:HD23	1:C:386:TYR:N	2.35	0.41	
1:A:135:ILE:O	1:A:136:LEU:C	2.57	0.41	
1:D:38:ILE:HB	1:D:107:HIS:HB2	2.02	0.41	
1:A:448:LEU:HD23	1:A:448:LEU:HA	1.80	0.41	
1:B:297:ARG:O	1:B:301:GLN:HG3	2.20	0.41	
1:A:43:GLU:HG2	1:A:44:GLU:N	2.35	0.41	
1:B:97:SER:O	1:B:101:ASP:N	2.53	0.41	
1:D:278:THR:N	1:D:279:PRO:CD	2.84	0.41	
1:C:68:ARG:HD3	1:C:68:ARG:HA	1.91	0.41	
1:A:54:LEU:CD1	1:A:94:ILE:HG23	2.50	0.41	
1:A:111:ARG:HD3	1:A:131:PHE:CE2	2.56	0.41	
1:A:396:LYS:HB3	1:A:396:LYS:HE2	1.88	0.41	
1:B:363:LYS:HA	1:B:363:LYS:HD3	1.57	0.41	
1:C:293:LEU:HB3	1:C:299:PHE:CD2	2.56	0.41	
1:D:190:VAL:HG12	1:D:194:LEU:HD12	2.03	0.41	
1:D:376:GLU:OE1	1:D:376:GLU:HA	2.21	0.41	
1:A:209:ILE:HD13	1:A:295:SER:CB	2.48	0.41	
1:B:131:PHE:HB3	1:B:134:GLN:HB2	2.02	0.41	
1:B:335:LYS:NZ	1:B:390:GLU:OE2	2.28	0.41	
1:C:39:PHE:CD1	1:C:39:PHE:N	2.89	0.41	
1:D:42:LYS:HE3	1:D:75:ASP:OD2	2.21	0.41	
1:A:150:LYS:HA	1:A:150:LYS:HD3	1.81	0.41	
1:B:38:ILE:HG12	1:B:123:ARG:NH1	2.35	0.40	
1:D:61:ASN:HB3	1:D:64:HIS:ND1	2.36	0.40	
1:B:51:VAL:HG11	1:B:79:PHE:CZ	2.56	0.40	
1:D:127:GLU:HG3	1:D:130:ARG:HD3	2.03	0.40	
1:B:61:ASN:OD1	1:B:62:LEU:N	2.55	0.40	
1:D:176:ARG:NH2	1:D:229:ASP:OD1	2.50	0.40	
1:B:230:VAL:HG21	1:B:287:LEU:HD22	2.04	0.40	
1:B:381:GLU:OE1	1:B:381:GLU:HA	2.21	0.40	
1:C:66:GLU:OE1	1:C:82:TYR:OH	2.36	0.40	
1:A:32:ASN:HD21	1:A:86:ARG:NH2	2.19	0.40	
1:A:325:TYR:CD1	1:A:325:TYR:C	2.94	0.40	
1:A:424:LEU:HA	1:A:428:GLN:OE1	2.21	0.40	
1:B:130:ARG:C	1:B:131:PHE:CD1	2.95	0.40	



Atom-1	Atom-1 Atom-2		Clash overlap (Å)
1:B:274:LYS:HA	1:B:274:LYS:HD2	1.86	0.40
1:C:287:LEU:HA	1:C:291:VAL:CG2	2.51	0.40
1:D:34:ALA:HB3	1:D:111:ARG:HB2	2.03	0.40

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	409/453~(90%)	389~(95%)	20 (5%)	0	100	100
1	В	407/453~(90%)	385~(95%)	21 (5%)	1 (0%)	47	68
1	С	400/453~(88%)	378 (94%)	20 (5%)	2 (0%)	29	48
1	D	408/453~(90%)	389~(95%)	18 (4%)	1 (0%)	47	68
All	All	1624/1812 (90%)	1541 (95%)	79(5%)	4 (0%)	47	68

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	114	GLU
1	В	278	THR
1	С	89	PRO
1	С	278	THR

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	365/399~(92%)	356~(98%)	9~(2%)	47 73
1	В	363/399~(91%)	354 (98%)	9~(2%)	47 73
1	С	360/399~(90%)	350~(97%)	10 (3%)	43 70
1	D	364/399~(91%)	359~(99%)	5 (1%)	67 86
All	All	1452/1596~(91%)	1419~(98%)	33~(2%)	50 76

analysed, and the total number of residues.

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	72	LEU
1	А	80	PHE
1	А	83	LEU
1	А	131	PHE
1	А	134	GLN
1	А	179	TYR
1	А	260	PHE
1	А	297	ARG
1	А	424	LEU
1	В	56	GLU
1	В	59	ASP
1	В	91	LEU
1	В	97	SER
1	В	131	PHE
1	В	179	TYR
1	В	235	GLN
1	В	260	PHE
1	В	363	LYS
1	С	43	GLU
1	С	57	GLU
1	С	72	LEU
1	С	136	LEU
1	С	179	TYR
1	С	181	GLU
1	С	240	PHE
1	С	243	ARG
1	С	282	ASP
1	С	283	ILE
1	D	44	GLU
1	D	179	TYR
1	D	240	PHE



Continued from previous page...

Mol	Chain	Res	Type
1	D	260	PHE
1	D	433	LEU

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such side chains are listed below:

Mol	Chain	Res	Type
1	А	264	HIS
1	С	290	HIS

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Aal Trupa Chain Dea I		T in le	Bond lengths			Bond angles			
IVIOI	Type	Chain	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
2	SO4	D	501	-	4,4,4	0.17	0	6,6,6	0.29	0
2	SO4	С	502	-	4,4,4	0.15	0	6,6,6	0.13	0
2	SO4	D	502	-	4,4,4	0.16	0	6,6,6	0.09	0
2	SO4	В	501	-	4,4,4	0.18	0	6,6,6	0.31	0
2	SO4	С	501	-	4,4,4	0.15	0	$6,\!6,\!6$	0.15	0



Mol 7	Turne	Type Chain		Tiple	Bond lengths			Bond angles		
	туре	Chain	res	LINK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
2	SO4	А	501	-	4,4,4	0.14	0	$6,\!6,\!6$	0.25	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	501	SO4	1	0
2	В	501	SO4	1	0
2	С	501	SO4	1	0

### 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< <b>RSRZ</b> >	#RSRZ>2			$OWAB(Å^2)$	Q<0.9
1	А	413/453~(91%)	0.01	10 (2%)	59	62	27, 39, 65, 85	0
1	В	411/453~(90%)	0.24	22 (5%)	25	27	30, 44, 75, 93	0
1	С	406/453~(89%)	0.14	17 (4%)	36	39	26, 41, 68, 87	0
1	D	412/453~(90%)	-0.10	2(0%)	91	91	24, 37, 54, 72	0
All	All	1642/1812~(90%)	0.07	51 (3%)	49	52	24, 40, 68, 93	0

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	380	THR	5.9
1	А	91	LEU	4.6
1	В	91	LEU	4.5
1	А	149	PHE	4.3
1	В	57	GLU	4.3
1	А	275	PRO	4.3
1	В	65	ILE	3.9
1	В	149	PHE	3.7
1	С	82	TYR	3.7
1	С	149	PHE	3.7
1	С	133	ASN	3.6
1	В	379	VAL	3.6
1	В	100	ASN	3.4
1	В	86	ARG	3.4
1	С	278	THR	3.3
1	С	136	LEU	3.3
1	С	379	VAL	3.3
1	С	91	LEU	3.2
1	С	59	ASP	3.1
1	С	380	THR	2.9
1	А	136	LEU	2.9



5EGQ
------

Mol	Chain	Res	Type	RSRZ
1	В	385	LEU	2.9
1	С	135	ILE	2.8
1	А	432	ILE	2.8
1	В	55	PHE	2.8
1	В	378	SER	2.7
1	С	145	ASP	2.7
1	А	147	PRO	2.5
1	А	32	ASN	2.5
1	С	83	LEU	2.4
1	D	449	GLN	2.4
1	С	114	GLU	2.4
1	А	277	TYR	2.3
1	В	148	GLY	2.3
1	С	63	THR	2.3
1	В	277	TYR	2.2
1	В	276	MET	2.2
1	В	381	GLU	2.2
1	В	278	THR	2.2
1	В	273	SER	2.1
1	В	443	ILE	2.1
1	А	53	ARG	2.1
1	А	430	LEU	2.1
1	С	150	LYS	2.1
1	D	88	LYS	2.0
1	В	358	LEU	2.0
1	С	62	LEU	2.0
1	С	248	LEU	2.0
1	В	144	ALA	2.0
1	В	249	LEU	2.0
1	В	50	LYS	2.0

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
2	SO4	С	502	5/5	0.83	0.24	66,70,78,88	0
2	SO4	D	502	5/5	0.86	0.17	57,64,70,87	0
2	SO4	С	501	5/5	0.90	0.18	46,55,66,70	0
2	SO4	D	501	5/5	0.97	0.12	40,45,51,52	0
2	SO4	А	501	5/5	0.98	0.11	41,42,47,48	0
2	SO4	В	501	5/5	0.98	0.11	40,40,43,50	0

#### 6.5 Other polymers (i)

There are no such residues in this entry.

