



# Full wwPDB X-ray Structure Validation Report ⓘ

May 23, 2020 – 06:16 pm BST

PDB ID : 5EPG  
Title : Human aldehyde oxidase SNP S1271L  
Authors : Coelho, C.; Romao, M.J.; Santos-Silva, T.  
Deposited on : 2015-11-11  
Resolution : 3.39 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1026 (3.48-3.32)
Clashscore	141614	1055 (3.48-3.32)
Ramachandran outliers	138981	1038 (3.48-3.32)
Sidechain outliers	138945	1038 (3.48-3.32)
RSRZ outliers	127900	2173 (3.50-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1338	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	MOS	A	3005	-	-	X	-

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 10131 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Aldehyde oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	1288	9990	6351	1722	1837	80	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1271	LEU	SER	engineered mutation	UNP Q06278


- Molecule 2 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe<sub>2</sub>S<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	Fe	S		
2	A	1	4	2	2	0	0
2	A	1	4	2	2	0	0


- Molecule 3 is PHOSPHONIC ACIDMONO-(2-AMINO-5,6-DIMERCAPTO-4-OXO-3,7,8A,

9,10,10A-HEXAHYDRO-4H-8-OXA-1,3,9,10-TETRAAZA-ANTHRACEN-7-YLMETHYL)  
ESTER (three-letter code: MTE) (formula:  $C_{10}H_{14}N_5O_6P_2S_2$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	N	O	P			S
3	A	1	24	10	5	6	1	2	0	0

- Molecule 4 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
4	A	1	53	27	9	15	2	0	0

- Molecule 5 is DIOXOTHIOMOLYBDENUM(VI) ION (three-letter code: MOS) (formula:  $\text{HMoO}_2\text{S}$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	Mo	O	S		
5	A	1	4	1	2	1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
6	A	52	52	52	0	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Aldehyde oxidase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 42 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	147.44Å 147.44Å 131.71Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.16 – 3.39 49.11 – 3.39	Depositor EDS
% Data completeness (in resolution range)	98.8 (49.16-3.39) 99.0 (49.11-3.39)	Depositor EDS
$R_{merge}$	0.31	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.87 (at 3.40Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.162 , 0.253 0.166 , 0.249	Depositor DCC
$R_{free}$ test set	1046 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	99.0	Xtrriage
Anisotropy	0.019	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 63.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	10131	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	103.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.67% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MOS, FES, FAD, MTE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.51	0/10199	0.76	2/13788 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	22	ASP	CB-CG-OD1	5.39	123.16	118.30
1	A	830	ARG	NE-CZ-NH2	-5.27	117.66	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9990	0	10057	142	0
2	A	8	0	0	1	0
3	A	24	0	12	2	0
4	A	53	0	31	2	0
5	A	4	0	0	3	0
6	A	52	0	0	10	0
All	All	10131	0	10100	144	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including



hydrogen atoms). The all-atom clashscore for this structure is 7.

All (144) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:365:ASP:HB3	6:A:3141:HOH:O	1.60	1.00
1:A:1064:ARG:HD2	6:A:3148:HOH:O	1.77	0.85
1:A:737:GLN:NE2	1:A:861:ASN:OD1	2.11	0.83
3:A:3003:MTE:S2'	5:A:3005:MOS:O1	2.37	0.81
1:A:841:ASP:O	1:A:845:THR:HG22	1.80	0.81
1:A:1111:GLU:HG2	6:A:3147:HOH:O	1.81	0.79
1:A:388:ARG:NH1	1:A:409:GLU:OE2	2.18	0.76
1:A:305:THR:HG22	1:A:415:ASN:OD1	1.90	0.72
1:A:1268:LEU:HA	1:A:1271:LEU:HD21	1.72	0.71
1:A:140:LEU:HD13	1:A:161:CYS:HB3	1.72	0.71
1:A:433:ARG:NH1	1:A:1238:ILE:O	2.27	0.67
1:A:711:ILE:C	1:A:712:GLN:HE21	1.97	0.66
1:A:358:HIS:NE2	1:A:366:SER:OG	2.29	0.66
1:A:735:VAL:HA	1:A:860:MET:CE	2.27	0.64
1:A:853:GLY:HA3	1:A:931:ILE:HD12	1.79	0.63
1:A:600:CYS:O	1:A:603:MET:HE3	1.99	0.62
1:A:898:TYR:HB2	1:A:900:PHE:CE1	2.35	0.62
1:A:849:HIS:CE1	6:A:3112:HOH:O	2.52	0.62
1:A:1266:LYS:O	1:A:1268:LEU:HD23	2.01	0.60
1:A:471:ILE:HD11	1:A:501:VAL:HG23	1.82	0.60
1:A:319:LEU:HB2	1:A:338:LEU:CD1	2.30	0.60
3:A:3003:MTE:S2'	5:A:3005:MOS:O2	2.59	0.60
1:A:528:LEU:HB3	1:A:553:LEU:HD11	1.83	0.59
1:A:128:LEU:HD22	1:A:140:LEU:HD23	1.85	0.58
1:A:449:PHE:CE1	1:A:456:ILE:HG22	2.39	0.58
1:A:612:LEU:HD11	1:A:677:ALA:HB1	1.85	0.57
1:A:735:VAL:HA	1:A:860:MET:HE1	1.86	0.57
1:A:456:ILE:HD11	1:A:481:ILE:HA	1.86	0.56
1:A:1209:ILE:HG22	1:A:1239:PRO:HG2	1.87	0.56
1:A:214:GLN:HE21	1:A:214:GLN:N	2.04	0.55
1:A:996:PHE:CD2	1:A:1005:LYS:HE3	2.42	0.55
1:A:554:GLU:OE1	1:A:554:GLU:N	2.39	0.55
1:A:319:LEU:HB2	1:A:338:LEU:HD11	1.89	0.55
1:A:896:ASN:O	1:A:1013:LYS:HE3	2.07	0.55
1:A:1227:ILE:N	1:A:1227:ILE:HD12	2.21	0.55
1:A:1031:HIS:ND1	1:A:1137:SER:OG	2.37	0.54
1:A:95:THR:HG23	1:A:596:GLU:OE2	2.07	0.54
1:A:1291:ARG:NH1	1:A:1314:ALA:O	2.41	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1060:SER:OG	1:A:1065:MET:O	2.16	0.53
1:A:357:GLY:O	1:A:361:SER:OG	2.23	0.53
1:A:722:LYS:HG3	1:A:906:ARG:HG2	1.89	0.53
1:A:272:GLY:O	1:A:275:VAL:HG22	2.08	0.53
1:A:1268:LEU:HB3	1:A:1271:LEU:HD11	1.90	0.53
1:A:756:GLN:HA	6:A:3125:HOH:O	2.09	0.52
1:A:497:ILE:HD13	1:A:523:LEU:HD22	1.91	0.52
1:A:369:ASN:N	1:A:370:PRO:HD2	2.25	0.52
1:A:712:GLN:HE21	1:A:712:GLN:N	2.08	0.51
1:A:214:GLN:HE21	1:A:214:GLN:CA	2.23	0.51
1:A:908:TRP:HA	6:A:3129:HOH:O	2.10	0.51
1:A:83:GLY:O	1:A:222:LEU:HD22	2.10	0.51
1:A:811:VAL:HG21	1:A:1085:ILE:HD11	1.93	0.51
1:A:63:THR:OG1	1:A:65:ARG:HG3	2.10	0.51
1:A:106:ILE:CG2	1:A:107:ALA:N	2.74	0.51
1:A:860:MET:HE3	1:A:866:LEU:HD12	1.93	0.51
1:A:925:PHE:HB3	1:A:926:PRO:HD3	1.93	0.51
1:A:615:VAL:HB	1:A:676:CYS:HB2	1.93	0.51
1:A:894:MET:O	1:A:932:THR:HG21	2.12	0.51
1:A:1313:MET:HA	1:A:1313:MET:HE2	1.93	0.50
1:A:933:GLU:OE1	1:A:951:ARG:NE	2.43	0.50
1:A:1009:MET:HE2	1:A:1168:CYS:HB2	1.93	0.50
1:A:1268:LEU:HA	1:A:1271:LEU:CD2	2.42	0.50
1:A:305:THR:CG2	1:A:415:ASN:OD1	2.59	0.50
1:A:891:LEU:HD22	1:A:905:CYS:SG	2.52	0.49
1:A:1200:ASP:HB3	1:A:1268:LEU:HD11	1.94	0.49
1:A:1255:PRO:HA	6:A:3127:HOH:O	2.12	0.49
1:A:899:LYS:HB2	1:A:956:TYR:CD1	2.48	0.49
1:A:1218:GLU:OE1	1:A:1236:TYR:OH	2.22	0.48
1:A:334:TYR:CD1	1:A:334:TYR:N	2.79	0.48
1:A:855:TYR:HD2	1:A:935:CYS:HG	1.60	0.48
1:A:406:LYS:HG2	1:A:409:GLU:OE2	2.14	0.48
1:A:811:VAL:HG12	1:A:812:LEU:N	2.29	0.48
1:A:773:VAL:O	1:A:800:VAL:HG22	2.13	0.48
1:A:1012:LEU:HB2	1:A:1275:LEU:HD21	1.96	0.48
1:A:758:MET:SD	1:A:818:ALA:HA	2.54	0.48
1:A:1117:ASN:N	1:A:1118:PRO:HD3	2.29	0.48
1:A:419:SER:HA	1:A:423:GLU:OE1	2.13	0.48
1:A:316:LYS:HB2	1:A:341:LEU:HD13	1.95	0.48
1:A:381:LEU:HD23	1:A:409:GLU:OE2	2.13	0.47
1:A:264:VAL:N	4:A:3004:FAD:O2B	2.44	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:264:VAL:O	4:A:3004:FAD:H2B	2.15	0.47
1:A:356:GLY:HA2	1:A:411:LEU:HD23	1.97	0.47
1:A:734:VAL:HG23	1:A:734:VAL:O	2.13	0.47
1:A:876:ALA:HA	6:A:3112:HOH:O	2.15	0.47
1:A:1056:ILE:HG22	1:A:1067:MET:HG2	1.97	0.47
1:A:1317:ASP:O	1:A:1321:LYS:HG2	2.15	0.47
1:A:629:LEU:HD23	1:A:693:VAL:HG13	1.97	0.47
1:A:739:LEU:HD23	1:A:739:LEU:C	2.34	0.47
1:A:531:SER:O	1:A:545:LEU:HD11	2.15	0.47
1:A:228:LYS:O	1:A:228:LYS:HG3	2.15	0.47
1:A:1227:ILE:N	1:A:1227:ILE:CD1	2.78	0.46
1:A:774:SER:OG	1:A:803:VAL:HG13	2.14	0.46
1:A:943:CYS:HB3	1:A:945:LEU:HD12	1.97	0.45
1:A:50:GLY:N	2:A:3002:FES:S1	2.89	0.45
1:A:456:ILE:CD1	1:A:481:ILE:HA	2.46	0.45
1:A:588:SER:HB2	1:A:592:HIS:CE1	2.52	0.45
1:A:849:HIS:HE1	6:A:3112:HOH:O	1.92	0.45
1:A:378:THR:CB	1:A:389:GLN:HE21	2.30	0.45
1:A:739:LEU:HD11	1:A:938:GLU:HB3	1.99	0.45
1:A:392:LEU:HD13	1:A:396:PHE:CD2	2.52	0.44
1:A:703:LEU:HD11	1:A:705:LEU:HD21	1.99	0.44
1:A:588:SER:HB2	1:A:592:HIS:NE2	2.32	0.44
1:A:476:SER:OG	1:A:496:LEU:O	2.35	0.44
1:A:750:HIS:HA	1:A:920:PHE:CZ	2.53	0.44
1:A:675:VAL:HG11	1:A:695:ILE:HD13	1.99	0.44
1:A:14:ARG:HB2	1:A:14:ARG:NH1	2.32	0.44
1:A:625:VAL:HG22	1:A:696:VAL:O	2.18	0.44
1:A:976:CYS:SG	1:A:1165:GLY:HA2	2.58	0.43
1:A:1093:ASP:OD2	1:A:1161:TYR:OH	2.33	0.43
1:A:374:VAL:HG12	1:A:460:CYS:HB3	1.99	0.43
1:A:784:ILE:HD13	1:A:815:GLY:O	2.18	0.43
1:A:895:ASP:OD1	1:A:1013:LYS:NZ	2.45	0.43
1:A:501:VAL:O	1:A:501:VAL:HG22	2.18	0.43
1:A:1238:ILE:HB	1:A:1239:PRO:CD	2.49	0.42
1:A:469:ALA:O	1:A:471:ILE:HG23	2.18	0.42
1:A:711:ILE:C	1:A:712:GLN:NE2	2.67	0.42
1:A:1196:ASN:CG	1:A:1199:ILE:HD12	2.39	0.42
1:A:1257:GLN:N	1:A:1257:GLN:HE21	2.18	0.42
1:A:105:ARG:HG2	1:A:207:PHE:CD2	2.55	0.42
1:A:83:GLY:C	1:A:222:LEU:HD22	2.39	0.42
1:A:923:PHE:CE2	5:A:3005:MOS:S	3.12	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1283:ILE:CG2	1:A:1306:LEU:HD13	2.49	0.42
1:A:118:THR:HG22	1:A:593:ALA:HA	2.02	0.42
1:A:528:LEU:CB	1:A:553:LEU:HD11	2.49	0.42
1:A:745:MET:SD	1:A:927:GLN:HA	2.59	0.42
1:A:1182:ASN:HB3	6:A:3107:HOH:O	2.20	0.42
1:A:1051:VAL:HG13	1:A:1052:HIS:CD2	2.55	0.42
1:A:1012:LEU:HD13	1:A:1275:LEU:HD21	2.01	0.41
1:A:760:VAL:HG11	1:A:822:ALA:HA	2.01	0.41
1:A:898:TYR:HB2	1:A:900:PHE:HE1	1.83	0.41
1:A:725:TYR:HE2	1:A:899:LYS:HE3	1.85	0.41
1:A:159:ASP:O	1:A:163:THR:HG23	2.20	0.41
1:A:750:HIS:CE1	1:A:809:GLY:CA	3.04	0.41
1:A:1244:MET:HG2	1:A:1245:PRO:HD2	2.02	0.41
1:A:1054:LYS:O	1:A:1058:VAL:HG23	2.21	0.41
1:A:777:PHE:CD2	1:A:1085:ILE:HD12	2.56	0.41
1:A:1096:GLY:HA3	1:A:1262:LEU:HD22	2.03	0.41
1:A:574:GLN:HE21	1:A:578:ASP:HB3	1.85	0.41
1:A:1093:ASP:N	1:A:1093:ASP:OD1	2.49	0.41
1:A:498:LEU:HD11	1:A:520:ILE:HD13	2.02	0.41
1:A:1158:PRO:HG2	1:A:1159:PHE:CD2	2.56	0.41
1:A:1189:MET:HE2	1:A:1189:MET:HB2	1.72	0.41
1:A:682:SER:OG	1:A:685:GLN:NE2	2.54	0.40
1:A:114:CYS:O	1:A:599:TYR:OH	2.32	0.40
1:A:201:LEU:HD11	1:A:565:LEU:HD13	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1274/1338 (95%)	1220 (96%)	46 (4%)	8 (1%)	<span style="border: 1px solid red; padding: 2px;">25</span> <span style="border: 1px solid blue; padding: 2px;">57</span>

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	228	LYS
1	A	451	GLU
1	A	921	ARG
1	A	1257	GLN
1	A	450	GLY
1	A	532	GLN
1	A	453	ASP
1	A	811	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	1093/1136 (96%)	1014 (93%)	79 (7%)	14 43

All (79) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	ARG
1	A	40	THR
1	A	44	CYS
1	A	64	LYS
1	A	128	LEU
1	A	138	ASP
1	A	213	THR
1	A	214	GLN
1	A	270	SER
1	A	290	ARG
1	A	304	LEU
1	A	334	TYR
1	A	338	LEU
1	A	348	GLN
1	A	392	LEU
1	A	406	LYS
1	A	419	SER

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	426	SER
1	A	434	GLN
1	A	470	THR
1	A	489	MET
1	A	496	LEU
1	A	502	SER
1	A	512	VAL
1	A	531	SER
1	A	544	SER
1	A	563	SER
1	A	564	THR
1	A	577	GLU
1	A	588	SER
1	A	621	HIS
1	A	643	THR
1	A	645	GLU
1	A	650	VAL
1	A	654	CYS
1	A	661	LYS
1	A	665	THR
1	A	694	LYS
1	A	708	GLU
1	A	712	GLN
1	A	734	VAL
1	A	735	VAL
1	A	736	ASP
1	A	751	PHE
1	A	752	TYR
1	A	755	THR
1	A	777	PHE
1	A	812	LEU
1	A	851	TYR
1	A	856	LYS
1	A	874	SER
1	A	880	LEU
1	A	886	VAL
1	A	894	MET
1	A	911	ARG
1	A	923	PHE
1	A	974	ILE
1	A	987	SER
1	A	988	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	1025	GLN
1	A	1039	LEU
1	A	1064	ARG
1	A	1089	SER
1	A	1093	ASP
1	A	1105	THR
1	A	1137	SER
1	A	1147	SER
1	A	1169	SER
1	A	1173	ILE
1	A	1230	THR
1	A	1256	SER
1	A	1268	LEU
1	A	1271	LEU
1	A	1296	LEU
1	A	1301	THR
1	A	1306	LEU
1	A	1313	MET
1	A	1330	SER
1	A	1336	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	72	ASN
1	A	113	GLN
1	A	131	ASN
1	A	147	ASN
1	A	214	GLN
1	A	231	GLN
1	A	389	GLN
1	A	434	GLN
1	A	574	GLN
1	A	685	GLN
1	A	712	GLN
1	A	750	HIS
1	A	782	GLN
1	A	1052	HIS
1	A	1221	ASN
1	A	1257	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	FES	A	3001	1	0,4,4	0.00	-	-		
5	MOS	A	3005	-	0,3,3	0.00	-	-		
3	MTE	A	3003	-	21,26,26	1.87	4 (19%)	21,40,40	2.17	8 (38%)
4	FAD	A	3004	-	51,58,58	1.86	6 (11%)	60,89,89	2.29	14 (23%)
2	FES	A	3002	1	0,4,4	0.00	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MTE	A	3003	-	-	2/6/34/34	0/3/3/3
2	FES	A	3001	1	-	-	0/1/1/1
4	FAD	A	3004	-	-	0/30/50/50	0/6/6/6
2	FES	A	3002	1	-	-	0/1/1/1



All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	3004	FAD	C4X-C10	9.10	1.47	1.38
3	A	3003	MTE	C4-C9	5.53	1.49	1.41
4	A	3004	FAD	C4-C4X	4.42	1.49	1.41
3	A	3003	MTE	C9-C10	4.11	1.49	1.41
4	A	3004	FAD	C9A-C5X	3.69	1.50	1.42
4	A	3004	FAD	C8-C7	3.45	1.49	1.40
4	A	3004	FAD	C5A-C4A	2.54	1.47	1.40
3	A	3003	MTE	C4'-C3'	2.12	1.54	1.52
3	A	3003	MTE	C4-N3	2.11	1.36	1.33
4	A	3004	FAD	C9A-N10	2.01	1.41	1.38

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	3004	FAD	C4-N3-C2	9.18	122.89	115.14
4	A	3004	FAD	C1'-N10-C9A	5.94	122.97	118.29
4	A	3004	FAD	P-O3P-PA	-5.10	115.34	132.83
4	A	3004	FAD	C4X-C4-N3	-4.96	116.65	123.43
4	A	3004	FAD	C4X-N5-C5X	4.56	121.32	116.77
3	A	3003	MTE	C4-N3-C2	4.18	122.58	115.93
4	A	3004	FAD	N3A-C2A-N1A	-4.10	122.26	128.68
3	A	3003	MTE	C4-C9-N5	4.01	122.48	119.12
4	A	3004	FAD	C4-C4X-C10	-4.01	117.30	119.95
3	A	3003	MTE	O3'-C7-N8	3.56	112.22	108.57
4	A	3004	FAD	O3'-C3'-C4'	-3.37	100.68	108.81
3	A	3003	MTE	O3'-C7-C6	-3.36	106.72	108.96
4	A	3004	FAD	C4-C4X-N5	3.12	122.16	118.60
4	A	3004	FAD	C9A-N10-C10	-3.00	117.98	121.91
4	A	3004	FAD	C1B-N9A-C4A	-2.84	121.64	126.64
3	A	3003	MTE	C2-N1-C10	2.79	120.78	114.54
4	A	3004	FAD	N6A-C6A-N1A	2.71	124.20	118.57
3	A	3003	MTE	O3P-P-O4'	-2.57	99.88	106.73
4	A	3004	FAD	C2A-N1A-C6A	2.48	123.00	118.75
3	A	3003	MTE	N2-C2-N1	2.44	121.05	117.25
4	A	3004	FAD	C5X-C9A-N10	2.36	119.43	117.72
3	A	3003	MTE	N3-C2-N1	-2.26	121.87	125.42

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	3003	MTE	C3'-C4'-O4'-P
3	A	3003	MTE	O3'-C3'-C4'-O4'


There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	3005	MOS	3	0
3	A	3003	MTE	2	0
4	A	3004	FAD	2	0
2	A	3002	FES	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	1288/1338 (96%)	-0.01	17 (1%) <a href="#">77</a> <a href="#">76</a>	66, 101, 137, 169	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	167	THR	4.1
1	A	967	GLU	3.2
1	A	573	LYS	2.9
1	A	1154	GLY	2.7
1	A	505	GLY	2.6
1	A	716	SER	2.5
1	A	1269	GLY	2.5
1	A	869	ASP	2.5
1	A	728	VAL	2.4
1	A	164	PHE	2.3
1	A	165	CYS	2.3
1	A	734	VAL	2.2
1	A	732	PHE	2.2
1	A	1329	GLY	2.1
1	A	697	TYR	2.1
1	A	560	HIS	2.0
1	A	574	GLN	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)


There are no carbohydrates in this entry.


## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	MOS	A	3005	4/4	0.95	0.26	113,145,150,160	1
3	MTE	A	3003	24/24	0.97	0.23	87,100,123,138	0
4	FAD	A	3004	53/53	0.97	0.18	67,81,101,116	0
2	FES	A	3002	4/4	0.98	0.11	119,134,135,146	0
2	FES	A	3001	4/4	1.00	0.20	63,70,82,86	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [i](#)

There are no such residues in this entry.