

# Full wwPDB X-ray Structure Validation Report (i)

#### May 14, 2020 – 02:41 pm BST

PDB ID : 6EP5

Title : Enterococcus faecalis FIC protein in complex with ADP.

Authors : Veyron, S.; Cherfils, J.

Deposited on : 2017-10-10

Resolution : 1.93 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.11

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac: 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.11

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$ 

The reported resolution of this entry is 1.93 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$\begin{array}{c} \text{Whole archive} \\ (\#\text{Entries}) \end{array}$	$\begin{array}{c} {\rm Similar \; resolution} \\ (\#{\rm Entries, \; resolution \; range(\AA)}) \end{array}$
$R_{free}$	130704	7937 (1.94-1.90)
Clashscore	141614	8644 (1.94-1.90)
Ramachandran outliers	138981	8530 (1.94-1.90)
Sidechain outliers	138945	8530 (1.94-1.90)
RSRZ outliers	127900	7793 (1.94-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	A	207	91%	6%	
1	В	207	77% 15%	7%	-
1	С	207	89%	9%	<del>.</del>
1	D	207	93%		
1	Е	207	86%	10%	
1	F	207	90%	8%	<del>.</del>



# 2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 11142 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Fic family protein.

Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf	Trace
1	A	202	Total	С	N	О	S	0	0	0
1	A	202	1686	1077	287	316	6	0	U	U
1	В	192	Total	С	N	О	S	0	0	0
1	Ъ	192	1604	1025	271	303	5	0	0	0
1	С	203	Total	С	N	О	S	0	0	0
1		203	1696	1083	290	317	6	0	0	0
1	D	202	Total	С	N	О	S	0	0	0
1	D	202	1686	1077	287	316	6	0	0	0
1	Е	198	Total	С	N	О	S	0	0	0
1	12	190	1650	1054	279	312	5	U	0	0
1	F	203	Total	С	N	О	S	0	0	0
1	L'	200	1696	1083	290	317	6	0	U	U

There are 90 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP U6S0Y1
A	2	HIS	=	expression tag	UNP U6S0Y1
A	3	HIS	=	expression tag	UNP U6S0Y1
A	4	HIS	=	expression tag	UNP U6S0Y1
A	5	HIS	_	expression tag	UNP U6S0Y1
A	6	HIS	_	expression tag	UNP U6S0Y1
A	7	HIS	_	expression tag	UNP U6S0Y1
A	32	ASN	LYS	conflict	UNP U6S0Y1
A	35	ARG	$\operatorname{GLN}$	conflict	UNP U6S0Y1
A	45	ILE	VAL	conflict	UNP U6S0Y1
A	47	VAL	ILE	conflict	UNP U6S0Y1
A	142	ARG	GLN	conflict	UNP U6S0Y1
A	150	ASN	ASP	conflict	UNP U6S0Y1
A	205	ASP	GLU	conflict	UNP U6S0Y1
A	206	GLU	ASP	conflict	UNP U6S0Y1
В	1	MET	-	initiating methionine	UNP U6S0Y1
В	2	HIS	_	expression tag	UNP U6S0Y1



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
В	3	HIS	-	expression tag	UNP U6S0Y1
В	4	HIS	-	expression tag	UNP U6S0Y1
В	5	HIS	_	expression tag	UNP U6S0Y1
В	6	HIS	-	expression tag	UNP U6S0Y1
В	7	HIS	-	expression tag	UNP U6S0Y1
В	32	ASN	LYS	conflict	UNP U6S0Y1
В	35	ARG	GLN	conflict	UNP U6S0Y1
В	45	ILE	VAL	conflict	UNP U6S0Y1
В	47	VAL	ILE	conflict	UNP U6S0Y1
В	142	ARG	GLN	conflict	UNP U6S0Y1
В	150	ASN	ASP	conflict	UNP U6S0Y1
В	205	ASP	GLU	$\operatorname{conflict}$	UNP U6S0Y1
В	206	GLU	ASP	conflict	UNP U6S0Y1
С	1	MET	_	initiating methionine	UNP U6S0Y1
С	2	HIS	_	expression tag	UNP U6S0Y1
С	3	HIS	_	expression tag	UNP U6S0Y1
С	4	HIS	-	expression tag	UNP U6S0Y1
С	5	HIS	_	expression tag	UNP U6S0Y1
С	6	HIS	_	expression tag	UNP U6S0Y1
С	7	HIS	-	expression tag	UNP U6S0Y1
С	32	ASN	LYS	conflict	UNP U6S0Y1
С	35	ARG	GLN	conflict	UNP U6S0Y1
С	45	ILE	VAL	conflict	UNP U6S0Y1
С	47	VAL	ILE	conflict	UNP U6S0Y1
С	142	ARG	GLN	conflict	UNP U6S0Y1
С	150	ASN	ASP	conflict	UNP U6S0Y1
С	205	ASP	GLU	conflict	UNP U6S0Y1
С	206	GLU	ASP	conflict	UNP U6S0Y1
D	1	MET	_	initiating methionine	UNP U6S0Y1
D	2	HIS	_	expression tag	UNP U6S0Y1
D	3	HIS	_	expression tag	UNP U6S0Y1
D	4	HIS	_	expression tag	UNP U6S0Y1
D	5	HIS	-	expression tag	UNP U6S0Y1
D	6	HIS	-	expression tag	UNP U6S0Y1
D	7	HIS		expression tag	UNP U6S0Y1
D	32	ASN	LYS	$\operatorname{conflict}$	UNP U6S0Y1
D	35	ARG	GLN	conflict	UNP U6S0Y1
D	45	ILE	VAL	$\operatorname{conflict}$	UNP U6S0Y1
D	47	VAL	ILE	$\operatorname{conflict}$	UNP U6S0Y1
D	142	ARG	GLN	conflict	UNP U6S0Y1
D	150	ASN	ASP	conflict	UNP U6S0Y1
D	205	ASP	GLU	conflict	UNP U6S0Y1




 $Continued\ from\ previous\ page...$ 

Chain	Residue	Modelled	Actual	Comment	Reference
D	206	GLU	ASP	conflict	UNP U6S0Y1
Е	1	MET	-	initiating methionine	UNP U6S0Y1
Е	2	HIS	-	expression tag	UNP U6S0Y1
Е	3	HIS	_	expression tag	UNP U6S0Y1
Е	4	HIS	-	expression tag	UNP U6S0Y1
Е	5	HIS	-	expression tag	UNP U6S0Y1
Е	6	HIS	-	expression tag	UNP U6S0Y1
Е	7	HIS	-	expression tag	UNP U6S0Y1
Е	32	ASN	LYS	conflict	UNP U6S0Y1
Е	35	ARG	GLN	conflict	UNP U6S0Y1
Е	45	ILE	VAL	conflict	UNP U6S0Y1
Е	47	VAL	ILE	conflict	UNP U6S0Y1
Е	142	ARG	GLN	conflict	UNP U6S0Y1
Е	150	ASN	ASP	conflict	UNP U6S0Y1
Е	205	ASP	GLU	conflict	UNP U6S0Y1
Е	206	GLU	ASP	conflict	UNP U6S0Y1
F	1	MET	-	initiating methionine	UNP U6S0Y1
F	2	HIS	-	expression tag	UNP U6S0Y1
F	3	HIS	-	expression tag	UNP U6S0Y1
F	4	HIS	-	expression tag	UNP U6S0Y1
F	5	HIS	-	expression tag	UNP U6S0Y1
F	6	HIS	-	expression tag	UNP U6S0Y1
F	7	HIS	-	expression tag	UNP U6S0Y1
F	32	ASN	LYS	conflict	UNP U6S0Y1
F	35	ARG	GLN	conflict	UNP U6S0Y1
F	45	ILE	VAL	conflict	UNP U6S0Y1
F	47	VAL	ILE	conflict	UNP U6S0Y1
F	142	ARG	GLN	conflict	UNP U6S0Y1
F	150	ASN	ASP	conflict	UNP U6S0Y1
F	205	ASP	GLU	conflict	UNP U6S0Y1
F	206	GLU	ASP	conflict	UNP U6S0Y1

• Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ).





Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf	
2	A	1	Total	С	N	О	Р	0	0	
	Λ	1	27	10	5	10	2	0	0	
2	В	1	Total	С	N	О	Р	0	0	
	Б	1	27	10	5	10	2	0	0	
2	C	1	Total	С	N	О	Р	0	0	
		1	27	10	5	10	2	0		
2	D	1	Total	С	N	О	Р	0	0	
	D	1	27	10	5	10	2	U	0	
2	E	1	Total	С	Ν	Ο	Р	0	0	
	ינו	1	27	10	5	10	2	U	U	
9	F	1	Total	С	N	О	Р	0	0	
	1	1	27	10	5	10	2	0		

#### • Molecule 3 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	157	Total O 157 157	0	0
3	В	143	Total O 143 143	0	0
3	С	205	Total O 205 205	0	0
3	D	139	Total O 139 139	0	0
3	Е	133	Total O 133 133	0	0
3	F	185	Total O 185 185	0	0




# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Fic family protein







Chain F: 29% 8% .





# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants	87.84Å 87.84Å 364.94Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.30 - 1.93	Depositor
Resolution (A)	47.30 - 1.93	EDS
% Data completeness	99.8 (47.30-1.93)	Depositor
(in resolution range)	99.8 (47.30-1.93)	EDS
$R_{merge}$	0.17	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	0.99 (at 1.92Å)	Xtriage
Refinement program	PHENIX (1.11.1_2575: ???)	Depositor
D D.	0.200 , 0.240	Depositor
$R, R_{free}$	0.200 , $0.240$	DCC
$R_{free}$ test set	5426 reflections $(4.99%)$	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	31.1	Xtriage
Anisotropy	0.395	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	0.34 , 41.6	EDS
L-test for twinning <sup>2</sup>	$ < L > = 0.49, < L^2> = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	11142	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.97% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of <|L|>,  $< L^2>$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

#### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
MIOI		RMSZ	# Z >5	RMSZ	# Z  > 5	
1	A	0.39	0/1718	0.55	0/2312	
1	В	0.41	0/1634	0.55	0/2200	
1	С	0.43	0/1729	0.56	0/2327	
1	D	0.37	0/1718	0.54	0/2312	
1	E	0.41	0/1680	0.56	0/2261	
1	F	0.41	0/1729	0.54	0/2327	
All	All	0.40	0/10208	0.55	0/13739	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1686	0	1676	11	0
1	В	1604	0	1592	22	0
1	С	1696	0	1683	15	0
1	D	1686	0	1676	7	0
1	E	1650	0	1642	15	0
1	F	1696	0	1683	9	0
2	A	27	0	12	1	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	В	27	0	12	0	0
2	С	27	0	12	1	0
2	D	27	0	12	0	0
2	Ε	27	0	12	0	0
2	F	27	0	12	0	0
3	A	157	0	0	2	0
3	В	143	0	0	1	0
3	С	205	0	0	1	0
3	D	139	0	0	1	0
3	Ε	133	0	0	3	0
3	F	185	0	0	0	0
All	All	11142	0	10024	66	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (66) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:27:ARG:NH1	1:C:31:GLU:OE2	2.01	0.93
1:C:166:LEU:HD22	1:D:167:GLU:HG2	1.70	0.73
1:E:85:PRO:HD2	1:E:88:TYR:CZ	2.27	0.70
1:A:27:ARG:NH2	3:A:403:HOH:O	2.29	0.65
1:B:85:PRO:HG2	1:B:88:TYR:CD2	2.33	0.64
1:E:207:LEU:O	3:E:401:HOH:O	2.15	0.63
1:B:45:ILE:HD12	1:B:46:GLU:H	1.64	0.62
1:C:28:VAL:HB	1:C:64:ILE:HD11	1.83	0.60
1:B:85:PRO:HG2	1:B:88:TYR:CE2	2.41	0.55
1:B:75:ASN:OD1	1:B:86:VAL:HG23	2.07	0.54
1:B:27:ARG:NH2	1:B:202:TYR:OH	2.41	0.54
1:A:137:LYS:HG3	1:A:180:ILE:HB	1.88	0.54
1:E:103:ASN:HD21	1:E:105:ASP:HB2	1.73	0.54
1:B:164:LYS:HD2	1:B:166:LEU:HD23	1.89	0.54
1:E:122:GLU:HG2	1:E:123:GLY:H	1.73	0.53
1:A:170:TYR:CE1	1:F:170:TYR:HB3	2.44	0.52
1:B:21:LEU:O	1:B:25:GLU:HG3	2.10	0.52
1:D:8:MET:O	1:D:12:LYS:HG2	2.10	0.52
1:E:35:ARG:HB2	3:E:481:HOH:O	2.10	0.52
1:A:20:GLU:O	1:A:24:VAL:HG23	2.11	0.51
1:C:201:GLU:HG2	1:C:202:TYR:CE2	2.47	0.49
1:C:10:GLU:HG3	1:C:21:LEU:HD22	1.95	0.48



Continued from previous page...

Continued from prev		Interatomic	Clash	
Atom-1	Atom-2	${\rm distance}({\rm \AA})$	overlap (Å)	
1:F:28:VAL:HG12	1:F:64:ILE:HD11	1.94	0.48	
1:B:174:ASN:OD1	1:E:170:TYR:HE2	1.96	0.48	
1:C:34:LYS:HE2	3:C:402:HOH:O	2.12	0.48	
1:C:166:LEU:CD2	1:D:167:GLU:HG2	2.43	0.47	
1:F:85:PRO:HD2	1:F:88:TYR:CZ	2.48	0.47	
1:F:164:LYS:HB3	1:F:166:LEU:HD23	1.95	0.47	
1:C:167:GLU:HG3	1:D:167:GLU:HG3	1.96	0.46	
1:D:35:ARG:NH2	3:D:404:HOH:O	2.47	0.46	
1:B:48:GLY:HA2	1:B:135:ILE:HD11	1.98	0.46	
1:B:166:LEU:HD12	1:B:170:TYR:OH	2.16	0.45	
1:B:31:GLU:HG2	1:B:32:ASN:N	2.31	0.45	
1:B:87:MET:HE3	3:B:460:HOH:O	2.15	0.45	
1:B:167:GLU:HG3	1:E:167:GLU:HG3	1.98	0.45	
1:E:32:ASN:OD1	1:E:35:ARG:NH2	2.48	0.45	
1:B:25:GLU:HA	1:B:64:ILE:HD13	1.99	0.45	
1:A:170:TYR:HE1	1:F:174:ASN:OD1	1.99	0.45	
1:B:160:ARG:HD3	1:E:160:ARG:HD3	1.99	0.45	
1:E:155:LEU:O	1:E:159:GLU:HG3	2.17	0.45	
1:C:87:MET:HE2	1:E:92:ALA:HA	1.99	0.44	
1:F:7:HIS:HB2	1:F:10:GLU:HG3	1.99	0.44	
1:A:188:LYS:HD2	3:A:419:HOH:O	2.17	0.44	
1:F:15:ILE:CD1	1:F:24:VAL:HG11	2.47	0.44	
1:C:166:LEU:HD21	1:C:170:TYR:CE2	2.53	0.43	
1:A:159:GLU:HG2	2:A:301:ADP:N6	2.33	0.43	
1:B:17:ASN:OD1	1:B:19:LEU:HB3	2.18	0.43	
1:D:20:GLU:O	1:D:24:VAL:HG13	2.18	0.43	
1:C:87:MET:CE	1:E:92:ALA:HA	2.48	0.43	
1:D:45:ILE:HD12	1:D:55:TYR:CD1	2.53	0.43	
1:A:170:TYR:CE1	1:F:174:ASN:OD1	2.72	0.42	
1:B:27:ARG:HB2	1:B:202:TYR:CE2	2.55	0.42	
1:C:188:LYS:HA	1:C:188:LYS:HD3	1.71	0.42	
1:A:96:ILE:O	1:A:110:LYS:HE3	2.20	0.42	
1:B:89:LEU:HA	1:B:89:LEU:HD12	1.89	0.42	
1:E:48:GLY:HA2	1:E:135:ILE:HD11	2.02	0.41	
1:B:36:LEU:HG	1:B:42:ILE:HB	2.03	0.41	
1:A:13:LEU:CD1	1:A:24:VAL:HG11	2.51	0.41	
1:B:88:TYR:O	1:B:91:ILE:HG22	2.19	0.41	
1:A:170:TYR:CZ	1:F:170:TYR:HB3	2.56	0.41	
1:C:89:LEU:HA	1:C:89:LEU:HD23	1.71	0.41	
1:C:88:TYR:HE2	1:E:88:TYR:CD2	2.39	0.41	
1:B:85:PRO:HG2	1:B:88:TYR:HD2	1.83	0.41	



Continued from previous page...

Atom-1	Atom-2	$egin{array}{l}  ext{Interatomic} \  ext{distance} \ ( ext{Å}) \end{array}$	Clash overlap (Å)
1:E:51:LYS:HG3	3:E:436:HOH:O	2.21	0.40
1:B:53:LEU:HB2	1:B:131:TRP:CD1	2.57	0.40
1:C:159:GLU:HG2	2:C:301:ADP:N6	2.36	0.40

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	${f Analy sed}$	Favoured	Allowed	Outliers	Percei	ntiles
1	A	200/207~(97%)	198 (99%)	2 (1%)	0	100	100
1	В	190/207~(92%)	189 (100%)	1 (0%)	0	100	100
1	С	$201/207 \; (97\%)$	199 (99%)	2 (1%)	0	100	100
1	D	200/207~(97%)	198 (99%)	2 (1%)	0	100	100
1	E	196/207~(95%)	195 (100%)	1 (0%)	0	100	100
1	F	201/207 (97%)	199 (99%)	2 (1%)	0	100	100
All	All	$1188/1242 \ (96\%)$	1178 (99%)	10 (1%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Rotameric Outliers	
1	A	183/188 (97%)	181 (99%)	2 (1%)	73 72
1	В	174/188 (93%)	171 (98%)	3 (2%)	60 55
1	С	184/188 (98%)	182 (99%)	2 (1%)	73 72
1	D	183/188 (97%)	182 (100%)	1 (0%)	88 89
1	E	179/188 (95%)	177 (99%)	2 (1%)	73 72
1	F	184/188 (98%)	180 (98%)	4 (2%)	52 45
All	All	1087/1128 (96%)	1073 (99%)	14 (1%)	69 66

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	118	HIS
1	A	205	ASP
1	В	31	GLU
1	В	102	ARG
1	В	118	HIS
1	С	86	VAL
1	С	118	HIS
1	D	118	HIS
1	E	87	MET
1	Е	118	HIS
1	F	54	SER
1	F	90	GLU
1	F	118	HIS
1	F	184	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



#### 5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

#### 5.6 Ligand geometry (i)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Tuna	Chain	Dog	Res Link	Во	nd leng	ths	Bond angles		
MIOI	Type	Chain	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	ADP	A	301	-	24,29,29	1.06	3 (12%)	29,45,45	1.32	5 (17%)
2	ADP	С	301	-	24,29,29	1.06	2 (8%)	29,45,45	1.30	5 (17%)
2	ADP	Е	301	-	24,29,29	1.17	3 (12%)	29,45,45	1.15	3 (10%)
2	ADP	В	301	-	24,29,29	1.07	3 (12%)	29,45,45	1.33	3 (10%)
2	ADP	D	301	-	24,29,29	1.18	2 (8%)	29,45,45	1.36	5 (17%)
2	ADP	F	301	-	24,29,29	1.14	3 (12%)	29,45,45	1.40	5 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	A	301	_	-	1/12/32/32	0/3/3/3
2	ADP	С	301	_	-	0/12/32/32	0/3/3/3
2	ADP	Ε	301	_	-	0/12/32/32	0/3/3/3
2	ADP	В	301	_	-	1/12/32/32	0/3/3/3
2	ADP	D	301	_	-	0/12/32/32	0/3/3/3
2	ADP	F	301	_	-	2/12/32/32	0/3/3/3

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$\operatorname{Ideal}(\text{\AA})$
2	D	301	ADP	O4'-C1'	3.06	1.45	1.41
2	Ε	301	ADP	O4'-C1'	2.94	1.45	1.41



Continued from previous page...

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$\operatorname{Observed}(\operatorname{\AA})$	Ideal(A)
2	D	301	ADP	C5-C4	2.78	1.48	1.40
2	E	301	ADP	C5-C4	2.72	1.48	1.40
2	A	301	ADP	O4'-C1'	2.65	1.44	1.41
2	F	301	ADP	O4'-C1'	2.56	1.44	1.41
2	F	301	ADP	C5-C4	2.46	1.47	1.40
2	A	301	ADP	C5-C4	2.44	1.47	1.40
2	В	301	ADP	C5-C4	2.42	1.47	1.40
2	В	301	ADP	O4'-C1'	2.39	1.44	1.41
2	F	301	ADP	C2-N3	2.30	1.35	1.32
2	С	301	ADP	C5-C4	2.27	1.46	1.40
2	С	301	ADP	O4'-C1'	2.26	1.44	1.41
2	E	301	ADP	C2-N3	2.17	1.35	1.32
2	A	301	ADP	C2-N3	2.05	1.35	1.32
2	В	301	ADP	C2-N3	2.01	1.35	1.32

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\mathbf{Ideal}(^o)$
2	С	301	ADP	N3-C2-N1	-3.53	123.16	128.68
2	F	301	ADP	N3-C2-N1	-3.35	123.44	128.68
2	D	301	ADP	N3-C2-N1	-3.23	123.63	128.68
2	В	301	ADP	C4-C5-N7	-3.08	106.18	109.40
2	A	301	ADP	N3-C2-N1	-3.04	123.93	128.68
2	В	301	ADP	N3-C2-N1	-3.00	123.99	128.68
2	E	301	ADP	N3-C2-N1	-2.94	124.09	128.68
2	F	301	ADP	C4-C5-N7	-2.55	106.74	109.40
2	D	301	ADP	C3'-C2'-C1'	2.49	104.72	100.98
2	A	301	ADP	C4-C5-N7	-2.47	106.82	109.40
2	F	301	ADP	C2-N1-C6	2.45	122.95	118.75
2	С	301	ADP	C4-C5-N7	-2.44	106.85	109.40
2	D	301	ADP	C2-N1-C6	2.43	122.91	118.75
2	D	301	ADP	C4-C5-N7	-2.43	106.87	109.40
2	С	301	ADP	C2-N1-C6	2.41	122.87	118.75
2	Е	301	ADP	O3B-PB-O2B	2.39	116.76	107.64
2	Е	301	ADP	C4-C5-N7	-2.26	107.04	109.40
2	A	301	ADP	O2A-PA-O1A	2.25	123.38	112.24
2	В	301	ADP	C3'-C2'-C1'	2.18	104.26	100.98
2	D	301	ADP	O3B-PB-O2B	2.17	115.91	107.64
2	С	301	ADP	O3B-PB-O2B	2.11	115.71	107.64
2	A	301	ADP	C2-N1-C6	2.10	122.35	118.75
2	F	301	ADP	O3A-PB-O1B	-2.07	99.72	111.19
2	A	301	ADP	O3A-PB-O1B	-2.05	99.84	111.19



Continued from previous page...

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$Observed(^o)$	$\mathbf{Ideal}(^{o})$
2	С	301	ADP	O2A-PA-O1A	2.04	122.31	112.24
2	F	301	ADP	O2A-PA-O1A	2.03	122.27	112.24

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	ADP	C3'-C4'-C5'-O5'
2	F	301	ADP	C3'-C4'-C5'-O5'
2	В	301	ADP	PB-O3A-PA-O1A
2	F	301	ADP	PB-O3A-PA-O1A


There are no ring outliers.


2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	ADP	1	0
2	С	301	ADP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



















# 5.7 Other polymers (i)

There are no such residues in this entry.



# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

#### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle { m RSRZ} \rangle$	$\#\mathrm{RSRZ}{>}2$	$OWAB(A^2)$	Q < 0.9
1	A	$202/207 \; (97\%)$	0.08	4 (1%) 65 68	22, 33, 44, 52	0
1	В	192/207 (92%)	0.20	5 (2%) 56 59	23, 34, 50, 65	0
1	С	203/207 (98%)	0.03	3 (1%) 73 76	20, 29, 44, 55	0
1	D	202/207 (97%)	0.15	5 (2%) 57 60	21, 33, 48, 63	0
1	E	198/207~(95%)	0.14	6 (3%) 50 53	21, 34, 49, 57	0
1	F	203/207 (98%)	-0.05	4 (1%) 65 68	21, 30, 48, 60	0
All	All	1200/1242 (96%)	0.09	27 (2%) 60 63	20, 32, 48, 65	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	88	TYR	8.4
1	F	13	LEU	5.5
1	С	16	ILE	5.2
1	В	16	ILE	5.0
1	В	88	TYR	4.5
1	В	170	TYR	4.4
1	E	170	TYR	4.4
1	С	170	TYR	4.1
1	A	170	TYR	3.8
1	E	88	TYR	3.5
1	D	170	TYR	3.3
1	F	170	TYR	3.3
1	D	102	ARG	3.3
1	E	74	GLN	2.9
1	D	12	LYS	2.8
1	E	67	PHE	2.8
1	F	88	TYR	2.8
1	Ε	102	ARG	2.7
1	A	91	ILE	2.5



Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	В	67	PHE	2.5
1	A	74	GLN	2.5
1	D	178	ASP	2.4
1	F	5	HIS	2.4
1	С	157	ALA	2.3
1	A	45	ILE	2.2
1	В	87	MET	2.1
1	Е	20	GLU	2.1

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

#### 6.4 Ligands (i)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B\text{-factors}}({f \AA}^2)$	Q < 0.9
2	ADP	A	301	27/27	0.97	0.13	20,24,28,37	0
2	ADP	E	301	27/27	0.97	0.10	21,25,29,30	0
2	ADP	В	301	27/27	0.97	0.10	21,25,28,30	0
2	ADP	D	301	27/27	0.97	0.11	19,24,27,36	0
2	ADP	С	301	27/27	0.98	0.13	19,22,25,27	0
2	ADP	F	301	27/27	0.98	0.09	20,24,27,29	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



# Electron density around ADP A 301: $2 \text{mF}_o\text{-DF}_c$ (at 0.7 rmsd) in gray $\text{mF}_o\text{-DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










#### Electron density around ADP E 301:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










# Electron density around ADP B 301: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $mF_o$ -DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive) Electron density around ADP D 301: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)







# 6.5 Other polymers (i)

There are no such residues in this entry.

