



Full wwPDB EM Validation Report ⓘ

Jun 9, 2024 – 06:35 AM EDT

PDB ID : 8EPX
EMDB ID : EMD-28534
Title : Type IIS Restriction Endonuclease PaqCI, DNA bound
Authors : Kennedy, M.A.; Stoddard, B.L.
Deposited on : 2022-10-06
Resolution : 3.15 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	510	
1	B	510	
1	C	510	
1	D	510	
2	E	15	
3	F	15	
4	H	16	
5	G	16	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	I	18	 17% 83%
7	J	18	 56% 44%
8	K	23	 43% 57%
9	L	23	 70% 30%

2 Entry composition i

There are 10 unique types of molecules in this entry. The entry contains 15457 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Type IIS Restriction Endonuclease PaqCI.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	492	Total	C	N	O	S	1	0
			3609	2325	646	629	9		
1	B	337	Total	C	N	O	S	0	0
			2606	1670	472	458	6		
1	C	337	Total	C	N	O	S	0	0
			2536	1632	453	445	6		
1	D	506	Total	C	N	O	S	0	0
			3752	2418	670	655	9		

- Molecule 2 is a DNA chain called DNA 4a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	E	15	Total	C	N	O	P	0	0
			319	148	68	88	15		

- Molecule 3 is a DNA chain called DNA 4b.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	F	15	Total	C	N	O	P	0	0
			296	141	48	92	15		

- Molecule 4 is a DNA chain called DNA 2a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
4	H	16	Total	C	N	O	P	0	0
			316	151	50	99	16		

- Molecule 5 is a DNA chain called DNA 2b.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
5	G	16	Total	C	N	O	P	0	0
			340	158	73	93	16		

- Molecule 6 is a DNA chain called DNA 3a.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	I	18	Total	C	N	O	P	0	0
			381	178	80	105	18		

- Molecule 7 is a DNA chain called DNA 3b.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	J	18	Total	C	N	O	P	0	0
			357	171	57	111	18		

- Molecule 8 is a DNA chain called DNA 1a.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	K	23	Total	C	N	O	P	0	0
			479	224	94	138	23		

- Molecule 9 is a DNA chain called DNA 1b.


Mol	Chain	Residues	Atoms					AltConf	Trace
9	L	23	Total	C	N	O	P	0	0
			464	219	84	138	23		

- Molecule 10 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		AltConf
10	D	1	Total	Ca	0
			1	1	
10	K	1	Total	Ca	0
			1	1	



- Molecule 5: DNA 2b



- Molecule 6: DNA 3a




- Molecule 7: DNA 3b



- Molecule 8: DNA 1a



- Molecule 9: DNA 1b



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	166130	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	36000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	10.125	Depositor
Minimum map value	-5.391	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.202	Depositor
Recommended contour level	0.8	Depositor
Map size (\AA)	336.6, 336.6, 336.6	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.122, 1.122, 1.122	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.24	0/3702	0.49	0/5052
1	B	0.24	0/2671	0.52	0/3629
1	C	0.24	0/2601	0.50	0/3542
1	D	0.25	0/3851	0.49	0/5250
2	E	0.50	0/360	0.79	0/556
3	F	0.47	0/328	0.87	0/501
4	H	0.54	0/350	1.00	0/535
5	G	1.22	3/384 (0.8%)	1.28	6/593 (1.0%)
6	I	0.51	0/430	0.81	0/664
7	J	0.51	0/396	0.93	0/606
8	K	0.58	0/538	0.90	0/830
9	L	0.51	0/518	0.87	0/795
All	All	0.36	3/16129 (0.0%)	0.62	6/22553 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	G	26	DA	O3'-P	-13.57	1.44	1.61
5	G	27	DA	C2'-C1'	-6.46	1.45	1.52
5	G	27	DA	O4'-C1'	-5.39	1.35	1.42

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	G	27	DA	O5'-P-OP1	-13.52	93.53	105.70
5	G	26	DA	P-O3'-C3'	7.53	128.74	119.70
5	G	27	DA	O4'-C1'-C2'	-6.77	100.49	105.90
5	G	28	DG	C1'-O4'-C4'	-5.71	104.39	110.10
5	G	27	DA	C4'-C3'-O3'	5.63	123.78	109.70
5	G	27	DA	C3'-C2'-C1'	-5.52	95.87	102.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3609	0	3401	51	0
1	B	2606	0	2519	28	0
1	C	2536	0	2387	33	0
1	D	3752	0	3592	42	0
2	E	319	0	167	4	0
3	F	296	0	169	3	0
4	H	316	0	181	13	0
5	G	340	0	176	24	0
6	I	381	0	201	18	0
7	J	357	0	204	7	0
8	K	479	0	257	13	0
9	L	464	0	257	4	0
10	D	1	0	0	0	0
10	K	1	0	0	0	0
All	All	15457	0	13511	213	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (213) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:23:DC:N4	5:G:28:DG:O6	1.80	1.14
5:G:29:DA:H8	5:G:29:DA:H5 ^{''}	1.30	0.96
4:H:23:DC:N3	5:G:28:DG:N1	2.13	0.96
5:G:29:DA:H5 ^{''}	5:G:29:DA:C8	2.10	0.86
1:B:240:ASN:O	1:B:240:ASN:ND2	2.14	0.80
1:C:411:SER:HG	1:C:441:TYR:HH	1.31	0.77
1:D:183:ARG:NH2	8:K:20:DG:N7	2.33	0.77
1:D:121:ARG:HD3	1:D:156:VAL:HG12	1.70	0.72
5:G:29:DA:H8	5:G:29:DA:C5 [']	2.03	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:346:GLU:HG2	8:K:17:DG:C8	2.27	0.70
1:A:189:ARG:HB3	1:A:381:ALA:HB1	1.75	0.69
1:B:466:ARG:NH1	6:I:23:DG:N7	2.41	0.69
1:B:296:VAL:O	1:B:297:ASN:ND2	2.26	0.69
1:D:86:THR:O	1:D:90:GLN:HG3	1.93	0.68
6:I:22:DT:H2''	6:I:23:DG:C8	2.28	0.68
6:I:27:DA:H2'	6:I:28:DG:C8	2.29	0.67
7:J:28:DC:H2''	7:J:29:DA:C8	2.30	0.66
1:D:134:ALA:HB2	1:D:159:LEU:HB3	1.79	0.64
1:D:179:TRP:HZ2	1:D:456:MET:HE2	1.63	0.63
4:H:23:DC:C4	5:G:28:DG:O6	2.51	0.63
1:B:335:GLN:HG3	7:J:32:DT:H5''	1.78	0.63
1:A:133:ILE:O	1:A:157:ARG:NH1	2.32	0.62
1:C:452:GLU:HG2	1:C:453:LEU:HD12	1.82	0.62
1:A:102:ALA:HB3	1:A:133:ILE:HG22	1.80	0.61
1:A:380:GLY:O	1:A:383:SER:OG	2.18	0.61
7:J:24:DT:H2'	7:J:25:DT:C6	2.35	0.61
1:D:346:GLU:HG2	8:K:17:DG:H8	1.65	0.60
4:H:23:DC:N3	5:G:28:DG:C6	2.69	0.60
1:A:354:GLN:NE2	5:G:18:DC:OP2	2.35	0.60
4:H:28:DC:H2''	4:H:29:DA:C8	2.36	0.60
1:C:260:VAL:HG21	1:C:278:THR:HG22	1.82	0.60
1:D:298:SER:OG	1:D:301:GLU:OE1	2.21	0.59
1:C:189:ARG:HB3	1:C:381:ALA:HB1	1.85	0.58
1:A:411:SER:HG	1:A:441:TYR:HH	1.42	0.57
1:B:370:ARG:NH1	1:B:510:LEU:O	2.38	0.57
6:I:24:DG:H2'	6:I:25:DG:N2	2.20	0.57
1:B:231:ILE:O	1:B:235:THR:OG1	2.18	0.57
1:D:188:THR:OG1	1:D:189:ARG:N	2.38	0.56
1:C:218:VAL:HG13	1:C:230:PRO:HB3	1.88	0.56
1:D:420:LEU:HD23	1:D:491:LEU:HD21	1.87	0.56
1:A:453:LEU:HB3	1:A:455:VAL:HG22	1.88	0.55
1:C:198:VAL:HG12	1:C:246:VAL:HG23	1.89	0.55
1:D:73:GLU:OE2	1:D:75:LYS:NZ	2.36	0.55
1:D:44:GLU:OE2	1:D:97:LYS:NZ	2.40	0.55
1:D:104:ILE:HG22	1:D:106:ILE:HG23	1.88	0.55
1:C:507:ASN:O	1:C:507:ASN:ND2	2.40	0.54
9:L:30:DC:H2''	9:L:31:DC:O5'	2.07	0.54
1:A:410:LEU:HD22	1:A:448:LYS:HD2	1.88	0.54
1:A:121:ARG:HG3	1:A:157:ARG:HD2	1.90	0.54
1:D:75:LYS:HE2	1:D:87:ALA:HB2	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:302:THR:O	1:C:306:MET:HG2	2.08	0.54
4:H:24:DT:H2''	4:H:25:DT:H5''	1.88	0.54
1:A:247:TRP:CE2	1:A:345:ARG:HB2	2.43	0.54
1:A:335:GLN:HB2	1:A:339:ALA:HB3	1.91	0.53
1:B:194:ARG:NH1	1:B:197:GLN:OE1	2.41	0.53
1:B:247:TRP:CE2	1:B:345:ARG:HB2	2.43	0.53
1:A:130:SER:O	1:A:157:ARG:NH2	2.40	0.53
1:C:471:PHE:HB2	1:C:475:LEU:HD12	1.90	0.53
1:A:134:ALA:HB2	1:A:159:LEU:HB3	1.89	0.53
1:A:76:ARG:NH2	1:A:78:GLN:OE1	2.38	0.52
1:C:468:ARG:HG2	2:E:21:DG:OP2	2.10	0.52
6:I:24:DG:H4'	6:I:25:DG:OP1	2.10	0.52
1:A:183:ARG:NH1	5:G:20:DG:N7	2.58	0.51
1:D:54:ASP:N	1:D:54:ASP:OD1	2.43	0.51
1:A:462:ARG:HD2	5:G:20:DG:H2''	1.93	0.51
1:B:213:LEU:HD13	1:B:231:ILE:HD13	1.93	0.51
3:F:29:DA:H2''	3:F:30:DC:H5''	1.92	0.50
1:A:84:LEU:HD11	1:A:116:PRO:HB3	1.93	0.50
6:I:18:DC:H2'	6:I:19:DA:C8	2.46	0.50
1:A:198:VAL:HG12	1:A:246:VAL:HG23	1.93	0.50
1:A:235:THR:HG22	1:A:251:TRP:HD1	1.77	0.50
1:C:331:GLY:HA3	1:C:464:ARG:HH12	1.77	0.50
1:A:247:TRP:CZ2	1:A:345:ARG:HB2	2.47	0.50
1:C:182:MET:O	1:C:183:ARG:NH1	2.44	0.50
5:G:27:DA:H2'	5:G:27:DA:O5'	2.11	0.50
7:J:37:DC:H2''	7:J:38:DA:H8	1.76	0.50
1:A:184[A]:GLU:OE2	1:A:468:ARG:NH2	2.44	0.50
1:A:229:ASP:HB3	1:A:232:GLU:HB2	1.94	0.50
8:K:17:DG:H2''	8:K:18:DC:O5'	2.12	0.50
9:L:37:DC:H2''	9:L:38:DA:C8	2.47	0.50
6:I:24:DG:H2''	6:I:25:DG:O5'	2.11	0.50
1:A:138:TYR:HB3	1:A:153:ILE:HG12	1.94	0.49
1:A:307:LEU:HD23	1:A:312:ILE:HG13	1.93	0.49
1:B:213:LEU:HD23	1:B:217:LEU:HB3	1.93	0.49
3:F:34:DC:H2''	3:F:35:DG:H5''	1.93	0.49
8:K:9:DC:H2''	8:K:10:DG:C8	2.47	0.49
6:I:21:DG:H2''	6:I:22:DT:C2	2.47	0.49
1:B:200:LYS:HE3	1:D:204:ALA:HB2	1.94	0.49
1:C:282:ARG:NH2	1:C:284:ASP:OD2	2.46	0.49
1:A:217:LEU:HD21	1:A:261:LEU:HD22	1.95	0.48
1:A:271:TYR:HD2	1:A:307:LEU:HB3	1.79	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:J:27:DC:H2''	7:J:28:DC:C6	2.49	0.48
1:B:349:ASP:OD1	1:B:350:SER:N	2.46	0.48
8:K:15:DG:H4'	8:K:16:DC:OP1	2.13	0.48
1:D:115:THR:O	1:D:115:THR:OG1	2.29	0.48
5:G:14:DG:H2''	5:G:15:DG:C8	2.48	0.48
1:A:298:SER:O	1:A:302:THR:HG22	2.13	0.48
1:A:411:SER:OG	1:A:441:TYR:OH	2.15	0.48
1:D:148:PRO:O	1:D:152:ARG:NH1	2.47	0.48
1:B:485:SER:HB3	1:B:496:PRO:HG2	1.94	0.48
4:H:27:DC:H4'	4:H:28:DC:OP1	2.14	0.48
1:B:395:ILE:HG23	1:B:401:ALA:HB2	1.96	0.48
2:E:23:DG:H2''	2:E:24:DG:C8	2.49	0.48
8:K:26:DA:H4'	8:K:27:DA:OP1	2.13	0.48
1:C:223:ARG:NH1	1:C:315:ALA:O	2.47	0.47
1:A:235:THR:HG22	1:A:251:TRP:CD1	2.50	0.47
5:G:29:DA:C8	5:G:29:DA:C5'	2.86	0.47
6:I:24:DG:H2'	6:I:25:DG:C2	2.49	0.47
1:A:77:PRO:HA	1:A:110:TYR:HE1	1.79	0.47
1:A:69:ALA:O	1:A:100:SER:OG	2.28	0.47
1:C:313:SER:H	1:C:316:GLN:HB2	1.80	0.47
5:G:17:DG:H2'	5:G:18:DC:O4'	2.15	0.46
1:D:224:LEU:HD21	1:D:322:VAL:HG22	1.98	0.46
1:A:478:LEU:HB3	1:A:484:VAL:HG13	1.96	0.46
1:B:407:ILE:HG13	1:B:445:LEU:HD13	1.96	0.46
6:I:24:DG:H2'	6:I:25:DG:H21	1.80	0.46
1:D:247:TRP:CE2	1:D:345:ARG:HB3	2.50	0.46
1:D:312:ILE:HB	1:D:316:GLN:HB2	1.97	0.46
1:B:396:GLN:HG2	1:B:506:LEU:HD23	1.96	0.46
1:B:249:PHE:O	1:B:253:GLU:HB3	2.16	0.46
1:C:407:ILE:HG13	1:C:408:ASN:N	2.31	0.46
1:D:247:TRP:CZ2	1:D:345:ARG:HB3	2.51	0.46
4:H:27:DC:H2''	4:H:28:DC:O5'	2.15	0.46
1:C:247:TRP:CZ2	1:C:345:ARG:HB2	2.51	0.45
1:C:263:PRO:HB2	1:C:264:TRP:CE3	2.51	0.45
6:I:19:DA:H2'	6:I:20:DG:C8	2.51	0.45
1:B:183:ARG:NH1	6:I:20:DG:N7	2.64	0.45
1:C:442:LEU:HD21	1:C:495:ILE:HD11	1.98	0.45
8:K:17:DG:H4'	8:K:18:DC:OP1	2.17	0.45
1:A:177:THR:OG1	5:G:19:DA:OP1	2.21	0.45
1:A:189:ARG:NH2	1:A:283:GLU:OE1	2.50	0.45
1:D:183:ARG:HD2	1:D:183:ARG:HA	1.61	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:247:TRP:CE2	1:C:345:ARG:HB2	2.51	0.45
1:C:235:THR:HG22	1:C:251:TRP:CD1	2.51	0.45
8:K:9:DC:H2''	8:K:10:DG:H8	1.81	0.45
1:C:298:SER:OG	1:C:301:GLU:OE2	2.35	0.45
1:D:76:ARG:NH2	1:D:78:GLN:OE1	2.50	0.45
5:G:29:DA:C8	5:G:29:DA:OP2	2.70	0.45
5:G:21:DG:H2'	5:G:22:DT:C6	2.52	0.45
1:A:124:LEU:HD13	1:A:133:ILE:HG13	1.98	0.44
1:B:182:MET:O	1:B:473:VAL:HG21	2.17	0.44
1:B:291:LEU:HD12	1:B:291:LEU:HA	1.83	0.44
1:D:488:ARG:NE	9:L:27:DC:OP1	2.50	0.44
6:I:26:DA:H2''	6:I:27:DA:H8	1.81	0.44
8:K:8:DT:H2''	8:K:9:DC:C6	2.52	0.44
1:B:411:SER:OG	1:B:441:TYR:OH	2.22	0.44
1:C:193:PHE:HZ	1:C:376:GLU:HG3	1.83	0.44
1:B:442:LEU:HD21	1:B:495:ILE:HD11	1.99	0.44
5:G:29:DA:H8	5:G:29:DA:OP2	2.01	0.43
1:D:345:ARG:HG3	1:D:346:GLU:N	2.33	0.43
1:C:183:ARG:HD3	1:C:183:ARG:HA	1.83	0.43
1:C:471:PHE:O	1:C:475:LEU:HB2	2.18	0.43
9:L:28:DC:H2''	9:L:29:DA:C8	2.53	0.43
1:A:407:ILE:HG13	1:A:408:ASN:N	2.32	0.43
1:C:420:LEU:HD13	1:C:431:PRO:HG3	2.00	0.43
1:D:407:ILE:HG13	1:D:408:ASN:N	2.32	0.43
2:E:17:DG:H1'	2:E:18:DC:H5'	1.99	0.43
6:I:29:DA:H2''	6:I:30:DA:C8	2.54	0.43
3:F:36:DC:H2''	3:F:37:DC:C6	2.53	0.43
1:A:72:LEU:HD12	1:A:105:VAL:HG21	2.01	0.43
1:A:242:PHE:O	1:A:246:VAL:HG12	2.19	0.43
1:B:210:ARG:HG3	1:B:211:PRO:HD2	1.99	0.42
1:D:364:PRO:HG2	1:D:369:TYR:CZ	2.54	0.42
4:H:34:DC:H2''	4:H:35:DG:C8	2.54	0.42
7:J:37:DC:H2''	7:J:38:DA:C8	2.53	0.42
4:H:33:DG:H2''	4:H:34:DC:C5	2.54	0.42
1:B:296:VAL:HG12	6:I:24:DG:OP1	2.19	0.42
1:C:199:ALA:HB2	1:C:246:VAL:HG21	2.01	0.42
1:A:189:ARG:NH1	1:A:387:ILE:HG12	2.35	0.42
1:A:423:THR:HG21	1:A:431:PRO:HB3	2.00	0.42
1:A:54:ASP:OD1	1:A:55:GLY:N	2.52	0.42
1:A:292:TRP:O	1:A:300:LYS:HB2	2.20	0.42
1:D:349:ASP:OD1	1:D:350:SER:N	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:23:DC:N3	5:G:28:DG:O6	2.50	0.42
1:D:243:LEU:HD12	1:D:243:LEU:HA	1.88	0.42
1:D:186:SER:OG	1:D:187:THR:N	2.53	0.42
4:H:35:DG:C2	5:G:17:DG:N2	2.87	0.42
1:A:346:GLU:HG2	5:G:17:DG:N7	2.35	0.42
1:A:26:LEU:HD12	1:A:27:CYS:N	2.35	0.42
1:A:445:LEU:HD23	1:A:445:LEU:HA	1.87	0.42
1:D:384:ARG:HE	1:D:384:ARG:HB3	1.69	0.42
1:D:229:ASP:HB3	1:D:232:GLU:HB2	2.02	0.41
1:D:468:ARG:NH1	8:K:21:DG:O6	2.53	0.41
1:D:466:ARG:NH2	8:K:23:DG:O6	2.53	0.41
1:A:190:ASP:HB3	1:A:280:ILE:HG23	2.02	0.41
1:D:70:ILE:HD13	1:D:159:LEU:HD21	2.01	0.41
1:C:464:ARG:HG3	2:E:21:DG:H4'	2.02	0.41
1:D:507:ASN:O	1:D:507:ASN:ND2	2.40	0.41
1:A:292:TRP:HB3	1:A:299:LEU:HB3	2.03	0.41
5:G:22:DT:H2''	5:G:23:DG:C8	2.56	0.41
7:J:27:DC:H2''	7:J:28:DC:C5	2.55	0.41
1:A:383:SER:O	1:A:387:ILE:HG13	2.21	0.41
1:A:217:LEU:HD12	1:A:217:LEU:HA	1.84	0.41
1:B:204:ALA:HB2	1:D:200:LYS:HE2	2.03	0.41
1:C:242:PHE:O	1:C:246:VAL:HG12	2.21	0.41
1:C:289:SER:OG	1:C:290:GLN:N	2.54	0.41
1:C:436:GLU:O	1:C:440:GLU:HG2	2.21	0.41
1:D:261:LEU:HD23	1:D:261:LEU:HA	1.96	0.41
6:I:23:DG:H2''	6:I:24:DG:C8	2.56	0.41
1:D:466:ARG:HG3	8:K:22:DT:H2'	2.02	0.41
1:A:478:LEU:HD23	1:A:483:PHE:HD2	1.87	0.40
1:B:293:GLU:HB3	1:B:300:LYS:HD2	2.02	0.40
1:C:188:THR:OG1	1:C:189:ARG:N	2.54	0.40
1:D:368:GLY:O	1:D:372:MET:HG3	2.21	0.40
6:I:14:DG:H2''	6:I:15:DG:C8	2.56	0.40
1:A:292:TRP:CH2	1:A:337:VAL:HG13	2.55	0.40
1:D:361:ASP:OD1	1:D:362:GLY:N	2.54	0.40
4:H:22:DT:H3	5:G:29:DA:H2	1.68	0.40
6:I:19:DA:H2'	6:I:20:DG:H8	1.86	0.40
1:C:194:ARG:HB2	1:C:250:PHE:HE1	1.85	0.40
5:G:19:DA:H2'	5:G:20:DG:O4'	2.22	0.40
1:B:243:LEU:HD12	1:B:243:LEU:HA	1.89	0.40
1:B:445:LEU:HD23	1:B:445:LEU:HA	1.92	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	489/510 (96%)	474 (97%)	15 (3%)	0	100	100
1	B	335/510 (66%)	314 (94%)	21 (6%)	0	100	100
1	C	335/510 (66%)	312 (93%)	23 (7%)	0	100	100
1	D	502/510 (98%)	476 (95%)	26 (5%)	0	100	100
All	All	1661/2040 (81%)	1576 (95%)	85 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	313/408 (77%)	294 (94%)	19 (6%)	18	50
1	B	245/408 (60%)	223 (91%)	22 (9%)	9	32
1	C	226/408 (55%)	206 (91%)	20 (9%)	10	34
1	D	339/408 (83%)	309 (91%)	30 (9%)	10	34
All	All	1123/1632 (69%)	1032 (92%)	91 (8%)	15	39

All (91) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	ASP
1	A	57	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	59	VAL
1	A	183	ARG
1	A	190	ASP
1	A	231	ILE
1	A	278	THR
1	A	282	ARG
1	A	284	ASP
1	A	289	SER
1	A	295	ARG
1	A	333	ASP
1	A	338	ARG
1	A	344	TYR
1	A	370	ARG
1	A	402	SER
1	A	405	HIS
1	A	484	VAL
1	A	510	LEU
1	B	182	MET
1	B	183	ARG
1	B	200	LYS
1	B	218	VAL
1	B	236	ASN
1	B	239	ASP
1	B	240	ASN
1	B	284	ASP
1	B	297	ASN
1	B	322	VAL
1	B	342	HIS
1	B	344	TYR
1	B	347	ASP
1	B	402	SER
1	B	407	ILE
1	B	409	ARG
1	B	414	LYS
1	B	424	LYS
1	B	456	MET
1	B	468	ARG
1	B	488	ARG
1	B	493	VAL
1	C	184	GLU
1	C	186	SER
1	C	188	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	190	ASP
1	C	194	ARG
1	C	200	LYS
1	C	216	GLU
1	C	231	ILE
1	C	281	LEU
1	C	282	ARG
1	C	284	ASP
1	C	306	MET
1	C	344	TYR
1	C	399	ARG
1	C	409	ARG
1	C	413	ARG
1	C	468	ARG
1	C	485	SER
1	C	488	ARG
1	C	489	HIS
1	D	3	TYR
1	D	14	SER
1	D	33	LEU
1	D	50	TRP
1	D	54	ASP
1	D	90	GLN
1	D	100	SER
1	D	130	SER
1	D	137	SER
1	D	162	ASP
1	D	183	ARG
1	D	186	SER
1	D	188	THR
1	D	200	LYS
1	D	236	ASN
1	D	270	VAL
1	D	284	ASP
1	D	322	VAL
1	D	334	LYS
1	D	344	TYR
1	D	363	LEU
1	D	390	MET
1	D	399	ARG
1	D	402	SER
1	D	437	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	448	LYS
1	D	457	ARG
1	D	469	THR
1	D	490	ARG
1	D	507	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	236	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-28534. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 144




Y Index: 135




Z Index: 172


6.3.2 Raw map



X Index: 144



Y Index: 126




Z Index: 148


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.8. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_28534_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 200 nm³; this corresponds to an approximate mass of 181 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.317 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.317 \AA^{-1}

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.15	-	-
Author-provided FSC curve	3.62	4.30	3.69
Unmasked-calculated*	3.60	4.27	3.67


*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from author-provided FSC intersecting FSC 0.143 CUT-OFF 3.62 differs from the reported value 3.15 by more than 10 %

The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.60 differs from the reported value 3.15 by more than 10 %

9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-28534 and PDB model 8EPX. Per-residue inclusion information can be found in section 3 on page 6.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.8 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.8).



























9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 97% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.8) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9700	 0.5450
A	 0.9640	 0.5320
B	 0.9810	 0.5710
C	 0.9620	 0.5450
D	 0.9660	 0.5610
E	 0.9720	 0.5050
F	 0.9830	 0.4960
G	 0.9790	 0.5430
H	 0.9870	 0.4700
I	 0.9740	 0.5220
J	 0.9720	 0.5070
K	 0.9790	 0.5450
L	 0.9890	 0.5340

