



Full wwPDB X-ray Structure Validation Report i

Jul 28, 2021 – 04:14 PM EDT

PDB ID : 5ESD
Title : Crystal Structure of M. tuberculosis MenD bound to ThDP and Mn²⁺
Authors : Johnston, J.M.; Jirgis, E.N.M.; Bashiri, G.; Bulloch, E.M.M.; Baker, E.N.
Deposited on : 2015-11-16
Resolution : 2.25 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.22
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.22


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1377 (2.26-2.26)
Clashscore	141614	1487 (2.26-2.26)
Ramachandran outliers	138981	1449 (2.26-2.26)
Sidechain outliers	138945	1450 (2.26-2.26)
RSRZ outliers	127900	1356 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition [\(i\)](#)

There are 4 unique types of molecules in this entry. The entry contains 16446 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 2-succinyl-5-enolpyruvyl-6-hydroxy-3-cyclohexene-1-carboxylate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	A	539	Total	C 3968	N 2476	O 737	S 743	12	0	2	0
1	B	532	Total	C 3934	N 2454	O 737	S 732	11	0	3	0
1	C	540	Total	C 3976	N 2478	O 740	S 748	10	0	1	0
1	D	541	Total	C 3979	N 2480	O 741	S 748	10	0	0	0

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP P9WK11
A	-18	GLY	-	expression tag	UNP P9WK11
A	-17	SER	-	expression tag	UNP P9WK11
A	-16	SER	-	expression tag	UNP P9WK11
A	-15	HIS	-	expression tag	UNP P9WK11
A	-14	HIS	-	expression tag	UNP P9WK11
A	-13	HIS	-	expression tag	UNP P9WK11
A	-12	HIS	-	expression tag	UNP P9WK11
A	-11	HIS	-	expression tag	UNP P9WK11
A	-10	HIS	-	expression tag	UNP P9WK11
A	-9	SER	-	expression tag	UNP P9WK11
A	-8	SER	-	expression tag	UNP P9WK11
A	-7	GLY	-	expression tag	UNP P9WK11
A	-6	LEU	-	expression tag	UNP P9WK11
A	-5	VAL	-	expression tag	UNP P9WK11
A	-4	PRO	-	expression tag	UNP P9WK11
A	-3	ARG	-	expression tag	UNP P9WK11
A	-2	GLY	-	expression tag	UNP P9WK11
A	-1	SER	-	expression tag	UNP P9WK11
A	0	HIS	-	expression tag	UNP P9WK11

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-19	MET	-	initiating methionine	UNP P9WK11
B	-18	GLY	-	expression tag	UNP P9WK11
B	-17	SER	-	expression tag	UNP P9WK11
B	-16	SER	-	expression tag	UNP P9WK11
B	-15	HIS	-	expression tag	UNP P9WK11
B	-14	HIS	-	expression tag	UNP P9WK11
B	-13	HIS	-	expression tag	UNP P9WK11
B	-12	HIS	-	expression tag	UNP P9WK11
B	-11	HIS	-	expression tag	UNP P9WK11
B	-10	HIS	-	expression tag	UNP P9WK11
B	-9	SER	-	expression tag	UNP P9WK11
B	-8	SER	-	expression tag	UNP P9WK11
B	-7	GLY	-	expression tag	UNP P9WK11
B	-6	LEU	-	expression tag	UNP P9WK11
B	-5	VAL	-	expression tag	UNP P9WK11
B	-4	PRO	-	expression tag	UNP P9WK11
B	-3	ARG	-	expression tag	UNP P9WK11
B	-2	GLY	-	expression tag	UNP P9WK11
B	-1	SER	-	expression tag	UNP P9WK11
B	0	HIS	-	expression tag	UNP P9WK11
C	-19	MET	-	initiating methionine	UNP P9WK11
C	-18	GLY	-	expression tag	UNP P9WK11
C	-17	SER	-	expression tag	UNP P9WK11
C	-16	SER	-	expression tag	UNP P9WK11
C	-15	HIS	-	expression tag	UNP P9WK11
C	-14	HIS	-	expression tag	UNP P9WK11
C	-13	HIS	-	expression tag	UNP P9WK11
C	-12	HIS	-	expression tag	UNP P9WK11
C	-11	HIS	-	expression tag	UNP P9WK11
C	-10	HIS	-	expression tag	UNP P9WK11
C	-9	SER	-	expression tag	UNP P9WK11
C	-8	SER	-	expression tag	UNP P9WK11
C	-7	GLY	-	expression tag	UNP P9WK11
C	-6	LEU	-	expression tag	UNP P9WK11
C	-5	VAL	-	expression tag	UNP P9WK11
C	-4	PRO	-	expression tag	UNP P9WK11
C	-3	ARG	-	expression tag	UNP P9WK11
C	-2	GLY	-	expression tag	UNP P9WK11
C	-1	SER	-	expression tag	UNP P9WK11
C	0	HIS	-	expression tag	UNP P9WK11
D	-19	MET	-	initiating methionine	UNP P9WK11
D	-18	GLY	-	expression tag	UNP P9WK11

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-17	SER	-	expression tag	UNP P9WK11
D	-16	SER	-	expression tag	UNP P9WK11
D	-15	HIS	-	expression tag	UNP P9WK11
D	-14	HIS	-	expression tag	UNP P9WK11
D	-13	HIS	-	expression tag	UNP P9WK11
D	-12	HIS	-	expression tag	UNP P9WK11
D	-11	HIS	-	expression tag	UNP P9WK11
D	-10	HIS	-	expression tag	UNP P9WK11
D	-9	SER	-	expression tag	UNP P9WK11
D	-8	SER	-	expression tag	UNP P9WK11
D	-7	GLY	-	expression tag	UNP P9WK11
D	-6	LEU	-	expression tag	UNP P9WK11
D	-5	VAL	-	expression tag	UNP P9WK11
D	-4	PRO	-	expression tag	UNP P9WK11
D	-3	ARG	-	expression tag	UNP P9WK11
D	-2	GLY	-	expression tag	UNP P9WK11
D	-1	SER	-	expression tag	UNP P9WK11
D	0	HIS	-	expression tag	UNP P9WK11

- Molecule 2 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Mn 1 1	0	0
2	B	1	Total Mn 1 1	0	0
2	C	1	Total Mn 1 1	0	0
2	D	1	Total Mn 1 1	0	0

- Molecule 3 is THIAMINE DIPHOSPHATE (three-letter code: TPP) (formula: C₁₂H₁₉N₄O₇P₂S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
3	B	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
3	C	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
3	D	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	124	Total	O	0	0
			124	124		
4	B	125	Total	O	0	0
			125	125		
4	C	104	Total	O	0	0
			104	104		
4	D	128	Total	O	0	0
			128	128		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 2-succinyl-5-enolpyruvyl-6-hydroxy-3-cyclohexene-1-carboxylate synthase





- Molecule 1: 2-succinyl-5-enolpyruvyl-6-hydroxy-3-cyclohexene-1-carboxylate synthase



- Molecule 1: 2-succinyl-5-enolpyruvyl-6-hydroxy-3-cyclohexene-1-carboxylate synthase



- Molecule 1: 2-succinyl-5-enolpyruvyl-6-hydroxy-3-cyclohexene-1-carboxylate synthase



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	98.62 Å 138.66 Å 165.39 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.81 – 2.25 19.81 – 2.25	Depositor EDS
% Data completeness (in resolution range)	99.3 (19.81-2.25) 100.0 (19.81-2.25)	Depositor EDS
R_{merge}	0.43	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	2.01 (at 2.26 Å)	Xtriage
Refinement program	PHENIX, REFMAC	Depositor
R , R_{free}	0.210 , 0.235 0.208 , 0.232	Depositor DCC
R_{free} test set	5424 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	38.7	Xtriage
Anisotropy	0.241	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 29.9	EDS
L-test for twinning ²	$< L > = 0.46$, $< L^2 > = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16446	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.63% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: TPP, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.33	0/4056	0.50	0/5553
1	B	0.30	0/4020	0.50	0/5501
1	C	0.31	1/4059 (0.0%)	0.51	0/5555
1	D	0.32	0/4060	0.54	3/5556 (0.1%)
All	All	0.32	1/16195 (0.0%)	0.51	3/22165 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
1	D	0	1
All	All	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	525	ASP	C-N	-5.04	1.22	1.34

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	282	ARG	NE-CZ-NH1	5.95	123.28	120.30
1	D	42	ASP	CB-CG-OD1	5.31	123.08	118.30
1	D	506	ARG	NE-CZ-NH1	5.18	122.89	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	118	GLN	Peptide
1	D	77	MET	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3968	0	4013	49	0
1	B	3934	0	3989	50	0
1	C	3976	0	4004	84	0
1	D	3979	0	4010	61	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	26	0	16	1	0
3	B	26	0	16	3	0
3	C	26	0	16	0	0
3	D	26	0	16	0	0
4	A	124	0	0	1	0
4	B	125	0	0	0	0
4	C	104	0	0	2	0
4	D	128	0	0	2	0
All	All	16446	0	16080	214	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (214) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:182:ARG:HH21	1:D:140:GLU:HG3	1.36	0.89
3:B:601:TPP:HN41	1:C:27:PRO:HB2	1.40	0.87
1:A:40:ASP:OD1	1:A:43:ARG:NH1	2.15	0.80
1:A:381:ARG:HH21	1:A:474:ILE:HD13	1.47	0.80
1:B:97:ARG:HH22	1:B:300:THR:HG22	1.47	0.79
1:D:94:ASN:OD1	1:D:131:ARG:NH2	2.17	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:107[A]:ARG:HH22	1:C:181:LEU:HD23	1.50	0.76
1:D:55:GLU:HB3	1:D:77:MET:HE1	1.69	0.74
1:D:523:THR:O	1:D:526:GLN:HG2	1.90	0.72
1:A:183:GLU:HG3	1:A:184:PRO:HA	1.72	0.71
1:C:117:ASN:ND2	1:C:119:THR:O	2.26	0.69
1:C:107[B]:ARG:HH12	1:C:119:THR:HG22	1.58	0.68
1:C:419:GLU:HG2	1:C:431:PRO:HB2	1.76	0.67
1:B:548:ALA:HA	1:B:551:LYS:HD2	1.77	0.67
1:D:42:ASP:HB3	1:D:43:ARG:HH11	1.60	0.66
1:C:55:GLU:HB3	1:C:77:MET:HE1	1.77	0.66
1:B:144:GLU:OE1	1:B:144:GLU:N	2.23	0.66
1:B:506:ARG:HH21	1:C:506:ARG:HH11	1.44	0.65
1:A:492:ILE:HD11	1:D:27:PRO:HG3	1.78	0.65
1:B:236:VAL:HG13	1:B:254:SER:HB3	1.79	0.65
1:D:128:THR:HG23	1:D:129:GLN:HE21	1.62	0.64
1:B:488:VAL:HG21	1:C:39:GLN:HB3	1.80	0.64
3:A:602:TPP:HM23	1:D:29:SER:HA	1.79	0.64
1:B:506:ARG:HH21	1:C:506:ARG:NH1	1.95	0.63
1:C:29:SER:HB3	1:C:118:GLN:OE1	1.98	0.63
1:D:91:VAL:HG12	1:D:401:VAL:HG21	1.81	0.62
1:A:340:ILE:HG13	1:A:344:ARG:HE	1.64	0.61
1:D:30:ARG:HG2	1:D:107:ARG:HH11	1.66	0.61
1:A:339:ALA:HA	1:A:554:LEU:HD21	1.83	0.61
3:B:601:TPP:HN41	1:C:27:PRO:CB	2.11	0.60
1:C:312:GLN:NE2	4:C:703:HOH:O	2.34	0.60
1:C:111:LEU:CD2	1:D:136:LEU:HA	2.33	0.59
1:B:126:PHE:HA	1:C:123:LEU:HD23	1.84	0.59
1:C:40:ASP:HA	1:C:43:ARG:HD2	1.83	0.59
1:C:363:SER:HA	1:C:366:LEU:HD12	1.84	0.58
1:B:331:ARG:O	1:B:335:MET:HG2	2.03	0.58
1:A:18:GLY:HA3	1:A:161:LEU:HD13	1.86	0.58
1:C:43:ARG:HG2	1:C:44:SER:N	2.18	0.58
1:C:6:THR:O	1:C:10:VAL:HG23	2.03	0.58
1:B:370:ASP:OD2	1:B:433:ARG:NH2	2.37	0.57
1:C:545:GLN:NE2	4:C:702:HOH:O	2.34	0.57
1:B:53:ILE:HG12	1:C:441:LEU:HD22	1.87	0.57
1:B:473:GLY:O	1:B:474:ILE:HG13	2.04	0.57
1:C:111:LEU:HD21	1:D:136:LEU:HD23	1.85	0.56
1:D:18:GLY:HA3	1:D:161:LEU:HD13	1.86	0.56
1:B:18:GLY:HA3	1:B:161:LEU:HD13	1.87	0.56
1:D:111:LEU:HD23	1:D:114:THR:HG21	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:480:GLN:HG2	1:D:493:PHE:CZ	2.41	0.56
1:B:498:ASP:O	1:C:509:HIS:NE2	2.29	0.55
1:D:274:MET:CE	1:D:305:PRO:HG2	2.35	0.55
1:A:312:GLN:HA	1:C:200:ARG:HH12	1.72	0.55
1:A:374:LEU:HD13	1:A:380:VAL:HA	1.87	0.55
1:B:140:GLU:OE1	1:B:145:ARG:NH2	2.40	0.55
1:C:221:ASP:OD2	1:C:223:SER:OG	2.22	0.55
1:D:144:GLU:OE2	1:D:144:GLU:N	2.26	0.54
1:A:477:LEU:HD21	1:A:547:HIS:CG	2.43	0.54
1:B:333:ALA:O	1:B:337:ARG:HG3	2.08	0.54
1:C:111:LEU:HD23	1:D:136:LEU:HA	1.88	0.54
1:D:416:LEU:HG	1:D:459:PRO:HG3	1.88	0.53
1:D:30:ARG:NH1	1:D:119:THR:OG1	2.42	0.53
1:C:107[B]:ARG:HH12	1:C:119:THR:CG2	2.20	0.53
1:A:39:GLN:HG3	1:D:488:VAL:HG13	1.89	0.53
1:A:168:ARG:NH2	1:C:299:THR:HG23	2.24	0.53
1:A:350:HIS:CE1	1:A:546:LEU:HB2	2.44	0.53
1:C:479:GLU:OE2	1:C:479:GLU:N	2.35	0.53
1:B:225:ASP:HB2	1:B:270:GLN:HG3	1.90	0.52
1:D:389:ASP:OD1	1:D:391:ARG:HD3	2.10	0.52
1:C:91:VAL:HG12	1:C:401:VAL:HG21	1.92	0.52
1:B:222:LEU:HD22	1:B:243:LEU:HD11	1.90	0.52
1:C:120:MET:HG2	1:C:122:GLN:HG2	1.92	0.52
1:D:103:LEU:HD23	1:D:177:PHE:HB3	1.91	0.52
1:A:16:ILE:HD13	1:A:46:ARG:HB3	1.91	0.51
1:D:482:ASP:CG	1:D:484:ARG:HG2	2.31	0.51
1:A:502:GLY:O	1:A:506:ARG:HG3	2.10	0.51
1:C:117:ASN:O	1:C:121:GLU:HG2	2.10	0.51
1:A:477:LEU:HD21	1:A:547:HIS:CD2	2.46	0.51
1:C:497:HIS:CE1	1:C:499:VAL:HG22	2.45	0.51
1:A:248:GLU:HG2	1:A:280:LEU:HD12	1.93	0.51
1:D:482:ASP:OD1	1:D:484:ARG:HG2	2.11	0.51
1:D:33:PRO:HD2	1:D:76:ALA:HB1	1.93	0.50
1:A:405:ASP:OD1	1:A:445:HIS:NE2	2.25	0.50
1:B:405:ASP:OD1	1:B:445:HIS:NE2	2.31	0.50
1:B:169:THR:HG22	1:D:302:PRO:HB3	1.93	0.50
1:D:513:ARG:HG2	1:D:515:ILE:HG23	1.94	0.49
1:C:487:ASP:OD1	1:C:487:ASP:N	2.39	0.49
1:A:381:ARG:NH2	1:A:474:ILE:HD13	2.23	0.49
1:D:42:ASP:HA	1:D:47:ILE:O	2.12	0.49
1:D:274:MET:HE1	1:D:305:PRO:HG2	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:5:THR:O	1:C:9:ARG:HG3	2.12	0.49
1:A:36:PHE:CE2	1:A:186:VAL:HG23	2.48	0.49
1:D:299:THR:HG23	4:D:741:HOH:O	2.12	0.48
1:C:248:GLU:HG2	1:C:280:LEU:HD12	1.94	0.48
1:B:506:ARG:NH2	1:C:506:ARG:HH11	2.10	0.48
1:D:274:MET:SD	1:D:278:PRO:HG3	2.54	0.48
1:B:200:ARG:HG2	1:B:206:TRP:HA	1.95	0.48
1:C:107[A]:ARG:HG2	1:C:107[A]:ARG:HH21	1.79	0.48
1:A:475:PHE:CD1	1:A:475:PHE:N	2.79	0.48
1:B:492:ILE:HG23	1:B:493:PHE:CD1	2.48	0.48
1:A:121:GLU:N	1:A:121:GLU:OE1	2.47	0.48
1:C:381:ARG:HH21	1:C:381:ARG:HG3	1.79	0.48
1:C:350:HIS:CE1	1:C:542:SER:HG	2.27	0.48
1:D:304:TRP:CG	1:D:314:THR:HG21	2.50	0.47
1:C:40:ASP:HA	1:C:43:ARG:HH21	1.79	0.47
1:D:26:CYS:HB2	1:D:77:MET:HG2	1.96	0.47
1:C:340:ILE:HD12	1:C:341:ALA:N	2.30	0.47
1:A:28:GLY:HA3	1:A:78:THR:HB	1.95	0.47
1:C:144:GLU:H	1:C:144:GLU:HG3	1.45	0.47
1:A:60:TYR:CG	1:A:406:GLY:HA3	2.50	0.47
1:B:451:LEU:HD11	1:C:497:HIS:HB2	1.98	0.46
1:C:513:ARG:HG3	1:C:514:GLN:N	2.29	0.46
1:C:78:THR:O	1:C:78:THR:OG1	2.26	0.46
1:B:5:THR:O	1:B:9:ARG:HG3	2.15	0.46
1:A:324:PRO:HG2	1:A:329:LEU:HD11	1.97	0.46
1:A:515:ILE:HD11	1:A:520:LEU:HD13	1.97	0.46
1:B:440:ASP:HB3	1:B:468:ASN:HA	1.98	0.46
1:D:291:ALA:HA	1:D:310:ASN:OD1	2.15	0.46
1:B:160:VAL:HG13	1:B:175:VAL:CG2	2.45	0.46
1:C:126:PHE:O	1:C:130:VAL:HG22	2.16	0.46
1:C:492:ILE:HG13	1:C:493:PHE:CD2	2.51	0.46
1:B:512:SER:HA	1:B:533:VAL:O	2.16	0.45
1:D:60:TYR:CD2	1:D:406:GLY:HA3	2.51	0.45
1:D:117:ASN:OD1	1:D:120:MET:N	2.42	0.45
1:C:497:HIS:ND1	1:C:499:VAL:HG22	2.31	0.45
1:C:30:ARG:HB3	1:C:107[A]:ARG:HH11	1.81	0.45
1:D:109:TYR:CD1	1:D:182:ARG:HG3	2.51	0.45
1:C:17:ARG:NH1	1:C:204:LYS:O	2.49	0.45
1:D:30:ARG:HG2	1:D:107:ARG:NH1	2.29	0.45
1:C:270:GLN:O	1:C:294:PRO:HD2	2.17	0.45
1:D:126:PHE:O	1:D:130:VAL:HG22	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:475:PHE:HE2	1:A:493:PHE:CE2	2.35	0.45
1:C:135:SER:OG	1:D:112:LEU:HB2	2.17	0.45
1:B:160:VAL:HG13	1:B:175:VAL:HG21	1.99	0.45
1:C:200:ARG:HB3	1:C:201:PRO:HD2	1.98	0.44
1:C:120:MET:HG2	1:C:120:MET:O	2.16	0.44
1:B:445:HIS:HE1	1:C:54:ASP:HA	1.83	0.44
1:C:512:SER:HA	1:C:533:VAL:O	2.17	0.44
1:D:485:PHE:O	1:D:489:SER:HB2	2.17	0.44
1:A:475:PHE:N	1:A:475:PHE:HD1	2.16	0.44
1:B:62:ALA:HA	1:B:65:LEU:HD12	1.99	0.44
1:B:489:SER:O	1:B:492:ILE:HG22	2.18	0.44
1:D:459:PRO:HD2	1:D:531:MET:CE	2.48	0.44
1:B:234:ALA:HB1	1:B:275:LEU:HB3	2.00	0.43
1:A:186:VAL:HG22	1:D:485:PHE:CZ	2.53	0.43
1:A:440:ASP:HB3	1:A:468:ASN:HA	1.99	0.43
1:A:200:ARG:HG2	1:A:206:TRP:HA	2.01	0.43
1:C:111:LEU:HD23	1:D:135:SER:O	2.18	0.43
1:D:160:VAL:HG13	1:D:175:VAL:HG21	1.99	0.43
1:B:267:LEU:HD21	1:B:335:MET:HG3	1.99	0.43
1:A:294:PRO:HA	1:A:310:ASN:OD1	2.19	0.43
1:B:79:SER:HB3	1:B:106:ASN:HA	2.00	0.43
1:B:493:PHE:CZ	3:B:601:TPP:HM43	2.53	0.43
1:D:422:HIS:CG	1:D:432:PRO:HD3	2.54	0.43
1:B:367:ARG:HG2	1:B:433:ARG:NH2	2.33	0.43
1:D:306:ASP:OD2	1:D:311:SER:HB3	2.18	0.43
1:D:492:ILE:HG13	1:D:493:PHE:CD2	2.54	0.43
1:C:138:LEU:HD23	1:C:138:LEU:HA	1.82	0.43
1:C:60:TYR:CG	1:C:406:GLY:HA3	2.54	0.42
1:C:304:TRP:CG	1:C:314:THR:HG21	2.54	0.42
1:A:26:CYS:SG	1:A:55:GLU:HG3	2.59	0.42
1:A:91:VAL:HG12	1:A:401:VAL:HG11	2.00	0.42
1:A:474:ILE:HG23	1:A:475:PHE:CD1	2.53	0.42
1:A:508:TYR:C	1:A:509[A]:HIS:CG	2.92	0.42
1:C:405:ASP:HB3	1:C:445:HIS:CE1	2.55	0.42
1:B:34:LEU:HD22	1:B:103:LEU:HD21	2.02	0.42
1:C:469:ASP:HA	1:C:538:ALA:O	2.20	0.42
1:D:42:ASP:HB2	1:D:49:LEU:HG	2.01	0.42
1:D:477:LEU:HD11	1:D:543:LEU:HG	2.01	0.42
1:B:100:LEU:O	1:B:174:PRO:HA	2.19	0.42
1:A:7:GLN:NE2	4:A:703:HOH:O	2.37	0.42
1:B:509[B]:HIS:CE1	1:C:498:ASP:O	2.72	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:394:ARG:HD2	1:C:418:TYR:CE1	2.55	0.42
1:D:274:MET:HE3	1:D:305:PRO:HG2	2.02	0.42
1:B:169:THR:CG2	1:D:302:PRO:HB3	2.50	0.42
1:B:204:LYS:HD3	1:B:204:LYS:HA	1.59	0.42
1:B:518:ASP:OD1	1:B:518:ASP:N	2.46	0.42
1:C:373:VAL:O	1:C:436:ALA:HA	2.19	0.42
1:D:460:ARG:HE	1:D:460:ARG:HB3	1.63	0.42
1:A:338:HIS:NE2	1:A:554:LEU:O	2.27	0.42
1:C:28:GLY:HA3	1:C:78:THR:HG1	1.85	0.42
1:C:107[A]:ARG:NH2	1:C:181:LEU:HD23	2.26	0.41
1:D:142:ALA:HA	1:D:143:PRO:HD3	1.94	0.41
1:C:107[A]:ARG:NH2	1:C:181:LEU:HB3	2.36	0.41
1:C:430:SER:OG	1:C:431:PRO:HD2	2.19	0.41
1:D:16:ILE:O	4:D:701:HOH:O	2.21	0.41
1:D:131:ARG:NH1	1:D:172:ALA:O	2.53	0.41
1:A:100:LEU:O	1:A:174:PRO:HA	2.20	0.41
1:C:14:GLU:HB3	1:C:157:THR:HG21	2.02	0.41
1:C:25:LEU:CD2	1:C:76:ALA:HB3	2.51	0.41
1:A:543:LEU:HD12	1:A:543:LEU:HA	1.88	0.41
1:C:60:TYR:CD2	1:C:406:GLY:HA3	2.56	0.41
1:C:111:LEU:HD21	1:D:136:LEU:HA	2.00	0.41
1:B:39:GLN:HG3	1:C:492:ILE:CG2	2.51	0.41
1:C:182:ARG:NH2	1:D:140:GLU:HG3	2.18	0.41
1:A:29:SER:OG	1:D:480:GLN:NE2	2.50	0.41
1:A:186:VAL:HG11	1:D:479:GLU:HB3	2.02	0.41
1:B:488:VAL:HG22	1:C:39:GLN:NE2	2.35	0.41
1:B:548:ALA:HA	1:B:551:LYS:CD	2.49	0.41
1:A:30:ARG:CZ	1:A:107:ARG:HD3	2.51	0.41
1:C:100:LEU:O	1:C:174:PRO:HA	2.20	0.41
1:A:416:LEU:HG	1:A:459:PRO:HG3	2.03	0.41
1:B:183:GLU:HG3	1:B:185:LEU:HG	2.03	0.41
1:C:460:ARG:O	1:C:530:GLY:HA2	2.21	0.41
1:A:282:ARG:N	1:A:283:PRO:HD2	2.36	0.40
1:C:520:LEU:HD11	1:C:536:VAL:HG21	2.02	0.40
1:A:123:LEU:HD12	1:A:123:LEU:HA	1.86	0.40
1:A:514:GLN:NE2	1:A:537:LYS:NZ	2.69	0.40
1:B:547:HIS:O	1:B:551:LYS:HD2	2.21	0.40
1:C:23:VAL:HB	1:C:49:LEU:HD23	2.03	0.40
1:B:507:ALA:HA	1:C:500:ASP:HB3	2.03	0.40
1:C:77:MET:HG3	1:C:86:LEU:HD11	2.04	0.40
1:C:229:ILE:O	1:C:274:MET:HA	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:78:THR:HG23	1:A:79:SER:O	2.22	0.40
1:A:229:ILE:HD11	1:A:287:LEU:HD23	2.02	0.40
1:B:265:PRO:HG3	1:B:283:PRO:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	535/574 (93%)	529 (99%)	6 (1%)	0	100 100
1	B	527/574 (92%)	517 (98%)	10 (2%)	0	100 100
1	C	535/574 (93%)	518 (97%)	16 (3%)	1 (0%)	47 55
1	D	535/574 (93%)	518 (97%)	17 (3%)	0	100 100
All	All	2132/2296 (93%)	2082 (98%)	49 (2%)	1 (0%)	100 100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	351	PRO

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	418/445 (94%)	413 (99%)	5 (1%)	71 80
1	B	413/445 (93%)	400 (97%)	13 (3%)	40 49
1	C	416/445 (94%)	409 (98%)	7 (2%)	60 71
1	D	417/445 (94%)	405 (97%)	12 (3%)	42 51
All	All	1664/1780 (94%)	1627 (98%)	37 (2%)	53 61

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	29	SER
1	A	455	THR
1	A	489	SER
1	A	509[A]	HIS
1	A	509[B]	HIS
1	B	39	GLN
1	B	73	VAL
1	B	77	MET
1	B	152	THR
1	B	175	VAL
1	B	282	ARG
1	B	300	THR
1	B	321	THR
1	B	377	SER
1	B	394	ARG
1	B	513[A]	ARG
1	B	513[B]	ARG
1	B	551	LYS
1	C	43	ARG
1	C	57	THR
1	C	73	VAL
1	C	212	VAL
1	C	300	THR
1	C	344	ARG
1	C	520	LEU
1	D	30	ARG
1	D	43	ARG
1	D	57	THR
1	D	98	VAL
1	D	126	PHE
1	D	175	VAL
1	D	181	LEU
1	D	282	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	489	SER
1	D	506	ARG
1	D	513	ARG
1	D	545	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	514	GLN
1	C	39	GLN
1	C	117	ASN
1	D	31	ASN
1	D	350	HIS
1	D	526	GLN
1	D	545	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	601	TPP	C6'-N1'-C2'	3.77	122.38	115.96
3	B	601	TPP	C5'-C4'-N4'	-3.75	116.87	122.19
3	B	601	TPP	C6'-N1'-C2'	3.65	122.17	115.96
3	A	602	TPP	C6'-N1'-C2'	3.45	121.83	115.96
3	A	602	TPP	N4'-C4'-N3'	3.00	121.27	117.03
3	A	602	TPP	C5'-C6'-N1'	-2.95	118.91	123.82
3	D	601	TPP	C5'-C6'-N1'	-2.76	119.22	123.82
3	C	601	TPP	C5'-C6'-N1'	-2.70	119.31	123.82
3	B	601	TPP	C7'-N3-C2	-2.69	120.48	125.35
3	C	601	TPP	N4'-C4'-N3'	2.65	120.78	117.03
3	B	601	TPP	PA-O3A-PB	-2.65	123.73	132.83
3	B	601	TPP	C5'-C6'-N1'	-2.54	119.58	123.82
3	D	601	TPP	N1'-C2'-N3'	-2.48	121.26	125.54
3	A	602	TPP	C6'-C5'-C4'	2.47	119.08	115.72
3	B	601	TPP	N1'-C2'-N3'	-2.38	121.45	125.54
3	D	601	TPP	PA-O3A-PB	-2.38	124.67	132.83
3	C	601	TPP	N1'-C2'-N3'	-2.35	121.50	125.54
3	B	601	TPP	CM4-C4-N3	2.34	125.51	122.53
3	C	601	TPP	CM4-C4-N3	2.29	125.45	122.53
3	D	601	TPP	N4'-C4'-N3'	2.28	120.25	117.03
3	A	602	TPP	PA-O3A-PB	-2.28	125.02	132.83
3	A	602	TPP	C5'-C4'-N3'	-2.21	117.78	121.24
3	C	601	TPP	C7'-N3-C2	-2.06	121.63	125.35
3	A	602	TPP	N1'-C2'-N3'	-2.05	122.01	125.54
3	C	601	TPP	CM2-C2'-N1'	2.04	119.38	117.14

There are no chirality outliers.

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	602	TPP	C6'-C5'-C7'-N3
3	B	601	TPP	C4'-C5'-C7'-N3
3	B	601	TPP	PA-O3A-PB-O2B
3	A	602	TPP	PB-O3A-PA-O7
3	A	602	TPP	C4'-C5'-C7'-N3
3	A	602	TPP	C5-C6-C7-O7
3	C	601	TPP	PA-O3A-PB-O2B
3	B	601	TPP	C6'-C5'-C7'-N3
3	A	602	TPP	C4-C5-C6-C7
3	B	601	TPP	PA-O3A-PB-O1B
3	B	601	TPP	C7-O7-PA-O1A


There are no ring outliers.


2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	602	TPP	1	0
3	B	601	TPP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	539/574 (93%)	0.11	32 (5%) 22 24	22, 35, 60, 80	0
1	B	532/574 (92%)	-0.00	23 (4%) 35 37	23, 35, 59, 76	0
1	C	540/574 (94%)	0.19	31 (5%) 23 25	24, 38, 65, 84	0
1	D	541/574 (94%)	0.14	39 (7%) 15 16	24, 35, 65, 86	0
All	All	2152/2296 (93%)	0.11	125 (5%) 23 25	22, 35, 62, 86	0

All (125) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	428	PRO	6.5
1	A	478	LEU	6.2
1	C	529	ALA	5.6
1	B	527	PRO	5.5
1	A	426	GLY	5.5
1	D	426	GLY	5.5
1	D	118	GLN	5.4
1	D	184	PRO	5.2
1	D	425	THR	4.5
1	A	185	LEU	4.4
1	A	186	VAL	4.3
1	B	494	GLY	4.3
1	C	118	GLN	4.2
1	C	195	VAL	4.1
1	D	195	VAL	4.1
1	D	427	SER	4.1
1	D	529	ALA	4.1
1	D	119	THR	4.0
1	D	127	GLY	3.9
1	D	485	PHE	3.9
1	D	143	PRO	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	425	THR	3.8
1	C	143	PRO	3.8
1	C	527	PRO	3.8
1	D	528	GLY	3.7
1	C	3	PRO	3.7
1	C	119	THR	3.7
1	A	184	PRO	3.7
1	C	120	MET	3.7
1	C	29	SER	3.6
1	D	479	GLU	3.6
1	B	282	ARG	3.5
1	D	116	ALA	3.5
1	C	30	ARG	3.5
1	D	430	SER	3.5
1	D	487	ASP	3.4
1	B	144	GLU	3.4
1	D	43	ARG	3.3
1	C	425	THR	3.2
1	C	426	GLY	3.2
1	B	525	ASP	3.2
1	C	117	ASN	3.2
1	A	74[A]	CYS	3.1
1	A	183	GLU	3.1
1	A	291	ALA	3.0
1	C	2	ASN	3.0
1	D	480	GLN	3.0
1	D	488	VAL	3.0
1	C	429	ASP	2.9
1	A	268	ARG	2.9
1	D	527	PRO	2.9
1	D	483	PRO	2.9
1	A	527	PRO	2.9
1	A	286	VAL	2.9
1	C	141	ASP	2.9
1	D	144	GLU	2.8
1	C	36	PHE	2.8
1	B	291	ALA	2.8
1	B	529	ALA	2.8
1	A	429	ASP	2.8
1	B	422	HIS	2.8
1	A	1	MET	2.8
1	D	141	ASP	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	143	PRO	2.7
1	C	145	ARG	2.7
1	A	144	GLU	2.7
1	C	116	ALA	2.7
1	D	227	VAL	2.7
1	B	43	ARG	2.6
1	C	196	THR	2.6
1	D	77	MET	2.6
1	D	282	ARG	2.6
1	A	427	SER	2.6
1	B	474	ILE	2.6
1	C	490	SER	2.6
1	A	228	VAL	2.6
1	B	253[A]	ARG	2.5
1	D	228	VAL	2.5
1	A	430	SER	2.5
1	D	203	GLY	2.5
1	B	289	ALA	2.5
1	C	348	ALA	2.5
1	B	195	VAL	2.5
1	C	422	HIS	2.4
1	D	541	SER	2.4
1	A	529	ALA	2.4
1	C	424	ARG	2.4
1	C	201	PRO	2.4
1	A	475	PHE	2.4
1	A	330	ASP	2.3
1	D	145	ARG	2.3
1	D	424	ARG	2.3
1	A	494	GLY	2.3
1	A	292	GLU	2.3
1	A	2	ASN	2.3
1	C	552	ALA	2.3
1	B	424	ARG	2.3
1	D	202	ALA	2.3
1	C	526	GLN	2.2
1	B	228	VAL	2.2
1	C	43	ARG	2.2
1	D	115	GLY	2.2
1	D	117	ASN	2.2
1	D	481	GLY	2.2
1	A	518	ASP	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	140	GLU	2.2
1	B	290	ASP	2.2
1	B	141	ASP	2.2
1	A	474	ILE	2.2
1	A	187	PRO	2.2
1	B	190	GLU	2.1
1	B	189	PRO	2.1
1	B	285	SER	2.1
1	C	430	SER	2.1
1	C	518	ASP	2.1
1	A	307	VAL	2.1
1	B	389	ASP	2.1
1	D	545	GLN	2.1
1	D	351	PRO	2.1
1	A	141	ASP	2.0
1	B	227	VAL	2.0
1	C	338	HIS	2.0
1	A	329	LEU	2.0
1	D	273	ILE	2.0
1	B	425	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains i

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates i

There are no monosaccharides in this entry.

6.4 Ligands i

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	TPP	A	602	26/26	0.94	0.18	31,57,72,72	0
3	TPP	B	601	26/26	0.94	0.18	31,50,64,68	0
3	TPP	C	601	26/26	0.97	0.09	31,34,39,40	0


Continued on next page...


Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MN	B	602	1/1	0.98	0.05	34,34,34,34	0
3	TPP	D	601	26/26	0.98	0.09	27,31,34,34	0
2	MN	A	601	1/1	0.99	0.07	34,34,34,34	0
2	MN	C	602	1/1	0.99	0.02	35,35,35,35	0
2	MN	D	602	1/1	1.00	0.04	29,29,29,29	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.