



Full wwPDB EM Validation Report ⓘ

Feb 4, 2023 – 12:31 PM EST

PDB ID : 8EW0
EMDB ID : EMD-28639
Title : Cryo-EM structure of glutamate dehydrogenase frozen at various temperature
Authors : Shi, H.; Wu, C.; Zhang, X.
Deposited on : 2022-10-21
Resolution : 2.70 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.32.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	558	
1	B	558	
1	C	558	
1	D	558	
1	E	558	
1	F	558	

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 13636 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamate dehydrogenase 1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	292	2276	1433	404	427	12	0	0
1	B	290	2268	1429	402	425	12	0	0
1	C	291	2272	1431	403	426	12	0	0
1	D	291	2272	1431	403	426	12	0	0
1	E	292	2276	1433	404	427	12	0	0
1	F	291	2272	1431	403	426	12	0	0


There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	387	LYS	ASN	conflict	UNP P00366
B	387	LYS	ASN	conflict	UNP P00366
C	387	LYS	ASN	conflict	UNP P00366
D	387	LYS	ASN	conflict	UNP P00366
E	387	LYS	ASN	conflict	UNP P00366
F	387	LYS	ASN	conflict	UNP P00366


3 Residue-property plots i


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glutamate dehydrogenase 1, mitochondrial




- Molecule 1: Glutamate dehydrogenase 1, mitochondrial






• Molecule 1: Glutamate dehydrogenase 1, mitochondrial



• Molecule 1: Glutamate dehydrogenase 1, mitochondrial



GLU
ALA
SER
TYR
MET
SER
SER
ILE
LEU
LEU
GLN
MET
THR
PRO
GLY
PHE
GLY
PHE
GLY
ASP
LYS
THR
THR
PHE
VAL
VAL
GLN
GLY
PHE
GLY
GLY
ASN
VAL
GLY
LEU
VAL
LEU
GLY
VAL
LEU
GLN
GLY
PHE
GLY
SER
GLY
ASN
VAL
VAL
GLY
LEU
VAL
LEU
GLN
GLY
PHE
GLY
SER
MET
ARG
TYR
LEU
TYR
LEU
ILE
LEU
PRO
HIS
HIS
ARG
PHE
PHE
GLY
ALA
ALA
LYS
LYS
CYS
CYS
ILE
THR
THR
VAL
VAL
GLY
GLU
SER
SER
ASP
GLY
SER
ILE
TRP
ASN
PRO
ASP
GLY
SER
ILE
ALA
GLY
ILE
GLY
ASP
PRO

LYS
GLU
LEU
GLU
ASP
PHE
LYS
LEU
GLN
HIS
MET
GLY
THR
THR
ILE
LEU
LEU
PHE
ASP
PRO
LYS
LYS
ALA
PHE
VAL
ILE
TYR
GLN
GLY
PHE
SER
ILE
LEU
GLU
VAL
LEU
PRO
HIS
HIS
ALA
ALA
SER
GLY
GLU
LYS
LYS
GLN
GLN
CYS
THR
THR
LYS
SER
LYS
ASN
ALA
SER
PRO
ARG
VAL
SER
LYS
ILE
ALA
TRP
LYS
ASN
ILE
PRO
ASP
ALA
GLY
ILE
GLY
ASP
PRO

ASN
GLY
PRO
THR
THR
PRO
GLU
ALA
ASP
LYS
LYS
PHE
LEU
GLU
ARG
ASN
ASN
MET
MET
VAL
VAL
ILE
PRO
D370
G376
Y384
T398
F399
K400
Y401
E402
L410
M411
Q414
L417
E418
R419
K420
F421
G422
LYS
HIS
GLY
G426
T427
I428
P429
I430
V431
P432
Q437
D438
E445
K446

D447
L453
E458
R462
Q463
M469
M472
M484
V489
PHE
ARG
VAL
VAL
TYR
ASN
GLU
ALA
GLY
VAL
THR
PHE
THR

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	122399	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	3500	Depositor
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	0.234	Depositor
Minimum map value	-0.127	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.010	Depositor
Recommended contour level	0.032	Depositor
Map size (Å)	209.92, 209.92, 209.92	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.82, 0.82, 0.82	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/2324	0.47	0/3137
1	B	0.26	0/2316	0.48	0/3127
1	C	0.26	0/2320	0.48	0/3132
1	D	0.25	0/2320	0.48	0/3132
1	E	0.26	0/2324	0.47	0/3137
1	F	0.26	0/2320	0.47	0/3132
All	All	0.26	0/13924	0.48	0/18797

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2276	0	2240	29	0
1	B	2268	0	2234	30	0
1	C	2272	0	2237	32	0
1	D	2272	0	2237	31	0
1	E	2276	0	2240	30	0
1	F	2272	0	2237	35	0
All	All	13636	0	13425	178	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (178) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:414:GLN:HG3	1:B:429:PRO:HD2	1.63	0.80
1:D:79:ARG:HD2	1:D:127:ALA:HB2	1.68	0.75
1:B:414:GLN:NE2	1:B:430:ILE:HG12	2.02	0.75
1:E:79:ARG:HD2	1:E:127:ALA:HB2	1.70	0.73
1:E:458:GLU:OE1	1:E:462:ARG:NH1	2.22	0.71
1:B:410:LEU:HB3	1:B:430:ILE:HA	1.70	0.71
1:C:79:ARG:HD2	1:C:127:ALA:HB2	1.73	0.69
1:A:66:ARG:O	1:A:143:LYS:NZ	2.26	0.68
1:C:79:ARG:NH2	1:C:163:ASP:OD1	2.23	0.68
1:D:91:GLY:O	1:D:165:PRO:HA	1.94	0.67
1:B:152:LEU:HB3	1:B:158:ILE:HG13	1.76	0.67
1:D:142:GLU:OE2	1:D:146:ARG:NH1	2.28	0.66
1:C:91:GLY:O	1:C:165:PRO:HA	1.96	0.66
1:F:410:LEU:HB3	1:F:430:ILE:HA	1.78	0.66
1:A:91:GLY:O	1:A:165:PRO:HA	1.96	0.65
1:C:152:LEU:HB3	1:C:158:ILE:HG13	1.78	0.64
1:B:91:GLY:O	1:B:165:PRO:HA	1.96	0.64
1:D:66:ARG:O	1:D:143:LYS:NZ	2.31	0.64
1:A:458:GLU:OE2	1:A:462:ARG:NH1	2.31	0.64
1:E:90:LYS:NZ	1:E:199:THR:OG1	2.24	0.64
1:C:394:TYR:HB2	1:C:445:GLU:HG3	1.79	0.62
1:C:195:HIS:HE2	1:C:206:GLY:HA3	1.65	0.62
1:F:414:GLN:HG2	1:F:429:PRO:HD2	1.82	0.61
1:F:91:GLY:O	1:F:165:PRO:HA	1.98	0.61
1:F:394:TYR:HB2	1:F:445:GLU:HG3	1.81	0.61
1:E:91:GLY:O	1:E:165:PRO:HA	2.01	0.61
1:C:146:ARG:NH2	1:C:181:ASP:OD1	2.34	0.60
1:B:436:PHE:O	1:B:440:ILE:HG13	2.00	0.60
1:C:147:ARG:NE	1:C:151:GLU:OE2	2.36	0.59
1:D:152:LEU:HB3	1:D:158:ILE:HG13	1.83	0.59
1:F:458:GLU:OE1	1:F:462:ARG:NH1	2.35	0.59
1:A:410:LEU:HB3	1:A:430:ILE:HA	1.85	0.58
1:A:66:ARG:HH11	1:A:66:ARG:HG3	1.68	0.58
1:F:79:ARG:NH2	1:F:163:ASP:OD1	2.36	0.58
1:B:435:GLU:OE2	1:B:435:GLU:N	2.28	0.58
1:F:414:GLN:HG3	1:F:430:ILE:HB	1.86	0.58
1:E:86:ARG:HD3	1:E:121:PRO:HA	1.87	0.57
1:A:79:ARG:HH11	1:A:127:ALA:HB2	1.69	0.57
1:F:79:ARG:HH11	1:F:127:ALA:HB2	1.69	0.57
1:C:195:HIS:NE2	1:C:205:GLN:O	2.37	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:90:LYS:HD2	1:C:164:VAL:HB	1.86	0.57
1:D:96:SER:HB3	1:D:99:VAL:HG13	1.87	0.57
1:B:96:SER:HB3	1:B:99:VAL:HG13	1.87	0.56
1:D:472:ASN:O	1:D:472:ASN:ND2	2.35	0.56
1:D:138:ASP:OD1	1:D:174:ARG:NH1	2.39	0.56
1:E:142:GLU:HG3	1:E:178:TRP:CE2	2.40	0.56
1:C:142:GLU:HG3	1:C:178:TRP:CE2	2.41	0.56
1:C:79:ARG:HH11	1:C:127:ALA:HB2	1.70	0.55
1:D:410:LEU:HB3	1:D:430:ILE:HA	1.89	0.55
1:E:67:ARG:NH1	1:E:73:GLU:OE2	2.40	0.55
1:E:69:ASP:OD2	1:E:71:SER:OG	2.24	0.55
1:D:93:ILE:HG12	1:D:127:ALA:HB3	1.88	0.55
1:F:107:LEU:HB2	1:F:126:LYS:HG2	1.89	0.54
1:D:483:VAL:O	1:D:487:GLU:HG2	2.07	0.54
1:B:142:GLU:OE2	1:B:146:ARG:NH1	2.41	0.54
1:F:142:GLU:HG3	1:F:178:TRP:CE2	2.43	0.54
1:E:410:LEU:HB3	1:E:430:ILE:HA	1.91	0.52
1:B:90:LYS:HD2	1:B:164:VAL:HB	1.92	0.52
1:B:93:ILE:HG12	1:B:127:ALA:HB3	1.90	0.52
1:E:79:ARG:HH11	1:E:127:ALA:HB2	1.73	0.52
1:C:147:ARG:O	1:C:151:GLU:HG2	2.10	0.52
1:E:147:ARG:O	1:E:151:GLU:HG2	2.09	0.51
1:A:417:LEU:HD12	1:A:429:PRO:HG2	1.91	0.51
1:C:79:ARG:HG2	1:C:157:PHE:HD2	1.76	0.51
1:F:414:GLN:HA	1:F:429:PRO:HD2	1.91	0.51
1:F:427:THR:HG22	1:F:429:PRO:HD3	1.92	0.51
1:F:93:ILE:HG12	1:F:127:ALA:HB3	1.92	0.51
1:C:136:TYR:HB3	1:C:140:GLU:HG3	1.94	0.50
1:E:95:TYR:HB3	1:E:133:PRO:HG3	1.94	0.50
1:B:181:ASP:O	1:B:185:SER:OG	2.25	0.50
1:E:147:ARG:NH1	1:E:151:GLU:OE2	2.45	0.50
1:F:95:TYR:HB3	1:F:133:PRO:HG3	1.95	0.49
1:F:58:VAL:HG21	1:F:105:LYS:HD3	1.94	0.49
1:E:129:VAL:HG12	1:E:131:ILE:HG12	1.93	0.49
1:E:158:ILE:HD12	1:E:165:PRO:HG2	1.94	0.49
1:A:129:VAL:HG12	1:A:131:ILE:HG12	1.95	0.49
1:D:146:ARG:NH2	1:D:181:ASP:OD2	2.44	0.49
1:F:417:LEU:HD12	1:F:429:PRO:HG2	1.94	0.49
1:E:79:ARG:HG2	1:E:157:PHE:HD2	1.77	0.48
1:A:79:ARG:HD2	1:A:127:ALA:HB2	1.95	0.48
1:E:472:ASN:HD22	1:E:472:ASN:C	2.17	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:432:PRO:HB3	1:A:436:PHE:CD2	2.48	0.48
1:D:439:ARG:HH22	1:E:404:ASP:HB2	1.79	0.48
1:C:400:LYS:HG3	1:E:455:TYR:HB2	1.95	0.48
1:C:455:TYR:HB2	1:D:400:LYS:HG3	1.96	0.48
1:D:394:TYR:HB2	1:D:445:GLU:HG3	1.96	0.47
1:B:79:ARG:HD3	1:B:127:ALA:HB2	1.96	0.47
1:C:126:LYS:NZ	1:C:168:ASP:OD1	2.46	0.47
1:D:455:TYR:HB2	1:E:400:LYS:HG3	1.96	0.47
1:A:414:GLN:HA	1:A:429:PRO:HD2	1.95	0.47
1:A:93:ILE:HG12	1:A:127:ALA:HB3	1.97	0.47
1:F:129:VAL:HG12	1:F:131:ILE:HG12	1.97	0.47
1:F:155:LYS:HD3	1:F:155:LYS:HA	1.67	0.47
1:B:414:GLN:CG	1:B:429:PRO:HD2	2.39	0.46
1:D:90:LYS:HD2	1:D:164:VAL:HB	1.96	0.46
1:D:147:ARG:O	1:D:151:GLU:HG2	2.16	0.46
1:A:147:ARG:NE	1:A:151:GLU:OE1	2.43	0.46
1:E:400:LYS:HE3	1:E:400:LYS:HB3	1.57	0.46
1:E:66:ARG:O	1:E:143:LYS:NZ	2.49	0.45
1:C:432:PRO:HB3	1:C:436:PHE:CD2	2.50	0.45
1:B:433:THR:HG23	1:B:436:PHE:H	1.81	0.45
1:C:200:GLY:HA2	1:C:211:ARG:HD2	1.99	0.45
1:C:400:LYS:HB3	1:C:400:LYS:HE3	1.59	0.45
1:A:57:HIS:HB2	1:A:81:GLN:HB2	1.99	0.45
1:F:56:ASN:OD1	1:F:84:GLN:NE2	2.49	0.45
1:C:414:GLN:O	1:C:418:GLU:HG3	2.17	0.45
1:D:58:VAL:HG21	1:D:105:LYS:HD3	1.99	0.45
1:F:88:PRO:HG3	1:F:161:GLY:HA2	1.98	0.45
1:B:147:ARG:O	1:B:151:GLU:HG2	2.17	0.44
1:A:147:ARG:O	1:A:151:GLU:HG2	2.17	0.44
1:B:107:LEU:HB3	1:B:126:LYS:HD3	1.99	0.44
1:F:126:LYS:HA	1:F:126:LYS:HD2	1.81	0.44
1:C:414:GLN:CG	1:C:429:PRO:HD2	2.47	0.44
1:F:126:LYS:NZ	1:F:168:ASP:OD1	2.48	0.44
1:D:107:LEU:HB2	1:D:126:LYS:HG2	1.99	0.44
1:F:400:LYS:HE3	1:F:400:LYS:HB3	1.68	0.44
1:A:410:LEU:HD13	1:A:430:ILE:O	2.18	0.44
1:D:414:GLN:CG	1:D:429:PRO:HD2	2.48	0.44
1:F:432:PRO:HG2	1:F:437:GLN:HG2	2.00	0.44
1:C:95:TYR:HB3	1:C:133:PRO:HG3	1.99	0.44
1:E:56:ASN:HD21	1:E:84:GLN:HG2	1.82	0.44
1:E:90:LYS:HZ3	1:E:164:VAL:HG12	1.82	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:79:ARG:HD2	1:F:127:ALA:HB2	2.00	0.44
1:A:95:TYR:HB3	1:A:133:PRO:HG3	2.00	0.44
1:A:117:VAL:HG23	1:A:485:ALA:HB2	2.00	0.44
1:C:414:GLN:HG3	1:C:429:PRO:HD2	1.99	0.44
1:E:114:LYS:HE3	1:E:114:LYS:HB2	1.80	0.43
1:A:400:LYS:HD2	1:A:403:ARG:HH21	1.83	0.43
1:C:432:PRO:HB3	1:C:436:PHE:HD2	1.84	0.43
1:A:155:LYS:HD3	1:A:155:LYS:HA	1.67	0.43
1:A:158:ILE:HD12	1:A:165:PRO:HG2	1.99	0.43
1:D:433:THR:HG23	1:E:412:SER:HA	2.01	0.43
1:F:376:GLY:HA2	1:F:453:LEU:HD11	2.01	0.43
1:A:90:LYS:HD2	1:A:164:VAL:HB	2.01	0.43
1:B:57:HIS:CD2	1:D:155:LYS:HD2	2.54	0.43
1:A:86:ARG:HD3	1:A:86:ARG:HA	1.81	0.43
1:B:58:VAL:HG21	1:B:105:LYS:HD3	2.01	0.43
1:B:129:VAL:HG12	1:B:131:ILE:HG12	2.00	0.43
1:D:65:ILE:HG21	1:D:144:ILE:HG12	2.01	0.43
1:D:398:THR:O	1:D:402:GLU:HG3	2.19	0.43
1:D:459:ARG:O	1:D:463:GLN:HG3	2.18	0.42
1:B:414:GLN:HE21	1:B:428:ILE:HA	1.85	0.42
1:A:432:PRO:HB3	1:A:436:PHE:HD2	1.84	0.42
1:B:447:ASP:HB3	1:F:401:TYR:HE1	1.83	0.42
1:F:65:ILE:HG21	1:F:144:ILE:HG12	2.01	0.42
1:C:83:SER:HB3	1:C:85:HIS:ND1	2.34	0.42
1:D:140:GLU:HA	1:D:143:LYS:HE3	2.01	0.42
1:B:117:VAL:HG23	1:B:485:ALA:HB2	2.00	0.42
1:B:409:LEU:O	1:B:413:VAL:HG23	2.20	0.42
1:F:463:GLN:HB3	1:F:484:ASN:HD21	1.85	0.42
1:A:79:ARG:NH2	1:A:163:ASP:OD1	2.41	0.42
1:A:417:LEU:HD23	1:A:417:LEU:HA	1.87	0.42
1:F:147:ARG:O	1:F:151:GLU:HG2	2.20	0.42
1:E:398:THR:O	1:E:402:GLU:HG3	2.20	0.41
1:F:111:MET:HE2	1:F:111:MET:O	2.20	0.41
1:B:114:LYS:HB2	1:B:114:LYS:HE3	1.89	0.41
1:C:213:SER:O	1:C:215:THR:N	2.53	0.41
1:E:58:VAL:HG21	1:E:105:LYS:HD3	2.03	0.41
1:C:107:LEU:HB2	1:C:126:LYS:HG2	2.03	0.41
1:C:412:SER:HB3	1:E:432:PRO:HA	2.02	0.41
1:F:114:LYS:HE3	1:F:114:LYS:HB2	1.80	0.41
1:B:96:SER:O	1:B:130:LYS:HA	2.20	0.41
1:B:379:THR:O	1:B:382:TYR:HB3	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:134:LYS:N	1:D:134:LYS:HD3	2.35	0.41
1:E:155:LYS:HA	1:E:155:LYS:HD3	1.94	0.40
1:A:83:SER:HB3	1:A:85:HIS:ND1	2.36	0.40
1:A:214:ALA:HB1	1:A:377:GLY:HA2	2.02	0.40
1:D:410:LEU:HD13	1:D:430:ILE:O	2.21	0.40
1:F:398:THR:O	1:F:402:GLU:HG3	2.21	0.40
1:B:155:LYS:HD2	1:D:157:PHE:CE1	2.57	0.40
1:B:435:GLU:H	1:B:435:GLU:CD	2.19	0.40
1:D:117:VAL:HG23	1:D:485:ALA:HB2	2.03	0.40
1:A:400:LYS:HD2	1:A:403:ARG:NH2	2.36	0.40
1:B:463:GLN:HB3	1:B:484:ASN:HD21	1.87	0.40
1:F:83:SER:HB3	1:F:85:HIS:ND1	2.36	0.40
1:C:398:THR:O	1:C:402:GLU:HG3	2.22	0.40
1:C:438:ASP:N	1:C:438:ASP:OD1	2.54	0.40
1:F:94:ARG:HE	1:F:94:ARG:HB2	1.58	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	286/558 (51%)	279 (98%)	6 (2%)	1 (0%)	41 66
1	B	284/558 (51%)	278 (98%)	6 (2%)	0	100 100
1	C	285/558 (51%)	278 (98%)	6 (2%)	1 (0%)	34 60
1	D	285/558 (51%)	279 (98%)	6 (2%)	0	100 100
1	E	286/558 (51%)	282 (99%)	4 (1%)	0	100 100
1	F	285/558 (51%)	281 (99%)	4 (1%)	0	100 100
All	All	1711/3348 (51%)	1677 (98%)	32 (2%)	2 (0%)	54 78

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	214	ALA
1	C	214	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	242/456 (53%)	224 (93%)	18 (7%)	13	32
1	B	242/456 (53%)	222 (92%)	20 (8%)	11	25
1	C	242/456 (53%)	225 (93%)	17 (7%)	15	35
1	D	242/456 (53%)	226 (93%)	16 (7%)	16	38
1	E	242/456 (53%)	227 (94%)	15 (6%)	18	40
1	F	242/456 (53%)	231 (96%)	11 (4%)	27	55
All	All	1452/2736 (53%)	1355 (93%)	97 (7%)	20	37

All (97) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	66	ARG
1	A	69	ASP
1	A	84	GLN
1	A	97	THR
1	A	98	ASP
1	A	130	LYS
1	A	142	GLU
1	A	162	VAL
1	A	168	ASP
1	A	174	ARG
1	A	190	TYR
1	A	397	LEU
1	A	411	MET
1	A	427	THR
1	A	438	ASP
1	A	439	ARG
1	A	459	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	469	MET
1	B	71	SER
1	B	73	GLU
1	B	84	GLN
1	B	98	ASP
1	B	126	LYS
1	B	168	ASP
1	B	174	ARG
1	B	190	TYR
1	B	396	ARG
1	B	397	LEU
1	B	400	LYS
1	B	405	SER
1	B	414	GLN
1	B	415	GLU
1	B	419	ARG
1	B	447	ASP
1	B	469	MET
1	B	470	LYS
1	B	472	ASN
1	B	487	GLU
1	C	69	ASP
1	C	71	SER
1	C	79	ARG
1	C	83	SER
1	C	98	ASP
1	C	134	LYS
1	C	168	ASP
1	C	169	MET
1	C	170	SER
1	C	224	GLU
1	C	397	LEU
1	C	411	MET
1	C	414	GLN
1	C	421	PHE
1	C	438	ASP
1	C	439	ARG
1	C	487	GLU
1	D	62	SER
1	D	78	TYR
1	D	79	ARG
1	D	84	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	98	ASP
1	D	102	ASP
1	D	134	LYS
1	D	168	ASP
1	D	208	ILE
1	D	397	LEU
1	D	414	GLN
1	D	430	ILE
1	D	438	ASP
1	D	439	ARG
1	D	469	MET
1	D	472	ASN
1	E	62	SER
1	E	83	SER
1	E	86	ARG
1	E	97	THR
1	E	98	ASP
1	E	147	ARG
1	E	168	ASP
1	E	190	TYR
1	E	195	HIS
1	E	197	CYS
1	E	430	ILE
1	E	438	ASP
1	E	439	ARG
1	E	469	MET
1	E	472	ASN
1	F	69	ASP
1	F	86	ARG
1	F	98	ASP
1	F	101	VAL
1	F	130	LYS
1	F	168	ASP
1	F	174	ARG
1	F	411	MET
1	F	438	ASP
1	F	447	ASP
1	F	469	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	56	ASN
1	B	84	GLN
1	B	414	GLN
1	F	414	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-28639. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 136




Y Index: 132




Z Index: 115


6.3.2 Raw map



X Index: 135



Y Index: 124




Z Index: 86

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.032. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.5.1 emd_28639_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 94 nm^3 ; this corresponds to an approximate mass of 85 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.370 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.370 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.70	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	2.89	3.30	2.94

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-28639 and PDB model 8EW0. Per-residue inclusion information can be found in section 3 on page 4.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.032 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.032).















9.4 Atom inclusion [i](#)



At the recommended contour level, 94% of all backbone atoms, 90% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.032) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8991	 0.6490
A	 0.8970	 0.6490
B	 0.9025	 0.6510
C	 0.8954	 0.6480
D	 0.9013	 0.6470
E	 0.8988	 0.6500
F	 0.8995	 0.6490

