

Full wwPDB X-ray Structure Validation Report (i)

Sep 20, 2023 – 04:00 PM EDT

PDB ID	:	5EXD
Title	:	Crystal structure of oxalate oxidoreductase from Moorella thermoacetica
		bound with carboxy-di-oxido-methyl-TPP (COOM-TPP) intermediate
Authors	:	Gibson, M.I.; Chen, P.YT.; Drennan, C.L.
Deposited on	:	2015-11-23
Resolution	:	2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	$5231 \ (2.50-2.50)$
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	395	77%	22%	•
1	D	395	81%	18%	•
1	G	395	79%	19%	•
1	J	395	80%	19%	•
2	В	315	77%	14%	9%



Mol	Chain	Length	Quality of chain		
2	Е	315	79%	15%	6%
2	Н	315	77%	15%	8%
2	K	315	% 74%	15%	11%
3	С	314	% 82%	16	% ••
3	F	314	% 82%	16	% ••
3	Ι	314	81%	179	% ••
3	L	314	% 76%	22%	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	SF4	С	401	-	-	Х	-
4	SF4	F	401	-	-	Х	-



2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 30592 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Δ	394	Total	С	Ν	0	\mathbf{S}	0	0	0
			3060	1948	522	576	14	0	0	0
1	1 D	394	Total	С	Ν	0	S	0	0	0
			3055	1944	523	574	14	0	0	
1	C	394	Total	С	Ν	0	S	0	0	0
	I G		3058	1945	523	576	14	0	0	U
1	1 I	204	Total	С	Ν	0	S	0	0	0
I J	394	3058	1947	521	576	14	0		0	

• Molecule 1 is a protein called Oxalate oxidoreductase subunit alpha.

• Molecule 2 is a protein called Oxalate oxidoreductase subunit delta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
0	2 B	286	Total	С	Ν	0	\mathbf{S}	0	0	0
			2162	1369	361	417	15	0	0	0
0	2 E	E 295	Total	С	Ν	0	S	0	0	0
			2180	1369	368	429	14	0	0	0
0	ц	291	Total	С	Ν	0	S	0	0	0
	2 П		2200	1390	371	424	15	0	0	
0	9 V	200	Total	С	Ν	0	S	0	0	0
2 K	280	2091	1317	352	407	15	0		U	

• Molecule 3 is a protein called Oxalate oxidoreductase subunit beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	С	312	Total	С	Ν	0	\mathbf{S}	0	0	0
5	3 0		2393	1535	409	432	17	0	0	0
2	3 F	310	Total	С	Ν	0	\mathbf{S}	0	0	0
5			2371	1522	405	427	17	0	0	
2	Т	309	Total	С	Ν	0	S	0	0	0
5	3 1		2362	1516	402	428	16	0	0	0
2	2 I	910	Total	С	Ν	0	S	0	0	0
э L	510	2375	1524	405	429	17	0	U	0	





 $\bullet\,$ Molecule 4 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe_4S_4).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	В	1	TotalFeS844	0	0
4	В	1	TotalFeS844	0	0
4	С	1	TotalFeS844	0	0
4	Е	1	TotalFeS844	0	0
4	Е	1	TotalFeS844	0	0
4	F	1	TotalFeS844	0	0
4	Н	1	Total Fe S 8 4 4	0	0
4	Н	1	Total Fe S 8 4 4	0	0
4	Ι	1	TotalFeS844	0	0
4	К	1	TotalFeS844	0	0
4	К	1	TotalFeS844	0	0
4	L	1	TotalFeS844	0	0

• Molecule 5 is THIAMINE DIPHOSPHATE (three-letter code: TPP) (formula: $C_{12}H_{19}N_4O_7P_2S$).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
5	5 C	1	Total	С	Ν	0	Р	S	0	0
0			26	12	4	7	2	1	0	0
5	5 I	1	Total	С	Ν	0	Р	\mathbf{S}	0	0
0		1	26	12	4	7	2	1		0
5	E I	1	Total	С	Ν	0	Р	S	0	0
			26	12	4	7	2	1	0	U

• Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	С	1	Total Mg 1 1	0	0
6	F	1	Total Mg 1 1	0	0
6	Ι	1	Total Mg 1 1	0	0
6	L	1	Total Mg 1 1	0	0

• Molecule 7 is [2-[3-[(4-azanyl-2-methyl-pyrimidin-5-yl)methyl]-4-methyl-2-[1,1,2-tris(oxida nyl)-2-oxidanylidene-ethyl]-1,3-thiazol-3-ium-5-yl]ethoxy-oxidanyl-phosphoryl] hydrogen phosphate (three-letter code: O2T) (formula: C₁₄H₂₀N₄O₁₁P₂S).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf			
7	F	1	Total 32	C 14	N 4	0 11	Р 2	S 1	0	1

• Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	А	3	Total O 3 3	0	0
8	С	1	Total O 1 1	0	0
8	D	1	Total O 1 1	0	0
8	F	4	Total O 4 4	0	0
8	G	2	$\begin{array}{cc} \text{Total} & \text{O} \\ 2 & 2 \end{array}$	0	0
8	Н	1	Total O 1 1	0	0
8	Ι	4	Total O 4 4	0	0
8	L	1	Total O 1 1	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Oxalate oxidoreductase subunit alpha



 \bullet Molecule 1: Oxalate oxidoreductase subunit alpha













4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 43	Depositor
Cell constants	138.43Å 138.43Å 217.07Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{P}_{\text{oscolution}}(\mathbf{\hat{A}})$	48.94 - 2.50	Depositor
Resolution (A)	48.94 - 2.50	EDS
% Data completeness	93.2 (48.94-2.50)	Depositor
(in resolution range)	93.2 (48.94-2.50)	EDS
R _{merge}	(Not available)	Depositor
R_{sym}	0.18	Depositor
$< I/\sigma(I) > 1$	$1.68 (at 2.48 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
D D.	0.196 , 0.229	Depositor
Π, Π_{free}	0.196 , 0.227	DCC
R_{free} test set	6540 reflections $(4.96%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	28.4	Xtriage
Anisotropy	0.947	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.31 , 7.0	EDS
L-test for twinning ²	$< L >=0.41, < L^2>=0.24$	Xtriage
Estimated twinning fraction	0.328 for h,-k,-l	Xtriage
Reported twinning fraction	0.640 for h,-k,-l	Depositor
Outliers	0 of 131805 reflections	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	30592	wwPDB-VP
Average B, all atoms $(Å^2)$	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 8.71% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, TPP, O2T, SF4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.23	0/3132	0.41	0/4248
1	D	0.23	0/3127	0.40	0/4243
1	G	0.24	0/3130	0.42	0/4247
1	J	0.24	0/3130	0.41	0/4246
2	В	0.22	0/2201	0.42	0/3003
2	Е	0.22	0/2219	0.41	0/3036
2	Н	0.22	0/2241	0.42	0/3059
2	Κ	0.21	0/2129	0.41	0/2911
3	С	0.24	0/2458	0.41	0/3339
3	F	0.23	0/2436	0.41	0/3312
3	Ι	0.23	0/2427	0.40	0/3300
3	L	0.23	0/2440	0.41	0/3317
All	All	0.23	0/31070	0.41	0/42261

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3060	0	2992	59	0



5EXD

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	3055	0	2979	47	0
1	G	3058	0	2981	61	0
1	J	3058	0	2985	54	0
2	В	2162	0	2149	25	0
2	Е	2180	0	2102	29	0
2	Н	2200	0	2182	28	0
2	Κ	2091	0	2019	35	0
3	С	2393	0	2394	40	0
3	F	2371	0	2360	38	0
3	Ι	2362	0	2346	41	0
3	L	2375	0	2364	48	0
4	В	16	0	0	0	0
4	С	8	0	0	2	0
4	Е	16	0	0	0	0
4	F	8	0	0	2	0
4	Н	16	0	0	0	0
4	Ι	8	0	0	1	0
4	Κ	16	0	0	0	0
4	L	8	0	0	1	0
5	С	26	0	16	2	0
5	Ι	26	0	16	1	0
5	L	26	0	16	1	0
6	С	1	0	0	0	0
6	F	1	0	0	0	0
6	Ι	1	0	0	0	0
6	L	1	0	0	0	0
7	F	32	0	2	2	0
8	А	3	0	0	0	0
8	С	1	0	0	0	0
8	D	1	0	0	0	0
8	F	4	0	0	1	0
8	G	2	0	0	0	0
8	Н	1	0	0	0	0
8	Ι	4	0	0	0	0
8	L	1	0	0	0	0
All	All	30592	0	29903	438	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (438) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:E:164:ALA:HA	2:E:191:LYS:HB2	1.67	0.76
1:G:261:ASP:OD1	1:G:284:ARG:NH2	2.18	0.76
3:C:94:LYS:NZ	1:D:50:ASP:O	2.18	0.75
2:K:117:ARG:NH1	2:K:312:ASP:OD1	2.20	0.74
1:G:284:ARG:NH1	1:G:290:VAL:O	2.21	0.74
1:D:118:GLY:HA3	1:D:360:GLY:HA3	1.68	0.73
3:I:208:ARG:O	3:I:212:ASN:ND2	2.21	0.73
3:L:152:THR:O	3:L:171:LYS:NZ	2.24	0.71
3:L:194:THR:O	3:L:206:LYS:NZ	2.23	0.71
1:A:129:ASP:OD2	1:D:128:ARG:NH1	2.24	0.70
3:C:119:GLN:HB2	3:F:119:GLN:HB2	1.76	0.68
3:F:194:THR:O	3:F:206:LYS:NZ	2.23	0.68
2:H:15:ILE:HB	2:H:67:ALA:HB3	1.75	0.68
2:B:15:ILE:HB	2:B:67:ALA:HB3	1.74	0.67
3:F:300:CYS:HB3	3:F:305:ILE:HB	1.75	0.67
1:J:118:GLY:HA3	1:J:360:GLY:HA3	1.76	0.67
1:J:19:LEU:HB3	1:J:187:VAL:HG21	1.76	0.67
3:I:119:GLN:HB2	3:L:119:GLN:HB2	1.77	0.66
3:I:300:CYS:HB3	3:I:305:ILE:HB	1.78	0.66
2:H:69:ILE:HD12	2:H:180:ILE:HD11	1.79	0.65
1:A:277:LYS:HG2	1:A:292:VAL:HG21	1.78	0.64
2:E:25:ASN:ND2	2:E:57:ASP:OD2	2.31	0.64
1:A:96:SER:OG	1:A:224:ARG:NH1	2.31	0.64
1:A:255:ASP:HB3	1:A:294:ARG:HB3	1.79	0.64
1:G:118:GLY:HA3	1:G:360:GLY:HA3	1.78	0.64
1:A:110:THR:HB	1:A:114:PRO:HD2	1.80	0.63
2:K:96:ILE:HD13	2:K:122:ILE:HG23	1.79	0.63
1:A:240:ASP:OD1	1:A:249:LYS:NZ	2.32	0.62
1:A:257:TYR:HB3	1:A:292:VAL:HG23	1.80	0.62
2:K:68:ARG:NH1	2:K:76:SER:O	2.32	0.62
3:L:300:CYS:HB3	3:L:305:ILE:HB	1.82	0.62
2:B:112:VAL:HG21	2:B:174:VAL:HG22	1.82	0.61
2:H:20:ARG:HG3	2:H:251:ILE:HD11	1.82	0.61
2:B:168:ALA:HB1	2:B:196:MET:HB2	1.81	0.61
2:E:59:ILE:HB	3:F:25:ALA:H	1.66	0.61
1:A:20:ALA:O	1:A:75:ARG:NH1	2.30	0.60
3:C:185:GLY:HA2	3:F:177:ASP:HB3	1.83	0.60
1:G:114:PRO:HB3	1:J:212:ILE:HD11	1.81	0.60
2:E:86:ASP:OD2	2:E:106:ARG:NH2	2.29	0.60
1:D:15:HIS:HD2	1:D:18:ARG:HH11	1.49	0.59
3:C:94:LYS:HZ1	1:D:23:ASP:HA	1.66	0.59
3:C:300:CYS:HB3	3:C:305:ILE:HB	1.85	0.59



	hi a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:F:142:ALA:HA	3:F:146:ILE:HD13	1.84	0.59
1:A:117:PHE:CE2	1:D:214:PRO:HB3	2.38	0.59
1:A:282:ARG:NH2	2:B:6:LEU:O	2.36	0.59
3:I:125:LEU:HD22	3:I:189:LEU:HD13	1.85	0.59
2:H:112:VAL:HG21	2:H:174:VAL:HG22	1.85	0.58
1:A:89:MET:HE3	1:D:89:MET:HG2	1.85	0.58
1:A:168:ASP:HB2	1:A:172:VAL:HG23	1.86	0.58
1:D:367:GLU:HG2	1:D:370:ARG:HH12	1.68	0.58
3:C:126:TYR:CZ	3:F:150:PRO:HA	2.38	0.58
1:G:31:ARG:NH2	1:G:116:ASP:OD2	2.36	0.58
1:D:273:MET:HG3	1:D:294:ARG:HG3	1.85	0.58
1:A:128:ARG:HG2	1:A:298:PHE:HE2	1.69	0.57
2:E:32:VAL:HG13	2:E:67:ALA:HB2	1.86	0.57
3:I:90:ALA:O	3:I:94:LYS:HD3	2.03	0.57
1:J:110:THR:HB	1:J:114:PRO:HD2	1.86	0.57
1:J:109:ARG:HD3	1:J:110:THR:O	2.03	0.57
1:G:168:ASP:HB2	1:G:172:VAL:HG23	1.86	0.57
2:K:253:ARG:NH2	2:K:310:GLU:OE1	2.37	0.57
1:G:89:MET:HE3	1:J:89:MET:HG2	1.87	0.57
3:I:142:ALA:HA	3:I:146:ILE:HD13	1.87	0.57
3:F:24:CYS:HB2	4:F:401:SF4:S3	2.44	0.57
2:H:32:VAL:HG13	2:H:67:ALA:HB2	1.86	0.57
2:H:297:THR:HG22	2:H:305:LEU:HB3	1.86	0.57
2:B:20:ARG:HG3	2:B:251:ILE:HD11	1.87	0.56
1:D:110:THR:HB	1:D:114:PRO:HD2	1.86	0.56
1:D:258:LEU:HD13	1:D:284:ARG:HG3	1.86	0.56
1:J:282:ARG:NH1	2:K:6:LEU:O	2.36	0.56
2:K:278:ARG:NH1	3:L:11:ALA:O	2.38	0.56
1:A:128:ARG:HD3	1:A:333:VAL:HG21	1.88	0.56
2:B:32:VAL:HG13	2:B:67:ALA:HB2	1.86	0.56
1:A:161:LEU:O	1:A:163:GLN:NE2	2.34	0.56
2:H:123:LEU:HD23	2:H:126:LEU:HD12	1.87	0.56
2:K:110:THR:HG23	2:K:134:GLN:HG3	1.88	0.55
2:H:169:PRO:HG3	2:H:195:ALA:HB1	1.88	0.55
1:A:31:ARG:NH1	1:A:116:ASP:O	2.39	0.55
2:E:193:PRO:O	2:E:197:ARG:HG2	2.07	0.55
1:G:128:ARG:HD3	1:G:333:VAL:HG21	1.88	0.55
3:I:58:THR:HG21	1:J:211:GLN:H	1.71	0.55
3:F:152:THR:HB	3:F:171:LYS:HE3	1.89	0.55
3:L:246:THR:HG22	3:L:269:LYS:HB2	1.89	0.55
2:H:46:VAL:HG12	2:H:69:ILE:HG12	1.87	0.55



	lo ao pagoni	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:G:330:SER:OG	1:J:229:LYS:NZ	2.37	0.55
3:L:227:LYS:HD3	4:L:401:SF4:S2	2.48	0.54
2:H:59:ILE:HB	3:I:25:ALA:H	1.73	0.54
3:L:142:ALA:HA	3:L:146:ILE:HD13	1.88	0.54
1:A:196:ASN:OD1	1:A:197:HIS:N	2.40	0.54
1:A:330:SER:OG	1:D:229:LYS:NZ	2.41	0.54
2:B:123:LEU:HD23	2:B:126:LEU:HD12	1.90	0.54
2:K:96:ILE:HD11	2:K:113:VAL:HG11	1.90	0.54
1:G:89:MET:HA	1:G:92:TYR:CE2	2.43	0.53
1:G:205:PRO:HB2	2:K:236:SER:HB2	1.89	0.53
2:K:15:ILE:HB	2:K:67:ALA:HB3	1.89	0.53
2:K:32:VAL:HG13	2:K:67:ALA:HB2	1.90	0.53
3:C:224:PRO:HB2	3:C:236:THR:HG23	1.91	0.53
3:C:16:TYR:HA	3:C:66:ARG:HD3	1.90	0.53
1:D:367:GLU:HG2	1:D:370:ARG:NH1	2.22	0.53
2:E:129:THR:HB	2:E:132:LEU:HB3	1.91	0.53
1:J:258:LEU:HD13	1:J:284:ARG:HG3	1.88	0.53
3:C:142:ALA:HA	3:C:146:ILE:HD13	1.91	0.53
1:J:20:ALA:O	1:J:75:ARG:NH1	2.38	0.53
1:J:134:GLN:HB3	1:J:299:ARG:HB2	1.91	0.53
1:A:205:PRO:HA	3:F:68:PRO:HG3	1.91	0.52
2:K:168:ALA:HB1	2:K:196:MET:HB2	1.90	0.52
3:L:274:TYR:O	3:L:278:GLN:NE2	2.41	0.52
1:A:79:GLY:HA2	1:A:104:MET:HG3	1.92	0.52
3:L:75:THR:HG22	3:L:116:ILE:HG12	1.91	0.52
3:C:94:LYS:NZ	1:D:23:ASP:HA	2.24	0.52
3:C:171:LYS:NZ	3:C:173:LEU:O	2.39	0.52
2:H:143:MET:HG2	2:H:198:ARG:HE	1.74	0.52
2:K:46:VAL:HG12	2:K:69:ILE:HG12	1.91	0.52
3:L:33:TYR:CE1	3:L:107:MET:HG3	2.44	0.52
3:C:188:GLU:O	3:C:190:LYS:NZ	2.42	0.52
2:K:57:ASP:OD1	2:K:57:ASP:N	2.43	0.52
3:I:150:PRO:HA	3:L:126:TYR:CZ	2.45	0.52
3:I:171:LYS:NZ	3:I:173:LEU:O	2.42	0.51
1:D:10:CYS:HA	1:D:36:ILE:HG12	1.91	0.51
1:D:19:LEU:HB3	1:D:187:VAL:HG21	1.92	0.51
3:C:75:THR:HG22	3:C:116:ILE:HG12	1.93	0.51
3:L:138:ASN:HB2	3:L:225:CYS:HB2	1.93	0.51
3:I:194:THR:O	3:I:206:LYS:NZ	2.37	0.51
2:E:291:LYS:NZ	3:F:23:THR:O	2.31	0.51
1:G:79:GLY:HA2	1:G:104:MET:HG3	1.92	0.51



	A L O	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:E:26:LYS:HD2	2:E:149:THR:HG22	1.92	0.51
2:H:76:SER:HB2	2:H:79:ILE:HD12	1.91	0.51
3:I:177:ASP:HB3	3:L:185:GLY:HA2	1.93	0.51
3:I:268:ARG:NH2	3:I:297:ASP:OD1	2.37	0.51
1:A:251:ASP:O	1:A:296:ARG:NH1	2.43	0.50
3:F:127:ARG:NH2	8:F:502:HOH:O	2.28	0.50
3:I:197:ILE:HD11	3:I:224:PRO:HD2	1.94	0.50
1:J:196:ASN:OD1	1:J:197:HIS:N	2.39	0.50
3:I:229:TRP:HA	3:I:280:ARG:HD3	1.93	0.50
2:B:92:GLU:OE1	2:B:94:SER:OG	2.24	0.50
2:B:169:PRO:HG3	2:B:195:ALA:HB1	1.93	0.50
1:G:134:GLN:HB3	1:G:299:ARG:HB2	1.93	0.50
1:A:214:PRO:HB3	1:D:117:PHE:CE2	2.47	0.50
2:H:253:ARG:NH2	2:H:315:ASP:OXT	2.35	0.50
2:E:68:ARG:NH1	2:E:76:SER:OG	2.45	0.50
2:K:59:ILE:HB	3:L:25:ALA:H	1.76	0.50
3:C:125:LEU:HD23	3:C:216:PRO:HB2	1.94	0.49
1:A:367:GLU:O	1:A:371:MET:HG3	2.12	0.49
2:E:57:ASP:OD1	2:E:57:ASP:N	2.45	0.49
1:A:134:GLN:HB3	1:A:299:ARG:HB2	1.94	0.49
1:J:255:ASP:HB3	1:J:294:ARG:HB3	1.93	0.49
3:L:197:ILE:HD11	3:L:224:PRO:HD2	1.94	0.49
1:G:225:TYR:O	1:G:229:LYS:HG2	2.13	0.49
3:C:184:HIS:HB3	3:F:180:LYS:HB3	1.94	0.49
1:G:251:ASP:O	1:G:296:ARG:HD3	2.12	0.49
2:H:241:ASN:HB3	3:I:20:GLY:HA3	1.95	0.49
1:A:19:LEU:HB3	1:A:187:VAL:HG21	1.95	0.49
1:G:306:ILE:HG23	1:G:310:LEU:HD12	1.95	0.49
1:G:367:GLU:HG2	1:G:370:ARG:NH2	2.28	0.49
2:K:20:ARG:HG3	2:K:251:ILE:HD11	1.94	0.49
1:D:306:ILE:HG23	1:D:310:LEU:HD12	1.95	0.49
1:A:367:GLU:HG2	1:A:370:ARG:NH2	2.27	0.49
1:G:255:ASP:OD2	1:G:294:ARG:NH2	2.46	0.49
1:J:76:VAL:HG21	1:J:102:VAL:HG22	1.95	0.49
1:G:196:ASN:OD1	1:G:197:HIS:N	2.43	0.48
3:C:118:LEU:HD13	3:C:178:ASN:HD21	1.77	0.48
1:G:214:PRO:HB3	1:J:117:PHE:CZ	2.48	0.48
1:A:24:VAL:HB	1:A:76:VAL:HG12	1.96	0.48
1:G:129:ASP:OD2	1:J:128:ARG:NH2	2.46	0.48
3:L:275:MET:SD	3:L:292:MET:HG2	2.54	0.48
1:A:19:LEU:HD13	1:A:182:PRO:HG2	1.95	0.48



	is as page	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:F:33:TYR:CE1	3:F:107:MET:HG3	2.48	0.48
1:G:282:ARG:NH1	2:H:7:PHE:HA	2.28	0.48
1:A:118:GLY:HA3	1:A:360:GLY:HA3	1.95	0.48
1:A:214:PRO:HB3	1:D:117:PHE:CZ	2.49	0.48
1:D:152:ARG:HH22	1:D:241:GLU:HG3	1.78	0.48
3:F:115:ASP:OD2	3:F:141:TYR:OH	2.30	0.48
1:J:321:VAL:HG13	1:J:357:GLY:HA3	1.94	0.48
2:K:102:LEU:HD11	2:K:126:LEU:HD22	1.95	0.48
1:A:109:ARG:HA	1:A:119:GLU:HA	1.95	0.48
1:J:145:ASP:OD2	1:J:250:TYR:OH	2.22	0.48
1:G:255:ASP:HB3	1:G:294:ARG:HB3	1.95	0.48
1:G:278:ALA:O	1:G:282:ARG:HG3	2.14	0.48
3:C:150:PRO:HA	3:F:126:TYR:CZ	2.49	0.47
1:J:367:GLU:O	1:J:371:MET:HG3	2.13	0.47
3:L:43:ASN:OD1	3:L:102:PRO:HA	2.14	0.47
2:K:76:SER:HB2	2:K:79:ILE:HD12	1.96	0.47
3:L:59:SER:HA	3:L:60:TYR:HA	1.56	0.47
3:I:169:GLU:OE1	3:I:169:GLU:N	2.46	0.47
1:J:99:ARG:NH2	1:J:159:VAL:O	2.38	0.47
1:D:274:GLU:HB2	2:E:78:TYR:HE2	1.80	0.47
1:D:168:ASP:HB2	1:D:172:VAL:HG23	1.97	0.47
1:G:117:PHE:CE2	1:J:214:PRO:HB3	2.50	0.47
1:A:128:ARG:HG2	1:A:298:PHE:CE2	2.48	0.47
2:B:58:ARG:O	2:B:61:VAL:HG12	2.15	0.47
1:D:109:ARG:HA	1:D:119:GLU:HA	1.95	0.47
3:F:155:GLY:HA2	3:F:169:GLU:HB2	1.97	0.47
1:J:335:LEU:HD22	1:J:353:GLY:HA3	1.96	0.47
1:A:236:GLU:OE2	1:A:253:TYR:OH	2.23	0.47
3:I:74:ILE:HD12	5:I:402:TPP:H72	1.96	0.47
3:L:98:ASP:OD1	3:L:98:ASP:N	2.48	0.47
2:B:115:THR:HG21	2:B:122:ILE:HD11	1.97	0.47
3:C:136:TYR:OH	5:C:402:TPP:O2B	2.29	0.47
2:H:110:THR:HG23	2:H:134:GLN:HG3	1.96	0.47
3:I:126:TYR:CZ	3:L:150:PRO:HA	2.49	0.47
3:C:86:ALA:HB1	1:D:52:GLU:HG2	1.97	0.46
3:L:57:ASN:O	3:L:64:PRO:HD3	2.15	0.46
3:F:169:GLU:OE1	3:F:172:LYS:HG2	2.16	0.46
1:G:117:PHE:CZ	1:J:214:PRO:HB3	2.50	0.46
1:J:26:CYS:SG	1:J:62:GLN:HA	2.56	0.46
1:J:63:LEU:HA	1:J:66:VAL:HG22	1.97	0.46
2:H:300:CYS:HA	2:H:301:PRO:HD3	1.77	0.46



		Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
3:C:98:ASP:OD1	3:C:98:ASP:N	2.47	0.46	
1:D:225:TYR:O	1:D:229:LYS:HG2	2.16	0.46	
1:G:110:THR:CG2	1:G:114:PRO:HD2	2.46	0.46	
2:H:176:LYS:HD3	2:H:203:ALA:HB3	1.98	0.46	
1:J:302:PRO:HB2	1:J:305:GLN:HB2	1.97	0.46	
1:A:141:GLN:OE1	1:A:180:ASP:N	2.45	0.46	
1:G:89:MET:HA	1:G:92:TYR:CD2	2.50	0.46	
2:H:117:ARG:NH2	2:H:312:ASP:OD1	2.42	0.46	
3:C:105:ILE:HD11	3:C:211:LEU:HD11	1.97	0.46	
1:D:43:MET:O	1:D:48:GLU:N	2.48	0.46	
3:C:197:ILE:HD11	3:C:224:PRO:HD2	1.97	0.46	
2:K:193:PRO:O	2:K:197:ARG:HG3	2.16	0.46	
1:D:31:ARG:NH1	7:F:402[A]:O2T:O7	2.48	0.46	
1:A:152:ARG:NH1	1:A:190:PHE:O	2.50	0.45	
3:C:59:SER:HA	3:C:60:TYR:HA	1.62	0.45	
1:D:154:GLY:HA3	1:D:163:GLN:NE2	2.32	0.45	
2:H:94:SER:HA	2:H:311:LEU:HD21	1.98	0.45	
2:K:90:LEU:HD13	2:K:95:LEU:HB2	1.98	0.45	
1:A:18:ARG:HB2	1:A:43:MET:HE1	1.98	0.45	
2:B:11:ASN:ND2	2:B:72:ASP:OD1	2.44	0.45	
1:D:134:GLN:HB3	1:D:299:ARG:HB2	1.97	0.45	
1:D:196:ASN:OD1	1:D:197:HIS:N	2.45	0.45	
1:G:205:PRO:HA	3:L:68:PRO:HG3	1.97	0.45	
1:G:307:LYS:HA	1:G:342:LEU:HD23	1.97	0.45	
3:C:29:PRO:HG2	4:C:401:SF4:S4	2.57	0.45	
1:D:335:LEU:HD22	1:D:353:GLY:HA3	1.98	0.45	
1:J:17:VAL:HG13	1:J:22:VAL:HG21	1.98	0.45	
3:C:47:ILE:HD11	3:C:84:ILE:HD12	1.99	0.45	
3:L:229:TRP:HB2	3:L:231:PHE:CE2	2.52	0.45	
1:D:79:GLY:HA2	1:D:104:MET:HG3	1.99	0.45	
2:E:96:ILE:HD12	2:E:125:PHE:HB2	1.98	0.45	
3:F:76:ASN:HB2	3:F:79:ALA:HB3	1.97	0.45	
3:F:81:ALA:HB1	3:F:131:VAL:HG11	1.97	0.45	
1:A:24:VAL:HG21	1:A:69:ALA:HB1	1.99	0.45	
1:G:213:GLU:HB2	1:G:216:MET:HG2	1.99	0.45	
1:G:282:ARG:NH2	2:H:75:GLU:OE1	2.48	0.45	
1:J:79:GLY:HA2	1:J:104:MET:HG3	1.99	0.45	
1:J:154:GLY:HA3	1:J:163:GLN:NE2	2.31	0.45	
3:L:139:GLU:HB3	3:L:153:PRO:HD3	1.99	0.45	
1:A:76:VAL:HG21	1:A:102:VAL:HG22	1.99	0.45	
1:A:219:PRO:HB3	2:E:225:LEU:HA	1.99	0.45	



	lo ao pagoni	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:307:LYS:HA 1:A:342:LEU:HD23		1.99	0.45	
3:C:139:GLU:HB3	3:C:153:PRO:HD3	1.99	0.45	
2:E:25:ASN:OD1	2:E:26:LYS:N	2.50	0.45	
1:G:145:ASP:OD2	1:G:250:TYR:OH	2.18	0.45	
1:A:251:ASP:O	1:A:296:ARG:HD3	2.16	0.44	
2:E:109:SER:OG	2:E:132:LEU:HA	2.17	0.44	
1:J:273:MET:HG3	1:J:294:ARG:HG3	1.98	0.44	
1:D:243:ALA:HB2	1:D:249:LYS:HA	1.99	0.44	
2:E:94:SER:HA	2:E:311:LEU:HD21	1.99	0.44	
1:G:218:PRO:HG2	1:J:361:GLU:HG3	1.98	0.44	
3:I:59:SER:HA	3:I:60:TYR:HA	1.53	0.44	
2:K:278:ARG:NH1	3:L:13:ASP:OD1	2.45	0.44	
1:A:109:ARG:NH1	1:A:116:ASP:OD1	2.48	0.44	
1:D:161:LEU:O	1:D:163:GLN:NE2	2.43	0.44	
2:E:17:VAL:HG22	2:E:89:VAL:HB	1.99	0.44	
2:B:93:GLU:O	2:B:96:ILE:HG13	2.18	0.44	
1:D:213:GLU:HG2	1:D:215:ALA:H	1.82	0.44	
3:F:197:ILE:HD11	3:F:224:PRO:HD2	2.00	0.44	
1:G:33:TYR:HB3	1:G:81:SER:OG	2.17	0.44	
1:J:279:VAL:HG21	1:J:368:PHE:HB2	2.00	0.44	
1:D:252:PRO:HB2	1:D:253:TYR:CE2	2.53	0.44	
1:D:261:ASP:O	1:D:289:LYS:HD3	2.18	0.44	
2:H:110:THR:OG1	2:H:134:GLN:NE2	2.40	0.44	
3:L:51:GLY:HA2	5:L:402:TPP:H71	1.98	0.44	
3:C:29:PRO:HB3	3:C:136:TYR:CD2	2.53	0.44	
2:K:295:LEU:HD22	3:L:237:ILE:HD12	1.99	0.44	
3:L:248:MET:HG3	3:L:274:TYR:CD2	2.52	0.44	
2:B:46:VAL:HG12	2:B:69:ILE:HG12	1.99	0.44	
3:C:88:TYR:OH	1:D:200:LEU:O	2.29	0.44	
2:E:31:ILE:O	2:E:35:LEU:HD13	2.18	0.44	
2:E:110:THR:HG23	2:E:134:GLN:HB2	2.00	0.44	
3:F:29:PRO:HG2	4:F:401:SF4:S4	2.58	0.44	
1:D:307:LYS:HA	1:D:342:LEU:HD23	1.99	0.43	
2:E:58:ARG:O	2:E:61:VAL:HG12	2.18	0.43	
3:L:267:LYS:HD3	3:L:310:VAL:HG11	1.99	0.43	
1:A:321:VAL:HG13	1:A:357:GLY:HA3	2.00	0.43	
2:B:253:ARG:NH2	2:B:310:GLU:OE1	2.38	0.43	
3:C:33:TYR:CE1	3:C:107:MET:HG3	2.53	0.43	
1:G:154:GLY:HA3	1:G:163:GLN:NE2	2.33	0.43	
3:I:58:THR:CG2	1:J:211:GLN:H	2.31	0.43	
1:J:168:ASP:HB2	1:J:172:VAL:HG23	2.00	0.43	



	Interatomic Clash							
Atom-1	Atom-2	distance (Å)	overlap (Å)					
1:J:306:ILE:HG23	1:J:310:LEU:HD12	2.00	0.43					
2:B:193:PRO:O	2:B:197:ARG:HG3	2.19	0.43					
3:C:74:ILE:HD12	5:C:402:TPP:H72	2.00	0.43					
3:F:138:ASN:HB2	3:F:225:CYS:HB2	2.01	0.43					
1:G:65:VAL:O	3:L:83:GLY:HA3	2.19	0.43					
1:G:152:ARG:HD2	1:G:190:PHE:O	2.18	0.43					
3:I:2:LEU:HB2	3:I:212:ASN:HD21	1.84	0.43					
1:A:78:THR:OG1	1:A:79:GLY:N	2.52	0.43					
3:F:125:LEU:HB2	3:F:186:HIS:CD2	2.53	0.43					
1:G:273:MET:O	1:G:277:LYS:HG3	2.18	0.43					
1:G:284:ARG:HD2	1:G:284:ARG:HA	1.87	0.43					
1:J:367:GLU:HG2	1:J:370:ARG:HH21	1.84	0.43					
2:K:274:SER:HB2	3:L:19:PRO:HD3	2.01	0.43					
1:A:26:CYS:SG	1:A:62:GLN:HA	2.58	0.43					
3:F:229:TRP:HA	3:F:280:ARG:HD3	2.01	0.43					
1:G:264:VAL:HG12	1:G:315:ALA:HB3	1.99	0.43					
2:H:107:PRO:HA	2:H:131:ASN:HB3	2.00	0.43					
3:I:229:TRP:HB2	3:I:231:PHE:CE2	2.54	0.43					
3:L:229:TRP:HA	3:L:280:ARG:HD3	2.00	0.43					
3:C:169:GLU:OE1	3:C:169:GLU:N	2.44	0.43					
3:F:16:TYR:CD1	3:F:66:ARG:HD3	2.54	0.43					
3:I:68:PRO:HG3	1:J:205:PRO:HA	2.00	0.43					
3:I:75:THR:HG22	3:I:116:ILE:HG12	2.01	0.43					
2:K:38:ALA:HB1	2:K:181:VAL:HG11	2.01	0.43					
3:F:209:LYS:O	3:F:213:GLN:HG2	2.18	0.43					
1:G:367:GLU:HG2	1:G:370:ARG:HH22	1.84	0.43					
3:I:43:ASN:HA	1:J:202:PRO:HB3	2.00	0.43					
1:D:251:ASP:HA	1:D:252:PRO:HD3	1.93	0.43					
2:E:35:LEU:HD11	2:E:171:ALA:HB1	2.01	0.43					
2:E:89:VAL:HG22	2:E:112:VAL:HB	2.00	0.43					
3:I:125:LEU:HB2	3:I:186:HIS:CD2	2.53	0.43					
1:A:261:ASP:O	1:A:289:LYS:HD3	2.19	0.42					
2:B:120:ASP:OD1	2:B:206:ARG:NH1	2.51	0.42					
3:F:224:PRO:HB2	3:F:236:THR:HG23	2.01	0.42					
3:I:126:TYR:CE1	3:L:150:PRO:HA	2.54	0.42					
1:J:109:ARG:HA	1:J:119:GLU:HA	2.01	0.42					
3:C:225:CYS:HA	3:C:226:PRO:HD2	1.86	0.42					
1:J:33:TYR:HB3	1:J:81:SER:OG	2.19	0.42					
2:K:265:TYR:CD2	2:K:278:ARG:HD2	2.54	0.42					
1:D:181:ILE:HA	1:D:182:PRO:HD3	1.83	0.42					
2:E:107:PRO:HA	2:E:131:ASN:HB3	2.01	0.42					



		Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:J:141:GLN:OE1	1:J:180:ASP:N	2.47	0.42	
1:J:181:ILE:HA	1:J:182:PRO:HD3	1.81	0.42	
2:E:278:ARG:NE	3:F:13:ASP:OD1	2.51	0.42	
2:H:86:ASP:OD1	2:H:106:ARG:HD2	2.19	0.42	
1:G:207:ILE:HD11	2:K:237:PRO:HD3	2.00	0.42	
1:A:213:GLU:HG2	1:A:215:ALA:H	1.84	0.42	
3:F:18:VAL:HG22	3:F:64:PRO:O	2.19	0.42	
1:A:216:MET:C	1:A:219:PRO:HD2	2.40	0.42	
3:F:59:SER:HA	3:F:60:TYR:HA	1.61	0.42	
3:F:180:LYS:HE3	3:F:259:TYR:CE2	2.54	0.42	
1:A:365:HIS:NE2	2:B:75:GLU:O	2.48	0.42	
3:C:63:GLY:HA3	1:D:207:ILE:HD13	2.01	0.42	
3:I:57:ASN:O	3:I:64:PRO:HD3	2.20	0.42	
1:A:128:ARG:HB3	1:A:299:ARG:HH21	1.84	0.42	
2:B:59:ILE:HB	3:C:25:ALA:H	1.84	0.42	
1:D:89:MET:HA	1:D:92:TYR:CE2	2.54	0.42	
3:I:63:GLY:HA3	1:J:207:ILE:HD13	2.01	0.42	
3:L:104:ILE:HB	3:L:131:VAL:HG12	2.01	0.42	
3:L:298:ALA:O	3:L:302:GLU:HG3	2.20	0.42	
1:A:17:VAL:HG13	1:A:22:VAL:HG21	2.01	0.42	
1:A:306:ILE:HG23	1:A:310:LEU:HD12	2.02	0.42	
3:C:264:LYS:HD2	3:C:264:LYS:N	2.34	0.42	
1:D:93:SER:HB3	1:D:94:PRO:HD3	2.00	0.42	
3:F:33:TYR:CZ	3:F:107:MET:HG3	2.55	0.42	
3:I:128:GLY:HA2	3:I:216:PRO:HG3	2.01	0.42	
2:K:58:ARG:O	2:K:61:VAL:HG12	2.20	0.42	
2:B:209:PRO:HA	2:B:210:PRO:HD3	1.96	0.41	
3:F:264:LYS:HA	3:F:264:LYS:HD2	1.83	0.41	
1:G:52:GLU:HG2	3:L:90:ALA:HB2	2.01	0.41	
2:K:291:LYS:NZ	3:L:23:THR:O	2.44	0.41	
1:D:367:GLU:O	1:D:371:MET:HG3	2.20	0.41	
3:I:2:LEU:HB3	3:I:208:ARG:HH11	1.85	0.41	
3:F:57:ASN:O	3:F:64:PRO:HD3	2.20	0.41	
1:G:43:MET:O	1:G:48:GLU:N	2.52	0.41	
1:G:128:ARG:HG2	1:G:298:PHE:CE2	2.55	0.41	
1:G:302:PRO:HB2	1:G:305:GLN:HB2	2.02	0.41	
3:I:29:PRO:HB3	3:I:136:TYR:CD2	2.55	0.41	
1:J:286:LEU:HD23	1:J:286:LEU:HA	1.91	0.41	
3:L:179:PRO:HG3	3:L:220:HIS:CB	2.50	0.41	
1:G:76:VAL:HG21	1:G:102:VAL:HG22	2.02	0.41	
1:G:214:PRO:HB3	1:J:117:PHE:CE2	2.55	0.41	



	A + O	Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
2:H:18:TRP:CH2	H:18:TRP:CH2 2:H:64:ARG:HD3		0.41	
2:H:93:GLU:O	2:H:96:ILE:HG12	2.20	0.41	
3:I:138:ASN:HB2	3:I:225:CYS:HB2	2.02	0.41	
1:J:82:GLY:HA3	1:J:109:ARG:HD2	2.03	0.41	
1:A:18:ARG:HB2	1:A:43:MET:CE	2.50	0.41	
2:B:86:ASP:OD2	2:B:106:ARG:NH1	2.36	0.41	
3:C:169:GLU:OE2	3:C:172:LYS:HG2	2.21	0.41	
2:E:271:CYS:HA	2:E:272:PRO:HD3	1.91	0.41	
3:I:33:TYR:CZ	3:I:107:MET:HG3	2.56	0.41	
2:K:96:ILE:HD13	2:K:122:ILE:HD12	2.02	0.41	
2:E:120:ASP:O	2:E:124:GLU:HG3	2.20	0.41	
1:G:52:GLU:HG3	3:L:86:ALA:O	2.21	0.41	
1:J:89:MET:HA	1:J:92:TYR:CE2	2.56	0.41	
1:A:108:ASP:HB3	1:A:120:GLU:O	2.20	0.41	
2:B:57:ASP:OD1	2:B:57:ASP:N	2.46	0.41	
1:G:181:ILE:HA	1:G:182:PRO:HD3	1.81	0.41	
2:K:271:CYS:HA	2:K:272:PRO:HD3	1.95	0.41	
3:L:3:ASP:O	3:L:208:ARG:NH1	2.41	0.41	
3:L:222:HIS:HB2	3:L:249:PHE:CE1	2.55	0.41	
1:A:225:TYR:O	1:A:229:LYS:HG2	2.21	0.41	
2:B:17:VAL:HG22	2:B:89:VAL:HB	2.02	0.41	
3:C:152:THR:HB	3:C:171:LYS:HE3	2.02	0.41	
3:I:163:PRO:HB3	3:I:283:HIS:CD2	2.56	0.41	
3:I:232:PRO:HB2	3:I:235:LYS:HG2	2.03	0.41	
1:J:391:ILE:HA	1:J:392:PRO:HA	1.86	0.41	
2:K:129:THR:HB	2:K:132:LEU:HB3	2.02	0.41	
1:A:112:ASP:OD1	1:A:115:GLY:HA2	2.20	0.41	
2:B:170:ILE:O	2:B:174:VAL:HG23	2.20	0.41	
3:C:125:LEU:HB2	3:C:186:HIS:CD2	2.56	0.41	
1:D:273:MET:O	1:D:277:LYS:HG3	2.21	0.41	
3:F:169:GLU:OE2	3:F:169:GLU:N	2.51	0.41	
1:J:32:PRO:HD3	1:J:109:ARG:HB2	2.02	0.41	
2:K:192:ASN:HA	2:K:193:PRO:HD2	1.97	0.41	
1:A:335:LEU:HD22	1:A:353:GLY:HA3	2.02	0.41	
1:G:37:MET:HE1	1:G:78:THR:HA	2.02	0.41	
2:H:115:THR:HG21	2:H:122:ILE:HD11	2.03	0.41	
3:I:152:THR:HB	3:I:171:LYS:HE3	2.03	0.41	
3:C:18:VAL:HG22	3:C:64:PRO:O	2.21	0.40	
2:E:209:PRO:HA	2:E:210:PRO:HD3	1.92	0.40	
1:G:17:VAL:HG13	1:G:22:VAL:HG21	2.02	0.40	
1:G:343:TYR:CZ	1:J:346:GLY:HA2	2.56	0.40	



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:H:116:LYS:HE2	2:H:116:LYS:HB3	1.82	0.40
1:J:367:GLU:HG2	1:J:370:ARG:NH2	2.36	0.40
1:A:89:MET:HA	1:A:92:TYR:CE2	2.56	0.40
1:D:301:PHE:HA	1:D:302:PRO:HD3	1.88	0.40
1:G:142:GLU:OE2	1:G:294:ARG:NH1	2.53	0.40
1:G:200:LEU:HD21	3:L:70:ILE:HB	2.03	0.40
1:G:216:MET:C	1:G:219:PRO:HD2	2.42	0.40
3:I:54:TYR:O	3:I:58:THR:HG22	2.21	0.40
3:L:222:HIS:CE1	3:L:229:TRP:HH2	2.39	0.40
3:L:259:TYR:HB3	3:L:303:VAL:HG13	2.02	0.40
3:F:125:LEU:HD23	3:F:216:PRO:HB2	2.02	0.40
1:G:216:MET:HE3	2:K:228:MET:HB2	2.03	0.40
3:I:68:PRO:HD3	1:J:205:PRO:HB3	2.04	0.40
2:B:18:TRP:CH2	2:B:64:ARG:HD3	2.56	0.40
3:C:227:LYS:HD3	4:C:401:SF4:S2	2.62	0.40
3:I:29:PRO:HG2	4:I:401:SF4:S4	2.62	0.40
2:K:68:ARG:HH22	2:K:79:ILE:HB	1.86	0.40
2:K:293:CYS:O	3:L:234:ASP:HB3	2.22	0.40
3:L:169:GLU:OE1	3:L:169:GLU:N	2.53	0.40
1:A:33:TYR:HB3	1:A:81:SER:OG	2.21	0.40
2:E:115:THR:HG21	2:E:122:ILE:HD11	2.03	0.40
3:F:180:LYS:HE3	3:F:259:TYR:HE2	1.87	0.40
1:G:203:ARG:NH2	3:L:99:ALA:HB2	2.37	0.40
1:G:225:TYR:CE1	1:G:229:LYS:HD3	2.56	0.40
1:G:290:VAL:HB	1:G:372:PHE:CE1	2.57	0.40
1:J:251:ASP:O	1:J:296:ARG:HD3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	392/395~(99%)	378~(96%)	14 (4%)	0	100	100
1	D	392/395~(99%)	379~(97%)	12 (3%)	1 (0%)	41	61
1	G	392/395~(99%)	378~(96%)	14 (4%)	0	100	100
1	J	392/395~(99%)	378~(96%)	13 (3%)	1 (0%)	41	61
2	В	280/315~(89%)	272 (97%)	8 (3%)	0	100	100
2	Ε	289/315~(92%)	280~(97%)	9~(3%)	0	100	100
2	Н	287/315~(91%)	277~(96%)	10 (4%)	0	100	100
2	Κ	274/315~(87%)	267~(97%)	7 (3%)	0	100	100
3	С	310/314~(99%)	301 (97%)	8 (3%)	1 (0%)	41	61
3	F	308/314~(98%)	299 (97%)	8 (3%)	1 (0%)	41	61
3	Ι	307/314~(98%)	296 (96%)	10 (3%)	1 (0%)	41	61
3	L	308/314~(98%)	298 (97%)	9(3%)	1 (0%)	41	61
All	All	3931/4096~(96%)	3803 (97%)	122 (3%)	6 (0%)	47	68

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	L	146	ILE
3	F	146	ILE
3	Ι	146	ILE
3	С	146	ILE
1	D	114	PRO
1	J	114	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percenti	\mathbf{les}
1	А	319/322~(99%)	313~(98%)	6 (2%)	57 80)
1	D	317/322~(98%)	313~(99%)	4 (1%)	69 87	7
1	G	318/322~(99%)	312~(98%)	6 (2%)	57 80)

Continued on next page...



Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	J	318/322~(99%)	315~(99%)	3~(1%)	78	92
2	В	233/256~(91%)	233~(100%)	0	100	100
2	Ε	227/256~(89%)	227~(100%)	0	100	100
2	Н	236/256~(92%)	235~(100%)	1 (0%)	91	97
2	Κ	219/256~(86%)	219 (100%)	0	100	100
3	С	249/250~(100%)	248 (100%)	1 (0%)	91	97
3	F	245/250~(98%)	244 (100%)	1 (0%)	91	97
3	Ι	244/250~(98%)	242 (99%)	2(1%)	81	93
3	L	246/250~(98%)	244 (99%)	2 (1%)	81	93
All	All	3171/3312 (96%)	3145 (99%)	26 (1%)	81	93

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	33	TYR
1	А	119	GLU
1	А	174	HIS
1	А	198	HIS
1	А	260	ASP
1	А	292	VAL
3	С	33	TYR
1	D	33	TYR
1	D	119	GLU
1	D	174	HIS
1	D	198	HIS
3	F	33	TYR
1	G	33	TYR
1	G	110	THR
1	G	119	GLU
1	G	174	HIS
1	G	198	HIS
1	G	284	ARG
2	Н	211	HIS
3	Ι	33	TYR
3	Ι	94	LYS
1	J	33	TYR
1	J	119	GLU
1	J	198	HIS
3	L	33	TYR



Mol	Chain	Res	Type
3	L	266	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
3	С	178	ASN
2	Е	11	ASN
2	Е	131	ASN
2	К	204	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 20 ligands modelled in this entry, 4 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Tuno	Chain	Dog	Tink	Bond lengths			Bond angles			
MOI	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SF4	Ι	401	3	$0,\!12,\!12$	-	-	-		
4	SF4	Н	401	2	$0,\!12,\!12$	-	-	-		
4	SF4	Е	402	2	0,12,12	-	-	-		



Mal	Turne	Chain	Dec	Tink	Bo	ond leng	\mathbf{ths}	B	ond ang	les
IVIOI	туре	Unam	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
5	TPP	Ι	402	6	22,27,27	2.11	6 (27%)	29,40,40	1.46	6 (20%)
4	SF4	Е	401	2	0,12,12	-	-	-		
5	TPP	С	402	6	22,27,27	1.99	<mark>6 (27%)</mark>	29,40,40	1.57	7 (24%)
4	SF4	С	401	3	0,12,12	-	-	-		
5	TPP	L	402	6	22,27,27	2.02	6 (27%)	29,40,40	1.62	8 (27%)
4	SF4	K	401	2	0,12,12	-	-	-		
4	SF4	В	402	2	0,12,12	-	-	-		
4	SF4	L	401	3	0,12,12	-	-	-		
4	SF4	K	402	2	0,12,12	-	-	-		
4	SF4	Н	402	2	0,12,12	-	-	-		
4	SF4	F	401	3	0,12,12	-	-	-		
4	SF4	В	401	2	0,12,12	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	\mathbf{Res}	Link	Chirals	Torsions	Rings
4	SF4	Ι	401	3	-	-	0/6/5/5
4	SF4	Н	401	2	-	-	0/6/5/5
4	SF4	Е	402	2	-	-	0/6/5/5
5	TPP	Ι	402	6	-	3/16/17/17	0/2/2/2
4	SF4	Е	401	2	-	-	0/6/5/5
5	TPP	С	402	6	-	1/16/17/17	0/2/2/2
4	SF4	С	401	3	-	-	0/6/5/5
4	SF4	Κ	401	2	-	-	0/6/5/5
4	SF4	В	402	2	-	-	0/6/5/5
4	SF4	Κ	402	2	-	-	0/6/5/5
5	TPP	L	402	6	-	1/16/17/17	0/2/2/2
4	SF4	L	401	3	-	-	0/6/5/5
4	SF4	Н	402	2	-	-	0/6/5/5
4	SF4	F	401	3	-	-	0/6/5/5
4	SF4	В	401	2	-	-	0/6/5/5

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	Ι	402	TPP	C4-N3	-4.61	1.35	1.39
5	Ι	402	TPP	C6-C5	4.45	1.52	1.50
5	С	402	TPP	C4-N3	-4.44	1.35	1.39



Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	Ideal(Å)
5	L	402	TPP	C4-N3	-4.25	1.36	1.39
5	L	402	TPP	C6-C5	3.83	1.52	1.50
5	Ι	402	TPP	C4'-N4'	3.73	1.43	1.34
5	L	402	TPP	C4'-N4'	3.67	1.43	1.34
5	С	402	TPP	C4'-N4'	3.62	1.43	1.34
5	L	402	TPP	C7'-C5'	3.43	1.58	1.51
5	С	402	TPP	C6-C5	3.32	1.52	1.50
5	Ι	402	TPP	C7'-N3	-3.28	1.42	1.48
5	С	402	TPP	C7'-N3	-3.27	1.42	1.48
5	С	402	TPP	C7'-C5'	3.19	1.57	1.51
5	Ι	402	TPP	C7'-C5'	3.13	1.57	1.51
5	L	402	TPP	C7'-N3	-3.12	1.42	1.48
5	L	402	TPP	C6'-C5'	2.28	1.42	1.37
5	С	402	TPP	C6'-C5'	2.24	1.42	1.37
5	Ι	402	TPP	C6'-C5'	2.18	1.42	1.37

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
5	L	402	TPP	C6-C5-C4	-3.46	124.66	127.43
5	С	402	TPP	C6'-N1'-C2'	3.14	121.30	115.96
5	L	402	TPP	C6'-N1'-C2'	3.13	121.28	115.96
5	Ι	402	TPP	C6'-N1'-C2'	3.03	121.11	115.96
5	С	402	TPP	C5'-C7'-N3	2.86	118.03	113.28
5	С	402	TPP	C6-C5-C4	-2.85	125.15	127.43
5	Ι	402	TPP	C5'-C7'-N3	2.65	117.69	113.28
5	Ι	402	TPP	C5'-C6'-N1'	-2.58	119.52	123.82
5	С	402	TPP	C5'-C6'-N1'	-2.57	119.54	123.82
5	L	402	TPP	C5'-C7'-N3	2.56	117.54	113.28
5	L	402	TPP	C5'-C6'-N1'	-2.53	119.61	123.82
5	L	402	TPP	PA-O3A-PB	-2.52	124.19	132.83
5	Ι	402	TPP	PA-O3A-PB	-2.50	124.24	132.83
5	С	402	TPP	PA-O3A-PB	-2.38	124.65	132.83
5	Ι	402	TPP	N4'-C4'-N3'	2.32	120.31	117.03
5	L	402	TPP	CM4-C4-N3	2.30	125.47	122.53
5	С	402	TPP	N4'-C4'-N3'	2.25	120.22	117.03
5	L	402	TPP	N4'-C4'-N3'	2.16	120.08	117.03
5	С	402	TPP	N1'-C2'-N3'	-2.15	121.83	125.54
5	L	402	TPP	N1'-C2'-N3'	-2.14	121.86	125.54
5	Ι	402	TPP	N1'-C2'-N3'	-2.07	121.97	125.54

There are no chirality outliers.



Mol	Chain	Res	Type	Atoms
5	Ι	402	TPP	C4'-C5'-C7'-N3
5	Ι	402	TPP	C5-C6-C7-O7
5	L	402	TPP	PB-O3A-PA-O7
5	С	402	TPP	C5-C6-C7-O7
5	Ι	402	TPP	C6'-C5'-C7'-N3

All (5) torsion outliers are listed below:

There are no ring outliers.

7 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	Ι	401	SF4	1	0
5	Ι	402	TPP	1	0
5	С	402	TPP	2	0
4	С	401	SF4	2	0
5	L	402	TPP	1	0
4	L	401	SF4	1	0
4	F	401	SF4	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	394/395~(99%)	-0.38	0 100 100	21, 32, 47, 55	0
1	D	394/395~(99%)	-0.37	1 (0%) 94 94	22, 35, 47, 52	0
1	G	394/395~(99%)	-0.53	0 100 100	19, 25, 33, 44	0
1	J	394/395~(99%)	-0.47	0 100 100	21, 30, 38, 44	0
2	В	286/315~(90%)	-0.16	1 (0%) 94 94	24, 42, 58, 69	0
2	Ε	295/315~(93%)	0.81	53 (17%) 1 1	26, 66, 105, 117	0
2	Н	291/315~(92%)	-0.20	1 (0%) 94 94	27, 40, 56, 61	0
2	Κ	280/315~(88%)	0.07	4 (1%) 75 77	26, 54, 76, 82	0
3	С	312/314~(99%)	-0.48	2 (0%) 89 90	20, 25, 38, 51	0
3	\mathbf{F}	310/314~(98%)	-0.44	2 (0%) 89 90	20, 29, 41, 54	0
3	Ι	309/314~(98%)	-0.32	1 (0%) 94 94	25, 33, 45, 62	0
3	L	$31\overline{0/314}~(98\%)$	-0.31	2 (0%) 89 90	25, 35, 47, 60	0
All	All	$\overline{3969/4096}\ (96\%)$	-0.26	67 (1%) 70 72	19, 33, 67, 117	0

All (67) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	Е	205	VAL	6.8
2	Е	110	THR	5.7
2	Е	138	VAL	5.7
2	Е	126	LEU	5.4
2	В	218	ALA	5.2
2	Е	180	ILE	5.2
3	С	311	ALA	4.7
2	Е	127	GLY	4.5
2	Е	168	ALA	4.1
2	Е	136	VAL	4.1
2	E	189	VAL	4.0



Mol	Chain	Res	Type	RSRZ	
2	Е	167	ALA	3.9	
2	Е	174	VAL	3.9	
2	Е	141	ASN	3.9	
2	Е	129	THR	3.8	
2	Е	140	ALA	3.7	
2	Е	133	ALA	3.7	
2	Е	135	ILE	3.6	
2	Е	89	VAL	3.5	
2	Е	190	VAL	3.4	
2	Е	172	GLY	3.4	
2	Е	87	ILE	3.4	
2	Е	36	THR	3.4	
2	Е	33	VAL	3.1	
2	Е	38	ALA	3.1	
2	Е	148	MET	3.1	
2	Е	175	VAL	3.1	
3	F	308	PRO	3.0	
2	Ε	181	VAL	3.0	
2	Е	71	SER	2.9	
2	Е	194	ALA	2.8	
2	Е	193	PRO	2.8	
2	Е	114	ASN	2.8	
2	Ε	171	ALA	2.7	
2	Е	226	ARG	2.6	
2	Ε	102	LEU	2.6	
2	Ε	134	GLN	2.6	
2	Е	152	GLY	2.6	
3	L	309	VAL	2.6	
2	Е	158	ASP	2.5	
2	Ε	199	GLY	2.5	
2	K	28	ALA	2.5	
2	H	172	GLY	2.5	
2	E	125	PHE	2.5	
2	Е	112	VAL	2.4	
3	C	312	SER	2.4	
2	E	200	TYR	2.3	
2	E	99	VAL	2.3	
2	E	34	ALA	2.3	
2	K	190	VAL	2.3	
2	Е	123	LEU	2.3	
2	Е	204	GLN	2.2	
2	Е	11	ASN	2.2	



Mol	Chain	Res	Type	RSRZ	
2	Е	210	PRO	2.2	
1	D	114	PRO	2.2	
2	Е	107	PRO	2.2	
2	Е	111	LEU	2.2	
2	Κ	209	PRO	2.2	
3	Ι	265	VAL	2.2	
2	Е	203	ALA	2.2	
2	Е	84	THR	2.2	
2	Е	132	LEU	2.1	
2	Κ	38	ALA	2.1	
2	Е	147	VAL	2.1	
3	F	1	MET	2.0	
3	L	305	ILE	2.0	
2	Е	91	VAL	2.0	

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
6	MG	L	403	1/1	0.96	0.12	32,32,32,32	0
4	SF4	L	401	8/8	0.97	0.11	31,31,33,36	0
5	TPP	С	402	26/26	0.97	0.11	19,22,23,24	0
5	TPP	Ι	402	26/26	0.97	0.11	22,26,27,28	0
5	TPP	L	402	26/26	0.97	0.12	25,31,33,33	0
6	MG	С	403	1/1	0.97	0.09	19,19,19,19	0
4	SF4	В	402	8/8	0.97	0.11	28,29,33,34	0
7	O2T	F	402[A]	32/32	0.97	0.13	24,28,31,31	6
4	SF4	Ι	401	8/8	0.98	0.11	25,28,31,32	0



Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	SF4	K	401	8/8	0.98	0.11	33,35,37,37	0
4	SF4	В	401	8/8	0.98	0.13	23,25,28,28	0
4	SF4	С	401	8/8	0.98	0.09	21,23,24,25	0
4	SF4	Е	401	8/8	0.98	0.14	27,32,34,34	0
4	SF4	Е	402	8/8	0.98	0.11	$30,\!32,\!33,\!35$	0
4	SF4	F	401	8/8	0.98	0.10	24,30,31,31	0
6	MG	F	403	1/1	0.98	0.09	26,26,26,26	0
6	MG	Ι	403	1/1	0.98	0.11	26,26,26,26	0
4	SF4	Н	401	8/8	0.98	0.13	$26,\!30,\!34,\!35$	0
4	SF4	Н	402	8/8	0.98	0.12	31,34,35,36	0
4	SF4	К	402	8/8	0.99	0.09	31,33,35,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









6.5 Other polymers (i)

There are no such residues in this entry.

