



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 15, 2023 – 12:26 PM EDT

PDB ID : 8F1B
Title : Structure of zinc-bound ZrgA deletion 124-184 from *Vibrio cholerae*
Authors : Valencia, D.W.; Yukl, E.T.
Deposited on : 2022-11-04
Resolution : 2.41 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4647 (2.44-2.40)
Clashscore	141614	5161 (2.44-2.40)
Ramachandran outliers	138981	5073 (2.44-2.40)
Sidechain outliers	138945	5074 (2.44-2.40)
RSRZ outliers	127900	4543 (2.44-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	160	 72% 13% 15%
1	B	160	 74% 11% 15%
1	C	160	 78% 14% 9%
1	D	160	 74% 17% 8%
1	E	160	 69% 14% 15%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	160	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into three segments: a green segment on the left labeled '64%', a yellow segment in the middle labeled '19%', and a grey segment on the right labeled '16%'. A small red square is at the beginning of the bar, and a small black dot is at the end of the grey segment. A '%' symbol is located above the start of the bar.</p>

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6793 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Zinc-binding protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	136	1082	684	187	209	2	0	0	0
1	B	136	1082	684	187	209	2	0	0	0
1	C	146	1164	735	202	225	2	0	0	0
1	D	147	1172	739	203	228	2	0	0	0
1	E	136	1082	684	187	209	2	0	0	0
1	F	135	1084	686	187	209	2	0	1	0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total 3	Zn 3	0	0
2	B	4	Total 4	Zn 4	0	0
2	C	4	Total 4	Zn 4	0	0
2	D	4	Total 4	Zn 4	0	0
2	E	3	Total 3	Zn 3	0	0
2	F	3	Total 3	Zn 3	0	0

- Molecule 3 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C₆H₁₄O₄).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	C O	0	0
			10	6 4		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	26	Total	O	0	0
			26	26		
4	B	22	Total	O	0	0
			22	22		
4	C	18	Total	O	0	0
			18	18		
4	D	13	Total	O	0	0
			13	13		
4	E	5	Total	O	0	0
			5	5		
4	F	12	Total	O	0	0
			12	12		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Zinc-binding protein




- Molecule 1: Zinc-binding protein




- Molecule 1: Zinc-binding protein




- Molecule 1: Zinc-binding protein



- Molecule 1: Zinc-binding protein



- Molecule 1: Zinc-binding protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	81.99Å 66.91Å 88.24Å 90.00° 99.92° 90.00°	Depositor
Resolution (Å)	46.67 – 2.41 46.63 – 2.41	Depositor EDS
% Data completeness (in resolution range)	99.2 (46.67-2.41) 99.2 (46.63-2.41)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.32 (at 2.42Å)	Xtrriage
Refinement program	REFMAC 7.1.018	Depositor
R, R_{free}	0.218 , 0.262 0.225 , 0.264	Depositor DCC
R_{free} test set	1734 reflections (4.77%)	wwPDB-VP
Wilson B-factor (Å ²)	36.4	Xtrriage
Anisotropy	0.079	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 34.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6793	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, PGE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.62	0/1102	0.70	0/1488
1	B	0.59	0/1102	0.70	0/1488
1	C	0.62	0/1188	0.72	0/1605
1	D	0.60	0/1197	0.70	0/1618
1	E	0.60	0/1102	0.71	0/1488
1	F	0.60	0/1107	0.70	0/1495
All	All	0.60	0/6798	0.70	0/9182

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	E	227	GLN	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1082	0	1060	14	0
1	B	1082	0	1060	10	1
1	C	1164	0	1123	14	1
1	D	1172	0	1128	18	0
1	E	1082	0	1060	19	1
1	F	1084	0	1065	21	0
2	A	3	0	0	0	0
2	B	4	0	0	0	0
2	C	4	0	0	0	0
2	D	4	0	0	0	0
2	E	3	0	0	0	0
2	F	3	0	0	0	1
3	B	10	0	14	0	0
4	A	26	0	0	2	0
4	B	22	0	0	0	0
4	C	18	0	0	0	0
4	D	13	0	0	0	0
4	E	5	0	0	0	0
4	F	12	0	0	1	0
All	All	6793	0	6510	92	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:210:GLN:NE2	4:F:401:HOH:O	1.86	1.03
1:F:70:GLN:N	1:F:74:GLN:OE1	2.07	0.85
1:F:226:LYS:NZ	1:F:242:LEU:OXT	2.13	0.81
1:C:62:VAL:HG23	1:C:63:VAL:HG13	1.66	0.77
1:F:62:VAL:HG21	1:F:187:PHE:CD1	2.30	0.67
1:E:35:HIS:HD2	1:E:58:PRO:HB3	1.61	0.66
1:F:236:LYS:HE3	1:F:236:LYS:HA	1.78	0.65
1:A:200:GLN:NE2	4:A:401:HOH:O	2.25	0.62
1:F:201:LEU:HG	1:F:242:LEU:HD11	1.81	0.62
1:E:201:LEU:CD1	1:E:242:LEU:HD12	2.29	0.61
1:F:88:PRO:HG3	1:F:191:TYR:CD1	2.37	0.59
1:C:205:ASP:O	1:C:207:GLN:NE2	2.36	0.58
1:E:202:LYS:O	1:E:242:LEU:N	2.33	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:194:HIS:CD2	1:E:196:GLU:OE1	2.59	0.56
1:A:67:HIS:NE2	4:A:402:HOH:O	2.27	0.55
1:F:51:LEU:HD22	1:F:201:LEU:HD21	1.88	0.55
1:A:111:LEU:HD12	1:A:111:LEU:N	2.23	0.54
1:C:223:LEU:HD23	1:C:228:GLN:HG3	1.91	0.53
1:D:223:LEU:C	1:D:223:LEU:HD13	2.29	0.52
1:D:92:PHE:CE1	1:D:206:THR:HG23	2.45	0.52
1:E:203:GLN:HA	1:E:240:ILE:O	2.11	0.51
1:A:49:HIS:CE1	1:A:196:GLU:OE1	2.64	0.50
1:B:62:VAL:HG12	1:B:81:ALA:HB1	1.94	0.50
1:C:196:GLU:HA	1:C:196:GLU:OE1	2.12	0.50
1:C:223:LEU:C	1:C:223:LEU:HD13	2.32	0.49
1:D:55:ILE:O	1:D:188:THR:HA	2.13	0.49
1:E:222:VAL:HB	1:E:229:SER:HB2	1.94	0.48
1:B:51:LEU:HD22	1:B:201:LEU:HD21	1.95	0.48
1:B:53:LEU:HD12	1:B:53:LEU:N	2.28	0.48
1:F:223:LEU:C	1:F:223:LEU:HD23	2.33	0.48
1:C:62:VAL:HG21	1:C:187:PHE:CD1	2.48	0.48
1:E:99:GLN:O	1:E:195:CYS:HA	2.14	0.48
1:C:223:LEU:HD23	1:C:228:GLN:CG	2.43	0.48
1:D:106:LEU:HB3	1:D:190:GLN:HB3	1.96	0.48
1:C:108:LYS:HD3	1:E:106:LEU:HD12	1.96	0.48
1:D:199:ASP:O	1:D:202:LYS:HE2	2.13	0.48
1:E:227:GLN:OE1	1:E:242:LEU:HA	2.13	0.47
1:B:68:ALA:O	1:B:70:GLN:NE2	2.30	0.47
1:E:225:GLU:HA	1:E:225:GLU:OE2	2.15	0.47
1:D:62:VAL:HG21	1:D:187:PHE:CG	2.49	0.47
1:D:205:ASP:O	1:D:206:THR:O	2.33	0.47
1:A:106:LEU:C	1:A:106:LEU:HD23	2.35	0.47
1:E:62:VAL:HG21	1:E:187:PHE:CD2	2.49	0.47
1:D:41:GLU:N	1:D:41:GLU:OE2	2.48	0.47
1:D:62:VAL:HG21	1:D:187:PHE:CD1	2.50	0.46
1:E:63:VAL:HG22	1:E:65:PHE:CE2	2.50	0.46
1:E:76:GLN:HG2	1:E:80:LYS:HE3	1.98	0.46
1:E:201:LEU:HD11	1:E:242:LEU:HD12	1.96	0.46
1:F:196:GLU:HA	1:F:196:GLU:OE1	2.16	0.46
1:B:62:VAL:CG1	1:B:81:ALA:HB1	2.46	0.45
1:A:106:LEU:HD23	1:A:107:ILE:N	2.32	0.45
1:D:53:LEU:HD12	1:D:53:LEU:N	2.32	0.45
1:A:42:LEU:O	1:A:220:ALA:HA	2.17	0.45
1:E:106:LEU:C	1:E:106:LEU:HD23	2.37	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:241:LYS:HD2	1:B:236:LYS:O	2.17	0.44
1:E:59:GLY:O	1:E:63:VAL:HG12	2.17	0.44
1:C:62:VAL:HG21	1:C:187:PHE:CE1	2.52	0.44
1:B:51:LEU:HG	1:B:53:LEU:HD11	1.99	0.44
1:E:35:HIS:O	1:E:36:VAL:HG23	2.17	0.44
1:D:42:LEU:O	1:D:220:ALA:HA	2.18	0.44
1:F:197:ALA:HB1	1:F:200:GLN:HG2	2.00	0.44
1:A:40:VAL:O	1:A:218:ILE:HA	2.18	0.43
1:C:55:ILE:HG13	1:C:189:ALA:HB3	2.00	0.43
1:A:103:ARG:CZ	1:D:121:ALA:HB2	2.49	0.43
1:E:35:HIS:CD2	1:E:58:PRO:HB3	2.48	0.43
1:B:88:PRO:HB3	1:B:191:TYR:CD2	2.53	0.43
1:C:41:GLU:O	1:C:55:ILE:HA	2.18	0.43
1:A:65:PHE:CZ	1:A:74:GLN:HB3	2.54	0.43
1:C:62:VAL:CG2	1:C:187:PHE:CE1	3.03	0.42
1:A:189:ALA:HB1	1:A:191:TYR:CZ	2.54	0.42
1:B:48:GLY:O	1:B:198:VAL:HG11	2.19	0.42
1:D:52:LEU:C	1:D:53:LEU:HD12	2.40	0.42
1:F:44:ILE:CG2	1:F:51:LEU:HD11	2.49	0.42
1:F:46:GLN:HB2	1:F:51:LEU:CD1	2.50	0.42
1:D:62:VAL:HA	1:D:212:PHE:CD1	2.55	0.41
1:F:46:GLN:HB2	1:F:51:LEU:HD13	2.02	0.41
1:F:230:ALA:O	1:F:231:LEU:HD12	2.20	0.41
1:F:44:ILE:HG12	1:F:53:LEU:HG	2.02	0.41
1:A:52:LEU:HD12	1:A:191:TYR:O	2.20	0.41
1:F:69:PRO:HA	1:F:74:GLN:OE1	2.21	0.41
1:F:106:LEU:HD23	1:F:106:LEU:C	2.41	0.41
1:F:75:LYS:O	1:F:79:GLU:HG2	2.21	0.41
1:F:203:GLN:HA	1:F:242:LEU:HD23	2.02	0.41
1:C:40:VAL:HG23	1:C:215:THR:HG23	2.03	0.41
1:D:231:LEU:N	1:D:231:LEU:HD23	2.36	0.41
1:F:68:ALA:O	1:F:70:GLN:NE2	2.52	0.41
1:A:107:ILE:O	1:D:106:LEU:HA	2.20	0.40
1:B:52:LEU:C	1:B:53:LEU:HD12	2.41	0.40
1:D:204:ILE:HD11	1:D:242:LEU:HD11	2.03	0.40
1:E:200:GLN:O	1:E:202:LYS:HG3	2.21	0.40
1:C:42:LEU:HD13	1:C:55:ILE:HG23	2.03	0.40
1:D:40:VAL:O	1:D:218:ILE:HA	2.21	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:79:GLU:OE2	2:F:303:ZN:ZN[1_455]	1.69	0.51
1:C:50:ASP:OD2	1:E:225:GLU:OE1[2_555]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	132/160 (82%)	130 (98%)	2 (2%)	0	100	100
1	B	132/160 (82%)	128 (97%)	3 (2%)	1 (1%)	19	27
1	C	142/160 (89%)	129 (91%)	10 (7%)	3 (2%)	7	7
1	D	145/160 (91%)	132 (91%)	11 (8%)	2 (1%)	11	14
1	E	132/160 (82%)	125 (95%)	7 (5%)	0	100	100
1	F	132/160 (82%)	127 (96%)	5 (4%)	0	100	100
All	All	815/960 (85%)	771 (95%)	38 (5%)	6 (1%)	22	31

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	206	THR
1	C	99	GLN
1	D	123	GLY
1	C	48	GLY
1	C	123	GLY
1	B	185	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	116/136 (85%)	113 (97%)	3 (3%)	46	64
1	B	116/136 (85%)	114 (98%)	2 (2%)	60	77
1	C	123/136 (90%)	120 (98%)	3 (2%)	49	67
1	D	124/136 (91%)	121 (98%)	3 (2%)	49	67
1	E	116/136 (85%)	115 (99%)	1 (1%)	78	89
1	F	117/136 (86%)	110 (94%)	7 (6%)	19	30
All	All	712/816 (87%)	693 (97%)	19 (3%)	47	63

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	72	ASP
1	A	86	HIS
1	A	192	GLN
1	B	35	HIS
1	B	214	SER
1	C	95	SER
1	C	96	ASP
1	C	186	SER
1	D	70	GLN
1	D	72	ASP
1	D	80	LYS
1	E	35	HIS
1	F	61	ASP
1	F	186	SER
1	F	188	THR
1	F	207[A]	GLN
1	F	207[B]	GLN
1	F	217	LYS
1	F	242	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	39	GLN
1	E	46	GLN
1	E	49	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 22 ligands modelled in this entry, 21 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PGE	B	301	-	9,9,9	0.20	0	8,8,8	0.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PGE	B	301	-	-	2/7/7/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	301	PGE	O2-C3-C4-O3
3	B	301	PGE	C4-C3-O2-C2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	136/160 (85%)	-0.23	0 100 100	22, 33, 49, 66	0
1	B	136/160 (85%)	-0.19	1 (0%) 87 86	21, 35, 49, 75	0
1	C	146/160 (91%)	0.05	3 (2%) 63 60	23, 38, 72, 111	0
1	D	147/160 (91%)	0.00	2 (1%) 75 73	26, 40, 69, 88	0
1	E	136/160 (85%)	0.34	5 (3%) 41 40	28, 48, 85, 103	0
1	F	135/160 (84%)	0.02	2 (1%) 73 71	30, 48, 71, 97	0
All	All	836/960 (87%)	-0.00	13 (1%) 72 69	21, 40, 71, 111	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	35	HIS	4.5
1	C	34	ALA	4.0
1	E	39	GLN	3.6
1	C	116	TYR	3.6
1	E	36	VAL	3.5
1	C	119	SER	3.3
1	E	242	LEU	2.5
1	B	123	GLY	2.3
1	E	99	GLN	2.3
1	F	227	GLN	2.3
1	D	112	GLY	2.2
1	D	114	GLU	2.2
1	F	226	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	PGE	B	301	10/10	0.72	0.18	61,80,90,93	0
2	ZN	E	302	1/1	0.88	0.22	80,80,80,80	1
2	ZN	C	304	1/1	0.91	0.07	55,55,55,55	1
2	ZN	C	303	1/1	0.93	0.07	54,54,54,54	1
2	ZN	D	304	1/1	0.93	0.07	52,52,52,52	1
2	ZN	D	303	1/1	0.95	0.08	51,51,51,51	1
2	ZN	E	303	1/1	0.97	0.08	60,60,60,60	1
2	ZN	B	305	1/1	0.97	0.05	51,51,51,51	1
2	ZN	B	303	1/1	0.98	0.09	62,62,62,62	1
2	ZN	F	301	1/1	0.98	0.07	43,43,43,43	1
2	ZN	F	302	1/1	0.98	0.06	62,62,62,62	1
2	ZN	B	304	1/1	0.98	0.08	39,39,39,39	0
2	ZN	E	301	1/1	0.99	0.09	33,33,33,33	0
2	ZN	B	302	1/1	0.99	0.08	40,40,40,40	0
2	ZN	A	302	1/1	0.99	0.07	34,34,34,34	0
2	ZN	D	301	1/1	0.99	0.12	43,43,43,43	0
2	ZN	C	301	1/1	0.99	0.10	31,31,31,31	0
2	ZN	F	303	1/1	0.99	0.09	49,49,49,49	0
2	ZN	C	302	1/1	0.99	0.08	38,38,38,38	0
2	ZN	A	303	1/1	1.00	0.09	33,33,33,33	0
2	ZN	A	301	1/1	1.00	0.08	32,32,32,32	0
2	ZN	D	302	1/1	1.00	0.05	33,33,33,33	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around ZN E 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN C 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN C 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN D 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN D 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN E 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN B 305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN B 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN F 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around ZN F 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN B 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN E 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN A 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN D 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN F 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN C 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN A 303:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ZN A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.