



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 21, 2023 – 04:04 AM JST

PDB ID : 7F3Y
Title : Wild-type Plasmodium falciparum dihydrofolate reductase-thymidylate synthase (PfDHFR-TS) complexed with methotrexate (MTX), NADPH and dUMP
Authors : Vanichtanankul, J.; Tanramluk, D.; Yuvaniyama, J.; Yuthavong, Y.
Deposited on : 2021-06-17
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1377 (2.26-2.26)
Clashscore	141614	1487 (2.26-2.26)
Ramachandran outliers	138981	1449 (2.26-2.26)
Sidechain outliers	138945	1450 (2.26-2.26)
RSRZ outliers	127900	1356 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	608	 6% 76% 13% • 10%
1	B	608	 9% 76% 12% • 10%

2 Entry composition i


There are 6 unique types of molecules in this entry. The entry contains 9868 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bifunctional dihydrofolate reductase-thymidylate synthase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	547	Total	C	N	O	S	0	0	0
			4543	2931	750	834	28			
1	B	546	Total	C	N	O	S	0	0	0
			4532	2926	749	829	28			

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: $C_{21}H_{30}N_7O_{17}P_3$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is METHOTREXATE (three-letter code: MTX) (formula: $C_{20}H_{22}N_8O_5$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
			Total	C	N			O
3	A	1	Total	C	N	O	0	0
			33	20	8	5		
3	A	1	Total	C	N	O	0	0
			33	20	8	5		
3	B	1	Total	C	N	O	0	0
			33	20	8	5		

- Molecule 4 is 2'-DEOXYURIDINE 5'-MONOPHOSPHATE (three-letter code: UMP) (formula: $C_9H_{13}N_2O_8P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
4	B	1	Total	C	N	O	P	0	0
			20	9	2	8	1		

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	293	Total	O	0	0
			293	293		
6	B	253	Total	O	0	0
			253	253		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bifunctional dihydrofolate reductase-thymidylate synthase



- Molecule 1: Bifunctional dihydrofolate reductase-thymidylate synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	56.68Å 154.40Å 164.16Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	27.58 – 2.25 27.56 – 2.25	Depositor EDS
% Data completeness (in resolution range)	93.9 (27.58-2.25) 94.0 (27.56-2.25)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.45 (at 2.26Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.182 , 0.233 0.189 , 0.234	Depositor DCC
R_{free} test set	3247 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	30.4	Xtrriage
Anisotropy	0.056	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 39.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9868	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: UMP, MTX, NDP, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.71	0/4648	0.86	0/6272
1	B	0.73	0/4637	0.88	1/6257 (0.0%)
All	All	0.72	0/9285	0.87	1/12529 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	293	PHE	CB-CA-C	5.31	121.01	110.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4543	0	4497	46	0
1	B	4532	0	4491	40	0
2	A	48	0	26	1	0
2	B	48	0	26	3	0
3	A	66	0	40	2	0
3	B	33	0	20	2	0
4	A	20	0	11	5	0
4	B	20	0	11	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	6	0	8	0	0
5	B	6	0	8	0	0
6	A	293	0	0	8	0
6	B	253	0	0	5	0
All	All	9868	0	9138	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:370:THR:HG21	1:B:569:TYR:H	1.30	0.93
1:B:210:VAL:HG12	6:B:822:HOH:O	1.70	0.90
1:B:370:THR:CG2	1:B:569:TYR:H	1.86	0.88
1:A:327:GLN:HE22	1:A:359:LYS:H	1.22	0.86
1:A:461:ASN:HB2	6:A:804:HOH:O	1.80	0.82
1:B:370:THR:HG21	1:B:569:TYR:N	2.03	0.74
1:A:521:ASN:HD21	4:A:703:UMP:HN3	1.36	0.72
1:A:59:CYS:SG	6:A:1059:HOH:O	2.49	0.69
1:A:100:ASN:HD22	1:A:160:LYS:H	1.45	0.64
1:A:455:GLN:HE22	1:A:475:CYS:H	1.44	0.64
1:B:328:TYR:CZ	1:B:332:ILE:HD11	2.33	0.64
1:B:421:ARG:NH1	6:B:801:HOH:O	2.26	0.60
1:B:335:ILE:CD1	1:B:514:LEU:HD13	2.33	0.58
1:B:455:GLN:HE22	1:B:475:CYS:H	1.53	0.55
1:B:509:GLN:HE22	1:B:521:ASN:ND2	2.05	0.55
1:A:491:HIS:ND1	6:A:803:HOH:O	2.34	0.54
1:A:109:TRP:CZ2	1:A:117:LYS:HD2	2.42	0.54
1:A:493:LEU:HD22	1:B:492:ILE:HG21	1.90	0.54
1:A:461:ASN:CB	6:A:804:HOH:O	2.45	0.54
1:A:19:LYS:HG2	1:A:36:THR:HG22	1.89	0.53
1:B:22:SER:HB2	1:B:25:GLU:HB3	1.90	0.53
1:A:327:GLN:NE2	1:A:359:LYS:H	2.01	0.53
1:B:399:LYS:HE2	6:B:816:HOH:O	2.09	0.53
1:A:491:HIS:CE1	4:A:703:UMP:O4	2.64	0.51
1:B:325:GLU:OE1	1:B:370:THR:HB	2.09	0.51
1:B:332:ILE:HD13	1:B:560:LEU:HD22	1.91	0.51
1:A:210:VAL:HB	6:A:985:HOH:O	2.11	0.50
1:B:349:GLY:HA3	1:B:554:ASN:ND2	2.27	0.50
1:A:344:ASP:OD2	1:A:346:THR:OG1	2.27	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:160:LYS:HE3	6:B:874:HOH:O	2.12	0.49
1:A:354:PHE:CE2	1:B:506:ILE:HG13	2.47	0.49
1:A:411:GLU:OE2	6:A:801:HOH:O	2.20	0.49
1:A:302:LYS:HE3	1:A:339:GLY:O	2.12	0.49
1:A:437:PHE:CD1	1:B:479:VAL:HB	2.47	0.49
1:B:312:PHE:HA	1:B:565:ASN:HD21	1.77	0.49
1:B:329:LEU:HD22	1:B:564:LEU:HD12	1.95	0.48
1:A:491:HIS:HE1	4:A:703:UMP:O4	1.96	0.48
2:B:701:NDP:H42N	3:B:702:MTX:N5	2.28	0.48
1:B:172:GLU:OE2	2:B:701:NDP:N7A	2.47	0.48
3:A:704:MTX:H13	3:A:704:MTX:C6	2.45	0.47
1:A:553:TYR:HB3	1:A:555:ASN:OD1	2.15	0.47
1:B:214:TYR:O	1:B:220:THR:HA	2.14	0.47
1:A:490:CYS:SG	4:A:703:UMP:C6	3.08	0.46
1:A:108:SER:OG	2:A:701:NDP:H6N	2.15	0.46
1:B:17:CYS:HA	1:B:39:GLY:O	2.17	0.45
1:A:516:LEU:HD21	3:A:704:MTX:HB2	1.98	0.45
1:A:335:ILE:HD12	1:A:514:LEU:HD13	1.99	0.44
1:A:560:LEU:HD13	1:A:604:MET:HE1	1.99	0.44
1:B:12:TYR:CD1	1:B:181:LYS:HB2	2.52	0.44
1:B:301:GLU:O	1:B:304:LYS:HB2	2.17	0.44
1:A:38:ARG:O	1:A:196:PHE:HA	2.17	0.44
1:B:96:LYS:HA	1:B:96:LYS:HE2	1.98	0.44
1:B:221:LEU:HD12	1:B:221:LEU:N	2.32	0.44
1:A:512:CYS:SG	1:A:547:LEU:HD22	2.58	0.43
1:B:309:PRO:HA	1:B:312:PHE:HD2	1.82	0.43
1:B:344:ASP:O	1:B:346:THR:O	2.36	0.43
1:B:174:LEU:HD12	1:B:198:PRO:HG2	2.00	0.43
1:B:116:PHE:CD1	3:B:702:MTX:HB1	2.54	0.43
1:A:301:GLU:O	1:A:304:LYS:HB3	2.19	0.43
1:A:335:ILE:CD1	1:A:514:LEU:HD13	2.49	0.43
1:A:582:ASN:HB3	6:A:893:HOH:O	2.17	0.43
1:B:335:ILE:HD12	1:B:514:LEU:HD13	2.00	0.43
1:B:551:HIS:HE1	4:B:703:UMP:O3'	2.02	0.43
1:B:370:THR:HG22	1:B:568:PRO:HA	2.01	0.43
1:A:203:ASN:O	1:A:229:THR:OG1	2.32	0.42
1:A:556:HIS:HB3	1:A:560:LEU:HD22	2.02	0.42
1:A:456:LEU:O	1:A:459:ILE:HG13	2.19	0.42
1:A:309:PRO:HA	1:A:312:PHE:HD2	1.83	0.42
1:B:65:VAL:HG12	1:B:159:TYR:CB	2.50	0.42
1:A:560:LEU:HD12	1:A:560:LEU:HA	1.93	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:16:ALA:HA	1:A:185:THR:HB	2.02	0.42
1:B:298:GLU:HB2	1:B:300:GLU:O	2.19	0.42
1:A:21:GLU:O	1:A:22:SER:CB	2.67	0.41
1:A:52:SER:H	1:A:217:ASN:ND2	2.19	0.41
1:A:286:GLU:HG2	6:B:973:HOH:O	2.19	0.41
1:A:4:GLN:O	1:A:8:VAL:HG23	2.21	0.41
1:A:55:MET:CE	6:A:950:HOH:O	2.69	0.41
1:A:368:LEU:HD23	1:A:596:TYR:CE1	2.55	0.41
1:B:323:HIS:HA	1:B:324:PRO:HD3	1.98	0.41
1:A:100:ASN:HD21	1:A:159:TYR:HD2	1.69	0.40
1:B:144:ASN:O	2:B:701:NDP:H2A	2.21	0.40
1:A:499:PHE:CE1	1:B:340:ASN:HB3	2.56	0.40
1:A:551:HIS:HE1	4:A:703:UMP:O3'	2.04	0.40
1:B:214:TYR:HB2	1:B:221:LEU:HD13	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	541/608 (89%)	508 (94%)	29 (5%)	4 (1%)	22	21
1	B	540/608 (89%)	495 (92%)	39 (7%)	6 (1%)	14	10
All	All	1081/1216 (89%)	1003 (93%)	68 (6%)	10 (1%)	17	14

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	22	SER
1	B	23	LYS
1	A	2	MET
1	B	151	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	21	GLU
1	A	49	LYS
1	B	49	LYS
1	B	25	GLU
1	B	308	HIS
1	B	429	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	510/570 (90%)	480 (94%)	30 (6%)	19 19
1	B	508/570 (89%)	476 (94%)	32 (6%)	18 17
All	All	1018/1140 (89%)	956 (94%)	62 (6%)	18 18

All (62) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	MET
1	A	24	ASN
1	A	27	LYS
1	A	29	ASN
1	A	30	GLU
1	A	49	LYS
1	A	67	GLU
1	A	72	LYS
1	A	96	LYS
1	A	189	SER
1	A	202	GLU
1	A	221	LEU
1	A	230	ASN
1	A	285	GLU
1	A	298	GLU
1	A	302	LYS
1	A	303	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	307	ILE
1	A	310	ASN
1	A	375	PHE
1	A	376	LEU
1	A	397	LEU
1	A	400	ASN
1	A	411	GLU
1	A	455	GLN
1	A	487	LEU
1	A	514	LEU
1	A	560	LEU
1	A	581	LYS
1	A	592	THR
1	B	5	VAL
1	B	23	LYS
1	B	29	ASN
1	B	30	GLU
1	B	84	GLU
1	B	96	LYS
1	B	97	LYS
1	B	107	THR
1	B	119	LEU
1	B	133	LYS
1	B	134	GLU
1	B	137	ASP
1	B	139	ASP
1	B	153	LEU
1	B	155	LYS
1	B	171	GLN
1	B	187	ILE
1	B	202	GLU
1	B	208	ILE
1	B	221	LEU
1	B	286	GLU
1	B	287	GLU
1	B	299	LYS
1	B	346	THR
1	B	370	THR
1	B	417	LYS
1	B	455	GLN
1	B	473	LEU
1	B	474	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	487	LEU
1	B	514	LEU
1	B	564	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	4	GLN
1	A	100	ASN
1	A	217	ASN
1	A	303	ASN
1	A	327	GLN
1	A	340	ASN
1	A	364	GLN
1	A	394	ASN
1	A	424	ASN
1	A	455	GLN
1	A	521	ASN
1	A	530	HIS
1	A	551	HIS
1	B	171	GLN
1	B	217	ASN
1	B	313	GLN
1	B	364	GLN
1	B	394	ASN
1	B	424	ASN
1	B	455	GLN
1	B	521	ASN
1	B	551	HIS
1	B	565	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GOL	A	705	-	5,5,5	0.14	0	5,5,5	0.37	0
2	NDP	A	701	-	45,52,52	0.72	1 (2%)	53,80,80	0.90	1 (1%)
5	GOL	B	704	-	5,5,5	0.16	0	5,5,5	0.49	0
4	UMP	A	703	-	21,21,21	0.52	0	31,31,31	0.90	1 (3%)
4	UMP	B	703	-	21,21,21	0.75	0	31,31,31	1.13	2 (6%)
2	NDP	B	701	-	45,52,52	0.67	0	53,80,80	0.89	2 (3%)
3	MTX	B	702	-	35,35,35	0.72	0	46,49,49	1.05	3 (6%)
3	MTX	A	704	-	35,35,35	0.74	0	46,49,49	0.96	1 (2%)
3	MTX	A	702	-	35,35,35	0.55	0	46,49,49	1.13	3 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	A	705	-	-	0/4/4/4	-
2	NDP	A	701	-	-	3/30/77/77	0/5/5/5
5	GOL	B	704	-	-	4/4/4/4	-
4	UMP	A	703	-	-	2/10/22/22	0/2/2/2
4	UMP	B	703	-	-	3/10/22/22	0/2/2/2
2	NDP	B	701	-	-	3/30/77/77	0/5/5/5
3	MTX	B	702	-	-	8/25/25/25	0/3/3/3
3	MTX	A	704	-	-	7/25/25/25	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MTX	A	702	-	-	8/25/25/25	0/3/3/3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701	NDP	C8A-N7A	-2.03	1.31	1.34

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	NDP	C5A-C6A-N6A	3.21	125.23	120.35
3	A	704	MTX	N8-C8A-N1	3.03	119.28	115.82
3	B	702	MTX	C6-C9-N10	-3.00	108.45	113.60
4	B	703	UMP	O2-C2-N1	2.96	126.72	122.79
4	A	703	UMP	C2'-C1'-N1	2.49	119.50	113.77
3	A	702	MTX	C6-C9-N10	-2.41	109.46	113.60
2	B	701	NDP	O2A-PA-O1A	2.37	123.95	112.24
3	A	702	MTX	N8-C8A-N1	2.33	118.48	115.82
3	B	702	MTX	C4A-C4-N3	-2.18	119.58	121.01
3	A	702	MTX	CM-N10-C14	2.14	123.28	119.57
2	B	701	NDP	C5A-C6A-N6A	2.09	123.53	120.35
3	B	702	MTX	N8-C8A-N1	2.08	118.19	115.82
4	B	703	UMP	C1'-N1-C6	-2.06	117.49	121.55

There are no chirality outliers.

All (38) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	701	NDP	C2B-O2B-P2B-O2X
2	B	701	NDP	C2B-O2B-P2B-O3X
3	A	702	MTX	C13-C14-N10-CM
3	A	702	MTX	C15-C14-N10-CM
3	B	702	MTX	C13-C14-N10-CM
3	B	702	MTX	C15-C14-N10-CM
3	B	702	MTX	N-CA-CB-CG
5	B	704	GOL	O1-C1-C2-C3
3	A	702	MTX	N-CA-CB-CG
4	B	703	UMP	O4'-C4'-C5'-O5'
3	A	702	MTX	C13-C14-N10-C9
3	A	702	MTX	CT-CA-CB-CG
3	B	702	MTX	C13-C14-N10-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	B	703	UMP	C3'-C4'-C5'-O5'
5	B	704	GOL	C1-C2-C3-O3
3	B	702	MTX	CT-CA-CB-CG
5	B	704	GOL	O2-C2-C3-O3
5	B	704	GOL	O1-C1-C2-O2
3	B	702	MTX	C11-C-N-CA
3	B	702	MTX	O-C-N-CA
2	B	701	NDP	O4D-C1D-N1N-C2N
3	A	702	MTX	C15-C14-N10-C9
3	B	702	MTX	C15-C14-N10-C9
3	A	704	MTX	C6-C9-N10-CM
3	A	704	MTX	N-C-C11-C12
4	B	703	UMP	C5'-O5'-P-OP1
3	A	704	MTX	OE1-CD-CG-CB
4	A	703	UMP	O4'-C4'-C5'-O5'
3	A	702	MTX	OE2-CD-CG-CB
3	A	704	MTX	O-C-C11-C12
2	B	701	NDP	C4D-C5D-O5D-PN
2	A	701	NDP	O4D-C1D-N1N-C2N
3	A	704	MTX	N-C-C11-C16
3	A	702	MTX	OE1-CD-CG-CB
3	A	704	MTX	OE2-CD-CG-CB
2	A	701	NDP	C2D-C1D-N1N-C2N
3	A	704	MTX	O-C-C11-C16
4	A	703	UMP	C3'-C4'-C5'-O5'


There are no ring outliers.


6 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	NDP	1	0
4	A	703	UMP	5	0
4	B	703	UMP	1	0
2	B	701	NDP	3	0
3	B	702	MTX	2	0
3	A	704	MTX	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.


Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	547/608 (89%)	-0.02	35 (6%) 19 21	19, 32, 100, 162	0
1	B	546/608 (89%)	0.22	52 (9%) 8 8	19, 37, 107, 164	0
All	All	1093/1216 (89%)	0.10	87 (7%) 12 13	19, 34, 106, 164	0

All (87) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1	MET	15.4
1	A	1	MET	11.2
1	A	26	GLY	10.4
1	A	2	MET	10.4
1	A	23	LYS	8.8
1	B	231	ASN	8.8
1	B	2	MET	8.8
1	A	24	ASN	6.9
1	B	27	LYS	6.8
1	A	25	GLU	6.6
1	A	284	ASP	6.5
1	B	25	GLU	6.4
1	B	23	LYS	6.0
1	B	309	PRO	5.8
1	A	299	LYS	5.5
1	B	85	THR	5.4
1	A	305	ASN	5.4
1	B	299	LYS	5.3
1	B	24	ASN	5.1
1	B	28	LYS	5.0
1	B	3	GLU	4.6
1	B	138	GLU	4.6
1	B	81	LEU	4.3
1	B	139	ASP	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	284	ASP	4.3
1	B	26	GLY	4.3
1	B	137	ASP	4.2
1	B	230	ASN	4.2
1	B	29	ASN	4.2
1	A	298	GLU	4.2
1	B	134	GLU	4.1
1	A	230	ASN	4.0
1	A	300	GLU	3.9
1	B	140	VAL	3.9
1	B	96	LYS	3.9
1	A	29	ASN	3.9
1	B	116	PHE	3.8
1	A	231	ASN	3.8
1	B	305	ASN	3.6
1	B	136	PHE	3.6
1	B	608	ALA	3.5
1	A	608	ALA	3.4
1	A	85	THR	3.4
1	A	163	ILE	3.4
1	A	304	LYS	3.3
1	B	203	ASN	3.3
1	A	31	VAL	3.3
1	B	82	ASN	3.2
1	B	298	GLU	3.2
1	A	28	LYS	3.1
1	B	130	THR	3.1
1	A	285	GLU	3.0
1	A	301	GLU	2.9
1	A	307	ILE	2.9
1	B	345	ARG	2.9
1	B	346	THR	2.8
1	B	22	SER	2.8
1	B	80	TYR	2.7
1	B	14	ILE	2.7
1	B	135	ASP	2.7
1	A	22	SER	2.7
1	B	607	ALA	2.7
1	B	157	ASN	2.6
1	A	607	ALA	2.6
1	B	300	GLU	2.6
1	A	162	PHE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	285	GLU	2.5
1	B	49	LYS	2.5
1	A	84	GLU	2.5
1	B	75	TYR	2.5
1	A	96	LYS	2.4
1	B	9	PHE	2.4
1	A	3	GLU	2.3
1	B	71	GLU	2.3
1	B	301	GLU	2.3
1	B	66	ASN	2.3
1	A	286	GLU	2.3
1	B	304	LYS	2.3
1	A	287	GLU	2.2
1	B	115	LYS	2.2
1	A	164	ILE	2.2
1	A	79	LYS	2.2
1	B	162	PHE	2.2
1	B	164	ILE	2.2
1	A	82	ASN	2.1
1	A	30	GLU	2.1
1	B	4	GLN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MTX	B	702	33/33	0.80	0.20	45,55,72,85	0
3	MTX	A	704	33/33	0.84	0.20	45,57,109,120	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	MTX	A	702	33/33	0.90	0.16	21,27,55,75	0
2	NDP	B	701	48/48	0.92	0.13	42,60,88,95	0
5	GOL	B	704	6/6	0.94	0.13	35,41,46,53	0
4	UMP	B	703	20/20	0.95	0.13	35,52,64,64	0
5	GOL	A	705	6/6	0.96	0.10	36,46,47,48	0
4	UMP	A	703	20/20	0.98	0.08	26,35,43,43	0
2	NDP	A	701	48/48	0.98	0.07	22,29,33,34	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around MTX A 704:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MTX A 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NDP B 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UMP B 703:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UMP A 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NDP A 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.