



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 20, 2023 – 04:43 PM EDT

PDB ID : 5F73  
Title : Crystal structure of Mutant S12T of Adenosine/Methylthioadenosine Phosphorylase in APO form  
Authors : Torini, J.R.S.; Brandao-Neto, J.; DeMarco, R.; Pereira, H.M.  
Deposited on : 2015-12-07  
Resolution : 2.06 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.06 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2684 (2.08-2.04)
Clashscore	141614	2801 (2.08-2.04)
Ramachandran outliers	138981	2768 (2.08-2.04)
Sidechain outliers	138945	2768 (2.08-2.04)
RSRZ outliers	127900	2646 (2.08-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	320	 85% 10%
1	B	320	 83% 6% 11%
1	C	320	 84% 12%
1	D	320	 85% 13%
1	E	320	 85% 5% 11%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	320	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into three segments: a green segment representing 78%, a yellow segment representing 6%, and a grey segment representing 15%. A small red square is located at the beginning of the bar, and a '%' symbol is positioned above it.</p>

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 13806 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Methylthioadenosine phosphorylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	288	2151	1364	370	401	16	0	0	0
1	B	286	2163	1370	372	404	17	0	0	0
1	C	281	2143	1358	370	397	18	0	2	0
1	D	279	2087	1322	361	388	16	0	0	0
1	E	286	2139	1356	371	395	17	0	0	0
1	F	272	2081	1319	362	385	15	0	0	0

There are 132 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	MET	-	initiating methionine	UNP I0B503
A	-19	GLY	-	expression tag	UNP I0B503
A	-18	SER	-	expression tag	UNP I0B503
A	-17	SER	-	expression tag	UNP I0B503
A	-16	HIS	-	expression tag	UNP I0B503
A	-15	HIS	-	expression tag	UNP I0B503
A	-14	HIS	-	expression tag	UNP I0B503
A	-13	HIS	-	expression tag	UNP I0B503
A	-12	HIS	-	expression tag	UNP I0B503
A	-11	HIS	-	expression tag	UNP I0B503
A	-10	SER	-	expression tag	UNP I0B503
A	-9	SER	-	expression tag	UNP I0B503
A	-8	GLY	-	expression tag	UNP I0B503
A	-7	LEU	-	expression tag	UNP I0B503
A	-6	VAL	-	expression tag	UNP I0B503
A	-5	PRO	-	expression tag	UNP I0B503
A	-4	ARG	-	expression tag	UNP I0B503

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP I0B503
A	-2	SER	-	expression tag	UNP I0B503
A	-1	HIS	-	expression tag	UNP I0B503
A	0	MET	-	expression tag	UNP I0B503
A	12	THR	SER	engineered mutation	UNP I0B503
B	-20	MET	-	initiating methionine	UNP I0B503
B	-19	GLY	-	expression tag	UNP I0B503
B	-18	SER	-	expression tag	UNP I0B503
B	-17	SER	-	expression tag	UNP I0B503
B	-16	HIS	-	expression tag	UNP I0B503
B	-15	HIS	-	expression tag	UNP I0B503
B	-14	HIS	-	expression tag	UNP I0B503
B	-13	HIS	-	expression tag	UNP I0B503
B	-12	HIS	-	expression tag	UNP I0B503
B	-11	HIS	-	expression tag	UNP I0B503
B	-10	SER	-	expression tag	UNP I0B503
B	-9	SER	-	expression tag	UNP I0B503
B	-8	GLY	-	expression tag	UNP I0B503
B	-7	LEU	-	expression tag	UNP I0B503
B	-6	VAL	-	expression tag	UNP I0B503
B	-5	PRO	-	expression tag	UNP I0B503
B	-4	ARG	-	expression tag	UNP I0B503
B	-3	GLY	-	expression tag	UNP I0B503
B	-2	SER	-	expression tag	UNP I0B503
B	-1	HIS	-	expression tag	UNP I0B503
B	0	MET	-	expression tag	UNP I0B503
B	12	THR	SER	engineered mutation	UNP I0B503
C	-20	MET	-	initiating methionine	UNP I0B503
C	-19	GLY	-	expression tag	UNP I0B503
C	-18	SER	-	expression tag	UNP I0B503
C	-17	SER	-	expression tag	UNP I0B503
C	-16	HIS	-	expression tag	UNP I0B503
C	-15	HIS	-	expression tag	UNP I0B503
C	-14	HIS	-	expression tag	UNP I0B503
C	-13	HIS	-	expression tag	UNP I0B503
C	-12	HIS	-	expression tag	UNP I0B503
C	-11	HIS	-	expression tag	UNP I0B503
C	-10	SER	-	expression tag	UNP I0B503
C	-9	SER	-	expression tag	UNP I0B503
C	-8	GLY	-	expression tag	UNP I0B503
C	-7	LEU	-	expression tag	UNP I0B503
C	-6	VAL	-	expression tag	UNP I0B503

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-5	PRO	-	expression tag	UNP I0B503
C	-4	ARG	-	expression tag	UNP I0B503
C	-3	GLY	-	expression tag	UNP I0B503
C	-2	SER	-	expression tag	UNP I0B503
C	-1	HIS	-	expression tag	UNP I0B503
C	0	MET	-	expression tag	UNP I0B503
C	12	THR	SER	engineered mutation	UNP I0B503
D	-20	MET	-	initiating methionine	UNP I0B503
D	-19	GLY	-	expression tag	UNP I0B503
D	-18	SER	-	expression tag	UNP I0B503
D	-17	SER	-	expression tag	UNP I0B503
D	-16	HIS	-	expression tag	UNP I0B503
D	-15	HIS	-	expression tag	UNP I0B503
D	-14	HIS	-	expression tag	UNP I0B503
D	-13	HIS	-	expression tag	UNP I0B503
D	-12	HIS	-	expression tag	UNP I0B503
D	-11	HIS	-	expression tag	UNP I0B503
D	-10	SER	-	expression tag	UNP I0B503
D	-9	SER	-	expression tag	UNP I0B503
D	-8	GLY	-	expression tag	UNP I0B503
D	-7	LEU	-	expression tag	UNP I0B503
D	-6	VAL	-	expression tag	UNP I0B503
D	-5	PRO	-	expression tag	UNP I0B503
D	-4	ARG	-	expression tag	UNP I0B503
D	-3	GLY	-	expression tag	UNP I0B503
D	-2	SER	-	expression tag	UNP I0B503
D	-1	HIS	-	expression tag	UNP I0B503
D	0	MET	-	expression tag	UNP I0B503
D	12	THR	SER	engineered mutation	UNP I0B503
E	-20	MET	-	initiating methionine	UNP I0B503
E	-19	GLY	-	expression tag	UNP I0B503
E	-18	SER	-	expression tag	UNP I0B503
E	-17	SER	-	expression tag	UNP I0B503
E	-16	HIS	-	expression tag	UNP I0B503
E	-15	HIS	-	expression tag	UNP I0B503
E	-14	HIS	-	expression tag	UNP I0B503
E	-13	HIS	-	expression tag	UNP I0B503
E	-12	HIS	-	expression tag	UNP I0B503
E	-11	HIS	-	expression tag	UNP I0B503
E	-10	SER	-	expression tag	UNP I0B503
E	-9	SER	-	expression tag	UNP I0B503
E	-8	GLY	-	expression tag	UNP I0B503

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	-7	LEU	-	expression tag	UNP I0B503
E	-6	VAL	-	expression tag	UNP I0B503
E	-5	PRO	-	expression tag	UNP I0B503
E	-4	ARG	-	expression tag	UNP I0B503
E	-3	GLY	-	expression tag	UNP I0B503
E	-2	SER	-	expression tag	UNP I0B503
E	-1	HIS	-	expression tag	UNP I0B503
E	0	MET	-	expression tag	UNP I0B503
E	12	THR	SER	engineered mutation	UNP I0B503
F	-20	MET	-	initiating methionine	UNP I0B503
F	-19	GLY	-	expression tag	UNP I0B503
F	-18	SER	-	expression tag	UNP I0B503
F	-17	SER	-	expression tag	UNP I0B503
F	-16	HIS	-	expression tag	UNP I0B503
F	-15	HIS	-	expression tag	UNP I0B503
F	-14	HIS	-	expression tag	UNP I0B503
F	-13	HIS	-	expression tag	UNP I0B503
F	-12	HIS	-	expression tag	UNP I0B503
F	-11	HIS	-	expression tag	UNP I0B503
F	-10	SER	-	expression tag	UNP I0B503
F	-9	SER	-	expression tag	UNP I0B503
F	-8	GLY	-	expression tag	UNP I0B503
F	-7	LEU	-	expression tag	UNP I0B503
F	-6	VAL	-	expression tag	UNP I0B503
F	-5	PRO	-	expression tag	UNP I0B503
F	-4	ARG	-	expression tag	UNP I0B503
F	-3	GLY	-	expression tag	UNP I0B503
F	-2	SER	-	expression tag	UNP I0B503
F	-1	HIS	-	expression tag	UNP I0B503
F	0	MET	-	expression tag	UNP I0B503
F	12	THR	SER	engineered mutation	UNP I0B503

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	126	Total	O	0	0
			126	126		
3	B	176	Total	O	0	0
			176	176		
3	C	221	Total	O	0	0
			221	221		
3	D	158	Total	O	0	0
			158	158		
3	E	150	Total	O	0	0
			150	150		
3	F	181	Total	O	0	0
			181	181		




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Methylthioadenosine phosphorylase




- Molecule 1: Methylthioadenosine phosphorylase



- Molecule 1: Methylthioadenosine phosphorylase



- Molecule 1: Methylthioadenosine phosphorylase



HIS  
GLN  
GLY  
SER  
ASN  
ASP  
LYS

● Molecule 1: Methylthioadenosine phosphorylase

Chain E: 2% 85% 5% 11%

MET  
GLY  
SER  
SER  
HIS  
HIS  
HIS  
HIS  
HIS  
HIS  
HIS  
HIS  
GLY  
SER  
LEU  
VAL  
PRO  
ARG  
GLY  
SER  
HIS  
MET  
MET  
S2  
D77  
H131  
R143  
Q144  
I145  
T162  
M163  
D164  
I169  
A175  
N205  
I227  
S236  
GLU  
GLU  
GLU  
HIS  
V241  
S253  
V257  
R258  
I268  
Q289  
D290

L291  
LEU  
HIS  
GLN  
GLY  
SER  
ASN  
ASP  
LYS

● Molecule 1: Methylthioadenosine phosphorylase

Chain F: 78% 6% 15%

MET  
GLY  
SER  
SER  
HIS  
HIS  
HIS  
HIS  
HIS  
HIS  
HIS  
SER  
SER  
GLY  
LEU  
VAL  
PRO  
ARG  
GLY  
SER  
HIS  
MET  
MET  
SER  
K3  
D15  
ASP  
PRO  
ASN  
LEU  
PHE  
LYS  
LYS  
VAL  
GLY  
V25  
R26  
Q27  
E41  
K76  
D77  
C89  
L104  
S121  
K127  
H131  
M132  
K160  
D164  
V180

C191  
L201  
D202  
I203  
A218  
D232  
CYS  
TRP  
LYS  
SER  
GLU  
GLU  
GLU  
HIS  
VAL  
C242  
R258  
E271  
M285  
Q289  
L292  
HIS  
GLN  
SER  
VAL  
ASN  
ASP  
LYS

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	81.44Å 82.16Å 150.91Å 90.00° 101.50° 90.00°	Depositor
Resolution (Å)	39.58 – 2.06 79.81 – 2.05	Depositor EDS
% Data completeness (in resolution range)	98.6 (39.58-2.06) 98.6 (79.81-2.05)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.56 (at 2.05Å)	Xtrriage
Refinement program	PHENIX	Depositor
R, $R_{free}$	0.175 , 0.216 0.175 , 0.215	Depositor DCC
$R_{free}$ test set	6075 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	26.4	Xtrriage
Anisotropy	0.348	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 51.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	13806	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	34.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.66 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.2844e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.35	0/2195	0.49	0/2986
1	B	0.37	0/2206	0.53	1/2999 (0.0%)
1	C	0.43	0/2190	0.55	0/2971
1	D	0.37	0/2127	0.52	0/2891
1	E	0.36	0/2182	0.51	0/2968
1	F	0.37	0/2119	0.52	0/2870
All	All	0.37	0/13019	0.52	1/17685 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	52	LEU	CA-CB-CG	7.04	131.49	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2151	0	2092	7	0
1	B	2163	0	2124	11	0
1	C	2143	0	2140	7	0
1	D	2087	0	2040	5	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	2139	0	2088	8	0
1	F	2081	0	2094	13	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
2	D	5	0	0	0	0
2	E	5	0	0	0	0
2	F	5	0	0	0	0
3	A	126	0	0	0	0
3	B	176	0	0	4	0
3	C	221	0	0	0	0
3	D	158	0	0	0	0
3	E	150	0	0	2	0
3	F	181	0	0	3	0
All	All	13806	0	12578	50	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (50) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:131:HIS:HD2	1:C:289:GLN:HG3	1.42	0.85
3:E:529:HOH:O	1:F:191:CYS:SG	2.39	0.79
3:B:542:HOH:O	1:C:191:CYS:SG	2.45	0.73
1:F:131:HIS:HD2	1:F:289:GLN:HG3	1.58	0.69
1:E:162:THR:HG23	1:E:163:MET:HG3	1.75	0.69
1:E:131:HIS:HD2	1:E:289:GLN:HG3	1.59	0.67
1:B:18:ASN:O	1:B:258:ARG:NH1	2.30	0.64
1:B:2:SER:N	3:B:403:HOH:O	2.31	0.64
1:F:26:ARG:NH2	1:F:41:GLU:OE2	2.32	0.63
1:F:180:VAL:HB	1:F:201:LEU:HD13	1.80	0.62
1:F:271:GLU:OE1	3:F:401:HOH:O	2.16	0.61
1:B:27:GLN:NE2	3:B:404:HOH:O	2.34	0.61
1:E:227:ILE:HD11	1:E:257:VAL:HG11	1.82	0.60
1:B:17:PRO:HB2	1:B:19:LEU:HD13	1.85	0.59
1:E:253:SER:O	1:E:257:VAL:HG12	2.03	0.59
1:B:104:LEU:HD21	1:B:203:ILE:HD11	1.85	0.58
1:C:131:HIS:CD2	1:C:289:GLN:HG3	2.32	0.57
1:F:76:LYS:HD2	1:F:218:ALA:HB1	1.88	0.56
1:F:164:ASP:N	1:F:164:ASP:OD1	2.24	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:239:GLU:O	1:D:243:VAL:HG23	2.08	0.54
1:A:169:ILE:O	1:A:172:CYS:HB3	2.06	0.54
1:D:132:MET:HE3	1:D:133:PRO:HD2	1.87	0.54
1:A:132:MET:HE3	1:A:133:PRO:HD2	1.92	0.52
1:C:104:LEU:HD21	1:C:203:ILE:HD11	1.91	0.52
1:B:132:MET:HE2	1:B:216:ARG:HG2	1.93	0.50
1:A:162:THR:HG23	1:A:163:MET:HG3	1.93	0.50
1:F:89:CYS:SG	1:F:203:ILE:HD12	2.52	0.50
1:E:143:ARG:NH2	1:E:175:ALA:O	2.46	0.48
1:C:89[A]:CYS:SG	1:C:203:ILE:HD12	2.54	0.47
1:B:180:VAL:HB	1:B:201:LEU:HD13	1.97	0.46
1:A:162:THR:OG1	1:E:258:ARG:NE	2.48	0.46
1:F:160:LYS:NZ	3:F:410:HOH:O	2.46	0.46
1:D:132:MET:HE2	1:D:132:MET:HB3	1.70	0.46
1:E:145:ILE:HG21	1:E:268:ILE:HG13	1.98	0.46
1:A:141:ARG:O	1:A:145:ILE:HG12	2.17	0.45
1:C:17:PRO:HG2	1:C:51:VAL:HG11	1.98	0.45
1:F:121:SER:HA	1:F:127:LYS:NZ	2.32	0.45
1:F:104:LEU:HD21	1:F:203:ILE:HD11	1.99	0.44
1:C:108:MET:HB3	1:C:201:LEU:HD21	2.00	0.44
1:D:93:GLN:OE1	1:D:197:LYS:NZ	2.51	0.43
1:B:169:ILE:O	1:B:172:CYS:HB3	2.19	0.43
1:A:251:ARG:O	1:A:254:VAL:HG22	2.19	0.43
1:B:124:ASP:OD2	3:B:401:HOH:O	2.21	0.43
1:E:258:ARG:HD2	3:E:533:HOH:O	2.18	0.42
1:A:227:ILE:HD11	1:A:257:VAL:HG21	2.00	0.42
1:F:258:ARG:NH2	3:F:419:HOH:O	2.53	0.42
1:F:132:MET:HE2	1:F:132:MET:HB3	1.84	0.42
1:B:108:MET:HE1	1:B:201:LEU:HD11	2.01	0.41
1:B:5:LYS:NZ	1:B:41:GLU:OE2	2.30	0.41
1:D:132:MET:HE1	1:D:283:LEU:HG	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	286/320 (89%)	281 (98%)	4 (1%)	1 (0%)	41	32
1	B	282/320 (88%)	279 (99%)	2 (1%)	1 (0%)	34	25
1	C	279/320 (87%)	277 (99%)	2 (1%)	0	100	100
1	D	273/320 (85%)	271 (99%)	2 (1%)	0	100	100
1	E	282/320 (88%)	277 (98%)	5 (2%)	0	100	100
1	F	266/320 (83%)	265 (100%)	1 (0%)	0	100	100
All	All	1668/1920 (87%)	1650 (99%)	16 (1%)	2 (0%)	51	45

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	162	THR
1	A	21	LYS

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	227/274 (83%)	224 (99%)	3 (1%)	69	67
1	B	234/274 (85%)	231 (99%)	3 (1%)	69	67
1	C	235/274 (86%)	233 (99%)	2 (1%)	78	78
1	D	222/274 (81%)	220 (99%)	2 (1%)	78	78
1	E	227/274 (83%)	224 (99%)	3 (1%)	69	67
1	F	228/274 (83%)	225 (99%)	3 (1%)	69	67
All	All	1373/1644 (84%)	1357 (99%)	16 (1%)	71	69

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	LEU
1	A	50	VAL
1	A	132	MET
1	B	27	GLN
1	B	52	LEU
1	B	77	ASP
1	C	108	MET
1	C	233	CYS
1	D	132	MET
1	D	205	ASN
1	E	77	ASP
1	E	164	ASP
1	E	205	ASN
1	F	77	ASP
1	F	164	ASP
1	F	285	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	249	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and



the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SO4	E	301	-	4,4,4	0.24	0	6,6,6	0.26	0
2	SO4	D	301	-	4,4,4	0.20	0	6,6,6	0.24	0
2	SO4	F	301	-	4,4,4	0.29	0	6,6,6	0.12	0
2	SO4	B	301	-	4,4,4	0.13	0	6,6,6	0.31	0
2	SO4	A	301	-	4,4,4	0.25	0	6,6,6	0.23	0
2	SO4	C	301	-	4,4,4	0.22	0	6,6,6	0.25	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	288/320 (90%)	-0.31	4 (1%) 75 76	19, 34, 70, 92	0
1	B	286/320 (89%)	-0.37	2 (0%) 87 88	20, 30, 63, 79	0
1	C	281/320 (87%)	-0.36	0 100 100	17, 26, 49, 79	0
1	D	279/320 (87%)	-0.36	3 (1%) 80 81	17, 30, 56, 89	0
1	E	286/320 (89%)	-0.36	5 (1%) 70 71	21, 34, 68, 83	0
1	F	272/320 (85%)	-0.41	3 (1%) 80 81	18, 28, 49, 99	0
All	All	1692/1920 (88%)	-0.36	17 (1%) 82 83	17, 30, 61, 99	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	25	VAL	5.0
1	E	291	LEU	4.3
1	F	27	GLN	4.3
1	D	243	VAL	4.1
1	A	17	PRO	3.2
1	E	169	ILE	3.2
1	B	2	SER	2.9
1	D	234	TRP	2.9
1	E	236	SER	2.7
1	E	2	SER	2.7
1	A	23	VAL	2.6
1	D	241	VAL	2.5
1	F	26	ARG	2.5
1	A	234	TRP	2.4
1	E	241	VAL	2.2
1	A	235	LYS	2.1
1	B	164	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	SO4	B	301	5/5	0.98	0.09	25,25,29,29	0
2	SO4	A	301	5/5	0.99	0.10	21,21,27,28	0
2	SO4	C	301	5/5	0.99	0.08	20,20,22,24	0
2	SO4	D	301	5/5	0.99	0.09	21,22,22,26	0
2	SO4	E	301	5/5	0.99	0.09	26,27,29,30	0
2	SO4	F	301	5/5	0.99	0.08	24,24,27,27	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.