



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 17, 2024 – 02:24 PM EDT

PDB ID : 3F8P  
Title : Structure of Sulfolobus solfataricus TrxR-B3  
Authors : Ruggiero, A.; Masullo, M.; Ruocco, M.R.; Arcari, P.; Zagari, A.; Vitagliano, L.  
Deposited on : 2008-11-13  
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.20.1  
EDS : 2.37.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	323	 2% 85% 10% 5%
1	B	323	 4% 85% 9% 5%
1	C	323	 4% 81% 13% 5%
1	D	323	 6% 83% 12% 5%

## 2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 9901 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thioredoxin reductase (TrxB-3).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	307	Total 2359	C 1518	N 391	O 444	S 6	0	0	0
1	B	306	Total 2351	C 1514	N 389	O 442	S 6	0	0	0
1	C	308	Total 2368	C 1524	N 393	O 445	S 6	0	0	0
1	D	310	Total 2382	C 1530	N 397	O 449	S 6	0	0	0

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula:  $C_{21}H_{27}N_7O_{14}P_2$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
2	A	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	B	1	Total 27	C 10	N 5	O 10	P 2	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	C	1	Total	C	N	O	P	0	0
				27	10	5	10		
2	D	1	Total	C	N	O	P	0	0
				26	10	5	9		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	O S	0	0
				5 4 1		
3	A	1	Total	O S	0	0
				5 4 1		
3	A	1	Total	O S	0	0
				5 4 1		
3	B	1	Total	O S	0	0
				5 4 1		
3	B	1	Total	O S	0	0
				5 4 1		
3	D	1	Total	O S	0	0
				5 4 1		

- Molecule 4 is ACETIC ACID (three-letter code: ACY) (formula: C<sub>2</sub>H<sub>4</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total C O 4 2 2	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	76	Total O 76 76	0	0
5	B	73	Total O 73 73	0	0
5	C	81	Total O 81 81	0	0
5	D	70	Total O 70 70	0	0





## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	76.77Å 120.68Å 126.86Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 1.80 19.97 – 1.80	Depositor EDS
% Data completeness (in resolution range)	(Not available) (15.00-1.80) 98.1 (19.97-1.80)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.92 (at 1.80Å)	Xtrriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.200 , 0.237 0.179 , 0.197	Depositor DCC
$R_{free}$ test set	826 reflections (0.76%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	17.2	Xtrriage
Anisotropy	0.160	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.43 , 52.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.013 for -h,l,k	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	9901	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	22.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.02% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, NAD, ACY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.69	0/2399	0.78	0/3242
1	B	0.64	0/2391	0.76	0/3231
1	C	0.69	0/2408	0.79	0/3253
1	D	0.63	0/2423	0.77	0/3275
All	All	0.66	0/9621	0.77	0/13001

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2359	0	2417	33	0
1	B	2351	0	2411	23	0
1	C	2368	0	2430	33	0
1	D	2382	0	2438	44	0
2	A	27	0	12	1	0
2	B	27	0	12	0	0
2	C	27	0	12	0	0
2	D	26	0	12	0	0
3	A	15	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	10	0	0	0	0
3	D	5	0	0	0	0
4	B	4	0	3	0	0
5	A	76	0	0	0	0
5	B	73	0	0	0	0
5	C	81	0	0	0	0
5	D	70	0	0	2	0
All	All	9901	0	9747	124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:261:ILE:HG23	1:D:277:THR:HG21	1.43	0.96
1:D:228:GLU:HB2	1:D:235:ILE:HD13	1.48	0.92
1:D:202:LYS:HA	1:D:202:LYS:HE2	1.52	0.92
1:D:261:ILE:HG23	1:D:277:THR:CG2	2.03	0.88
1:D:277:THR:HG22	1:D:278:SER:H	1.43	0.82
1:A:289:THR:HG22	1:A:290:SER:N	1.96	0.80
1:C:101:GLU:OE2	1:C:113:LYS:HD3	1.82	0.80
1:D:228:GLU:HB2	1:D:235:ILE:CD1	2.11	0.80
1:A:57:ILE:HD11	1:A:68:GLN:NE2	1.98	0.79
1:A:313:TYR:OH	1:B:171:GLU:HG2	1.83	0.79
1:D:98:ARG:O	1:D:98:ARG:HG2	1.84	0.78
1:A:50:GLY:HA2	2:A:4001:NAD:O3B	1.85	0.77
1:A:271:VAL:HG21	1:A:289:THR:HG21	1.65	0.77
1:B:217:LYS:HE2	1:B:237:GLU:OE1	1.85	0.77
1:A:271:VAL:HG22	1:A:289:THR:CG2	2.14	0.76
1:A:271:VAL:CG2	1:A:289:THR:HG21	2.16	0.76
1:A:132:GLY:HA2	1:A:135:GLU:HG2	1.68	0.75
1:D:90:ASP:OD1	1:D:108:ARG:HD2	1.88	0.73
1:D:277:THR:HG22	1:D:278:SER:N	2.03	0.73
1:D:90:ASP:OD2	1:D:106:THR:HG22	1.88	0.73
1:C:136:PHE:HA	1:C:139:ARG:HG3	1.71	0.72
1:D:277:THR:HG23	5:D:5021:HOH:O	1.89	0.72
1:D:261:ILE:CG2	1:D:277:THR:HG21	2.19	0.72
1:D:202:LYS:HE2	1:D:202:LYS:CA	2.19	0.72
1:C:293:LEU:HD13	1:C:294:GLY:N	2.06	0.71
1:C:160:ILE:CD1	1:C:213:VAL:HG21	2.20	0.70

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:271:VAL:CG2	1:A:289:THR:CG2	2.70	0.70
1:C:160:ILE:HD13	1:C:213:VAL:HG21	1.73	0.69
1:B:125:ARG:HD2	1:B:143:TYR:CD2	2.28	0.68
1:A:289:THR:HG22	1:A:290:SER:H	1.58	0.67
1:D:160:ILE:HD11	1:D:213:VAL:HG21	1.77	0.65
1:B:232:THR:HG22	1:B:232:THR:O	1.96	0.65
1:D:293:LEU:HD13	1:D:294:GLY:N	2.11	0.65
1:D:10:VAL:C	1:D:11:LYS:HD2	2.18	0.63
1:B:139:ARG:HD2	1:B:220:LYS:O	2.00	0.61
1:D:277:THR:CG2	5:D:5021:HOH:O	2.48	0.61
1:A:132:GLY:HA2	1:A:135:GLU:CG	2.31	0.59
1:D:90:ASP:OD2	1:D:106:THR:CG2	2.50	0.59
1:A:160:ILE:CD1	1:A:213:VAL:HG21	2.33	0.59
1:C:212:VAL:O	1:C:227:VAL:HG23	2.03	0.58
1:A:108:ARG:NE	1:A:109:LYS:HE3	2.17	0.58
1:C:194:ILE:HG12	1:D:318:GLU:HG2	1.85	0.58
1:D:10:VAL:HG11	1:D:42:LEU:HD13	1.87	0.57
1:D:77:ASN:O	1:D:81:GLU:HG2	2.04	0.57
1:C:313:TYR:OH	1:D:171:GLU:HG3	2.05	0.56
1:D:228:GLU:CB	1:D:235:ILE:HD13	2.29	0.56
1:A:101:GLU:OE2	1:A:113:LYS:HD3	2.07	0.55
1:A:289:THR:CG2	1:A:290:SER:N	2.67	0.55
1:D:163:GLY:C	1:D:191:ALA:HB2	2.26	0.55
1:C:57:ILE:HD11	1:C:68:GLN:HE21	1.72	0.55
1:A:108:ARG:CD	1:A:109:LYS:HE3	2.37	0.54
1:C:82:LYS:NZ	1:D:66:GLU:OE2	2.41	0.54
1:C:136:PHE:CA	1:C:139:ARG:HG3	2.36	0.54
1:B:11:LYS:NZ	1:B:11:LYS:HB2	2.22	0.54
1:B:135:GLU:N	1:B:135:GLU:OE1	2.41	0.53
1:A:105:LYS:HE2	1:A:111:GLU:OE2	2.08	0.53
1:C:125:ARG:HD2	1:C:143:TYR:CD2	2.44	0.53
1:D:98:ARG:O	1:D:98:ARG:CG	2.56	0.53
1:A:317:THR:HB	1:B:171:GLU:OE2	2.09	0.52
1:A:57:ILE:CD1	1:A:68:GLN:NE2	2.70	0.52
1:A:214:LYS:HE3	1:A:228:GLU:OE1	2.10	0.51
1:C:228:GLU:HB2	1:C:235:ILE:HD12	1.92	0.51
1:C:228:GLU:HB2	1:C:235:ILE:CD1	2.41	0.51
1:D:277:THR:CG2	1:D:278:SER:H	2.20	0.50
1:D:293:LEU:HD13	1:D:293:LEU:C	2.32	0.50
1:A:128:LEU:HG	1:A:130:VAL:HG13	1.92	0.50
1:D:96:GLU:OE2	1:D:105:LYS:HE3	2.12	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:108:ARG:HE	1:A:109:LYS:HE3	1.76	0.50
1:A:160:ILE:HD11	1:A:213:VAL:HG21	1.94	0.50
1:D:189:PHE:CZ	1:D:209:LEU:HD21	2.47	0.50
1:B:270:LYS:HD2	1:B:271:VAL:N	2.27	0.49
1:C:194:ILE:CG1	1:D:318:GLU:HG2	2.41	0.49
1:D:133:GLU:HA	1:D:141:ILE:CD1	2.42	0.49
1:D:277:THR:CG2	1:D:278:SER:N	2.75	0.49
1:B:253:THR:HG22	1:B:257:LYS:HE3	1.94	0.49
1:A:133:GLU:HA	1:A:141:ILE:CD1	2.43	0.49
1:C:125:ARG:HH11	1:C:125:ARG:HG3	1.78	0.49
1:D:195:TYR:O	1:D:199:VAL:HG23	2.12	0.48
1:C:136:PHE:C	1:C:139:ARG:HG3	2.33	0.48
1:C:146:VAL:HA	1:C:172:ILE:HD13	1.95	0.48
1:A:289:THR:CG2	1:A:290:SER:H	2.24	0.47
1:B:96:GLU:HB3	1:B:103:VAL:HB	1.96	0.47
1:B:232:THR:O	1:B:232:THR:CG2	2.61	0.47
1:C:171:GLU:HG3	1:D:313:TYR:OH	2.15	0.47
1:D:90:ASP:CG	1:D:106:THR:HG22	2.34	0.47
1:B:16:PHE:O	1:B:114:ALA:HA	2.14	0.47
1:B:236:LYS:HE2	1:B:238:LEU:HD23	1.96	0.47
1:C:318:GLU:HG2	1:D:194:ILE:HD11	1.95	0.47
1:A:123:VAL:HG12	1:A:251:PRO:HA	1.97	0.47
1:C:165:SER:OG	1:C:246:GLU:OE1	2.33	0.46
1:B:90:ASP:OD2	1:B:106:THR:HB	2.15	0.46
1:A:38:MET:HG2	1:B:175:SER:HB3	1.97	0.46
1:C:19:ILE:HD12	1:C:114:ALA:HB2	1.98	0.46
1:C:57:ILE:CD1	1:C:68:GLN:NE2	2.79	0.46
1:C:57:ILE:HD11	1:C:68:GLN:NE2	2.31	0.46
1:A:271:VAL:HG13	1:A:289:THR:HG23	1.99	0.45
1:A:293:LEU:C	1:A:293:LEU:HD23	2.37	0.45
1:C:219:ASP:HB3	1:C:220:LYS:H	1.50	0.45
1:D:160:ILE:CD1	1:D:213:VAL:HG21	2.44	0.45
1:B:19:ILE:HG13	1:B:114:ALA:HB2	1.99	0.45
1:C:232:THR:CG2	1:C:234:GLU:HB2	2.47	0.45
1:A:160:ILE:HD13	1:A:213:VAL:HG21	1.98	0.44
1:C:313:TYR:O	1:C:317:THR:HG23	2.18	0.44
1:A:16:PHE:O	1:A:114:ALA:HA	2.18	0.43
1:D:90:ASP:HB3	1:D:106:THR:HG21	2.00	0.43
1:B:217:LYS:CE	1:B:237:GLU:OE1	2.62	0.43
1:C:123:VAL:HG12	1:C:251:PRO:HA	2.00	0.43
1:C:211:SER:HB3	1:C:227:VAL:CG2	2.49	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:11:LYS:HG3	1:B:12:PRO:HD2	2.01	0.42
1:C:149:ALA:HB3	1:C:150:PRO:HD3	2.02	0.42
1:C:16:PHE:O	1:C:114:ALA:HA	2.21	0.41
1:B:201:LYS:HE3	1:B:201:LYS:HB2	1.88	0.41
1:D:313:TYR:O	1:D:317:THR:HG23	2.20	0.41
1:A:108:ARG:HG2	1:A:109:LYS:HG2	2.01	0.41
1:C:45:GLY:O	1:C:89:LEU:HA	2.21	0.41
1:D:130:VAL:CG2	1:D:215:GLU:HA	2.51	0.41
1:D:152:PHE:HA	1:D:155:ARG:HD3	2.02	0.41
1:D:81:GLU:HA	1:D:81:GLU:OE1	2.19	0.41
1:A:263:THR:HA	1:A:268:TYR:O	2.20	0.40
1:D:45:GLY:O	1:D:89:LEU:HA	2.21	0.40
1:B:128:LEU:HD21	1:B:160:ILE:HD13	2.02	0.40
1:B:253:THR:CG2	1:B:257:LYS:HE3	2.51	0.40
1:C:39:LEU:HD11	1:C:313:TYR:HA	2.03	0.40
1:B:275:MET:HB3	1:B:284:ALA:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	303/323 (94%)	296 (98%)	7 (2%)	0	100	100
1	B	302/323 (94%)	293 (97%)	9 (3%)	0	100	100
1	C	304/323 (94%)	299 (98%)	5 (2%)	0	100	100
1	D	308/323 (95%)	302 (98%)	6 (2%)	0	100	100
All	All	1217/1292 (94%)	1190 (98%)	27 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	253/267 (95%)	251 (99%)	2 (1%)	81	78
1	B	252/267 (94%)	246 (98%)	6 (2%)	49	36
1	C	254/267 (95%)	246 (97%)	8 (3%)	40	25
1	D	255/267 (96%)	250 (98%)	5 (2%)	55	44
All	All	1014/1068 (95%)	993 (98%)	21 (2%)	53	42

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	LYS
1	A	108	ARG
1	B	11	LYS
1	B	20	ILE
1	B	135	GLU
1	B	252	PRO
1	B	253	THR
1	B	293	LEU
1	C	38	MET
1	C	97	ASN
1	C	134	GLN
1	C	139	ARG
1	C	187	ASP
1	C	190	LYS
1	C	219	ASP
1	C	293	LEU
1	D	11	LYS
1	D	108	ARG
1	D	130	VAL
1	D	186	ARG
1	D	219	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	68	GLN
1	A	134	GLN
1	A	184	HIS
1	B	68	GLN
1	B	134	GLN
1	C	68	GLN
1	C	77	ASN
1	C	210	ASN
1	D	68	GLN
1	D	77	ASN
1	D	134	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	SO4	B	4158	-	4,4,4	1.80	2 (50%)	6,6,6	0.86	0
2	NAD	A	4001	-	24,29,48	1.57	8 (33%)	29,45,73	1.51	4 (13%)
3	SO4	D	4162	-	4,4,4	1.84	1 (25%)	6,6,6	0.77	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	SO4	A	4160	-	4,4,4	1.90	2 (50%)	6,6,6	0.83	0
3	SO4	B	4161	-	4,4,4	1.83	2 (50%)	6,6,6	0.77	0
2	NAD	C	4003	-	24,29,48	1.22	4 (16%)	29,45,73	1.15	1 (3%)
2	NAD	D	4004	-	20,28,48	1.37	3 (15%)	23,42,73	1.14	2 (8%)
4	ACY	B	1501	-	3,3,3	1.54	0	3,3,3	1.36	0
2	NAD	B	4002	-	24,29,48	1.29	3 (12%)	29,45,73	1.07	1 (3%)
3	SO4	A	4159	-	4,4,4	1.72	2 (50%)	6,6,6	0.82	0
3	SO4	A	4157	-	4,4,4	1.87	2 (50%)	6,6,6	0.83	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	A	4001	-	-	0/12/32/62	0/3/3/5
2	NAD	B	4002	-	-	0/12/32/62	0/3/3/5
2	NAD	C	4003	-	-	0/12/32/62	0/3/3/5
2	NAD	D	4004	-	-	0/9/31/62	0/3/3/5

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	4004	NAD	C4A-N3A	4.02	1.41	1.35
2	A	4001	NAD	PN-O1N	-3.25	1.40	1.50
2	A	4001	NAD	C1B-N9A	-3.20	1.42	1.49
3	A	4160	SO4	O1-S	3.09	1.63	1.44
3	A	4157	SO4	O1-S	3.01	1.62	1.44
3	D	4162	SO4	O1-S	3.00	1.62	1.44
3	B	4158	SO4	O1-S	2.94	1.62	1.44
3	B	4161	SO4	O1-S	2.86	1.61	1.44
2	B	4002	NAD	PN-O5D	2.82	1.65	1.54
2	D	4004	NAD	O3B-C3B	2.78	1.49	1.43
2	C	4003	NAD	C2A-N3A	2.73	1.36	1.32
3	A	4159	SO4	O1-S	2.72	1.61	1.44
2	B	4002	NAD	C4A-N3A	2.65	1.39	1.35
2	A	4001	NAD	C2A-N3A	2.54	1.36	1.32
2	A	4001	NAD	C2B-C3B	-2.50	1.46	1.53
2	A	4001	NAD	PN-O5D	2.44	1.63	1.54
2	C	4003	NAD	PA-O3	2.40	1.62	1.59
2	A	4001	NAD	PN-O2N	-2.33	1.46	1.54

Continued on next page...



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	4003	NAD	PN-O5D	2.32	1.63	1.54
2	A	4001	NAD	O4B-C4B	-2.29	1.39	1.45
3	B	4161	SO4	O3-S	-2.23	1.29	1.48
3	A	4157	SO4	O3-S	-2.19	1.30	1.48
3	A	4160	SO4	O3-S	-2.14	1.30	1.48
2	C	4003	NAD	O3B-C3B	2.12	1.48	1.43
2	D	4004	NAD	O4B-C4B	-2.12	1.40	1.45
2	B	4002	NAD	O4B-C4B	-2.09	1.40	1.45
3	B	4158	SO4	O3-S	-2.04	1.31	1.48
3	A	4159	SO4	O3-S	-2.02	1.31	1.48
2	A	4001	NAD	C8A-N7A	-2.00	1.31	1.34

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	4001	NAD	C4B-O4B-C1B	-5.42	104.96	109.92
2	C	4003	NAD	O4B-C1B-N9A	-3.26	104.42	108.75
2	B	4002	NAD	C4B-O4B-C1B	-2.97	107.21	109.92
2	A	4001	NAD	O2N-PN-O3	2.54	113.14	104.64
2	D	4004	NAD	C4A-C5A-N7A	2.41	111.88	109.34
2	A	4001	NAD	C4A-C5A-N7A	2.25	111.71	109.34
2	D	4004	NAD	O4B-C1B-N9A	-2.17	105.87	108.75
2	A	4001	NAD	C2B-C3B-C4B	2.02	106.50	102.61

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	4001	NAD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	307/323 (95%)	-0.03	5 (1%) 72 68	6, 18, 36, 45	0
1	B	306/323 (94%)	0.30	13 (4%) 36 30	8, 23, 42, 54	0
1	C	308/323 (95%)	0.07	14 (4%) 33 27	7, 18, 41, 57	0
1	D	310/323 (95%)	0.17	18 (5%) 23 18	7, 20, 46, 56	0
All	All	1231/1292 (95%)	0.13	50 (4%) 37 31	6, 20, 42, 57	0

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	194	ILE	5.9
1	B	11	LYS	4.5
1	C	127	LYS	4.1
1	B	127	LYS	4.0
1	D	200	LYS	4.0
1	D	201	LYS	3.8
1	C	187	ASP	3.6
1	C	235	ILE	3.5
1	D	98	ARG	3.5
1	B	235	ILE	3.5
1	C	219	ASP	3.4
1	A	220	LYS	3.2
1	D	11	LYS	3.1
1	C	134	GLN	3.0
1	D	186	ARG	3.0
1	B	108	ARG	3.0
1	B	10	VAL	3.0
1	C	220	LYS	2.9
1	C	234	GLU	2.9
1	D	219	ASP	2.9
1	A	235	ILE	2.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	201	LYS	2.8
1	B	119	LEU	2.7
1	A	219	ASP	2.7
1	B	96	GLU	2.7
1	B	234	GLU	2.6
1	C	186	ARG	2.6
1	D	190	LYS	2.6
1	D	197	GLU	2.5
1	A	108	ARG	2.5
1	C	232	THR	2.5
1	D	193	PRO	2.4
1	B	233	GLY	2.4
1	D	108	ARG	2.3
1	B	221	VAL	2.3
1	D	218	GLY	2.3
1	A	139	ARG	2.3
1	D	134	GLN	2.3
1	C	125	ARG	2.3
1	D	187	ASP	2.3
1	B	54	GLU	2.2
1	D	195	TYR	2.2
1	C	221	VAL	2.2
1	B	232	THR	2.2
1	C	231	LYS	2.2
1	D	235	ILE	2.1
1	C	201	LYS	2.1
1	C	230	LEU	2.1
1	D	100	ASP	2.0
1	D	234	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	SO4	A	4160	5/5	0.91	0.21	56,56,57,57	0
4	ACY	B	1501	4/4	0.92	0.16	25,29,29,30	0
3	SO4	A	4157	5/5	0.94	0.16	55,55,56,57	0
3	SO4	D	4162	5/5	0.94	0.11	41,42,43,43	0
3	SO4	A	4159	5/5	0.94	0.12	47,48,49,50	0
2	NAD	A	4001	27/44	0.95	0.09	10,14,18,35	0
2	NAD	B	4002	27/44	0.96	0.10	14,23,26,32	0
3	SO4	B	4158	5/5	0.97	0.16	44,44,45,48	0
2	NAD	D	4004	26/44	0.97	0.08	10,14,18,18	0
2	NAD	C	4003	27/44	0.97	0.08	10,12,16,21	0
3	SO4	B	4161	5/5	0.98	0.09	46,47,48,49	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around NAD B 4002:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around NAD D 4004:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.5 Other polymers [i](#)

There are no such residues in this entry.