

Full wwPDB X-ray Structure Validation Report (i)

Aug 2, 2023 – 09:59 PM EDT

PDB ID	:	1FAY
Title	:	WINGED BEAN ACIDIC LECTIN COMPLEXED WITH METHYL-ALPH
		A-D-GALACTOSE (MONOCLINIC FORM)
Authors	:	Manoj, N.; Srinivas, V.R.; Surolia, A.; Vijayan, M.; Suguna, K.
Deposited on	:	2000-07-14
Resolution	:	3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.34
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.34

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	1149 (3.34-3.26)
Clashscore	141614	1205 (3.34-3.26)
Ramachandran outliers	138981	1183 (3.34-3.26)
Sidechain outliers	138945	1182 (3.34-3.26)
RSRZ outliers	127900	1115 (3.34-3.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	238	69%	27%	
1	В	238	66%	30%	
1	C	238	71%	26%	
1	D	238	600/	2070	
1	E E	200	09%	27%	•••
1	E	238	69%	27%	• •



Mol	Chain	Length	Quality of chain		
1	F	238	71%	26%	•••
1	G	238	71%	26%	••
1	Н	238	^{2%} 70%	27%	••
2	Ι	2	50% 50%		
2	J	2	50% 50%		
2	K	2	100%		
2	L	2	50% 50%		
2	М	2	50% 50%		
2	N	2	100%		



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 14293 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf	Trace
1	Δ	026	Total	С	Ν	0	S	0	0	0
1	A	230	1742	1116	290	335	1	0	0	0
1	Р	226	Total	С	Ν	0	S	0	0	0
1	D	230	1762	1131	292	338	1	0	0	0
1	C	226	Total	С	Ν	0	S	0	0	0
1		230	1738	1118	287	332	1	0	0	0
1	П	D 236	Total	С	Ν	0	S	0	0	0
1			1739	1115	290	333	1	0	0	0
1	F	E 236	Total	С	Ν	0	S	0	0	0
1	Ľ		1744	1121	289	333	1	0	0	0
1	Б	026	Total	С	Ν	0	S	0	0	0
1	Г	230	1741	1117	291	332	1	0	0	0
1	C	226	Total	С	Ν	0	S	0	0	0
1	G	230	1724	1107	287	329	1	0	0	0
1	1 H	226	Total	С	Ν	0	S	0	0	0
1		236	1735	1116	288	330	1		U	

• Molecule 1 is a protein called ACIDIC LECTIN.

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	28	ASN	SER	engineered mutation	GB 6018681
А	101	GLN	GLY	engineered mutation	GB 6018681
А	?	-	SER	deletion	GB 6018681
А	?	-	ASN	deletion	GB 6018681
А	120	PHE	LEU	engineered mutation	GB 6018681
В	28	ASN	SER	engineered mutation	GB 6018681
В	101	GLN	GLY	engineered mutation	GB 6018681
В	?	-	SER	deletion	GB 6018681
В	?	-	ASN	deletion	GB 6018681
В	120	PHE	LEU	engineered mutation	GB 6018681
С	28	ASN	SER	engineered mutation	GB 6018681
С	101	GLN	GLY	engineered mutation	GB 6018681
C	?	_	SER	deletion	GB 6018681



Chain	Residue	Modelled	Actual	Comment	Reference
С	?	-	ASN	deletion	GB 6018681
С	120	PHE	LEU	engineered mutation	GB 6018681
D	28	ASN	SER	engineered mutation	GB 6018681
D	101	GLN	GLY	engineered mutation	GB 6018681
D	?	-	SER	deletion	GB 6018681
D	?	-	ASN	deletion	GB 6018681
D	120	PHE	LEU	engineered mutation	GB 6018681
Е	28	ASN	SER	engineered mutation	GB 6018681
Е	101	GLN	GLY	engineered mutation	GB 6018681
Е	?	-	SER	deletion	GB 6018681
Е	?	-	ASN	deletion	GB 6018681
Е	120	PHE	LEU	engineered mutation	GB 6018681
F	28	ASN	SER	engineered mutation	GB 6018681
F	101	GLN	GLY	engineered mutation	GB 6018681
F	?	-	SER	deletion	GB 6018681
F	?	-	ASN	deletion	GB 6018681
F	120	PHE	LEU	engineered mutation	GB 6018681
G	28	ASN	SER	engineered mutation	GB 6018681
G	101	GLN	GLY	engineered mutation	GB 6018681
G	?	-	SER	deletion	GB 6018681
G	?	-	ASN	deletion	GB 6018681
G	120	PHE	LEU	engineered mutation	GB 6018681
Н	28	ASN	SER	engineered mutation	GB 6018681
Н	101	GLN	GLY	engineered mutation	GB 6018681
Н	?	-	SER	deletion	GB 6018681
Н	?	-	ASN	deletion	GB 6018681
Н	120	PHE	LEU	engineered mutation	GB 6018681

• Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	Ι	2	Total C N O 28 16 2 10	0	0	0
2	J	2	Total C N O 28 16 2 10	0	0	0
2	К	2	Total C N O 28 16 2 10	0	0	0



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	L	2	Total C 28 10	2 N 5 2	O 10	0	0	0
2	М	2	Total C 28 10	2 N 5 2	O 10	0	0	0
2	Ν	2	Total C 28 10	C N 5 2	O 10	0	0	0

 \bullet Molecule 3 is methyl alpha-D-galactopyranoside (three-letter code: AMG) (formula: $\rm C_7H_{14}O_6).$



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total C O 13 7 6	0	0
3	В	1	Total C O 13 7 6	0	0
3	С	1	Total C O 13 7 6	0	0
3	D	1	Total C O 13 7 6	0	0
3	Е	1	Total C O 13 7 6	0	0
3	F	1	Total C O 13 7 6	0	0
3	G	1	$\begin{array}{ccc} Total & C & O \\ 13 & 7 & 6 \end{array}$	0	0
3	Н	1	Total C O 13 7 6	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total Mn 1 1	0	0
4	В	1	Total Mn 1 1	0	0
4	С	1	Total Mn 1 1	0	0
4	D	1	Total Mn 1 1	0	0
4	Е	1	Total Mn 1 1	0	0
4	F	1	Total Mn 1 1	0	0
4	G	1	Total Mn 1 1	0	0
4	Н	1	Total Mn 1 1	0	0

• Molecule 4 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

• Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	Total Ca 1 1	0	0
5	В	1	Total Ca 1 1	0	0
5	С	1	Total Ca 1 1	0	0
5	D	1	Total Ca 1 1	0	0
5	Ε	1	Total Ca 1 1	0	0
5	F	1	Total Ca 1 1	0	0
5	G	1	Total Ca 1 1	0	0
5	Н	1	Total Ca 1 1	0	0

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	11	Total O 11 11	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	В	17	Total O 17 17	0	0
6	С	8	Total O 8 8	0	0
6	D	8	Total O 8 8	0	0
6	Е	10	Total O 10 10	0	0
6	F	14	Total O 14 14	0	0
6	G	6	Total O 6 6	0	0
6	Н	6	Total O 6 6	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: ACIDIC LECTIN







F127 E1 F127 T2 P133 P133 P134 T2 V135 T1 P136 T1 P136 T2 V135 T2 P136 T2 P136 T2 P136 T2 P136 T2 P136 T2 P136 T2 P14 T2 P14 T2 P15 T3 P16 T3 P17 T3 P18 T3 P19 T3 P19 T3 P10 T3 P114 T3</t



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

 Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose Chain J: 50% 50% Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose Chain K: 100% Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose Chain L: 50% 50% Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose Chain L: 50% 50% Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose Chain L: 50% 50% 	Chain I:	50%	50%	
 Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose Chain J: 50% 50% Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose Chain K: 100% Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose Chain L: 50% 50% Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose 	NAG1 NAG2			
Chain J: 50% 50% Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose Chain K: 100% Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose Chain L: 50% 50% Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc Chain M: 50% 50%	• Molecule 2 opyranose	: 2-acetamido-2-deoxy-be	ta-D-glucopyranose-(1-4)-2-acetamic	lo-2-deoxy-beta-D-gluc
 Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose Chain K: 100% Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose Chain L: 50% 50% Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose 	Chain J:	50%	50%	l de la companya de l
 Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose Chain K: 100% Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose Chain L: 50% 50% Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose Chain L: 50% 50% 	NAG1 NAG2			
Chain K: 100% • Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose Chain L: 50% 50% • Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose Chain M: 50% 50%	• Molecule 2 opyranose	: 2-acetamido-2-deoxy-be	ta-D-glucopyranose-(1-4)-2-acetamic	lo-2-deoxy-beta-D-gluc
 Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose Chain L: 50% 50% Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose Chain M: 50% 50% 	Chain K:		100%	•
 Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose Chain L: 50% 50% Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose Chain M: 50% 50% 	NAG1 NAG2			
Chain L: 50% 50% Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose Chain M: 50% 50%	• Molecule 2 opyranose	: 2-acetamido-2-deoxy-be	ta-D-glucopyranose-(1-4)-2-acetamic	lo-2-deoxy-beta-D-gluc
• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose Chain M: 50% 50%	Chain L:	50%	50%	•
 Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose Chain M: 50% 50% 	NAG1 NAG2			
Chain M: 50% 50%	• Molecule 2 opyranose	: 2-acetamido-2-deoxy-be	ta-D-glucopyranose-(1-4)-2-acetamic	do-2-deoxy-beta-D-gluc
	Chain M:	50%	50%	-





• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:

100%

NAG1 NAG2



4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	134.53Å 125.91Å 138.79Å	Depositor
a, b, c, α , β , γ	90.00° 95.89° 90.00°	Depositor
Bosolution(A)	20.00 - 3.30	Depositor
Resolution (A)	29.76 - 3.27	EDS
% Data completeness	92.4 (20.00-3.30)	Depositor
(in resolution range)	90.8 (29.76-3.27)	EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.12 (at 3.24 \text{\AA})$	Xtriage
Refinement program	CNS 0.4	Depositor
P. P.	0.204 , 0.242	Depositor
II, II free	0.197 , 0.236	DCC
R_{free} test set	1635 reflections (4.97%)	wwPDB-VP
Wilson B-factor $(Å^2)$	55.6	Xtriage
Anisotropy	0.238	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.23, 51.9	EDS
L-test for $twinning^2$	$ < L >=0.46, < L^2>=0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	14293	wwPDB-VP
Average B, all atoms $(Å^2)$	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.22% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, AMG, CA, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles		
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.44	0/1789	0.71	1/2454~(0.0%)	
1	В	0.45	0/1809	0.72	1/2479~(0.0%)	
1	С	0.45	0/1785	0.72	1/2450~(0.0%)	
1	D	0.44	0/1786	0.73	1/2451~(0.0%)	
1	Е	0.44	0/1791	0.71	1/2456~(0.0%)	
1	F	0.44	0/1788	0.72	2/2450~(0.1%)	
1	G	0.43	0/1771	0.71	1/2428~(0.0%)	
1	Н	0.41	0/1782	0.70	1/2444~(0.0%)	
All	All	0.44	0/14301	0.72	9/19612~(0.0%)	

There are no bond length outliers.

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	Н	114	PRO	N-CA-CB	5.96	110.46	103.30
1	G	114	PRO	N-CA-CB	5.92	110.41	103.30
1	D	114	PRO	N-CA-CB	5.90	110.38	103.30
1	Е	114	PRO	N-CA-CB	5.90	110.38	103.30
1	F	114	PRO	N-CA-CB	5.90	110.38	103.30
1	А	114	PRO	N-CA-CB	5.89	110.37	103.30
1	С	114	PRO	N-CA-CB	5.86	110.34	103.30
1	В	114	PRO	N-CA-CB	5.80	110.26	103.30
1	F	17	LEU	CA-CB-CG	5.38	127.67	115.30

All (9) bond angle outliers are listed below:

There are no chirality outliers.

There are no planarity outliers.



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1742	0	1562	52	0
1	В	1762	0	1603	63	0
1	С	1738	0	1559	47	0
1	D	1739	0	1559	46	0
1	Е	1744	0	1573	52	0
1	F	1741	0	1573	46	0
1	G	1724	0	1544	42	0
1	Н	1735	0	1563	48	0
2	Ι	28	0	25	0	0
2	J	28	0	25	1	0
2	Κ	28	0	25	0	0
2	L	28	0	25	0	0
2	М	28	0	25	5	0
2	Ν	28	0	25	0	0
3	А	13	0	14	1	0
3	В	13	0	14	2	0
3	С	13	0	14	3	0
3	D	13	0	14	2	0
3	Е	13	0	14	2	0
3	F	13	0	14	2	0
3	G	13	0	14	2	0
3	Н	13	0	14	2	0
4	А	1	0	0	0	0
4	В	1	0	0	0	0
4	С	1	0	0	0	0
4	D	1	0	0	0	0
4	Ε	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	Н	1	0	0	0	0
5	А	1	0	0	0	0
5	В	1	0	0	0	0
5	С	1	0	0	0	0
5	D	1	0	0	0	0
5	Е	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	Н	1	0	0	0	0
6	А	11	0	0	2	0
6	В	17	0	0	1	0
6	С	8	0	0	2	0
6	D	8	0	0	0	0
6	Ε	10	0	0	0	0
6	F	14	0	0	1	0
6	G	6	0	0	1	0
6	Н	6	0	0	0	0
All	All	14293	0	12798	365	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (365) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:H:213:THR:HB	1:H:220:VAL:HG12	1.36	1.06
1:C:213:THR:HB	1:C:220:VAL:HG12	1.41	1.01
1:E:181:HIS:HD2	1:F:181:HIS:HD2	1.01	1.01
1:C:181:HIS:HD2	1:D:181:HIS:HD2	1.04	1.00
1:F:3:GLN:HE22	1:F:57:LYS:H	1.09	1.00
1:B:3:GLN:HE22	1:B:57:LYS:H	1.06	0.99
1:C:3:GLN:HE22	1:C:57:LYS:H	1.08	0.97
1:D:3:GLN:HE22	1:D:57:LYS:H	1.04	0.97
1:B:213:THR:HB	1:B:220:VAL:HG12	1.46	0.96
1:E:3:GLN:HE22	1:E:57:LYS:H	1.05	0.95
1:G:181:HIS:HD2	1:H:181:HIS:CD2	1.84	0.95
1:H:3:GLN:HE22	1:H:57:LYS:H	1.08	0.95
1:E:213:THR:HB	1:E:220:VAL:HG12	1.48	0.94
1:A:3:GLN:HE22	1:A:57:LYS:H	1.06	0.94
1:G:181:HIS:CD2	1:H:181:HIS:HD2	1.84	0.94
1:A:181:HIS:HD2	1:B:181:HIS:HD2	1.02	0.92
1:G:3:GLN:HE22	1:G:57:LYS:H	1.07	0.92
1:A:79:GLN:H	1:A:157:ASN:HD21	1.19	0.90
1:A:181:HIS:HD2	1:B:181:HIS:CD2	1.91	0.89
1:E:181:HIS:HD2	1:F:181:HIS:CD2	1.90	0.88
1:E:181:HIS:CD2	1:F:181:HIS:HD2	1.91	0.87
1:A:181:HIS:CD2	1:B:181:HIS:HD2	1.91	0.84
1:B:222:THR:HA	6:B:507:HOH:O	1.81	0.81
1:C:181:HIS:CD2	1:D:181:HIS:HD2	1.97	0.79



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:181:HIS:HD2	1:D:181:HIS:CD2	1.97	0.79
1:H:79:GLN:H	1:H:157:ASN:HD21	1.32	0.78
1:B:79:GLN:H	1:B:157:ASN:HD21	1.29	0.77
1:E:80:PRO:HG3	2:M:2:NAG:H81	1.69	0.73
1:H:78:THR:HA	1:H:157:ASN:ND2	2.05	0.72
1:G:146:VAL:HA	6:G:407:HOH:O	1.90	0.70
1:F:217:LYS:O	1:F:218:ASN:HB2	1.93	0.69
1:C:213:THR:CB	1:C:220:VAL:HG12	2.20	0.68
1:E:78:THR:OG1	2:M:1:NAG:H5	1.93	0.68
1:B:33:LEU:O	1:B:48:GLY:HA3	1.96	0.66
1:A:33:LEU:O	1:A:48:GLY:HA3	1.96	0.66
1:D:33:LEU:O	1:D:48:GLY:HA3	1.96	0.66
1:H:33:LEU:O	1:H:48:GLY:HA3	1.96	0.66
1:C:33:LEU:O	1:C:48:GLY:HA3	1.95	0.66
1:E:33:LEU:O	1:E:48:GLY:HA3	1.95	0.65
1:G:33:LEU:O	1:G:48:GLY:HA3	1.95	0.65
1:F:33:LEU:O	1:F:48:GLY:HA3	1.97	0.65
1:E:192:ILE:HG13	1:F:173:ILE:HD11	1.78	0.64
1:C:47:THR:OG1	1:C:104:ASP:HB3	1.97	0.64
1:E:217:LYS:O	1:E:218:ASN:HB2	1.97	0.64
1:H:79:GLN:H	1:H:157:ASN:ND2	1.96	0.64
1:A:79:GLN:H	1:A:157:ASN:ND2	1.93	0.63
1:E:222:THR:HG21	2:M:1:NAG:H62	1.80	0.63
1:A:8:ASP:OD2	1:A:8:ASP:N	2.32	0.62
1:A:60:ASP:HB3	1:A:63:THR:OG1	2.00	0.62
1:B:79:GLN:H	1:B:157:ASN:ND2	1.98	0.61
1:D:217:LYS:O	1:D:218:ASN:HB2	2.01	0.61
1:H:51:LEU:N	1:H:51:LEU:HD12	2.16	0.61
1:D:51:LEU:HD12	1:D:51:LEU:N	2.16	0.61
1:C:212:THR:HB	6:C:508:HOH:O	1.99	0.61
1:G:51:LEU:HD12	1:G:51:LEU:N	2.16	0.61
1:A:192:ILE:HG13	1:B:173:ILE:HD11	1.82	0.60
1:C:5:PHE:CE1	1:C:230:PHE:HB3	2.37	0.60
1:A:51:LEU:N	1:A:51:LEU:HD12	2.15	0.60
1:C:51:LEU:N	1:C:51:LEU:HD12	2.16	0.60
1:B:51:LEU:HD12	1:B:51:LEU:N	2.17	0.60
1:E:78:THR:HG23	1:E:157:ASN:HD21	1.66	0.60
1:F:66:VAL:HG21	6:F:516:HOH:O	2.00	0.60
1:E:5:PHE:CE1	1:E:230:PHE:HB3	2.37	0.60
1:F:51:LEU:N	1:F:51:LEU:HD12	2.16	0.60
1:D:5:PHE:CE1	1:D:230:PHE:HB3	2.37	0.59



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:E:51:LEU:N	1:E:51:LEU:HD12	2.17	0.59
1:H:5:PHE:CE1	1:H:230:PHE:HB3	2.37	0.59
1:A:5:PHE:CE1	1:A:230:PHE:HB3	2.37	0.59
1:G:72:ARG:NH1	1:H:186:VAL:O	2.36	0.59
1:A:17:LEU:HD12	1:A:51:LEU:O	2.03	0.59
1:G:5:PHE:CE1	1:G:230:PHE:HB3	2.37	0.59
1:B:5:PHE:CE1	1:B:230:PHE:HB3	2.38	0.59
1:F:5:PHE:CE1	1:F:230:PHE:HB3	2.37	0.59
1:C:127:PHE:HB3	6:C:507:HOH:O	2.01	0.58
1:C:217:LYS:O	1:C:218:ASN:HB2	2.02	0.58
1:G:8:ASP:OD2	1:G:8:ASP:N	2.34	0.58
1:A:173:ILE:HD11	1:B:192:ILE:HG13	1.86	0.58
1:H:79:GLN:N	1:H:157:ASN:HD21	1.99	0.57
1:A:79:GLN:N	1:A:157:ASN:HD21	1.95	0.57
1:D:60:ASP:HB3	1:D:63:THR:OG1	2.05	0.57
1:C:173:ILE:HD11	1:D:192:ILE:HG13	1.87	0.57
1:E:186:VAL:O	1:F:72:ARG:NH1	2.37	0.57
1:H:157:ASN:HD22	1:H:158:GLY:N	2.03	0.56
1:B:103:GLU:O	1:B:109:GLY:HA2	2.05	0.56
1:C:45:LYS:HE3	1:C:215:TYR:CE1	2.40	0.55
1:A:135:VAL:HB	1:A:136:PRO:HA	1.88	0.55
1:B:38:LYS:O	1:B:39:ASN:HB2	2.06	0.55
1:D:127:PHE:CE2	3:D:403:AMG:H3	2.41	0.55
1:H:127:PHE:CE2	3:H:407:AMG:H3	2.42	0.54
1:F:135:VAL:HB	1:F:136:PRO:HA	1.90	0.54
1:A:133:PRO:HD2	1:A:137:HIS:CE1	2.43	0.54
1:H:135:VAL:HB	1:H:136:PRO:HA	1.90	0.54
1:E:135:VAL:HB	1:E:136:PRO:HA	1.89	0.54
1:G:66:VAL:HG22	1:G:196:LYS:HB2	1.89	0.54
1:G:135:VAL:HB	1:G:136:PRO:HA	1.90	0.54
1:B:135:VAL:HB	1:B:136:PRO:HA	1.90	0.53
1:D:133:PRO:HD2	1:D:137:HIS:CE1	2.44	0.53
1:D:135:VAL:HB	1:D:136:PRO:HA	1.91	0.53
1:E:133:PRO:HD2	1:E:137:HIS:CE1	2.43	0.53
1:G:133:PRO:HD2	1:G:137:HIS:CE1	2.43	0.53
1:F:133:PRO:HD2	1:F:137:HIS:CE1	2.44	0.53
1:C:72:ARG:NH1	1:D:186:VAL:O	2.41	0.53
1:G:127:PHE:CE2	3:G:406:AMG:H3	2.44	0.53
1:H:133:PRO:HD2	1:H:137:HIS:CE1	2.44	0.53
1:C:133:PRO:HD2	1:C:137:HIS:CE1	2.44	0.53
1:H:114:PRO:O	1:H:116:GLY:N	2.41	0.52



			Clash		
Atom-1	Atom-2	distance (\AA)	overlap (Å)		
1:C:114:PRO:O	1:C:116:GLY:N	2.41	0.52		
1:C:135:VAL:HB	1:C:136:PRO:HA	1.91	0.52		
1:D:103:GLU:O	1:D:107:ASN:HB2	2.09	0.52		
1:E:114:PRO:O	1:E:116:GLY:N	2.40	0.52		
1:B:79:GLN:N	1:B:157:ASN:HD21	2.03	0.52		
1:B:133:PRO:HD2	1:B:137:HIS:CE1	2.44	0.52		
1:A:154:GLN:HG3	6:A:510:HOH:O	2.08	0.52		
1:D:114:PRO:O	1:D:116:GLY:N	2.41	0.51		
1:E:136:PRO:HG2	1:E:153:PHE:O	2.10	0.51		
1:A:114:PRO:O	1:A:116:GLY:N	2.41	0.51		
1:H:78:THR:HA	1:H:157:ASN:HD21	1.74	0.51		
1:B:136:PRO:HG2	1:B:153:PHE:O	2.11	0.51		
1:E:80:PRO:HG3	2:M:2:NAG:C8	2.41	0.51		
1:F:147:SER:HB2	1:F:150:THR:CG2	2.41	0.51		
1:B:171:THR:HG22	1:C:130:THR:HG22	1.93	0.51		
1:D:38:LYS:O	1:D:39:ASN:HB2	2.10	0.51		
1:F:136:PRO:HG2	1:F:153:PHE:O	2.11	0.51		
1:F:114:PRO:O	1:F:116:GLY:N	2.40	0.51		
1:H:136:PRO:HG2	1:H:153:PHE:O	2.11	0.51		
1:H:213:THR:HB	1:H:220:VAL:CG1	2.26	0.51		
1:C:136:PRO:HG2	1:C:153:PHE:O	2.10	0.50		
1:H:63:THR:CB	1:H:65:ASN:HD22	2.24	0.50		
1:H:147:SER:HB2	1:H:150:THR:CG2	2.41	0.50		
1:E:22:GLN:O	1:E:35:LYS:HE3	2.10	0.50		
1:G:147:SER:HB2	1:G:150:THR:CG2	2.41	0.50		
1:A:136:PRO:HG2	1:A:153:PHE:O	2.11	0.50		
1:G:136:PRO:HG2	1:G:153:PHE:O	2.10	0.50		
1:C:147:SER:HB2	1:C:150:THR:CG2	2.42	0.50		
1:D:147:SER:HB2	1:D:150:THR:CG2	2.41	0.50		
1:A:74:SER:HA	1:A:161:ALA:O	2.12	0.50		
1:A:175:ASN:ND2	1:B:188:THR:OG1	2.45	0.50		
1:B:78:THR:HB	1:B:222:THR:OG1	2.11	0.50		
1:B:147:SER:HB2	1:B:150:THR:CG2	2.41	0.50		
1:D:136:PRO:HG2	1:D:153:PHE:O	2.11	0.50		
1:E:147:SER:HB2	1:E:150:THR:CG2	2.42	0.50		
1:H:74:SER:HA	1:H:161:ALA:O	2.12	0.50		
1:A:147:SER:HB2	1:A:150:THR:CG2	2.42	0.49		
1:H:127:PHE:HE2	3:H:407:AMG:H3	1.76	0.49		
1:A:78:THR:HA	1:A:157:ASN:ND2	2.27	0.49		
1:C:127:PHE:CE2	3:C:402:AMG:H3	2.47	0.49		
1:G:74:SER:HA	1:G:161:ALA:O	2.12	0.49		



	h + O	Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:E:74:SER:HA	1:E:161:ALA:O	2.12	0.49		
1:G:114:PRO:O	1:G:116:GLY:N	2.40	0.49		
1:D:127:PHE:HE2	3:D:403:AMG:H3	1.76	0.49		
1:E:222:THR:HG21	2:M:1:NAG:C6	2.42	0.49		
1:D:74:SER:HA	1:D:161:ALA:O	2.13	0.49		
1:G:173:ILE:HD11	1:H:192:ILE:HG13	1.95	0.49		
1:F:221:GLU:HG3	1:F:223:HIS:NE2	2.28	0.49		
1:H:3:GLN:HE22	1:H:57:LYS:N	1.92	0.49		
1:B:74:SER:HA	1:B:161:ALA:O	2.13	0.48		
1:E:127:PHE:CE2	3:E:404:AMG:H3	2.48	0.48		
1:G:221:GLU:HG3	1:G:223:HIS:NE2	2.28	0.48		
1:A:186:VAL:O	1:B:72:ARG:NH1	2.46	0.48		
1:B:221:GLU:HG3	1:B:223:HIS:NE2	2.28	0.48		
1:D:3:GLN:NE2	1:D:57:LYS:H	1.89	0.48		
1:H:169:SER:N	1:H:170:PRO:HD2	2.28	0.48		
1:C:74:SER:HA	1:C:161:ALA:O	2.13	0.48		
1:H:221:GLU:HG3	1:H:223:HIS:NE2	2.28	0.48		
1:A:188:THR:OG1	1:B:175:ASN:ND2	2.46	0.48		
1:A:99:SER:OG	1:A:100:PRO:HD2	2.13	0.48		
1:A:169:SER:N	1:A:170:PRO:HD2	2.29	0.48		
1:B:169:SER:N	1:B:170:PRO:HD2	2.29	0.48		
1:D:221:GLU:HG3	1:D:223:HIS:NE2	2.28	0.48		
1:E:221:GLU:HG3	1:E:223:HIS:NE2	2.28	0.48		
1:F:74:SER:HA	1:F:161:ALA:O	2.13	0.48		
1:B:127:PHE:CE2	3:B:401:AMG:H3	2.47	0.48		
1:B:217:LYS:O	1:B:218:ASN:HB2	2.13	0.48		
1:C:221:GLU:HG3	1:C:223:HIS:NE2	2.28	0.48		
1:C:169:SER:N	1:C:170:PRO:HD2	2.29	0.48		
1:A:221:GLU:HG3	1:A:223:HIS:NE2	2.28	0.47		
1:E:3:GLN:NE2	1:E:57:LYS:H	1.90	0.47		
1:E:169:SER:N	1:E:170:PRO:HD2	2.29	0.47		
1:G:169:SER:N	1:G:170:PRO:HD2	2.29	0.47		
1:B:3:GLN:HE22	1:B:57:LYS:N	1.91	0.47		
1:D:169:SER:N	1:D:170:PRO:HD2	2.29	0.47		
1:E:173:ILE:HD11	1:F:192:ILE:HG13	1.95	0.47		
1:A:59:TRP:O	1:A:203:GLU:HB3	2.15	0.47		
1:B:135:VAL:CB	1:B:136:PRO:HA	2.45	0.47		
1:A:135:VAL:CB	1:A:136:PRO:HA	2.45	0.47		
1:B:120:PHE:HZ	1:B:174:LEU:HD22	1.80	0.47		
1:E:87:ALA:HB1	1:E:88:ASP:OD1	2.15	0.47		
1:E:135:VAL:CB	1:E:136:PRO:HA	2.45	0.47		



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:H:16:GLU:O	1:H:53:ALA:HB2	2.14	0.47	
1:C:59:TRP:O	1:C:203:GLU:HB3	2.15	0.47	
1:H:59:TRP:O	1:H:203:GLU:HB3	2.15	0.47	
1:F:169:SER:N	1:F:170:PRO:HD2	2.29	0.47	
1:D:59:TRP:O	1:D:203:GLU:HB3	2.16	0.46	
1:D:120:PHE:HZ	1:D:174:LEU:HD22	1.81	0.46	
1:H:120:PHE:HZ	1:H:174:LEU:HD22	1.80	0.46	
1:H:135:VAL:CB	1:H:136:PRO:HA	2.46	0.46	
1:F:217:LYS:O	1:F:218:ASN:CB	2.63	0.46	
1:A:87:ALA:HB1	1:A:88:ASP:OD1	2.15	0.46	
1:F:59:TRP:O	1:F:203:GLU:HB3	2.15	0.46	
1:F:127:PHE:CE2	3:F:405:AMG:H5	2.50	0.46	
1:G:135:VAL:CB	1:G:136:PRO:HA	2.46	0.46	
1:A:127:PHE:CE2	3:A:400:AMG:H3	2.51	0.46	
1:E:59:TRP:O	1:E:203:GLU:HB3	2.16	0.46	
1:B:59:TRP:O	1:B:203:GLU:HB3	2.15	0.46	
1:F:120:PHE:HZ	1:F:174:LEU:HD22	1.81	0.46	
1:G:120:PHE:HZ	1:G:174:LEU:HD22	1.80	0.46	
1:G:127:PHE:HE2	3:G:406:AMG:H3	1.80	0.46	
1:C:135:VAL:CB	1:C:136:PRO:HA	2.46	0.46	
1:F:135:VAL:CB	1:F:136:PRO:HA	2.45	0.46	
1:H:214:GLY:HA3	1:H:219:ALA:O	2.16	0.46	
1:B:114:PRO:O	1:B:116:GLY:N	2.41	0.46	
1:C:127:PHE:HE2	3:C:402:AMG:H3	1.81	0.46	
1:D:59:TRP:CE3	1:D:196:LYS:HE3	2.50	0.46	
1:E:120:PHE:HZ	1:E:174:LEU:HD22	1.81	0.46	
1:F:127:PHE:CE2	3:F:405:AMG:H3	2.51	0.46	
1:B:87:ALA:HB1	1:B:88:ASP:OD1	2.16	0.46	
1:B:222:THR:HG21	2:J:1:NAG:H62	1.97	0.46	
1:C:120:PHE:HZ	1:C:174:LEU:HD22	1.80	0.46	
1:A:28:ASN:HD22	1:A:28:ASN:HA	1.63	0.45	
1:B:214:GLY:HA3	1:B:219:ALA:O	2.16	0.45	
1:C:87:ALA:HB1	1:C:88:ASP:OD1	2.16	0.45	
1:A:19:LEU:HD11	1:A:25:ILE:HG13	1.98	0.45	
1:H:19:LEU:HD11	1:H:25:ILE:HG13	1.98	0.45	
1:H:84:PRO:HG3	1:H:217:LYS:O	2.16	0.45	
1:C:127:PHE:CE2	3:C:402:AMG:H5	2.52	0.45	
1:D:135:VAL:CB	1:D:136:PRO:HA	2.46	0.45	
1:F:132:ASP:HA	1:F:133:PRO:HD3	1.75	0.45	
1:G:19:LEU:HD11	1:G:25:ILE:HG13	1.98	0.45	
1:G:214:GLY:HA3	1:G:219:ALA:O	2.17	0.45	



		Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:A:3:GLN:HE22	1:A:57:LYS:N	1.91	0.45	
1:D:214:GLY:HA3	1:D:219:ALA:O	2.17	0.45	
1:E:19:LEU:HD11	1:E:25:ILE:HG13	1.98	0.45	
1:E:85:GLU:HG3	1:E:86:PRO:HD2	1.98	0.45	
1:E:166:LYS:HD3	1:F:188:THR:HG23	1.97	0.45	
1:F:214:GLY:HA3	1:F:219:ALA:O	2.17	0.45	
1:G:45:LYS:HE3	1:G:215:TYR:CE1	2.52	0.45	
1:C:19:LEU:HD11	1:C:25:ILE:HG13	1.98	0.45	
1:C:214:GLY:HA3	1:C:219:ALA:O	2.17	0.45	
1:D:97:PRO:HA	1:D:206:ASN:ND2	2.32	0.45	
1:G:59:TRP:O	1:G:203:GLU:HB3	2.15	0.45	
1:A:97:PRO:HA	1:A:206:ASN:ND2	2.32	0.45	
1:A:120:PHE:HZ	1:A:174:LEU:HD22	1.81	0.45	
1:G:87:ALA:HB1	1:G:88:ASP:OD1	2.17	0.45	
1:D:19:LEU:HD11	1:D:25:ILE:HG13	1.98	0.45	
1:D:87:ALA:HB1	1:D:88:ASP:OD1	2.16	0.45	
1:C:97:PRO:HA	1:C:206:ASN:ND2	2.32	0.45	
1:B:97:PRO:HA	1:B:206:ASN:ND2	2.32	0.44	
1:G:97:PRO:HA	1:G:206:ASN:ND2	2.32	0.44	
1:H:97:PRO:HA	1:H:206:ASN:ND2	2.32	0.44	
1:A:50:ALA:C	1:A:51:LEU:HD12	2.37	0.44	
1:A:51:LEU:N	1:A:51:LEU:CD1	2.79	0.44	
1:B:127:PHE:HE2	3:B:401:AMG:H3	1.82	0.44	
1:F:87:ALA:HB1	1:F:88:ASP:OD1	2.17	0.44	
1:F:161:ALA:HB2	1:F:180:PHE:CE2	2.53	0.44	
1:E:51:LEU:N	1:E:51:LEU:CD1	2.81	0.44	
1:E:214:GLY:HA3	1:E:219:ALA:O	2.17	0.44	
1:F:51:LEU:N	1:F:51:LEU:CD1	2.80	0.44	
1:E:161:ALA:HB2	1:E:180:PHE:CE2	2.53	0.44	
1:F:50:ALA:C	1:F:51:LEU:HD12	2.38	0.44	
1:A:72:ARG:NH1	1:B:186:VAL:O	2.48	0.44	
1:A:214:GLY:HA3	1:A:219:ALA:O	2.17	0.44	
1:C:104:ASP:N	1:C:104:ASP:OD2	2.50	0.44	
1:E:188:THR:OG1	1:F:175:ASN:ND2	2.51	0.44	
1:F:97:PRO:HA	1:F:206:ASN:ND2	2.33	0.44	
1:G:51:LEU:N	1:G:51:LEU:CD1	2.80	0.44	
1:H:87:ALA:HB1	1:H:88:ASP:OD1	2.17	0.44	
1:H:161:ALA:HB2	1:H:180:PHE:CE2	2.53	0.44	
1:D:39:ASN:C	1:D:41:VAL:H	2.21	0.44	
1:E:97:PRO:HA	1:E:206:ASN:ND2	2.32	0.44	
1:B:19:LEU:HD11	1:B:25:ILE:HG13	1.99	0.44	



	ti a	Interatomic Clas		
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:C:50:ALA:C	1:C:51:LEU:HD12	2.38	0.44	
1:D:161:ALA:HB2	1:D:180:PHE:CE2	2.53	0.44	
1:G:75:PHE:CD1	1:G:75:PHE:C	2.92	0.44	
1:B:51:LEU:N	1:B:51:LEU:CD1	2.81	0.43	
1:C:75:PHE:CD1	1:C:75:PHE:C	2.92	0.43	
1:E:24:SER:OG	1:E:35:LYS:HE2	2.18	0.43	
1:A:166:LYS:HD3	1:B:188:THR:HG23	2.00	0.43	
1:B:63:THR:CB	1:B:65:ASN:ND2	2.81	0.43	
1:B:157:ASN:HD22	1:B:158:GLY:N	2.17	0.43	
1:F:19:LEU:HD11	1:F:25:ILE:HG13	1.99	0.43	
1:H:75:PHE:CD1	1:H:75:PHE:C	2.92	0.43	
1:D:50:ALA:C	1:D:51:LEU:HD12	2.38	0.43	
1:G:161:ALA:HB2	1:G:180:PHE:CE2	2.53	0.43	
1:B:132:ASP:HA	1:B:133:PRO:HD3	1.75	0.43	
1:G:49:ARG:NH2	1:G:101:GLN:HG2	2.34	0.43	
1:D:75:PHE:CD1	1:D:75:PHE:C	2.91	0.43	
1:G:50:ALA:C	1:G:51:LEU:HD12	2.38	0.43	
1:B:75:PHE:CD1	1:B:75:PHE:C	2.92	0.43	
1:H:51:LEU:N	1:H:51:LEU:CD1	2.80	0.43	
1:A:161:ALA:HB2	1:A:180:PHE:CE2	2.54	0.43	
1:C:161:ALA:HB2	1:C:180:PHE:CE2	2.53	0.43	
1:E:75:PHE:CD1	1:E:75:PHE:C	2.91	0.43	
1:H:50:ALA:C	1:H:51:LEU:HD12	2.38	0.43	
1:B:161:ALA:HB2	1:B:180:PHE:CE2	2.53	0.43	
1:E:175:ASN:ND2	1:F:188:THR:OG1	2.52	0.43	
1:F:75:PHE:CD1	1:F:75:PHE:C	2.92	0.43	
1:C:79:GLN:H	1:C:157:ASN:HD21	1.67	0.42	
1:C:183:VAL:HG12	1:C:183:VAL:O	2.19	0.42	
1:G:217:LYS:O	1:G:218:ASN:HB2	2.18	0.42	
1:A:75:PHE:CD1	1:A:75:PHE:C	2.91	0.42	
1:C:51:LEU:N	1:C:51:LEU:CD1	2.80	0.42	
1:C:141:ASP:HB3	1:C:144:SER:O	2.19	0.42	
1:D:132:ASP:HA	1:D:133:PRO:HD3	1.75	0.42	
1:E:78:THR:HB	1:E:222:THR:OG1	2.19	0.42	
1:F:195:LEU:HD23	1:F:195:LEU:HA	1.82	0.42	
1:D:183:VAL:O	1:D:183:VAL:HG12	2.19	0.42	
1:F:141:ASP:HB3	1:F:144:SER:O	2.20	0.42	
1:H:183:VAL:HG12	1:H:183:VAL:O	2.20	0.42	
1:B:54:GLU:HA	1:B:55:PRO:HD3	1.88	0.42	
1:C:195:LEU:HD23	1:C:195:LEU:HA	1.83	0.42	
1:A:141:ASP:HB3	1:A:144:SER:O	2.19	0.42	



		Interatomic	Clash	
Atom-1	Atom-1 Atom-2		overlap (Å)	
1:B:50:ALA:C	1:B:51:LEU:HD12	2.40	0.42	
1:B:78:THR:HA	1:B:157:ASN:ND2	2.34	0.42	
1:D:51:LEU:N	1:D:51:LEU:CD1	2.80	0.42	
1:G:103:GLU:O	1:G:107:ASN:HB2	2.20	0.42	
1:G:183:VAL:HG12	1:G:183:VAL:O	2.20	0.42	
1:A:217:LYS:O	1:A:218:ASN:HB2	2.19	0.42	
1:E:141:ASP:HB3	1:E:144:SER:O	2.19	0.42	
1:F:60:ASP:HB3	1:F:63:THR:OG1	2.19	0.42	
1:F:183:VAL:HG12	1:F:183:VAL:O	2.19	0.42	
1:A:183:VAL:O	1:A:183:VAL:HG12	2.19	0.42	
1:E:50:ALA:C	1:E:51:LEU:HD12	2.39	0.42	
1:G:132:ASP:HA	1:G:133:PRO:HD3	1.75	0.42	
1:G:147:SER:HB2	1:G:150:THR:HG23	2.02	0.42	
1:A:196:LYS:O	1:A:196:LYS:HG2	2.19	0.41	
1:D:141:ASP:HB3	1:D:144:SER:O	2.19	0.41	
1:E:127:PHE:HE2	3:E:404:AMG:H3	1.85	0.41	
1:B:147:SER:HB2	1:B:150:THR:HG23	2.02	0.41	
1:C:87:ALA:HB1	1:C:88:ASP:HA	2.02	0.41	
1:D:54:GLU:HA	1:D:55:PRO:HD3	1.87	0.41	
1:B:141:ASP:HB3	1:B:144:SER:O	2.20	0.41	
1:H:141:ASP:HB3	1:H:144:SER:O	2.19	0.41	
1:A:87:ALA:HB1	1:A:88:ASP:HA	2.02	0.41	
1:E:183:VAL:O	1:E:183:VAL:HG12	2.19	0.41	
1:G:141:ASP:HB3	1:G:144:SER:O	2.20	0.41	
1:G:63:THR:OG1	1:G:65:ASN:HB2	2.21	0.41	
1:H:87:ALA:HB1	1:H:88:ASP:HA	2.03	0.41	
1:F:147:SER:HB2	1:F:150:THR:HG23	2.02	0.41	
1:C:235:GLN:CB	1:H:134:GLN:NE2	2.84	0.41	
1:F:87:ALA:HB1	1:F:88:ASP:HA	2.03	0.41	
1:H:147:SER:HB2	1:H:150:THR:HG23	2.03	0.41	
1:B:213:THR:CB	1:B:220:VAL:HG12	2.32	0.41	
1:C:160:VAL:HG13	1:C:226:ILE:HD12	2.03	0.41	
1:E:147:SER:HB2	1:E:150:THR:HG23	2.03	0.41	
1:G:87:ALA:HB1	1:G:88:ASP:HA	2.02	0.41	
1:H:160:VAL:HG13	1:H:226:ILE:HD12	2.03	0.41	
1:D:87:ALA:HB1	1:D:88:ASP:HA	2.02	0.41	
1:A:188:THR:HG23	1:B:166:LYS:HD3	2.04	0.40	
1:B:87:ALA:HB1	1:B:88:ASP:HA	2.02	0.40	
1:A:160:VAL:HG13	1:A:226:ILE:HD12	2.03	0.40	
1:D:147:SER:HB2	1:D:150:THR:HG23	2.03	0.40	
1:D:160:VAL:HG13	1:D:226:ILE:HD12	2.04	0.40	



Atom-1 Atom-2		Interatomic distance (Å)	Clash overlap (Å)
1:E:87:ALA:HB1	1:E:88:ASP:HA	2.03	0.40
1:B:35:LYS:H	1:B:35:LYS:HG2	1.37	0.40
1:D:21:ARG:HB3	1:D:22:GLN:H	1.69	0.40
1:E:160:VAL:HG13	1:E:226:ILE:HD12	2.04	0.40
1:F:133:PRO:O	1:F:134:GLN:C	2.59	0.40
1:D:47:THR:HG23	1:D:212:THR:HG22	2.04	0.40
6:A:504:HOH:O	1:B:181:HIS:HE1	2.03	0.40
1:B:22:GLN:HB3	1:B:35:LYS:HG2	2.04	0.40
1:B:47:THR:HG23	1:B:212:THR:HG22	2.04	0.40
1:B:123:GLU:OE1	1:B:141:ASP:OD2	2.40	0.40
1:B:216:GLN:HG2	1:B:217:LYS:H	1.87	0.40
1:F:160:VAL:HG13	1:F:226:ILE:HD12	2.03	0.40
1:H:47:THR:HG23	1:H:212:THR:HG22	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Pe	erce	entiles
1	А	234/238~(98%)	215 (92%)	16 (7%)	3 (1%)		12	40
1	В	234/238~(98%)	217~(93%)	14 (6%)	3~(1%)		12	40
1	С	234/238~(98%)	216 (92%)	14 (6%)	4 (2%)		9	35
1	D	234/238~(98%)	213 (91%)	16 (7%)	5(2%)		7	31
1	Е	234/238~(98%)	215 (92%)	15 (6%)	4 (2%)		9	35
1	F	234/238~(98%)	214 (92%)	16 (7%)	4 (2%)		9	35
1	G	234/238~(98%)	213 (91%)	15 (6%)	6 (3%)		5	27
1	Н	234/238~(98%)	214 (92%)	17 (7%)	3 (1%)		12	40
All	All	1872/1904 (98%)	1717 (92%)	123 (7%)	32 (2%)		9	35



|--|

Mol	Chain	Res	Type
1	G	104	ASP
1	А	22	GLN
1	А	115	GLU
1	А	214	GLY
1	В	22	GLN
1	В	115	GLU
1	В	214	GLY
1	С	22	GLN
1	С	39	ASN
1	С	115	GLU
1	С	214	GLY
1	D	22	GLN
1	D	39	ASN
1	D	104	ASP
1	D	115	GLU
1	D	214	GLY
1	Е	22	GLN
1	Е	115	GLU
1	Е	214	GLY
1	F	22	GLN
1	F	115	GLU
1	F	214	GLY
1	G	22	GLN
1	G	115	GLU
1	G	214	GLY
1	Н	22	GLN
1	Н	115	GLU
1	Н	214	GLY
1	Е	39	ASN
1	F	218	ASN
1	G	39	ASN
1	G	19	LEU

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
1	А	172/210~(82%)	163~(95%)	9~(5%)	23	54
1	В	176/210~(84%)	168~(96%)	8 (4%)	27	58
1	С	169/210~(80%)	160~(95%)	9~(5%)	22	53
1	D	171/210~(81%)	163~(95%)	8 (5%)	26	57
1	Ε	171/210~(81%)	161 (94%)	10 (6%)	20	50
1	F	172/210~(82%)	162 (94%)	10 (6%)	20	50
1	G	168/210~(80%)	161~(96%)	7 (4%)	30	60
1	Η	169/210~(80%)	160 (95%)	9~(5%)	22	53
All	All	1368/1680 (81%)	1298 (95%)	70 (5%)	24	54

All (70) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	8	ASP
1	А	28	ASN
1	А	81	TYR
1	А	88	ASP
1	А	113	PRO
1	А	135	VAL
1	А	157	ASN
1	А	190	SER
1	A	231	THR
1	В	35	LYS
1	В	81	TYR
1	В	88	ASP
1	В	113	PRO
1	В	135	VAL
1	В	157	ASN
1	В	190	SER
1	В	231	THR
1	С	81	TYR
1	С	85	GLU
1	С	88	ASP
1	С	104	ASP
1	С	113	PRO
1	С	135	VAL
1	С	190	SER
1	С	220	VAL
1	С	231	THR
1	D	17	LEU



Mol	Chain	Res	Type
1	D	81	TYR
1	D	88	ASP
1	D	99	SER
1	D	113	PRO
1	D	135	VAL
1	D	190	SER
1	D	231	THR
1	Е	18	ASN
1	Е	81	TYR
1	Е	85	GLU
1	Е	88	ASP
1	Е	113	PRO
1	Е	135	VAL
1	Е	154	GLN
1	Е	157	ASN
1	Е	190	SER
1	Е	231	THR
1	F	17	LEU
1	F	28	ASN
1	F	39	ASN
1	F	81	TYR
1	F	88	ASP
1	F	99	SER
1	F	113	PRO
1	F	135	VAL
1	F	190	SER
1	F	231	THR
1	G	8	ASP
1	G	81	TYR
1	G	88	ASP
1	G	113	PRO
1	G	135	VAL
1	G	190	SER
1	G	231	THR
1	Н	81	TYR
1	Н	85	GLU
1	Н	88	ASP
1	Н	104	ASP
1	Н	113	PRO
1	Н	135	VAL
1	Н	157	ASN
1	Н	190	SER



Mol	Chain	\mathbf{Res}	Type
1	Н	231	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (59) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	3	GLN
1	А	28	ASN
1	А	118	ASN
1	А	157	ASN
1	А	162	ASN
1	А	175	ASN
1	А	181	HIS
1	А	206	ASN
1	В	3	GLN
1	В	65	ASN
1	В	118	ASN
1	В	157	ASN
1	В	162	ASN
1	В	175	ASN
1	В	181	HIS
1	В	206	ASN
1	С	3	GLN
1	С	118	ASN
1	С	162	ASN
1	С	175	ASN
1	С	181	HIS
1	С	206	ASN
1	D	3	GLN
1	D	65	ASN
1	D	118	ASN
1	D	162	ASN
1	D	175	ASN
1	D	181	HIS
1	D	206	ASN
1	Е	3	GLN
1	Е	18	ASN
1	Е	65	ASN
1	Е	118	ASN
1	Е	162	ASN
1	Е	175	ASN
1	Е	181	HIS
1	Е	206	ASN



Mol	Chain	Res	Type
1	F	3	GLN
1	F	28	ASN
1	F	118	ASN
1	F	162	ASN
1	F	175	ASN
1	F	181	HIS
1	F	206	ASN
1	G	3	GLN
1	G	118	ASN
1	G	162	ASN
1	G	175	ASN
1	G	181	HIS
1	G	206	ASN
1	Н	3	GLN
1	Н	65	ASN
1	Н	118	ASN
1	Н	134	GLN
1	Н	157	ASN
1	Н	162	ASN
1	Н	175	ASN
1	Н	181	HIS
1	Н	206	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

12 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mol Type Cl		Chain	Dec	Tink	Bo	ond leng	$_{\rm ths}$	В	ond ang	les
INIOI	туре	Unam	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	Ι	1	1,2	14,14,15	0.72	0	$17,\!19,\!21$	0.91	1 (5%)
2	NAG	Ι	2	2	14,14,15	0.46	0	17,19,21	0.65	0
2	NAG	J	1	1,2	14,14,15	0.77	0	17,19,21	1.16	2 (11%)
2	NAG	J	2	2	14,14,15	0.66	0	17,19,21	0.75	0
2	NAG	K	1	1,2	14,14,15	0.63	0	17,19,21	0.77	0
2	NAG	K	2	2	14,14,15	0.65	0	17,19,21	0.67	0
2	NAG	L	1	1,2	14,14,15	0.49	0	$17,\!19,\!21$	0.76	1 (5%)
2	NAG	L	2	2	14,14,15	0.58	0	17,19,21	0.69	0
2	NAG	М	1	1,2	14,14,15	0.44	0	17,19,21	0.81	1 (5%)
2	NAG	М	2	2	14,14,15	0.56	0	17,19,21	0.65	0
2	NAG	N	1	1,2	14,14,15	0.59	0	17,19,21	0.79	0
2	NAG	N	2	2	14,14,15	0.55	0	17,19,21	0.69	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	Ι	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	Ι	2	2	-	2/6/23/26	0/1/1/1
2	NAG	J	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	J	2	2	-	2/6/23/26	0/1/1/1
2	NAG	K	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	K	2	2	-	2/6/23/26	0/1/1/1
2	NAG	L	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	L	2	2	-	2/6/23/26	0/1/1/1
2	NAG	М	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	М	2	2	-	2/6/23/26	0/1/1/1
2	NAG	Ν	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	Ν	2	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	J	1	NAG	C2-N2-C7	-2.89	118.79	122.90
2	Ι	1	NAG	C1-O5-C5	-2.42	108.91	112.19
2	J	1	NAG	C1-O5-C5	2.42	115.47	112.19



001000	e ontoinaea ji oni procesa e pagoini										
Mol	Chain	\mathbf{Res}	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$				
2	М	1	NAG	C2-N2-C7	-2.40	119.48	122.90				
2	L	1	NAG	C2-N2-C7	-2.36	119.55	122.90				

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	J	2	NAG	C4-C5-C6-O6
2	М	2	NAG	C4-C5-C6-O6
2	N	2	NAG	C4-C5-C6-O6
2	L	2	NAG	C4-C5-C6-O6
2	K	2	NAG	C4-C5-C6-O6
2	Ι	2	NAG	C4-C5-C6-O6
2	J	2	NAG	O5-C5-C6-O6
2	N	2	NAG	O5-C5-C6-O6
2	М	2	NAG	O5-C5-C6-O6
2	K	2	NAG	O5-C5-C6-O6
2	L	2	NAG	O5-C5-C6-O6
2	Ι	2	NAG	O5-C5-C6-O6

There are no ring outliers.

3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	М	2	NAG	2	0
2	J	1	NAG	1	0
2	М	1	NAG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

































5.6 Ligand geometry (i)

Of 24 ligands modelled in this entry, 16 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Turne	Chain	Pog	Tink	Bo	Bond lengths			Bond angles		
MOI	туре	Unam	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2	
3	AMG	Е	404	-	13,13,13	0.47	0	18,18,18	0.62	0	
3	AMG	F	405	-	13,13,13	0.45	0	18,18,18	0.66	0	
3	AMG	С	402	-	13,13,13	0.44	0	18,18,18	0.60	0	
3	AMG	Н	407	-	13,13,13	0.46	0	18,18,18	0.66	0	



Mol Type	Chain	Dec		Bo	ond leng	$_{\rm ths}$	Bond angles			
IVIOI	Type	Unain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	AMG	G	406	-	13,13,13	0.48	0	18,18,18	0.67	0
3	AMG	А	400	-	13,13,13	0.51	0	18,18,18	0.72	0
3	AMG	D	403	-	13,13,13	0.58	0	18,18,18	0.66	0
3	AMG	В	401	-	13,13,13	0.56	0	18,18,18	0.78	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	AMG	Е	404	-	-	0/4/24/24	0/1/1/1
3	AMG	F	405	-	-	0/4/24/24	0/1/1/1
3	AMG	С	402	-	-	0/4/24/24	0/1/1/1
3	AMG	Н	407	-	-	0/4/24/24	0/1/1/1
3	AMG	G	406	-	-	0/4/24/24	0/1/1/1
3	AMG	А	400	-	-	0/4/24/24	0/1/1/1
3	AMG	D	403	-	-	0/4/24/24	0/1/1/1
3	AMG	В	401	-	-	0/4/24/24	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	В	401	AMG	C7-O1-C1	2.13	116.56	113.27

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	Е	404	AMG	2	0
3	F	405	AMG	2	0
3	С	402	AMG	3	0
3	Н	407	AMG	2	0
3	G	406	AMG	2	0
3	А	400	AMG	1	0
3	D	403	AMG	2	0
3	В	401	AMG	2	0



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$\mathbf{OWAB}(\mathbf{\AA}^2)$	Q < 0.9
1	А	236/238~(99%)	-0.58	0 100 100	2, 33, 85, 100	0
1	В	236/238~(99%)	-0.77	0 100 100	2, 22, 71, 100	0
1	С	236/238~(99%)	-0.52	0 100 100	3, 41, 91, 100	0
1	D	236/238~(99%)	-0.65	0 100 100	6, 35, 88, 100	0
1	Е	236/238~(99%)	-0.49	0 100 100	4, 44, 93, 100	0
1	F	236/238~(99%)	-0.53	0 100 100	3, 39, 90, 100	0
1	G	236/238~(99%)	-0.09	7 (2%) 50 49	10, 70, 100, 100	0
1	Н	236/238~(99%)	-0.09	4 (1%) 70 68	11, 76, 100, 100	0
All	All	1888/1904 (99%)	-0.47	11 (0%) 89 90	2, 44, 96, 100	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	36	LEU	3.4
1	G	37	THR	2.7
1	G	91	THR	2.6
1	G	13	ASN	2.5
1	G	42	PRO	2.5
1	Н	236	GLU	2.3
1	Н	13	ASN	2.3
1	Н	38	LYS	2.2
1	G	208	GLY	2.2
1	Н	235	GLN	2.1
1	G	41	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
2	NAG	N	2	14/15	0.79	0.27	99,99,99,99	0
2	NAG	L	2	14/15	0.83	0.23	97,98,98,98	0
2	NAG	J	2	14/15	0.83	0.30	89,91,93,98	0
2	NAG	М	1	14/15	0.84	0.20	77,77,77,77	0
2	NAG	Ι	2	14/15	0.85	0.28	99,99,99,99	0
2	NAG	Ι	1	14/15	0.87	0.35	86,86,86,86	0
2	NAG	М	2	14/15	0.88	0.38	99,99,99,99	0
2	NAG	K	2	14/15	0.88	0.36	99,99,99,99	0
2	NAG	N	1	14/15	0.90	0.19	$65,\!65,\!65,\!65$	0
2	NAG	K	1	14/15	0.91	0.18	98,98,98,98	0
2	NAG	J	1	14/15	0.92	0.22	48,48,48,48	0
2	NAG	L	1	14/15	0.94	0.15	58, 58, 58, 58	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.





















6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
3	AMG	G	406	13/13	0.89	0.34	99,99,99,99	0
3	AMG	Н	407	13/13	0.89	0.26	99,99,99,99	0
3	AMG	Е	404	13/13	0.90	0.27	74,74,74,74	0
3	AMG	F	405	13/13	0.91	0.34	72,72,72,72	0
3	AMG	А	400	13/13	0.92	0.25	$55,\!55,\!55,\!55$	0
5	CA	Е	303	1/1	0.95	0.04	$35,\!35,\!35,\!35$	0
3	AMG	D	403	13/13	0.96	0.20	$37,\!37,\!37,\!37$	0
4	MN	Е	300	1/1	0.96	0.05	$35,\!35,\!35,\!35$	0
5	CA	С	303	1/1	0.96	0.07	$35,\!35,\!35,\!35$	0
3	AMG	С	402	13/13	0.96	0.19	30,30,30,30	0
5	CA	D	303	1/1	0.97	0.07	$35,\!35,\!35,\!35$	0
3	AMG	В	401	13/13	0.97	0.12	$26,\!26,\!26,\!26$	0
5	CA	F	303	1/1	0.97	0.05	$35,\!35,\!35,\!35$	0
5	CA	Н	303	1/1	0.97	0.08	$35,\!35,\!35,\!35$	0
4	MN	С	300	1/1	0.98	0.08	$35,\!35,\!35,\!35$	0
4	MN	D	300	1/1	0.98	0.07	35,35,35,35	0
4	MN	В	300	1/1	0.98	0.15	$35,\!35,\!35,\!35$	0
4	MN	Н	300	1/1	0.98	0.04	$35,\!35,\!35,\!35$	0
5	CA	G	303	1/1	0.98	0.03	$35,\!35,\!35,\!35$	0
5	CA	В	303	1/1	0.98	0.09	$35,\!35,\!35,\!35$	0
5	CA	А	303	1/1	0.99	0.10	35,35,35,35	0
4	MN	F	300	1/1	0.99	0.12	$3\overline{5},\!3\overline{5},\!3\overline{5},\!3\overline{5}$	0
4	MN	G	300	1/1	0.99	0.06	$3\overline{5},\!3\overline{5},\!3\overline{5},\!3\overline{5}$	0
4	MN	А	300	1/1	0.99	0.08	$3\overline{5},\!35,\!35,\!35$	0

6.5 Other polymers (i)

There are no such residues in this entry.

