



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 27, 2023 – 12:15 AM EDT

PDB ID : 3FEC
Title : Crystal structure of human Glutamate Carboxypeptidase III
(GCPIII/NAALADase II), pseudo-unliganded
Authors : Barinka, C.; Lubkowski, J.; Hlouchova, K.
Deposited on : 2008-11-28
Resolution : 1.49 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 1.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2936 (1.50-1.50)
Clashscore	141614	3144 (1.50-1.50)
Ramachandran outliers	138981	3066 (1.50-1.50)
Sidechain outliers	138945	3064 (1.50-1.50)
RSRZ outliers	127900	2884 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	707	
2	B	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GLU	A	742[B]	-	-	X	-
4	NAG	A	1766	X	-	-	-
9	MPO	A	741[A]	-	-	X	-

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 6736 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamate carboxypeptidase III.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	689	5873	3778	989	1090	16	0	71	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	34	ARG	-	expression tag	UNP Q9Y3Q0
A	35	SER	-	expression tag	UNP Q9Y3Q0

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	B	2	28	16	2	10	0	0	0

- Molecule 3 is GLUTAMIC ACID (three-letter code: GLU) (formula: C₅H₉NO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	10	5	1	4	0	1

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	A	1	14	8	1	5	0	0
4	A	1	14	8	1	5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Zn	0	2
			4	4		


- Molecule 6 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Cl	0	0
			1	1		

- Molecule 7 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Ca	0	0
			1	1		

- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 9 is 3[N-MORPHOLINO]PROPANE SULFONIC ACID (three-letter code: MPO) (formula: C₇H₁₅NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
9	A	1	Total	C	N	O	S	0	1
			13	7	1	4	1		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	727	Total	O	0	24
			752	752		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glutamate carboxypeptidase III



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	122.77Å 104.32Å 78.01Å 90.00° 107.69° 90.00°	Depositor
Resolution (Å)	20.00 – 1.49 20.00 – 1.49	Depositor EDS
% Data completeness (in resolution range)	97.3 (20.00-1.49) 97.3 (20.00-1.49)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.48 (at 1.49Å)	Xtrriage
Refinement program	REFMAC 5.4.0057	Depositor
R, R_{free}	0.159 , 0.183 0.166 , 0.177	Depositor DCC
R_{free} test set	7477 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	16.9	Xtrriage
Anisotropy	0.291	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 64.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	6736	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, MPO, CA, NAG, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.96	1/6251 (0.0%)	0.97	12/8458 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	553	GLU	CG-CD	-6.20	1.42	1.51

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	678	ARG	NE-CZ-NH1	9.47	125.04	120.30
1	A	270	ARG	NE-CZ-NH1	8.22	124.41	120.30
1	A	684[A]	PRO	N-CA-C	8.17	133.34	112.10
1	A	684[B]	PRO	N-CA-C	8.17	133.34	112.10
1	A	663	ARG	NE-CZ-NH1	8.14	124.37	120.30
1	A	663	ARG	NE-CZ-NH2	-6.76	116.92	120.30
1	A	678	ARG	NE-CZ-NH2	-5.78	117.41	120.30
1	A	48	ARG	NE-CZ-NH1	-5.77	117.42	120.30
1	A	526[A]	ARG	NE-CZ-NH1	-5.62	117.49	120.30
1	A	526[B]	ARG	NE-CZ-NH1	-5.62	117.49	120.30
1	A	270	ARG	NE-CZ-NH2	-5.49	117.56	120.30
1	A	517	ARG	NE-CZ-NH1	5.35	122.98	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	404	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5873	0	5869	121	0
2	B	28	0	25	0	0
3	A	10	0	5	4	0
4	A	42	0	39	0	0
5	A	4	0	0	0	0
6	A	1	0	0	0	0
7	A	1	0	0	0	0
8	A	12	0	9	3	0
9	A	13	0	14	12	0
10	A	752	0	0	42	3
All	All	6736	0	5961	126	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:179[B]:GLU:OE1	10:A:1246[B]:HOH:O	1.79	1.00
1:A:507:SER:HB3	1:A:684[B]:PRO:HG3	1.40	1.00
1:A:99[B]:LYS:HD3	10:A:789:HOH:O	1.62	0.97
1:A:414:GLU:OE2	9:A:741[A]:MPO:H12	1.63	0.97
1:A:99[B]:LYS:HE3	1:A:349[B]:VAL:CG2	1.96	0.95
1:A:182[A]:MET:SD	1:A:302:ILE:HD11	2.08	0.93
1:A:322:GLY:HA2	10:A:977[B]:HOH:O	1.70	0.92
1:A:99[B]:LYS:HE3	1:A:349[B]:VAL:HG21	1.52	0.92
1:A:171[B]:ARG:HD3	1:A:197:LYS:CB	1.98	0.92
1:A:169[B]:TYR:OH	1:A:223:ASP:OD1	1.88	0.89

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:532:LYS:HD2	1:A:533:THR:HG23	1.55	0.89
1:A:182[A]:MET:SD	1:A:302:ILE:CD1	2.64	0.85
1:A:592[B]:GLU:OE1	10:A:1050:HOH:O	1.96	0.84
1:A:176[A]:PHE:CD1	10:A:1078:HOH:O	2.31	0.84
1:A:179[B]:GLU:CD	10:A:1246[B]:HOH:O	2.14	0.82
1:A:587:ILE:H	1:A:637:HIS:HE1	1.27	0.79
1:A:508:GLY:O	9:A:741[A]:MPO:H11	1.83	0.78
1:A:171[B]:ARG:HD3	1:A:197:LYS:HB3	1.66	0.76
1:A:247:ASN:ND2	9:A:741[A]:MPO:H51	2.00	0.76
1:A:181[B]:GLU:HB3	10:A:1253:HOH:O	1.86	0.76
1:A:447[A]:GLU:OE2	1:A:526[A]:ARG:NH2	2.21	0.74
1:A:80:PHE:CE2	1:A:84:LYS:HE2	2.23	0.73
1:A:247:ASN:HD21	9:A:741[A]:MPO:H51	1.53	0.73
1:A:49:TRP:CD1	10:A:1176:HOH:O	2.42	0.73
1:A:184[A]:ILE:HG23	10:A:1247:HOH:O	1.89	0.72
1:A:587:ILE:H	1:A:637:HIS:CE1	2.08	0.71
1:A:250[B]:ASN:ND2	10:A:917:HOH:O	2.23	0.71
1:A:534:ASP:OD2	10:A:1378:HOH:O	2.09	0.70
1:A:99[B]:LYS:HE3	1:A:349[B]:VAL:HG23	1.71	0.69
1:A:507:SER:HB3	1:A:684[B]:PRO:CG	2.20	0.68
1:A:530:ASN:OD1	1:A:532:LYS:HG3	1.93	0.68
1:A:99[B]:LYS:HG2	1:A:349[B]:VAL:CG2	2.24	0.67
9:A:741[A]:MPO:O1	9:A:741[A]:MPO:H32	1.95	0.67
1:A:99[B]:LYS:HG2	1:A:349[B]:VAL:HG23	1.76	0.67
1:A:530:ASN:HD21	1:A:532:LYS:HE3	1.60	0.67
1:A:171[B]:ARG:HD3	1:A:197:LYS:HB2	1.79	0.65
1:A:171[B]:ARG:HA	1:A:198:ILE:HD13	1.78	0.65
1:A:635[B]:ASP:OD1	10:A:980:HOH:O	2.14	0.65
1:A:414:GLU:O	9:A:741[A]:MPO:H42	1.97	0.65
1:A:690:TYR:HD2	10:A:1260:HOH:O	1.80	0.64
1:A:341:LYS:HE2	1:A:342:ILE:H	1.62	0.64
1:A:507:SER:OG	1:A:684[B]:PRO:HB3	1.97	0.64
1:A:247:ASN:ND2	9:A:741[A]:MPO:H71	2.12	0.63
1:A:508:GLY:O	9:A:741[A]:MPO:C1	2.47	0.63
1:A:341:LYS:HE2	1:A:342:ILE:N	2.14	0.62
1:A:635[B]:ASP:OD2	1:A:639:ARG:NH1	2.33	0.62
1:A:507:SER:HB2	1:A:512[A]:GLU:OE2	2.00	0.61
1:A:689:LYS:HE2	3:A:742[B]:GLU:OE2	1.99	0.61
1:A:691:ALA:CA	10:A:1349:HOH:O	2.48	0.60
1:A:99[B]:LYS:CD	1:A:349[B]:VAL:HG23	2.31	0.60
9:A:741[A]:MPO:C3	10:A:802:HOH:O	2.49	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:48:ARG:HH22	1:A:470:GLU:CD	2.07	0.58
1:A:99[B]:LYS:CE	1:A:349[B]:VAL:HG23	2.34	0.58
1:A:692:GLY:HA3	10:A:1299:HOH:O	2.03	0.58
1:A:717[A]:GLU:OE1	1:A:721:HIS:HE1	1.87	0.57
1:A:501[B]:ARG:NH2	1:A:531:LYS:HE2	2.20	0.57
1:A:530:ASN:HD21	1:A:532:LYS:CE	2.18	0.56
1:A:341:LYS:CE	10:A:851:HOH:O	2.54	0.56
1:A:689:LYS:CE	3:A:742[B]:GLU:OE2	2.53	0.56
1:A:637:HIS:HD2	10:A:849[A]:HOH:O	1.89	0.56
1:A:721:HIS:HD2	10:A:866:HOH:O	1.88	0.56
1:A:169[B]:TYR:O	1:A:203:LYS:NZ	2.32	0.55
1:A:99[B]:LYS:CG	1:A:349[B]:VAL:HG23	2.36	0.54
1:A:677:TYR:CZ	1:A:684[B]:PRO:HG2	2.43	0.54
1:A:603[B]:ASN:OD1	10:A:1264:HOH:O	2.18	0.54
1:A:190[B]:ILE:HD12	1:A:332[B]:VAL:HG23	1.89	0.54
1:A:322:GLY:CA	10:A:977[B]:HOH:O	2.42	0.54
1:A:99[B]:LYS:CE	1:A:349[B]:VAL:CG2	2.82	0.53
1:A:447[A]:GLU:OE2	1:A:526[A]:ARG:CZ	2.56	0.53
1:A:198:ILE:CG2	1:A:687:HIS:O	2.58	0.51
1:A:529:LYS:HE2	1:A:536:TYR:CE2	2.46	0.51
1:A:689:LYS:NZ	3:A:742[B]:GLU:OE2	2.42	0.50
1:A:205:LYS:HB2	1:A:250[B]:ASN:ND2	2.26	0.50
1:A:120:ILE:HD11	1:A:295:LEU:HD23	1.92	0.50
1:A:467:LEU:HD21	1:A:576:GLU:HG3	1.94	0.50
1:A:199:PHE:HD1	8:A:1:GOL:C3	2.25	0.50
1:A:654[A]:MET:CE	10:A:1413:HOH:O	2.58	0.50
1:A:199:PHE:CE1	9:A:741[A]:MPO:H62	2.47	0.49
1:A:712[B]:ARG:HE	1:A:716:LYS:HE3	1.77	0.49
1:A:396[B]:MET:HE3	1:A:401:ARG:NH1	2.27	0.49
1:A:341:LYS:HE3	10:A:851:HOH:O	2.12	0.48
1:A:171[B]:ARG:HG2	1:A:198:ILE:HG23	1.94	0.48
1:A:341:LYS:HE2	10:A:851:HOH:O	2.12	0.48
1:A:393:GLY:HA2	1:A:396[A]:MET:CE	2.43	0.48
1:A:453:ARG:HD3	1:A:526[B]:ARG:HE	1.79	0.48
1:A:101:VAL:HG23	1:A:349[B]:VAL:HG22	1.96	0.47
1:A:504:LYS:HE2	1:A:597:TYR:CE1	2.49	0.47
1:A:501[B]:ARG:CZ	1:A:531:LYS:HE2	2.45	0.47
1:A:170[B]:ALA:HB3	1:A:203:LYS:HG2	1.97	0.47
3:A:742[B]:GLU:N	10:A:806:HOH:O	2.47	0.47
1:A:453:ARG:HE	1:A:526[B]:ARG:HH11	1.62	0.46
1:A:394:LYS:HE3	10:A:1117:HOH:O	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:125:GLU:HG2	10:A:1294:HOH:O	2.15	0.46
1:A:393:GLY:HA2	1:A:396[A]:MET:HE2	1.97	0.46
1:A:179[B]:GLU:CD	10:A:1244:HOH:O	2.54	0.45
1:A:367:HIS:CE1	1:A:378:PRO:HB3	2.51	0.45
1:A:179[A]:GLU:CG	10:A:1246[A]:HOH:O	2.64	0.45
1:A:672:PRO:N	8:A:2:GOL:H2	2.31	0.45
1:A:181[A]:GLU:OE2	10:A:1253:HOH:O	2.21	0.45
1:A:182[A]:MET:HG2	10:A:937:HOH:O	2.16	0.45
1:A:188[A]:GLY:CA	10:A:1304:HOH:O	2.65	0.45
1:A:635[B]:ASP:OD1	10:A:1074:HOH:O	2.21	0.45
1:A:396[B]:MET:CE	1:A:401:ARG:NH1	2.80	0.44
1:A:637:HIS:HD2	10:A:849[B]:HOH:O	2.01	0.44
1:A:710:ASN:C	1:A:710:ASN:HD22	2.20	0.44
1:A:56:LYS:HE3	10:A:1350:HOH:O	2.18	0.44
1:A:635[B]:ASP:CG	10:A:1074:HOH:O	2.54	0.44
8:A:1:GOL:C3	10:A:1202:HOH:O	2.65	0.44
1:A:99[B]:LYS:CG	1:A:349[B]:VAL:CG2	2.94	0.44
1:A:227:PRO:O	1:A:228:GLU:HG2	2.18	0.43
1:A:265:LYS:NZ	10:A:1347:HOH:O	2.50	0.43
1:A:188[A]:GLY:HA3	10:A:1304:HOH:O	2.17	0.43
9:A:741[A]:MPO:H31	10:A:802:HOH:O	2.16	0.42
1:A:247:ASN:HD21	9:A:741[A]:MPO:C5	2.26	0.42
1:A:177[B]:LYS:HE2	10:A:1059:HOH:O	2.20	0.42
1:A:138:PRO:HD3	1:A:545[B]:ILE:HG12	2.02	0.42
1:A:171[B]:ARG:HA	1:A:198:ILE:CD1	2.47	0.42
1:A:450:TYR:CG	1:A:530:ASN:HB2	2.55	0.42
1:A:101:VAL:HG21	1:A:349[B]:VAL:HG21	2.01	0.42
1:A:171[B]:ARG:HD3	1:A:197:LYS:CG	2.48	0.41
1:A:198:ILE:HG22	1:A:687:HIS:O	2.19	0.41
1:A:137:PRO:HA	1:A:545[B]:ILE:HD11	2.01	0.41
1:A:160:PRO:HB2	1:A:190[A]:ILE:HD11	2.03	0.41
1:A:710:ASN:ND2	1:A:713:LEU:H	2.19	0.41
1:A:608:HIS:HE1	10:A:984:HOH:O	2.04	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:A:17:HOH:O	10:A:1145:HOH:O[4_546]	1.60	0.60
10:A:767:HOH:O	10:A:1045:HOH:O[2_555]	2.09	0.11
10:A:1045:HOH:O	10:A:1168:HOH:O[2_555]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	758/707 (107%)	731 (96%)	25 (3%)	2 (0%)	41 18

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	372	VAL
1	A	286	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	659/606 (109%)	646 (98%)	13 (2%)	55 25

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	228	GLU
1	A	341	LYS
1	A	394	LYS
1	A	495	GLU
1	A	527	TYR
1	A	531	LYS
1	A	532	LYS
1	A	535	LYS
1	A	590	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	607	LYS
1	A	684[A]	PRO
1	A	684[B]	PRO
1	A	710	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	152	ASN
1	A	428	ASN
1	A	498	ASN
1	A	637	HIS
1	A	710	ASN
1	A	721	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	B	1	2,1	14,14,15	1.22	2 (14%)	17,19,21	1.15	2 (11%)
2	NAG	B	2	2	14,14,15	0.77	1 (7%)	17,19,21	1.37	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	B	2	2	-	0/6/23/26	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2	NAG	O5-C1	-2.49	1.39	1.43
2	B	1	NAG	C2-N2	-2.48	1.42	1.46
2	B	1	NAG	C1-C2	2.19	1.55	1.52

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2	NAG	C1-C2-N2	2.94	115.51	110.49
2	B	2	NAG	C1-O5-C5	2.61	115.73	112.19
2	B	1	NAG	C1-O5-C5	-2.58	108.69	112.19
2	B	1	NAG	O5-C1-C2	-2.30	107.66	111.29
2	B	2	NAG	O5-C1-C2	-2.13	107.92	111.29


There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 6 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	1758	1	14,14,15	0.76	0	17,19,21	1.15	1 (5%)
4	NAG	A	1756	1	14,14,15	0.63	0	17,19,21	1.65	4 (23%)
3	GLU	A	742[B]	-	8,9,9	1.09	0	10,11,11	1.92	2 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	GOL	A	1	-	5,5,5	0.38	0	5,5,5	1.13	0
4	NAG	A	1766	1	14,14,15	0.84	1 (7%)	17,19,21	1.89	4 (23%)
8	GOL	A	2	-	5,5,5	0.28	0	5,5,5	0.64	0
9	MPO	A	741[A]	5	13,13,13	2.48	1 (7%)	17,17,17	2.90	8 (47%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	1758	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1756	1	-	0/6/23/26	0/1/1/1
3	GLU	A	742[B]	-	-	0/9/9/9	-
8	GOL	A	1	-	-	2/4/4/4	-
4	NAG	A	1766	1	2/2/5/7	4/6/23/26	0/1/1/1
8	GOL	A	2	-	-	3/4/4/4	-
9	MPO	A	741[A]	5	-	3/7/15/15	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	A	741[A]	MPO	C1-S1	-8.59	1.65	1.77
4	A	1766	NAG	C1-C2	2.73	1.56	1.52

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1766	NAG	C1-O5-C5	5.67	119.87	112.19
9	A	741[A]	MPO	C2-C3-N1	-5.35	100.36	113.84
9	A	741[A]	MPO	C7-N1-C4	5.27	120.70	108.83
9	A	741[A]	MPO	O2-S1-C1	4.72	112.60	106.92
3	A	742[B]	GLU	OXT-C-O	-4.45	114.00	124.09
9	A	741[A]	MPO	C3-N1-C7	3.69	120.68	111.23
4	A	1766	NAG	C2-N2-C7	3.59	128.02	122.90
4	A	1756	NAG	C2-N2-C7	-3.21	118.33	122.90
9	A	741[A]	MPO	C2-C1-S1	-3.16	108.40	113.25
9	A	741[A]	MPO	O3-S1-C1	3.14	110.85	105.77
9	A	741[A]	MPO	C5-C4-N1	-3.13	105.36	110.10
4	A	1758	NAG	C1-C2-N2	-3.09	105.21	110.49
3	A	742[B]	GLU	OXT-C-CA	2.97	123.49	113.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	A	741[A]	MPO	C3-N1-C4	2.85	118.52	111.23
4	A	1756	NAG	C8-C7-N2	2.59	120.48	116.10
4	A	1756	NAG	C1-C2-N2	2.37	114.54	110.49
4	A	1756	NAG	O7-C7-C8	-2.36	117.67	122.06
4	A	1766	NAG	O5-C1-C2	2.10	114.60	111.29
4	A	1766	NAG	O7-C7-N2	2.01	125.65	121.95

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	A	1766	NAG	C1
4	A	1766	NAG	C1

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	A	2	GOL	O1-C1-C2-C3
9	A	741[A]	MPO	C1-C2-C3-N1
8	A	2	GOL	O1-C1-C2-O2
8	A	1	GOL	C1-C2-C3-O3
4	A	1766	NAG	C1-C2-N2-C7
9	A	741[A]	MPO	C2-C3-N1-C7
8	A	2	GOL	O2-C2-C3-O3
8	A	1	GOL	O2-C2-C3-O3
4	A	1766	NAG	C4-C5-C6-O6
4	A	1766	NAG	C3-C2-N2-C7
9	A	741[A]	MPO	S1-C1-C2-C3
4	A	1766	NAG	O5-C5-C6-O6

There are no ring outliers.

4 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	742[B]	GLU	4	0
8	A	1	GOL	2	0
8	A	2	GOL	1	0
9	A	741[A]	MPO	12	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	689/707 (97%)	0.31	57 (8%) 11 12	15, 21, 34, 51	13 (1%)

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	690	TYR	7.1
1	A	176[A]	PHE	7.0
1	A	532	LYS	6.2
1	A	531	LYS	4.8
1	A	132	SER	4.8
1	A	49	TRP	4.8
1	A	145[A]	THR	4.7
1	A	709	ALA	4.6
1	A	739	VAL	4.5
1	A	494	PRO	4.4
1	A	691	ALA	4.3
1	A	480	SER	4.3
1	A	533	THR	4.3
1	A	688	ASN	4.2
1	A	681[A]	ILE	4.0
1	A	228	GLU	3.8
1	A	535	LYS	3.6
1	A	713	LEU	3.6
1	A	703	PHE	3.6
1	A	610	GLN	3.4
1	A	209	LEU	3.4
1	A	686	SER	3.3
1	A	477	GLY	3.1
1	A	607	LYS	3.0
1	A	498	ASN	2.9
1	A	113	THR	2.8
1	A	143[A]	ASN	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	689	LYS	2.8
1	A	712[A]	ARG	2.7
1	A	603[A]	ASN	2.7
1	A	185[A]	ASN	2.6
1	A	707	ASN	2.6
1	A	604	LEU	2.5
1	A	184[A]	ILE	2.5
1	A	710	ASN	2.5
1	A	497	LYS	2.5
1	A	685	SER	2.5
1	A	325	GLY	2.5
1	A	481	LYS	2.4
1	A	230	GLN	2.4
1	A	687	HIS	2.3
1	A	534	ASP	2.3
1	A	609	ASP	2.3
1	A	492	PRO	2.3
1	A	227	PRO	2.3
1	A	180[A]	ARG	2.3
1	A	112	GLU	2.2
1	A	332[A]	VAL	2.2
1	A	694[A]	SER	2.2
1	A	693	GLU	2.1
1	A	326	SER	2.1
1	A	684[A]	PRO	2.0
1	A	495	GLU	2.0
1	A	722	ILE	2.0
1	A	602	TYR	2.0
1	A	606	LYS	2.0
1	A	704	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NAG	B	2	14/15	0.78	0.29	34,41,45,45	0
2	NAG	B	1	14/15	0.94	0.12	18,23,30,40	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	NAG	A	1766	14/15	0.66	0.28	42,48,51,54	14
4	NAG	A	1758	14/15	0.78	0.17	25,28,35,39	0
3	GLU	A	742[B]	10/10	0.81	0.17	21,22,23,26	10

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	NAG	A	1756	14/15	0.83	0.22	29,37,41,42	0
8	GOL	A	1	6/6	0.83	0.30	20,22,23,26	6
8	GOL	A	2	6/6	0.88	0.17	32,40,42,43	6
9	MPO	A	741[A]	13/13	0.90	0.20	22,28,31,31	13
5	ZN	A	1752[B]	1/1	0.99	0.05	18,18,18,18	1
5	ZN	A	1752[A]	1/1	0.99	0.05	20,20,20,20	1
7	CA	A	1755	1/1	1.00	0.08	16,16,16,16	0
5	ZN	A	1751[A]	1/1	1.00	0.04	21,21,21,21	1
5	ZN	A	1751[B]	1/1	1.00	0.04	16,16,16,16	1
6	CL	A	1754	1/1	1.00	0.04	25,25,25,25	0

6.5 Other polymers

There are no such residues in this entry.