



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 18, 2024 – 03:36 PM EST

PDB ID : 4FMD  
Title : EspG-Rab1 complex structure at 3.05 Å  
Authors : Shao, F.; Zhu, Y.  
Deposited on : 2012-06-16  
Resolution : 3.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1754 (3.10-3.02)
Clashscore	141614	1864 (3.10-3.02)
Ramachandran outliers	138981	1794 (3.10-3.02)
Sidechain outliers	138945	1793 (3.10-3.02)
RSRZ outliers	127900	1713 (3.10-3.02)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	351	 78% 20% 2% 2%
1	C	351	 71% 25% 3% 1%
1	E	351	 76% 21% 3% 2%
2	B	171	 87% 10% 3% 2%
2	D	171	 82% 16% 2% 2%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
3	F	164	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into four segments: a red segment labeled '27%', a green segment labeled '70%', a yellow segment labeled '20%', and a small grey segment labeled '9%'. The segments are stacked from left to right in the order: red, green, yellow, grey.</p>

## 2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 12146 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called EspG protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	351	2721	1682	478	545	16	0	0	0
1	C	351	2721	1682	478	545	16	0	0	0
1	E	350	2713	1678	476	543	16	0	0	0

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	123	ASN	ASP	SEE REMARK 999	UNP Q5WMC0
A	244	THR	SER	SEE REMARK 999	UNP Q5WMC0
A	269	LYS	ASN	SEE REMARK 999	UNP Q5WMC0
C	123	ASN	ASP	SEE REMARK 999	UNP Q5WMC0
C	244	THR	SER	SEE REMARK 999	UNP Q5WMC0
C	269	LYS	ASN	SEE REMARK 999	UNP Q5WMC0
E	123	ASN	ASP	SEE REMARK 999	UNP Q5WMC0
E	244	THR	SER	SEE REMARK 999	UNP Q5WMC0
E	269	LYS	ASN	SEE REMARK 999	UNP Q5WMC0


- Molecule 2 is a protein called Ras-related protein Rab-1A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	171	1369	873	223	268	5	0	0	0
2	D	171	1369	873	223	268	5	0	0	0

- Molecule 3 is a protein called Ras-related protein Rab-1A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	F	149	1131	712	187	228	4	0	0	0

- Molecule 4 is ALUMINUM FLUORIDE (three-letter code: AF3) (formula:  $\text{AlF}_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	Al	F		
4	B	1	4	1	3	0	0
4	D	1	4	1	3	0	0
4	F	1	4	1	3	0	0

- Molecule 5 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula:  $\text{C}_{10}\text{H}_{15}\text{N}_5\text{O}_{11}\text{P}_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
5	B	1	28	10	5	11	2	0	0
5	D	1	28	10	5	11	2	0	0
5	F	1	28	10	5	11	2	0	0

- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
6	B	1	1	1	0	0
6	D	1	1	1	0	0
6	F	1	1	1	0	0

- Molecule 7 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	C	1	Total	C	O	0	0
			10	6	4		

- Molecule 8 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula:  $C_4H_{10}O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	E	1	Total	C	O	0	0
			5	3	2		

- Molecule 9 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	1	Total O 1 1	0	0
9	B	2	Total O 2 2	0	0
9	C	1	Total O 1 1	0	0
9	D	2	Total O 2 2	0	0
9	E	1	Total O 1 1	0	0
9	F	1	Total O 1 1	0	0




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: EspG protein




- Molecule 1: EspG protein




- Molecule 1: EspG protein








- Molecule 2: Ras-related protein Rab-1A



- Molecule 2: Ras-related protein Rab-1A



- Molecule 3: Ras-related protein Rab-1A



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	106.57Å 153.22Å 230.81Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 3.05 49.87 – 3.04	Depositor EDS
% Data completeness (in resolution range)	99.0 (50.00-3.05) 98.5 (49.87-3.04)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.78 (at 3.07Å)	Xtrriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.212 , 0.266 0.205 , 0.255	Depositor DCC
$R_{free}$ test set	1810 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	79.6	Xtrriage
Anisotropy	0.614	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 52.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	12146	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	101.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.96% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, AF3, GDP, MG, PGE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.51	0/2769	0.65	0/3760
1	C	0.44	0/2769	0.63	1/3760 (0.0%)
1	E	0.40	0/2761	0.62	2/3749 (0.1%)
2	B	0.49	0/1392	0.61	0/1879
2	D	0.44	0/1392	0.56	0/1879
3	F	0.40	0/1145	0.52	0/1549
All	All	0.45	0/12228	0.61	3/16576 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	201	SER	N-CA-CB	-9.79	95.81	110.50
1	C	201	SER	N-CA-CB	-7.37	99.45	110.50
1	E	200	SER	CB-CA-C	6.37	122.20	110.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2721	0	2682	53	0
1	C	2721	0	2682	65	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	2713	0	2676	52	0
2	B	1369	0	1365	16	0
2	D	1369	0	1366	18	0
3	F	1131	0	1083	23	0
4	B	4	0	0	0	0
4	D	4	0	0	0	0
4	F	4	0	0	0	0
5	B	28	0	12	0	0
5	D	28	0	12	1	0
5	F	28	0	12	1	0
6	B	1	0	0	0	0
6	D	1	0	0	0	0
6	F	1	0	0	0	0
7	C	10	0	14	1	0
8	E	5	0	5	0	0
9	A	1	0	0	0	0
9	B	2	0	0	0	0
9	C	1	0	0	0	0
9	D	2	0	0	0	0
9	E	1	0	0	0	0
9	F	1	0	0	0	0
All	All	12146	0	11909	217	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (217) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:134:ASN:H	1:E:137:ASN:HD21	1.14	0.95
1:C:54:LEU:HD21	1:C:82:LEU:HD11	1.50	0.93
1:C:134:ASN:H	1:C:137:ASN:HD21	1.08	0.92
1:C:225:ASN:HD22	1:C:225:ASN:H	1.15	0.89
1:A:134:ASN:H	1:A:137:ASN:HD21	1.15	0.89
3:F:15:LEU:HD12	3:F:65:TRP:HB2	1.53	0.87
1:A:283:ALA:O	1:A:287:ILE:HG12	1.75	0.87
1:A:351:PRO:HG2	1:C:188:ALA:HB3	1.59	0.85
2:D:15:LEU:HD12	2:D:65:TRP:HB2	1.62	0.81
1:C:356:ASN:ND2	1:C:356:ASN:O	2.13	0.80
1:E:134:ASN:N	1:E:137:ASN:HD21	1.81	0.79
2:B:15:LEU:HD12	2:B:65:TRP:HB2	1.66	0.77

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:199:PHE:O	1:A:202:ILE:HG13	1.86	0.76
1:C:162:ASP:O	1:C:168:SER:HB3	1.86	0.75
1:E:377:ILE:O	1:E:381:VAL:HG23	1.88	0.73
1:E:88:LEU:HB3	1:E:89:PRO:CD	2.18	0.73
1:C:225:ASN:HD22	1:C:225:ASN:N	1.88	0.70
1:E:222:ILE:HG22	1:E:227:GLN:HG3	1.72	0.70
2:D:41:ILE:HD13	2:D:41:ILE:H	1.56	0.70
1:C:134:ASN:H	1:C:137:ASN:ND2	1.85	0.70
1:E:179:LEU:O	1:E:364:ARG:NH2	2.26	0.69
1:A:202:ILE:HD11	1:A:377:ILE:HG12	1.74	0.69
1:C:353:ASP:O	1:C:355:PRO:HD3	1.93	0.68
2:B:47:ASP:HB3	2:B:66:ASP:HB3	1.75	0.67
1:A:155:HIS:HB2	1:A:393:THR:HG23	1.75	0.67
1:C:54:LEU:HD21	1:C:82:LEU:CD1	2.24	0.66
1:A:181:THR:HG23	1:A:364:ARG:NH2	2.10	0.65
2:B:16:LEU:HD12	2:B:88:ILE:HB	1.79	0.65
1:C:225:ASN:H	1:C:225:ASN:ND2	1.93	0.64
1:E:294:SER:OG	3:F:70:GLN:HG2	1.99	0.63
1:C:88:LEU:HB3	1:C:89:PRO:CD	2.29	0.62
3:F:30:ARG:HB3	3:F:161:VAL:HG11	1.81	0.62
1:E:158:LEU:HB2	1:E:161:MET:HE2	1.81	0.61
1:A:82:LEU:HD12	1:A:97:ALA:HB2	1.83	0.61
1:C:137:ASN:HD22	1:C:138:ARG:N	1.98	0.60
1:E:82:LEU:HD12	1:E:97:ALA:HB2	1.84	0.60
3:F:70:GLN:HE21	3:F:72:ARG:HG2	1.67	0.60
1:A:137:ASN:HD22	1:A:137:ASN:H	1.49	0.60
1:E:82:LEU:HG	1:E:95:VAL:HG11	1.82	0.60
1:A:294:SER:OG	2:B:70:GLN:HG2	2.01	0.59
1:E:157:ALA:HB1	1:E:161:MET:HG3	1.84	0.59
1:A:192:PRO:HG2	1:A:388:TYR:CZ	2.36	0.59
2:B:41:ILE:N	2:B:41:ILE:HD13	2.16	0.59
3:F:47:ASP:HB3	3:F:66:ASP:HB3	1.83	0.59
1:E:88:LEU:HB3	1:E:89:PRO:HD2	1.85	0.59
1:A:163:LEU:HD22	1:A:395:LEU:HD11	1.85	0.59
1:C:61:GLY:O	1:C:67:TYR:HE2	1.84	0.59
2:D:151:LEU:HD23	2:D:160:ASN:HD22	1.68	0.58
1:A:222:ILE:HG22	1:A:227:GLN:HG3	1.85	0.58
1:A:192:PRO:HG2	1:A:388:TYR:CE1	2.37	0.58
1:E:155:HIS:HE1	1:E:180:SER:O	1.87	0.58
1:C:137:ASN:HD22	1:C:138:ARG:H	1.51	0.57
2:B:82:ARG:HH21	2:B:82:ARG:HG3	1.69	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:181:THR:HG22	1:C:391:SER:HB3	1.86	0.57
1:E:306:ARG:NH1	1:E:349:MET:O	2.37	0.57
1:E:217:LEU:HG	1:E:222:ILE:HD13	1.86	0.56
1:A:88:LEU:HB3	1:A:89:PRO:CD	2.35	0.56
1:A:137:ASN:HD22	1:A:138:ARG:H	1.53	0.56
1:C:300:LEU:HD22	1:C:307:ILE:CD1	2.35	0.56
1:A:134:ASN:N	1:A:137:ASN:HD21	1.96	0.55
1:C:53:LYS:O	1:C:57:VAL:HG23	2.06	0.55
1:E:146:ASP:HB3	1:E:183:LEU:HD12	1.87	0.55
1:E:222:ILE:HG23	1:E:226:ALA:HB3	1.88	0.55
1:A:155:HIS:HE1	1:A:180:SER:O	1.90	0.54
2:B:41:ILE:H	2:B:41:ILE:CD1	2.20	0.54
1:A:300:LEU:HD22	1:A:307:ILE:CD1	2.37	0.54
1:C:376:THR:O	1:C:380:MET:HG3	2.07	0.54
1:A:217:LEU:HG	1:A:222:ILE:HD13	1.90	0.54
1:A:312:GLU:OE2	2:B:65:TRP:HH2	1.91	0.54
1:A:376:THR:O	1:A:380:MET:HG3	2.09	0.53
1:A:91:GLU:OE2	1:A:94:ARG:NH2	2.40	0.53
1:A:82:LEU:HG	1:A:95:VAL:CG1	2.39	0.53
3:F:126:CYS:SG	3:F:154:SER:HB2	2.48	0.53
1:E:133:SER:CB	1:E:140:LEU:HD22	2.39	0.53
1:A:82:LEU:HG	1:A:95:VAL:HG11	1.91	0.52
1:E:61:GLY:HA3	1:E:137:ASN:HA	1.91	0.52
1:C:120:ARG:NH2	1:C:126:LYS:HD3	2.25	0.52
1:C:155:HIS:HE1	1:C:180:SER:O	1.93	0.52
1:E:343:HIS:CD2	1:E:364:ARG:HG3	2.45	0.52
3:F:15:LEU:HB3	3:F:87:ILE:HG12	1.92	0.52
2:B:70:GLN:NE2	2:B:72:ARG:HG2	2.24	0.52
1:C:198:PRO:HB2	1:C:381:VAL:HG22	1.91	0.52
2:D:119:LYS:HD2	2:D:148:ILE:HD11	1.91	0.52
1:E:187:ASN:O	1:E:191:ASP:HB2	2.10	0.52
1:E:367:TYR:HB3	1:E:386:PRO:HA	1.92	0.51
1:A:137:ASN:HD22	1:A:137:ASN:N	2.08	0.51
1:C:208:ARG:HD3	5:D:202:GDP:H5 <sup>''</sup>	1.91	0.51
1:A:157:ALA:HB3	1:A:395:LEU:HA	1.92	0.51
1:C:209:GLY:HA3	1:C:291:PHE:CE1	2.46	0.51
1:A:183:LEU:HD21	1:A:387:ARG:HG3	1.92	0.51
1:E:376:THR:O	1:E:380:MET:HG3	2.11	0.51
3:F:82:ARG:HD3	3:F:82:ARG:H	1.75	0.51
1:A:310:ALA:HB2	1:A:349:MET:HG2	1.92	0.51
2:B:41:ILE:N	2:B:41:ILE:CD1	2.73	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:356:ASN:HD22	1:C:356:ASN:C	2.14	0.50
1:E:137:ASN:HD22	1:E:137:ASN:N	2.08	0.50
3:F:22:VAL:O	3:F:125:LYS:HE3	2.11	0.50
1:A:377:ILE:O	1:A:381:VAL:HG23	2.12	0.50
3:F:106:LEU:HA	3:F:109:ILE:HD12	1.94	0.50
2:D:47:ASP:HB3	2:D:66:ASP:HB3	1.94	0.50
1:C:137:ASN:ND2	1:C:138:ARG:N	2.60	0.50
1:C:283:ALA:O	1:C:287:ILE:HG12	2.11	0.50
1:E:137:ASN:HD22	1:E:137:ASN:H	1.59	0.49
1:A:88:LEU:HB3	1:A:89:PRO:HD3	1.92	0.49
1:C:222:ILE:HG22	1:C:227:GLN:HG3	1.95	0.49
2:D:146:LEU:HB3	2:D:148:ILE:HD13	1.95	0.49
1:E:305:GLU:O	1:E:309:LYS:HG2	2.12	0.49
1:A:181:THR:HG23	1:A:364:ARG:HH21	1.77	0.49
1:A:137:ASN:H	1:A:137:ASN:ND2	2.09	0.48
3:F:120:LEU:HB3	3:F:168:MET:HE2	1.94	0.48
3:F:82:ARG:HB3	3:F:112:TYR:O	2.13	0.48
1:A:188:ALA:HB3	1:C:351:PRO:HG2	1.94	0.48
3:F:151:LEU:HD23	3:F:160:ASN:HD22	1.79	0.48
1:E:120:ARG:NE	1:E:126:LYS:HG2	2.29	0.48
3:F:99:PHE:O	3:F:102:VAL:HB	2.14	0.48
1:C:98:ARG:HG2	1:C:104:SER:HB2	1.95	0.48
1:C:121:THR:HB	1:C:122:PRO:HD2	1.96	0.48
1:C:199:PHE:O	1:C:202:ILE:HG13	2.15	0.47
1:E:208:ARG:HD3	5:F:202:GDP:H5'	1.95	0.47
1:C:226:ALA:HB1	1:C:260:ILE:HG23	1.96	0.47
1:A:106:ARG:C	1:A:106:ARG:HD2	2.35	0.47
2:B:10:TYR:HB2	2:B:60:ILE:HG12	1.96	0.47
3:F:28:LEU:HD22	3:F:66:ASP:HB2	1.97	0.47
1:A:317:ARG:HB2	1:A:319:LEU:HG	1.97	0.47
1:E:191:ASP:HB3	1:E:194:SER:HB2	1.97	0.47
1:E:158:LEU:O	1:E:161:MET:HG2	2.15	0.47
1:A:305:GLU:OE2	7:C:401:PGE:H2	2.15	0.47
1:E:73:GLN:HE21	1:E:160:GLU:HG3	1.79	0.47
1:E:203:PHE:HB3	1:E:236:LEU:HD11	1.96	0.46
2:B:89:VAL:HG11	2:B:102:VAL:HG13	1.97	0.46
1:E:235:GLY:HA3	1:E:244:THR:HG23	1.98	0.46
1:C:202:ILE:HG21	1:C:289:SER:HA	1.97	0.46
1:E:231:ARG:NH1	1:E:237:LYS:O	2.48	0.46
1:A:343:HIS:NE2	1:A:364:ARG:HG3	2.30	0.46
2:D:93:VAL:HG22	2:D:124:ASN:O	2.16	0.46

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:ASP:HB3	1:A:183:LEU:HD12	1.96	0.46
2:D:19:ASP:O	2:D:24:LYS:NZ	2.49	0.46
1:A:63:TRP:CD1	1:A:158:LEU:HD13	2.52	0.45
1:A:343:HIS:CD2	1:A:364:ARG:HG3	2.51	0.45
1:C:169:MET:HG2	1:C:325:CYS:SG	2.56	0.45
1:C:367:TYR:HB3	1:C:386:PRO:HA	1.98	0.45
1:A:106:ARG:HD2	1:A:106:ARG:O	2.17	0.45
1:C:258:GLU:O	1:C:262:ARG:HB2	2.17	0.45
1:E:314:ASN:HD22	1:E:321:THR:HG21	1.81	0.45
1:E:166:THR:HG23	1:E:322:PRO:HG3	1.99	0.44
1:E:300:LEU:HD22	1:E:307:ILE:HD13	1.99	0.44
1:C:209:GLY:HA2	2:D:41:ILE:HG22	2.00	0.44
1:C:225:ASN:N	1:C:225:ASN:ND2	2.58	0.44
1:C:294:SER:OG	2:D:70:GLN:HG2	2.16	0.44
2:D:119:LYS:HB2	2:D:148:ILE:HG13	2.00	0.44
1:A:137:ASN:HD22	1:A:138:ARG:N	2.15	0.44
1:C:154:VAL:HA	1:C:392:GLU:O	2.17	0.44
1:C:378:ASP:O	1:C:382:ARG:HG2	2.18	0.44
1:E:188:ALA:O	3:F:72:ARG:NH2	2.50	0.44
1:C:314:ASN:HD22	1:C:319:LEU:HB2	1.83	0.44
1:C:115:ILE:HD13	1:C:139:LEU:HD13	1.99	0.44
1:E:137:ASN:ND2	1:E:138:ARG:H	2.15	0.44
1:A:175:PHE:CE2	1:A:179:LEU:HD11	2.53	0.43
1:C:88:LEU:HB3	1:C:89:PRO:HD2	1.99	0.43
3:F:30:ARG:NH2	3:F:156:LYS:O	2.51	0.43
2:D:17:ILE:HD13	2:D:17:ILE:HA	1.86	0.43
2:B:17:ILE:HD13	2:B:17:ILE:HA	1.80	0.43
1:E:82:LEU:HG	1:E:95:VAL:CG1	2.47	0.43
1:C:217:LEU:HD22	1:C:277:PHE:CE2	2.54	0.43
1:C:343:HIS:CD2	1:C:364:ARG:HG3	2.54	0.43
1:E:290:ALA:HB1	1:E:328:ILE:HD13	2.00	0.43
1:A:79:LEU:O	1:A:82:LEU:HB2	2.19	0.43
1:A:202:ILE:HG12	1:A:380:MET:HE3	2.01	0.43
2:B:146:LEU:HB2	2:B:148:ILE:HD12	2.00	0.43
1:C:313:TYR:CE2	1:C:317:ARG:NH2	2.87	0.43
3:F:120:LEU:HD11	3:F:151:LEU:HD13	2.01	0.43
1:E:158:LEU:H	1:E:161:MET:HE3	1.83	0.43
1:E:332:GLN:HA	1:E:337:ASN:O	2.19	0.43
2:D:72:ARG:HA	2:D:72:ARG:HD2	1.81	0.43
1:A:254:ARG:NH2	1:A:276:GLU:OE2	2.52	0.42
1:E:137:ASN:HD22	1:E:138:ARG:H	1.67	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:379:GLU:HG3	1:E:382:ARG:HH22	1.83	0.42
3:F:169:ALA:O	3:F:172:ILE:HG22	2.19	0.42
1:E:141:GLN:HA	1:E:180:SER:HB3	2.02	0.42
1:C:141:GLN:HA	1:C:180:SER:HB3	2.02	0.42
1:C:199:PHE:HA	1:C:292:TYR:CE1	2.54	0.42
1:C:355:PRO:O	1:C:356:ASN:HB3	2.19	0.42
1:E:317:ARG:HG2	1:E:317:ARG:HH11	1.85	0.42
1:C:217:LEU:HD22	1:C:277:PHE:HE2	1.83	0.42
2:D:41:ILE:H	2:D:41:ILE:CD1	2.25	0.42
2:B:24:LYS:HE2	2:B:24:LYS:HB2	1.88	0.42
1:E:225:ASN:HD22	1:E:225:ASN:HA	1.66	0.42
1:C:140:LEU:HD12	1:C:145:ILE:HD11	2.01	0.42
1:A:152:ILE:HA	1:A:182:THR:HB	2.02	0.41
1:C:158:LEU:HD23	1:C:175:PHE:CZ	2.55	0.41
1:A:179:LEU:O	1:A:364:ARG:NH2	2.42	0.41
2:D:28:LEU:HD12	2:D:28:LEU:HA	1.77	0.41
1:E:121:THR:HB	1:E:122:PRO:HD2	2.02	0.41
1:A:183:LEU:HD21	1:A:387:ARG:CG	2.50	0.41
1:A:380:MET:HB2	1:A:380:MET:HE2	1.97	0.41
1:C:134:ASN:N	1:C:137:ASN:HD21	1.93	0.41
1:C:356:ASN:ND2	1:C:356:ASN:C	2.73	0.41
3:F:79:SER:HA	3:F:82:ARG:HE	1.86	0.41
1:C:277:PHE:O	1:C:283:ALA:HB2	2.21	0.41
1:C:312:GLU:OE2	2:D:65:TRP:HH2	2.03	0.41
2:D:56:ASP:HB2	2:D:173:LYS:HE3	2.03	0.41
1:A:163:LEU:CD2	1:A:395:LEU:HD11	2.51	0.41
1:C:183:LEU:HD11	1:C:387:ARG:HD2	2.03	0.41
1:C:374:LYS:HB2	1:C:379:GLU:OE1	2.21	0.41
1:E:294:SER:C	1:E:296:ASN:N	2.74	0.41
3:F:154:SER:HB3	3:F:159:THR:HB	2.01	0.41
2:B:72:ARG:HA	2:B:72:ARG:HD2	1.64	0.40
1:C:207:CYS:HB3	1:C:231:ARG:HH11	1.86	0.40
1:C:343:HIS:NE2	1:C:364:ARG:NH1	2.68	0.40
2:D:79:SER:HA	2:D:82:ARG:HE	1.86	0.40
3:F:122:VAL:HG13	3:F:153:THR:CG2	2.51	0.40
1:C:69:ARG:HG3	1:C:72:ARG:HD3	2.03	0.40
1:C:204:MET:HB3	1:C:208:ARG:HH11	1.85	0.40
1:A:306:ARG:HD2	1:A:349:MET:O	2.20	0.40
1:C:362:THR:O	1:C:390:ALA:HA	2.21	0.40
1:E:202:ILE:H	1:E:202:ILE:HG13	1.68	0.40
1:E:194:SER:HB3	3:F:72:ARG:NH2	2.37	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	349/351 (99%)	329 (94%)	20 (6%)	0	100	100
1	C	349/351 (99%)	318 (91%)	31 (9%)	0	100	100
1	E	348/351 (99%)	324 (93%)	24 (7%)	0	100	100
2	B	169/171 (99%)	163 (96%)	6 (4%)	0	100	100
2	D	169/171 (99%)	162 (96%)	7 (4%)	0	100	100
3	F	143/164 (87%)	133 (93%)	10 (7%)	0	100	100
All	All	1527/1559 (98%)	1429 (94%)	98 (6%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	312/312 (100%)	286 (92%)	26 (8%)	11	35
1	C	312/312 (100%)	286 (92%)	26 (8%)	11	35
1	E	311/312 (100%)	294 (94%)	17 (6%)	21	50
2	B	151/151 (100%)	140 (93%)	11 (7%)	14	40
2	D	151/151 (100%)	141 (93%)	10 (7%)	16	43
3	F	119/144 (83%)	112 (94%)	7 (6%)	19	47

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1356/1382 (98%)	1259 (93%)	97 (7%)	14 40

All (97) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	55	LEU
1	A	82	LEU
1	A	92	LEU
1	A	120	ARG
1	A	123	ASN
1	A	137	ASN
1	A	140	LEU
1	A	160	GLU
1	A	167	THR
1	A	177	SER
1	A	183	LEU
1	A	189	GLN
1	A	202	ILE
1	A	216	SER
1	A	241	SER
1	A	280	HIS
1	A	317	ARG
1	A	321	THR
1	A	323	ASN
1	A	329	SER
1	A	346	VAL
1	A	362	THR
1	A	382	ARG
1	A	393	THR
1	A	396	GLN
1	A	397	ASN
2	B	16	LEU
2	B	17	ILE
2	B	20	SER
2	B	41	ILE
2	B	46	VAL
2	B	70	GLN
2	B	72	ARG
2	B	82	ARG
2	B	135	ASP
2	B	137	THR
2	B	162	GLU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	C	53	LYS
1	C	55	LEU
1	C	90	ASN
1	C	92	LEU
1	C	104	SER
1	C	120	ARG
1	C	123	ASN
1	C	137	ASN
1	C	139	LEU
1	C	140	LEU
1	C	162	ASP
1	C	170	ARG
1	C	183	LEU
1	C	189	GLN
1	C	202	ILE
1	C	216	SER
1	C	225	ASN
1	C	239	THR
1	C	244	THR
1	C	263	GLU
1	C	311	SER
1	C	329	SER
1	C	346	VAL
1	C	356	ASN
1	C	378	ASP
1	C	396	GLN
2	D	34	ASP
2	D	35	THR
2	D	41	ILE
2	D	42	SER
2	D	46	VAL
2	D	51	ARG
2	D	82	ARG
2	D	103	LYS
2	D	115	GLU
2	D	167	THR
1	E	92	LEU
1	E	120	ARG
1	E	123	ASN
1	E	137	ASN
1	E	140	LEU
1	E	156	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	161	MET
1	E	183	LEU
1	E	189	GLN
1	E	194	SER
1	E	265	SER
1	E	300	LEU
1	E	316	GLU
1	E	329	SER
1	E	331	SER
1	E	378	ASP
1	E	396	GLN
3	F	37	THR
3	F	41	ILE
3	F	82	ARG
3	F	116	ASN
3	F	126	CYS
3	F	129	THR
3	F	172	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	76	GLN
1	A	111	ASN
1	A	137	ASN
1	A	155	HIS
1	A	356	ASN
1	A	396	GLN
2	B	70	GLN
1	C	111	ASN
1	C	136	GLN
1	C	137	ASN
1	C	155	HIS
1	C	225	ASN
1	C	314	ASN
1	C	356	ASN
2	D	63	GLN
2	D	70	GLN
1	E	73	GLN
1	E	136	GLN
1	E	137	ASN
1	E	155	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	225	ASN
1	E	304	HIS
1	E	332	GLN
1	E	371	GLN
3	F	70	GLN
3	F	160	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 3 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	PGE	C	401	-	9,9,9	1.02	0	8,8,8	0.81	0
5	GDP	D	202	4,6	24,30,30	1.81	2 (8%)	30,47,47	1.54	6 (20%)
5	GDP	B	202	4,6	24,30,30	1.85	3 (12%)	30,47,47	1.55	6 (20%)
4	AF3	F	201	9,5	0,3,3	-	-	-	-	-
5	GDP	F	202	4,6	24,30,30	1.65	2 (8%)	30,47,47	1.49	6 (20%)
4	AF3	B	201	9,5	0,3,3	-	-	-	-	-
4	AF3	D	201	9,5	0,3,3	-	-	-	-	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
8	PEG	E	401	-	4,4,6	0.57	0	3,3,5	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	PGE	C	401	-	-	5/7/7/7	-
5	GDP	D	202	4,6	-	1/12/32/32	0/3/3/3
5	GDP	B	202	4,6	-	2/12/32/32	0/3/3/3
5	GDP	F	202	4,6	-	4/12/32/32	0/3/3/3
8	PEG	E	401	-	-	1/2/2/4	-

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	202	GDP	O6-C6	6.95	1.37	1.23
5	B	202	GDP	O6-C6	6.68	1.36	1.23
5	F	202	GDP	O6-C6	6.45	1.36	1.23
5	D	202	GDP	PB-O1B	3.27	1.61	1.50
5	B	202	GDP	PB-O1B	2.99	1.60	1.50
5	B	202	GDP	PA-O1A	2.72	1.60	1.50
5	F	202	GDP	O4'-C1'	2.04	1.43	1.41

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	202	GDP	PA-O3A-PB	-5.14	115.17	132.83
5	B	202	GDP	PA-O3A-PB	-4.64	116.89	132.83
5	F	202	GDP	PA-O3A-PB	-4.47	117.49	132.83
5	B	202	GDP	C3'-C2'-C1'	3.67	106.51	100.98
5	D	202	GDP	C3'-C2'-C1'	2.98	105.46	100.98
5	F	202	GDP	C3'-C2'-C1'	2.72	105.08	100.98
5	F	202	GDP	C5-C6-N1	2.59	118.52	113.95
5	B	202	GDP	C5-C6-N1	2.50	118.37	113.95
5	F	202	GDP	C2-N1-C6	-2.41	120.65	125.10
5	B	202	GDP	PA-O5'-C5'	-2.35	107.91	121.68
5	F	202	GDP	C8-N7-C5	2.34	107.45	102.99
5	D	202	GDP	C8-N7-C5	2.33	107.44	102.99
5	D	202	GDP	C2-N1-C6	-2.28	120.91	125.10

Continued on next page...



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	202	GDP	N2-C2-N1	2.24	121.49	116.71
5	D	202	GDP	C5-C6-N1	2.24	117.91	113.95
5	F	202	GDP	PA-O5'-C5'	-2.21	108.74	121.68
5	B	202	GDP	C2-N1-C6	-2.20	121.05	125.10
5	B	202	GDP	O6-C6-C5	-2.15	120.17	124.37

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	202	GDP	PA-O3A-PB-O3B
5	F	202	GDP	C3'-C4'-C5'-O5'
5	F	202	GDP	O4'-C4'-C5'-O5'
8	E	401	PEG	O1-C1-C2-O2
7	C	401	PGE	O1-C1-C2-O2
7	C	401	PGE	O2-C3-C4-O3
7	C	401	PGE	C4-C3-O2-C2
7	C	401	PGE	O3-C5-C6-O4
7	C	401	PGE	C1-C2-O2-C3
5	F	202	GDP	PB-O3A-PA-O2A
5	B	202	GDP	PA-O3A-PB-O1B
5	F	202	GDP	PB-O3A-PA-O1A
5	D	202	GDP	C5'-O5'-PA-O1A



There are no ring outliers.


3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	C	401	PGE	1	0
5	D	202	GDP	1	0
5	F	202	GDP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	351/351 (100%)	-0.09	0 <span style="border: 1px solid blue; padding: 2px;">100</span> <span style="border: 1px solid blue; padding: 2px;">100</span>	52, 76, 110, 126	0
1	C	351/351 (100%)	0.01	5 (1%) <span style="border: 1px solid blue; padding: 2px;">75</span> <span style="border: 1px solid blue; padding: 2px;">53</span>	57, 96, 146, 162	0
1	E	350/351 (99%)	0.06	7 (2%) <span style="border: 1px solid blue; padding: 2px;">65</span> <span style="border: 1px solid blue; padding: 2px;">41</span>	68, 108, 154, 175	0
2	B	171/171 (100%)	-0.14	0 <span style="border: 1px solid blue; padding: 2px;">100</span> <span style="border: 1px solid blue; padding: 2px;">100</span>	61, 81, 104, 126	0
2	D	171/171 (100%)	0.15	2 (1%) <span style="border: 1px solid blue; padding: 2px;">79</span> <span style="border: 1px solid blue; padding: 2px;">58</span>	62, 107, 146, 165	0
3	F	149/164 (90%)	1.33	44 (29%) <span style="border: 1px solid red; padding: 2px;">0</span> <span style="border: 1px solid red; padding: 2px;">0</span>	99, 155, 203, 243	0
All	All	1543/1559 (98%)	0.13	58 (3%) <span style="border: 1px solid red; padding: 2px;">40</span> <span style="border: 1px solid red; padding: 2px;">20</span>	52, 95, 160, 243	0

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	F	89	VAL	4.7
3	F	125	LYS	4.4
3	F	88	ILE	4.1
3	F	142	PHE	3.9
3	F	121	LEU	3.9
3	F	123	GLY	3.8
3	F	124	ASN	3.7
3	F	87	ILE	3.7
3	F	137	THR	3.7
3	F	115	GLU	3.6
1	C	125	GLU	3.4
3	F	174	LYS	3.4
3	F	34	ASP	3.3
3	F	22	VAL	3.3
3	F	50	ILE	3.3
3	F	150	PHE	3.2
3	F	170	ALA	3.2
3	F	126	CYS	3.1
3	F	151	LEU	3.1

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
3	F	153	THR	3.0
3	F	164	SER	2.9
1	E	239	THR	2.9
3	F	168	MET	2.9
3	F	161	VAL	2.9
3	F	91	TYR	2.8
1	E	58	LEU	2.8
3	F	120	LEU	2.8
3	F	90	VAL	2.8
3	F	152	GLU	2.8
2	D	40	TYR	2.7
3	F	31	PHE	2.7
3	F	114	SER	2.6
1	E	125	GLU	2.6
3	F	116	ASN	2.5
3	F	16	LEU	2.5
2	D	12	PHE	2.4
1	C	119	ILE	2.4
1	E	67	TYR	2.4
1	C	79	LEU	2.4
3	F	17	ILE	2.4
3	F	28	LEU	2.3
1	C	124	ASN	2.3
1	C	75	PHE	2.3
3	F	122	VAL	2.3
3	F	132	LYS	2.2
3	F	35	THR	2.2
3	F	131	LYS	2.2
3	F	93	VAL	2.1
3	F	134	VAL	2.1
3	F	15	LEU	2.1
3	F	118	ASN	2.1
3	F	157	ASN	2.1
1	E	98	ARG	2.1
1	E	157	ALA	2.1
1	E	320	ASP	2.0
3	F	86	GLY	2.0
3	F	37	THR	2.0
3	F	117	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
6	MG	D	203	1/1	0.72	0.10	69,69,69,69	0
7	PGE	C	401	10/10	0.86	0.40	64,69,73,74	0
4	AF3	F	201	4/4	0.88	0.18	62,62,62,62	0
5	GDP	F	202	28/28	0.91	0.24	117,128,141,143	0
8	PEG	E	401	5/7	0.91	0.51	94,94,95,96	0
6	MG	B	203	1/1	0.94	0.13	53,53,53,53	0
4	AF3	D	201	4/4	0.95	0.19	50,50,51,51	0
5	GDP	D	202	28/28	0.96	0.18	78,98,111,115	0
4	AF3	B	201	4/4	0.97	0.11	48,49,49,50	0
5	GDP	B	202	28/28	0.97	0.20	57,70,75,77	0
6	MG	F	203	1/1	0.98	0.09	91,91,91,91	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


**Electron density around GDP F 202:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around GDP D 202:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.