



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 6, 2023 – 02:33 PM EDT

PDB ID : 4FQ8
Title : Crystal Structure of Shikimate Dehydrogenase (aroE) Y210A Mutant from Helicobacter pylori in Complex with Shikimate
Authors : Cheng, W.C.; Chen, T.J.; Wang, W.C.
Deposited on : 2012-06-25
Resolution : 2.07 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.07 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2684 (2.08-2.04)
Clashscore	141614	2801 (2.08-2.04)
Ramachandran outliers	138981	2768 (2.08-2.04)
Sidechain outliers	138945	2768 (2.08-2.04)
RSRZ outliers	127900	2646 (2.08-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	271	
1	B	271	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4238 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Shikimate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	263	2057	1338	341	368	10	0	0	0
1	B	263	2057	1338	341	368	10	0	0	0

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	210	ALA	TYR	engineered mutation	UNP P56119
A	264	LEU	-	expression tag	UNP P56119
A	265	GLU	-	expression tag	UNP P56119
A	266	HIS	-	expression tag	UNP P56119
A	267	HIS	-	expression tag	UNP P56119
A	268	HIS	-	expression tag	UNP P56119
A	269	HIS	-	expression tag	UNP P56119
A	270	HIS	-	expression tag	UNP P56119
A	271	HIS	-	expression tag	UNP P56119
B	210	ALA	TYR	engineered mutation	UNP P56119
B	264	LEU	-	expression tag	UNP P56119
B	265	GLU	-	expression tag	UNP P56119
B	266	HIS	-	expression tag	UNP P56119
B	267	HIS	-	expression tag	UNP P56119
B	268	HIS	-	expression tag	UNP P56119
B	269	HIS	-	expression tag	UNP P56119
B	270	HIS	-	expression tag	UNP P56119
B	271	HIS	-	expression tag	UNP P56119

- Molecule 2 is (3R,4S,5R)-3,4,5-TRIHIDROXYCYCLOHEX-1-ENE-1-CARBOXYLIC ACID (three-letter code: SKM) (formula: C₇H₁₀O₅).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 12 7 5	0	0
2	B	1	Total C O 12 7 5	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	49	Total O 49 49	0	0
3	B	51	Total O 51 51	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Shikimate dehydrogenase



- Molecule 1: Shikimate dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	46.24Å 88.33Å 118.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.07 28.57 – 2.07	Depositor EDS
% Data completeness (in resolution range)	99.3 (30.00-2.07) 99.3 (28.57-2.07)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.93 (at 2.06Å)	Xtrriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.209 , 0.251 0.212 , 0.215	Depositor DCC
R_{free} test set	1530 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	28.4	Xtrriage
Anisotropy	0.055	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 47.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4238	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 25.52 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.1222e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SKM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.91	0/2103	0.66	0/2831
1	B	0.93	1/2103 (0.0%)	0.71	0/2831
All	All	0.92	1/4206 (0.0%)	0.68	0/5662

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	135	CYS	CB-SG	-7.21	1.70	1.82

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	115	GLN	Peptide
1	B	34	ARG	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2057	0	2099	40	1
1	B	2057	0	2099	78	1
2	A	12	0	9	0	0
2	B	12	0	9	0	0
3	A	49	0	0	3	0
3	B	51	0	0	4	0
All	All	4238	0	4216	118	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:150:SER:C	1:B:152:ARG:HB2	1.49	1.30
1:B:116:LYS:HB3	1:B:117:ASN:CA	1.64	1.28
1:B:116:LYS:CB	1:B:117:ASN:HA	1.64	1.27
1:B:3:LEU:HD21	1:B:38:HIS:CE1	1.80	1.16
1:B:151:SER:N	1:B:152:ARG:HB2	1.60	1.16
1:B:3:LEU:HD21	1:B:38:HIS:HE1	0.98	1.11
1:B:34:ARG:HD2	1:B:34:ARG:H	1.22	1.04
1:B:151:SER:HA	1:B:152:ARG:CB	1.91	0.98
1:B:151:SER:CA	1:B:152:ARG:CB	2.43	0.96
1:B:151:SER:HA	1:B:152:ARG:HB3	1.43	0.96
1:B:151:SER:CA	1:B:152:ARG:HB2	2.03	0.89
1:B:38:HIS:HD2	1:B:40:HIS:NE2	1.74	0.86
1:B:44:LEU:HD22	1:B:48:SER:OG	1.75	0.86
1:A:31:LYS:CE	1:A:31:LYS:H	1.92	0.81
1:B:34:ARG:H	1:B:34:ARG:CD	1.91	0.81
1:B:114:LYS:HA	1:B:115:GLN:HG2	1.63	0.80
1:B:151:SER:N	1:B:152:ARG:CB	2.44	0.80
1:B:150:SER:O	1:B:152:ARG:HB2	1.83	0.78
1:A:196:LYS:HG2	1:A:223:LEU:HD21	1.66	0.76
1:B:3:LEU:HD23	1:B:4:LYS:N	2.02	0.75
1:A:8:VAL:HG13	1:A:13:ILE:HD11	1.69	0.74
1:A:31:LYS:H	1:A:31:LYS:CD	2.00	0.73
1:A:31:LYS:H	1:A:31:LYS:HE3	1.52	0.73
1:B:150:SER:C	1:B:152:ARG:CB	2.45	0.72
1:B:116:LYS:HG2	1:B:118:TYR:N	2.03	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:114:LYS:HB2	1:B:115:GLN:HG3	1.70	0.72
1:B:3:LEU:CD2	1:B:38:HIS:CE1	2.67	0.71
1:B:3:LEU:CD2	1:B:38:HIS:HE1	1.90	0.70
1:B:66:LEU:HD12	1:B:66:LEU:O	1.91	0.70
1:A:110:TYR:HD1	1:A:140:GLN:NE2	1.92	0.66
1:B:149:ARG:O	1:B:149:ARG:HD3	1.96	0.66
1:B:3:LEU:CD2	1:B:3:LEU:C	2.67	0.63
1:B:38:HIS:CD2	1:B:40:HIS:NE2	2.63	0.63
1:A:44:LEU:HD22	1:A:48:SER:HB2	1.81	0.62
1:B:231:LYS:HG3	1:B:263:PHE:CE1	2.35	0.62
1:B:96:ASN:O	1:B:97:ASP:HB2	1.99	0.61
1:B:258:VAL:O	1:B:262:VAL:HG13	2.01	0.61
1:B:114:LYS:HB2	1:B:115:GLN:CG	2.30	0.60
1:A:155:ASP:O	1:A:159:ARG:HG3	2.01	0.60
1:B:82:ILE:HD11	3:B:605:HOH:O	2.03	0.59
1:A:31:LYS:H	1:A:31:LYS:HD2	1.67	0.59
1:B:34:ARG:HH11	1:B:34:ARG:HG3	1.68	0.59
1:B:191:ASN:HD22	1:B:194:VAL:H	1.49	0.59
1:B:66:LEU:HD11	1:B:184:LEU:CD2	2.34	0.58
1:B:65:THR:HB	3:B:612:HOH:O	2.03	0.57
1:B:114:LYS:CA	1:B:115:GLN:HG2	2.34	0.56
1:A:258:VAL:O	1:A:262:VAL:HG13	2.06	0.56
1:B:191:ASN:ND2	1:B:194:VAL:H	2.03	0.56
1:A:110:TYR:CD1	1:A:140:GLN:NE2	2.74	0.55
1:B:66:LEU:HD11	1:B:184:LEU:HD23	1.89	0.55
1:B:116:LYS:CG	1:B:118:TYR:H	2.20	0.54
1:B:40:HIS:CD2	3:B:615:HOH:O	2.61	0.54
1:A:33:LEU:HD21	1:A:246:SER:HB2	1.89	0.53
1:B:114:LYS:CB	1:B:115:GLN:HG2	2.38	0.53
1:B:150:SER:O	1:B:152:ARG:CB	2.55	0.53
1:A:31:LYS:CD	1:A:31:LYS:N	2.71	0.53
1:A:79:ILE:HG22	1:A:84:LEU:HG	1.90	0.53
1:B:3:LEU:HD23	1:B:3:LEU:C	2.29	0.52
1:B:22:HIS:HD2	1:B:242:PHE:HD1	1.57	0.52
1:B:190:LEU:HD12	1:B:195:LEU:HD13	1.90	0.52
1:B:114:LYS:CB	1:B:115:GLN:CG	2.86	0.52
1:A:203:LYS:HE3	3:A:632:HOH:O	2.08	0.52
1:B:116:LYS:HG2	1:B:118:TYR:H	1.75	0.52
1:B:116:LYS:CG	1:B:118:TYR:N	2.73	0.51
1:B:114:LYS:HA	1:B:115:GLN:CG	2.38	0.51
1:A:129:SER:HB3	1:A:208:LEU:CD2	2.40	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:34:ARG:HD2	1:B:34:ARG:N	2.07	0.51
1:B:117:ASN:CG	1:B:117:ASN:O	2.49	0.51
1:A:31:LYS:HD2	1:A:31:LYS:N	2.27	0.50
1:A:15:HIS:H	1:A:15:HIS:CD2	2.29	0.50
1:B:25:CYS:HB3	1:B:242:PHE:CZ	2.47	0.50
1:B:81:GLY:O	1:B:84:LEU:HD12	2.13	0.49
1:A:191:ASN:HD22	1:A:194:VAL:H	1.60	0.49
1:A:196:LYS:O	1:A:200:LYS:HG3	2.12	0.49
1:A:165:PHE:CE1	1:A:169:PRO:HB3	2.48	0.48
1:B:114:LYS:HA	1:B:115:GLN:HA	1.54	0.48
1:B:222:GLU:O	1:B:224:LYS:HE2	2.14	0.47
1:B:219:LEU:HD12	1:B:223:LEU:CD2	2.45	0.47
1:A:133:LEU:HD23	1:A:177:ILE:HG21	1.96	0.47
1:B:209:ALA:HB1	1:B:212:PHE:CZ	2.49	0.47
1:B:250:ILE:HG23	1:B:254:LYS:HD2	1.97	0.47
1:A:151:SER:HA	1:A:166:MET:HE2	1.96	0.46
1:A:247:ALA:O	1:A:248:SER:HB2	2.16	0.46
1:A:102:TYR:CD1	1:A:244:LYS:HE2	2.51	0.46
1:A:208:LEU:O	1:A:230:GLY:HA3	2.14	0.46
1:A:174:ASP:OD1	1:A:203:LYS:HE2	2.16	0.45
1:A:65:THR:HA	1:A:69:LYS:HE3	1.98	0.45
1:B:33:LEU:HD23	1:B:249:GLN:OE1	2.17	0.45
1:B:79:ILE:HG22	1:B:84:LEU:HG	1.99	0.45
1:A:129:SER:HB3	1:A:208:LEU:HD21	1.99	0.45
1:A:116:LYS:H	1:A:116:LYS:HG3	1.40	0.44
1:A:30:GLN:NE2	3:A:629:HOH:O	2.43	0.44
1:A:133:LEU:HD21	1:A:208:LEU:HD11	1.99	0.44
1:B:10:GLY:HA3	1:B:13:ILE:HD13	1.99	0.43
1:B:116:LYS:HB3	1:B:117:ASN:HA	0.70	0.43
1:A:152:ARG:HH11	1:A:152:ARG:HB3	1.82	0.43
1:B:116:LYS:CB	1:B:116:LYS:NZ	2.82	0.43
1:B:219:LEU:HD12	1:B:223:LEU:HD22	2.01	0.43
1:A:14:LYS:HB3	1:A:14:LYS:HZ2	1.84	0.42
1:B:90:ASN:OD1	1:B:103:ASN:HA	2.19	0.42
1:B:70:GLU:O	1:B:74:GLN:HG3	2.19	0.42
1:A:168:PRO:HA	1:A:169:PRO:HD2	1.91	0.42
1:B:149:ARG:CD	1:B:149:ARG:H	2.32	0.42
1:B:149:ARG:O	1:B:149:ARG:CD	2.67	0.42
1:B:149:ARG:H	1:B:149:ARG:HD2	1.83	0.42
1:A:175:LEU:HD21	1:A:204:LEU:HD23	2.01	0.42
1:B:33:LEU:C	1:B:35:PHE:H	2.24	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:149:ARG:O	1:B:149:ARG:CG	2.68	0.41
1:A:18:SER:HB2	1:A:19:PRO:HD3	2.01	0.41
1:A:8:VAL:HG13	1:A:13:ILE:CD1	2.46	0.41
1:B:103:ASN:OD1	1:B:105:ASP:HB2	2.20	0.41
1:A:94:LEU:HD11	1:A:97:ASP:HA	2.02	0.41
1:B:13:ILE:HG13	1:B:13:ILE:O	2.21	0.41
1:B:114:LYS:HE2	1:B:114:LYS:HB3	1.83	0.41
1:A:84:LEU:O	3:A:618:HOH:O	2.21	0.41
1:B:133:LEU:HD23	1:B:177:ILE:HG21	2.03	0.40
1:B:53:GLU:OE2	3:B:641:HOH:O	2.22	0.40
1:B:219:LEU:CD1	1:B:223:LEU:CD2	2.98	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:110:TYR:OH	1:B:155:ASP:OD1[4_446]	2.11	0.09

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	261/271 (96%)	256 (98%)	4 (2%)	1 (0%)	34 25
1	B	261/271 (96%)	251 (96%)	8 (3%)	2 (1%)	19 9
All	All	522/542 (96%)	507 (97%)	12 (2%)	3 (1%)	25 15

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	152	ARG
1	A	13	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	153	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	222/230 (96%)	202 (91%)	20 (9%)	9 4
1	B	222/230 (96%)	194 (87%)	28 (13%)	4 1
All	All	444/460 (96%)	396 (89%)	48 (11%)	6 2

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	ILE
1	A	14	LYS
1	A	17	LYS
1	A	27	LEU
1	A	31	LYS
1	A	34	ARG
1	A	44	LEU
1	A	46	LEU
1	A	115	GLN
1	A	116	LYS
1	A	139	LYS
1	A	143	GLN
1	A	148	ASN
1	A	152	ARG
1	A	155	ASP
1	A	171	SER
1	A	195	LEU
1	A	201	GLU
1	A	212	PHE
1	A	237	GLN
1	B	3	LEU
1	B	27	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	34	ARG
1	B	44	LEU
1	B	66	LEU
1	B	82	ILE
1	B	97	ASP
1	B	116	LYS
1	B	117	ASN
1	B	119	GLN
1	B	149	ARG
1	B	152	ARG
1	B	154	LEU
1	B	167	GLU
1	B	170	LYS
1	B	181	SER
1	B	184	LEU
1	B	186	ASN
1	B	191	ASN
1	B	195	LEU
1	B	223	LEU
1	B	229	ASP
1	B	231	LYS
1	B	237	GLN
1	B	249	GLN
1	B	252	TYR
1	B	253	SER
1	B	260	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	HIS
1	A	22	HIS
1	A	30	GLN
1	A	63	ASN
1	A	140	GLN
1	A	143	GLN
1	A	148	ASN
1	A	186	ASN
1	A	191	ASN
1	A	228	GLN
1	A	237	GLN
1	B	22	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	38	HIS
1	B	49	HIS
1	B	63	ASN
1	B	74	GLN
1	B	119	GLN
1	B	143	GLN
1	B	158	GLN
1	B	191	ASN
1	B	228	GLN
1	B	237	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	SKM	A	500	-	12,12,12	1.93	6 (50%)	16,17,17	0.90	1 (6%)
2	SKM	B	500	-	12,12,12	1.59	3 (25%)	16,17,17	1.19	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SKM	A	500	-	-	0/4/20/20	0/1/1/1
2	SKM	B	500	-	-	0/4/20/20	0/1/1/1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	500	SKM	C9-C10	3.08	1.54	1.50
2	A	500	SKM	C8-C9	2.86	1.58	1.53
2	B	500	SKM	C1-C4	2.79	1.56	1.49
2	B	500	SKM	C10-C4	2.72	1.40	1.33
2	A	500	SKM	C5-C4	2.41	1.55	1.51
2	A	500	SKM	O2-C1	-2.31	1.23	1.30
2	A	500	SKM	C1-C4	2.20	1.54	1.49
2	A	500	SKM	C10-C4	2.12	1.39	1.33
2	B	500	SKM	O2-C1	-2.09	1.24	1.30

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	500	SKM	C6-C8-C9	3.83	115.70	110.41
2	A	500	SKM	C6-C8-C9	2.35	113.66	110.41

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	263/271 (97%)	0.26	8 (3%) 50 53	15, 26, 43, 61	0
1	B	263/271 (97%)	0.30	9 (3%) 45 47	17, 27, 46, 61	0
All	All	526/542 (97%)	0.28	17 (3%) 47 50	15, 27, 44, 61	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	152	ARG	6.0
1	B	96	ASN	3.7
1	A	211	GLY	3.7
1	B	115	GLN	3.7
1	B	34	ARG	3.7
1	A	212	PHE	3.6
1	B	151	SER	3.6
1	A	154	LEU	3.1
1	B	150	SER	3.0
1	B	153	GLY	2.7
1	B	152	ARG	2.7
1	A	117	ASN	2.7
1	A	116	LYS	2.5
1	B	252	TYR	2.4
1	A	153	GLY	2.3
1	B	97	ASP	2.1
1	A	184	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SKM	A	500	12/12	0.87	0.20	32,39,42,42	0
2	SKM	B	500	12/12	0.92	0.15	22,30,34,35	0

6.5 Other polymers [i](#)

There are no such residues in this entry.