

Full wwPDB X-ray Structure Validation Report (i)

Jun 18, 2024 – 08:44 PM EDT

PDB ID	:	4FWH
Title	:	Crystal structure of the Lon-like protease MtaLonC in complex with MG262
Authors	:	Chang, C.I.; Kuo, C.I.; Huang, K.F.
Deposited on	:	2012-07-01
Resolution	:	2.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	2.37.1
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution
Metric	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain				
			3%				
1	А	732	48%	24%	7%	• 21%	



4FWH

2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 4872 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called TTC1975 peptidase.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	А	581	Total 4471	C 2842	N 792	O 830	${f S}7$	0	0	0

There are 13 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	720	LYS	-	expression tag	UNP C9DRU9
А	721	LEU	-	expression tag	UNP C9DRU9
А	722	ALA	-	expression tag	UNP C9DRU9
А	723	ALA	-	expression tag	UNP C9DRU9
А	724	ALA	-	expression tag	UNP C9DRU9
А	725	LEU	-	expression tag	UNP C9DRU9
А	726	GLU	-	expression tag	UNP C9DRU9
А	727	HIS	-	expression tag	UNP C9DRU9
А	728	HIS	-	expression tag	UNP C9DRU9
А	729	HIS	-	expression tag	UNP C9DRU9
А	730	HIS	-	expression tag	UNP C9DRU9
А	731	HIS	-	expression tag	UNP C9DRU9
А	732	HIS	-	expression tag	UNP C9DRU9

• Molecule 2 is N-[(benzyloxy)carbonyl]-L-leucyl-N-[(1R)-1-(dihydroxyboranyl)-3-methylbuty l]-L-leucinamide (three-letter code: CIX) (formula: $C_{25}H_{42}BN_3O_6$).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf		
9	Δ	1	Total	В	С	Ν	Ο	0	0
2	Л	T	35	1	25	3	6	0	0



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	А	1	Total 5	0 4	Р 1	0	0

• Molecule 4 is water.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	361	Total O 361 361	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: TTC1975 peptidase



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 6	Depositor
Cell constants	116.00Å 116.00Å 136.12Å	Deneiten
a, b, c, α , β , γ	90.00° 90.00° 120.00°	Depositor
$\mathbf{P}_{\text{osolution}}(\hat{\mathbf{A}})$	30.00 - 2.19	Depositor
Resolution (A)	25.78 - 2.10	EDS
% Data completeness	98.3 (30.00-2.19)	Depositor
(in resolution range)	97.9(25.78-2.10)	EDS
R _{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$3.05 (at 2.10 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
D D	0.174 , 0.227	Depositor
π, π_{free}	0.157 , 0.197	DCC
R_{free} test set	3007 reflections $(5.06%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	31.7	Xtriage
Anisotropy	0.730	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.33, 30.9	EDS
L-test for twinning ²	$< L >=0.40, < L^2>=0.22$	Xtriage
Estimated twinning fraction	0.457 for h,-h-k,-l	Xtriage
Penerted twinning fraction	0.529 for H, K, L	Depositor
Reported twinning fraction	0.471 for K, H, -L	Depositor
Outliers	0 of 59378 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4872	wwPDB-VP
Average B, all atoms $(Å^2)$	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.69% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, CIX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles		
	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	1.26	9/4561~(0.2%)	1.23	27/6193~(0.4%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	$\operatorname{Observed}(\operatorname{\AA})$	$\mathrm{Ideal}(\mathrm{\AA})$
1	А	639	SER	CB-OG	7.31	1.51	1.42
1	А	552	TYR	CE1-CZ	5.92	1.46	1.38
1	А	573	GLN	N-CA	5.72	1.57	1.46
1	А	474	SER	CA-CB	5.62	1.61	1.52
1	А	606	VAL	CA-CB	-5.48	1.43	1.54
1	А	290	TRP	CD2-CE2	5.34	1.47	1.41
1	А	475	GLU	C-O	5.32	1.33	1.23
1	А	11	ARG	CZ-NH2	5.22	1.39	1.33
1	А	672	TYR	CE1-CZ	5.11	1.45	1.38

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
1	А	631	ARG	NE-CZ-NH2	-10.70	114.95	120.30
1	А	434	ASP	CB-CG-OD2	-10.00	109.30	118.30
1	А	549	LEU	CB-CG-CD2	-9.29	95.21	111.00
1	А	572	GLU	C-N-CA	-9.03	99.12	121.70



4 FWH

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	554	ARG	NE-CZ-NH1	8.00	124.30	120.30
1	А	480	ARG	NE-CZ-NH1	-7.98	116.31	120.30
1	А	554	ARG	NE-CZ-NH2	-7.83	116.39	120.30
1	А	631	ARG	CG-CD-NE	-7.75	95.52	111.80
1	А	34	ARG	NE-CZ-NH2	-7.45	116.58	120.30
1	А	11	ARG	NE-CZ-NH1	-7.36	116.62	120.30
1	А	432	ARG	NE-CZ-NH2	-6.84	116.88	120.30
1	А	425	ARG	NE-CZ-NH1	6.71	123.65	120.30
1	А	383	ARG	NE-CZ-NH2	6.44	123.52	120.30
1	А	319	ARG	NE-CZ-NH1	6.38	123.49	120.30
1	А	373	ASP	CB-CG-OD1	5.99	123.69	118.30
1	А	516	ARG	NE-CZ-NH2	-5.88	117.36	120.30
1	А	572	GLU	O-C-N	-5.76	113.48	122.70
1	А	576	VAL	CB-CA-C	5.70	122.23	111.40
1	А	425	ARG	NE-CZ-NH2	-5.59	117.50	120.30
1	А	57	LEU	CA-CB-CG	5.48	127.91	115.30
1	А	411	LEU	CA-CB-CG	5.43	127.78	115.30
1	А	693	ARG	NE-CZ-NH2	-5.38	117.61	120.30
1	А	490	ARG	NE-CZ-NH2	-5.31	117.65	120.30
1	А	266	ILE	N-CA-C	-5.30	96.68	111.00
1	А	576	VAL	CG1-CB-CG2	5.18	119.19	110.90
1	А	439	GLU	OE1-CD-OE2	-5.11	117.17	123.30
1	A	436	ARG	NE-CZ-NH2	-5.00	117.80	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	692	PHE	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4471	0	4483	227	0
2	А	35	0	42	17	0
3	А	5	0	0	1	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	А	361	0	0	12	0
All	All	4872	0	4525	227	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (227) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:506:GLU:HG2	2:A:801:CIX:H23	1.20	1.17
1:A:284:LEU:HB2	1:A:296:LEU:HD11	1.35	1.07
1:A:506:GLU:CG	2:A:801:CIX:H23	1.85	1.06
1:A:229:GLU:HB2	1:A:230:ALA:HB2	1.37	1.04
1:A:285:VAL:HA	1:A:290:TRP:N	1.77	0.98
1:A:80:TYR:CE1	1:A:297:ILE:HG21	1.99	0.98
1:A:72:VAL:O	1:A:261:GLY:HA3	1.63	0.96
1:A:52:VAL:HG13	1:A:385:GLU:HG3	1.48	0.94
1:A:253:ASN:HD22	1:A:254:LEU:N	1.64	0.94
1:A:503:VAL:HG12	2:A:801:CIX:C31	1.99	0.93
1:A:411:LEU:HD11	1:A:416:LEU:HB2	1.51	0.91
1:A:692:PHE:CD2	1:A:697:GLU:HG2	2.04	0.90
1:A:229:GLU:HB2	1:A:230:ALA:CB	2.03	0.88
1:A:67:LEU:HB3	1:A:266:ILE:HD13	1.58	0.86
1:A:88:VAL:CG2	1:A:349:VAL:HB	2.07	0.84
1:A:503:VAL:HG12	2:A:801:CIX:H1	1.60	0.82
1:A:100:HIS:CB	1:A:221:PHE:HE1	1.93	0.81
1:A:506:GLU:HB2	2:A:801:CIX:O10	1.83	0.79
1:A:54:PRO:HG2	1:A:57:LEU:HD22	1.64	0.78
1:A:96:GLY:HA2	4:A:917:HOH:O	1.83	0.78
1:A:91:LEU:CD2	1:A:93:LEU:HD13	2.13	0.78
1:A:90:VAL:HB	1:A:352:PHE:CD2	2.19	0.77
1:A:100:HIS:HB3	1:A:221:PHE:HE1	1.49	0.77
1:A:220:ARG:O	1:A:220:ARG:HG2	1.84	0.77
1:A:65:ALA:HA	4:A:1228:HOH:O	1.84	0.77
1:A:241:THR:HG22	1:A:243:GLU:N	1.99	0.77
1:A:54:PRO:HD2	1:A:57:LEU:CD2	2.14	0.77
1:A:51:LEU:HD22	1:A:63:LEU:HD22	1.65	0.76
1:A:692:PHE:HA	1:A:694:GLY:N	2.00	0.76
1:A:506:GLU:CD	2:A:801:CIX:C23	2.54	0.76
1:A:82:PRO:HD3	1:A:294:VAL:HG21	1.69	0.75
1:A:229:GLU:HB2	1:A:230:ALA:CA	2.17	0.74



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:506:GLU:CG	2:A:801:CIX:C23	2.63	0.74	
1:A:88:VAL:CG1	1:A:294:VAL:HG13	2.18	0.73	
1:A:692:PHE:HA	1:A:694:GLY:H	1.52	0.73	
1:A:79:LEU:HB2	1:A:253:ASN:O	1.88	0.72	
1:A:67:LEU:HB3	1:A:266:ILE:CD1	2.20	0.72	
1:A:80:TYR:CE1	1:A:297:ILE:CG2	2.73	0.72	
1:A:506:GLU:CD	2:A:801:CIX:H21	2.10	0.72	
1:A:90:VAL:HG21	1:A:352:PHE:CE2	2.25	0.71	
1:A:229:GLU:CB	1:A:230:ALA:CA	2.69	0.71	
1:A:66:TYR:C	1:A:66:TYR:CD2	2.63	0.71	
1:A:88:VAL:HG22	1:A:349:VAL:HB	1.74	0.70	
1:A:100:HIS:HB3	1:A:221:PHE:CE1	2.26	0.70	
1:A:66:TYR:CD2	1:A:66:TYR:O	2.44	0.70	
1:A:538:GLY:HA2	1:A:578:ILE:HD12	1.72	0.70	
1:A:368:GLU:OE1	1:A:368:GLU:N	2.25	0.69	
1:A:526:ASP:OD1	1:A:563:LEU:HB2	1.92	0.69	
1:A:39:LEU:O	1:A:43:ILE:HG12	1.94	0.68	
1:A:254:LEU:HD23	1:A:254:LEU:O	1.93	0.68	
1:A:583:ALA:HB2	2:A:801:CIX:H6	1.74	0.68	
1:A:229:GLU:CB	1:A:230:ALA:HA	2.24	0.67	
1:A:576:VAL:HG13	2:A:801:CIX:H37	1.75	0.67	
1:A:88:VAL:HG23	1:A:349:VAL:HB	1.76	0.67	
1:A:427:ALA:O	1:A:429:GLN:HG2	1.95	0.66	
1:A:80:TYR:HA	1:A:89:ALA:O	1.96	0.66	
1:A:219:GLN:HB3	1:A:221:PHE:CE2	2.31	0.65	
1:A:365:GLU:H	1:A:365:GLU:CD	2.00	0.64	
1:A:221:PHE:N	1:A:221:PHE:CD2	2.66	0.64	
1:A:300:GLY:H	1:A:303:HIS:HD2	1.44	0.64	
1:A:8:LEU:HD12	1:A:664:VAL:HG11	1.79	0.63	
1:A:86:ARG:O	1:A:86:ARG:HG3	1.98	0.63	
1:A:506:GLU:CD	2:A:801:CIX:H23	2.18	0.63	
1:A:692:PHE:HD2	1:A:697:GLU:HG2	1.59	0.63	
1:A:74:THR:OG1	1:A:260:SER:HA	1.99	0.61	
1:A:90:VAL:CB	1:A:352:PHE:CD2	2.83	0.61	
1:A:250:TRP:HA	1:A:250:TRP:CE3	2.35	0.61	
1:A:529:ILE:HG23	1:A:534:GLU:OE1	2.00	0.61	
1:A:439:GLU:HG3	4:A:916:HOH:O	2.01	0.61	
1:A:54:PRO:CG	1:A:57:LEU:HD22	2.29	0.61	
1:A:84:SER:HB2	1:A:86:ARG:H	1.64	0.60	
1:A:94:PRO:HD3	1:A:223:GLN:NE2	2.16	0.60	
1:A:274:ALA:HB3	1:A:275:PRO:HD3	1.82	0.60	



	A i a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:506:GLU:OE2	2:A:801:CIX:C23	2.49	0.60
1:A:648:GLU:O	1:A:651:LEU:HG	2.01	0.60
1:A:572:GLU:OE1	1:A:572:GLU:HA	2.02	0.59
1:A:78:LEU:HD23	1:A:256:THR:HG23	1.85	0.59
1:A:253:ASN:HD22	1:A:254:LEU:H	1.48	0.59
1:A:100:HIS:C	1:A:101:LEU:HD13	2.24	0.59
1:A:300:GLY:H	1:A:303:HIS:CD2	2.21	0.59
1:A:73:GLU:OE1	1:A:73:GLU:HA	2.01	0.58
1:A:79:LEU:HD21	1:A:93:LEU:HD22	1.85	0.58
1:A:526:ASP:OD1	1:A:563:LEU:HD12	2.03	0.58
1:A:530:SER:O	1:A:534:GLU:HG3	2.03	0.58
1:A:468:GLU:OE1	1:A:657:ARG:NH2	2.36	0.58
1:A:226:ALA:O	1:A:230:ALA:N	2.36	0.58
1:A:78:LEU:HG	1:A:255:LEU:HD12	1.86	0.57
1:A:285:VAL:HG12	1:A:285:VAL:O	2.02	0.57
1:A:532:ASP:HB3	1:A:578:ILE:HD11	1.85	0.57
1:A:100:HIS:HB2	1:A:221:PHE:HE1	1.70	0.57
1:A:100:HIS:CB	1:A:221:PHE:CE1	2.81	0.57
1:A:65:ALA:CA	4:A:1228:HOH:O	2.46	0.57
1:A:593:SER:OG	1:A:598:LEU:O	2.21	0.57
1:A:4:SER:O	1:A:8:LEU:HG	2.05	0.56
1:A:603:ASP:HB2	1:A:642:GLN:HG3	1.87	0.56
1:A:637:GLY:HA2	4:A:1053:HOH:O	2.06	0.56
1:A:241:THR:HG22	1:A:243:GLU:H	1.71	0.55
1:A:79:LEU:CB	1:A:253:ASN:O	2.52	0.55
1:A:88:VAL:HG12	1:A:294:VAL:HG13	1.89	0.55
1:A:220:ARG:C	1:A:222:PRO:HD3	2.27	0.55
1:A:372:GLU:O	1:A:374:PRO:HD3	2.07	0.54
1:A:67:LEU:CB	1:A:266:ILE:HD13	2.35	0.54
1:A:87:LYS:HG3	1:A:348:GLU:HB3	1.89	0.54
1:A:90:VAL:HG11	1:A:352:PHE:CG	2.43	0.54
1:A:100:HIS:HB3	1:A:101:LEU:HD13	1.90	0.54
1:A:90:VAL:HG11	1:A:352:PHE:CD1	2.43	0.54
1:A:545:ALA:O	1:A:549:LEU:HG	2.08	0.54
1:A:583:ALA:CB	2:A:801:CIX:H6	2.37	0.54
1:A:229:GLU:HB3	1:A:230:ALA:HA	1.89	0.53
1:A:374:PRO:HA	4:A:925:HOH:O	2.08	0.53
1:A:67:LEU:CB	1:A:266:ILE:CD1	2.87	0.53
1:A:646:LEU:O	1:A:673:ALA:HA	2.07	0.53
1:A:465:ALA:HA	1:A:468:GLU:HG3	1.90	0.53
1:A:221:PHE:N	1:A:222:PRO:HD3	2.24	0.53



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:2:ARG:HG2	4:A:982:HOH:O	2.09	0.53	
1:A:514:PRO:CG	1:A:632:VAL:HG21	2.39	0.52	
1:A:513:ARG:HB3	1:A:514:PRO:HD2	1.90	0.52	
1:A:36:ARG:NH1	4:A:981:HOH:O	2.42	0.52	
1:A:91:LEU:CD2	1:A:93:LEU:CD1	2.85	0.52	
1:A:373:ASP:O	1:A:376:PHE:N	2.27	0.51	
1:A:101:LEU:HD11	1:A:221:PHE:CZ	2.46	0.51	
1:A:254:LEU:HD23	1:A:254:LEU:C	2.31	0.51	
1:A:285:VAL:CA	1:A:290:TRP:N	2.65	0.51	
1:A:268:TYR:CZ	1:A:270:PRO:HB3	2.46	0.50	
1:A:300:GLY:N	1:A:303:HIS:HD2	2.09	0.50	
1:A:90:VAL:CG1	1:A:352:PHE:CG	2.94	0.50	
1:A:81:VAL:HB	1:A:227:TYR:CD1	2.46	0.50	
1:A:12:THR:HB	1:A:417:THR:CG2	2.41	0.50	
1:A:88:VAL:HG11	1:A:294:VAL:HG13	1.92	0.50	
1:A:660:VAL:O	1:A:664:VAL:HG23	2.12	0.50	
1:A:80:TYR:CD1	1:A:297:ILE:HG21	2.42	0.50	
1:A:522:ALA:HB1	1:A:523:PRO:HD2	1.93	0.50	
1:A:603:ASP:HB2	1:A:642:GLN:CG	2.42	0.49	
1:A:28:PRO:O	1:A:29:PHE:HB2	2.13	0.49	
1:A:54:PRO:CD	1:A:57:LEU:HD22	2.41	0.49	
1:A:54:PRO:HD2	1:A:57:LEU:HD22	1.93	0.49	
1:A:80:TYR:CD1	1:A:255:LEU:HD21	2.48	0.49	
1:A:219:GLN:HB3	1:A:221:PHE:HE2	1.73	0.49	
1:A:231:LEU:HG	1:A:231:LEU:O	2.12	0.49	
1:A:3:LEU:HD11	1:A:651:LEU:CD2	2.42	0.49	
1:A:72:VAL:O	1:A:261:GLY:CA	2.50	0.49	
1:A:711:GLU:O	1:A:711:GLU:HG3	2.13	0.48	
1:A:364:PRO:HB2	1:A:365:GLU:OE2	2.13	0.48	
1:A:91:LEU:HD23	1:A:93:LEU:HD13	1.92	0.48	
1:A:327:LYS:O	1:A:331:ARG:HB2	2.13	0.48	
1:A:90:VAL:HG11	1:A:352:PHE:CD2	2.49	0.48	
1:A:352:PHE:HB2	1:A:353:PRO:HD2	1.95	0.48	
1:A:365:GLU:HA	4:A:1085:HOH:O	2.13	0.48	
1:A:219:GLN:HB3	1:A:221:PHE:CD2	2.49	0.47	
1:A:411:LEU:HD11	1:A:416:LEU:CB	2.36	0.47	
1:A:57:LEU:HA	1:A:436:ARG:HA	1.96	0.47	
1:A:231:LEU:HG	1:A:238:TYR:HH	1.79	0.47	
1:A:488:ARG:O	1:A:488:ARG:HG3	1.99	0.47	
1:A:5:TYR:CG	1:A:665:ARG:HG3	2.49	0.47	
1:A:5:TYR:CD2	1:A:665:ARG:HG3	2.49	0.47	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:253:ASN:HD22	1:A:253:ASN:C	2.13	0.47	
1:A:54:PRO:CD	1:A:57:LEU:CD2	2.90	0.47	
1:A:101:LEU:CD1	1:A:101:LEU:N	2.78	0.47	
1:A:271:TYR:HE1	1:A:320:GLU:OE2	1.97	0.47	
1:A:506:GLU:OE2	2:A:801:CIX:H21	2.15	0.46	
1:A:101:LEU:HD13	1:A:101:LEU:N	2.31	0.46	
1:A:585:LEU:O	1:A:589:VAL:HG22	2.15	0.46	
1:A:227:TYR:C	1:A:227:TYR:CD2	2.89	0.46	
1:A:76:PRO:HB3	1:A:93:LEU:O	2.16	0.46	
1:A:59:LYS:HB2	1:A:59:LYS:HE2	1.51	0.46	
1:A:229:GLU:CB	1:A:230:ALA:CB	2.87	0.46	
1:A:409:PHE:HZ	1:A:445:GLU:HG3	1.80	0.46	
1:A:692:PHE:HB3	1:A:697:GLU:OE2	2.16	0.46	
1:A:373:ASP:O	1:A:374:PRO:C	2.53	0.46	
1:A:647:PRO:HG2	1:A:650:ASN:OD1	2.15	0.46	
1:A:690:GLU:HB2	1:A:691:GLY:H	1.53	0.46	
1:A:403:TRP:CH2	1:A:437:LEU:HB3	2.51	0.46	
1:A:90:VAL:HG11	1:A:352:PHE:CE1	2.51	0.45	
1:A:598:LEU:HA	1:A:599:PRO:HD3	1.73	0.45	
1:A:52:VAL:CG1	1:A:385:GLU:HG3	2.34	0.45	
1:A:373:ASP:O	1:A:375:ALA:N	2.50	0.45	
1:A:389:THR:OG1	1:A:432:ARG:HD3	2.16	0.45	
1:A:687:ALA:HB1	4:A:932:HOH:O	2.16	0.45	
1:A:238:TYR:HB3	1:A:243:GLU:O	2.16	0.45	
1:A:242:GLY:O	1:A:244:PRO:HD3	2.17	0.45	
1:A:403:TRP:CE2	1:A:437:LEU:HD13	2.51	0.45	
1:A:218:PHE:HD2	4:A:1115:HOH:O	1.98	0.45	
1:A:710:GLU:HG3	1:A:710:GLU:O	2.17	0.45	
1:A:323:TRP:HB3	4:A:1040:HOH:O	2.17	0.45	
1:A:494:ARG:HA	1:A:600:LEU:O	2.16	0.45	
1:A:90:VAL:CG1	1:A:352:PHE:CD2	2.99	0.45	
1:A:281:LEU:HD21	1:A:292:THR:HG21	1.98	0.45	
1:A:490:ARG:HE	1:A:490:ARG:HB3	1.34	0.44	
1:A:91:LEU:HD23	1:A:92:THR:C	2.37	0.44	
1:A:51:LEU:HD12	1:A:384:ALA:HB3	2.00	0.43	
1:A:340:GLU:O	1:A:341:PRO:C	2.55	0.43	
1:A:97:GLN:O	1:A:100:HIS:CG	2.71	0.43	
1:A:42:ALA:O	1:A:357:GLN:NE2	2.51	0.43	
1:A:70:GLN:O	1:A:264:PRO:HD3	2.18	0.43	
1:A:611:ASP:HB3	1:A:617:LEU:HD21	1.99	0.43	
1:A:60:HIS:ND1	3:A:802:PO4:O2	2.45	0.43	



A 4 amo 1	A.4	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:503:VAL:CG1	2:A:801:CIX:H1	2.42	0.43
1:A:300:GLY:O	1:A:301:ALA:C	2.57	0.43
1:A:691:GLY:O	1:A:692:PHE:C	2.57	0.43
1:A:365:GLU:CD	1:A:365:GLU:N	2.71	0.42
1:A:79:LEU:O	1:A:91:LEU:N	2.37	0.42
1:A:57:LEU:HD13	1:A:436:ARG:HG2	2.01	0.42
1:A:265:PRO:O	1:A:309:TYR:N	2.45	0.42
1:A:239:ALA:C	1:A:241:THR:H	2.21	0.42
1:A:422:GLU:OE1	1:A:422:GLU:HA	2.20	0.42
1:A:427:ALA:O	1:A:429:GLN:CG	2.66	0.42
1:A:23:LEU:HB3	1:A:24:PRO:HD2	2.01	0.42
1:A:672:TYR:CD2	1:A:672:TYR:N	2.88	0.42
1:A:297:ILE:O	1:A:297:ILE:HG22	2.20	0.41
1:A:681:LEU:O	1:A:681:LEU:HG	2.20	0.41
1:A:576:VAL:CG1	2:A:801:CIX:H37	2.48	0.41
1:A:646:LEU:HB2	1:A:647:PRO:CD	2.50	0.41
1:A:66:TYR:C	1:A:66:TYR:HD2	2.19	0.41
1:A:93:LEU:HG	1:A:97:GLN:NE2	2.36	0.41
1:A:64:LEU:HA	1:A:64:LEU:HD23	1.78	0.41
1:A:232:ARG:O	1:A:237:ARG:N	2.54	0.41
1:A:284:LEU:HB2	1:A:296:LEU:CD1	2.26	0.41
1:A:550:ALA:O	1:A:554:ARG:HB2	2.21	0.41
1:A:488:ARG:O	1:A:488:ARG:CG	2.63	0.40
1:A:91:LEU:HD23	1:A:92:THR:N	2.36	0.40
1:A:503:VAL:HG12	2:A:801:CIX:H2	1.98	0.40
1:A:84:SER:OG	1:A:87:LYS:HB2	2.21	0.40
1:A:229:GLU:CB	1:A:230:ALA:HB2	2.27	0.40
1:A:241:THR:HB	1:A:243:GLU:HB2	2.03	0.40
1:A:646:LEU:HB2	1:A:647:PRO:HD2	2.03	0.40
1:A:675:GLU:C	1:A:676:THR:CG2	2.89	0.40
1:A:682:GLU:HG2	1:A:688:ARG:HA	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.



The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured Allowed		Outliers	Percentiles
1	А	567/732~(78%)	534 (94%)	29~(5%)	4 (1%)	22 22

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	29	PHE
1	А	654	LEU
1	А	96	GLY
1	А	344	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed Rotameric		Outliers	Percentiles	
1	А	456/578~(79%)	397~(87%)	59~(13%)	4 3	

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	2	ARG
1	А	39	LEU
1	А	57	LEU
1	А	72	VAL
1	А	73	GLU
1	А	79	LEU
1	А	84	SER
1	А	92	THR
1	А	93	LEU
1	А	98	GLU
1	А	101	LEU
1	А	219	GLN
1	А	220	ARG
1	А	221	PHE
1	A	223	GLN



Mol	Chain	Res	Type
1	А	227	TYR
1	А	229	GLU
1	А	231	LEU
1	А	240	GLU
1	А	251	ARG
1	А	253	ASN
1	А	254	LEU
1	А	255	LEU
1	А	259	SER
1	А	262	THR
1	А	266	ILE
1	А	284	LEU
1	A	292	THR
1	A	294	VAL
1	A	315	LEU
1	A	331	ARG
1	А	340	GLU
1	А	349	VAL
1	А	355	GLN
1	А	365	GLU
1	А	368	GLU
1	А	371	GLU
1	А	372	GLU
1	А	377	SER
1	А	432	ARG
1	А	433	MET
1	А	468	GLU
1	А	488	ARG
1	A	494	ARG
1	A	505	VAL
1	А	517	LEU
1	A	525	ARG
1	A	533	ARG
1	A	559	GLU
1	А	576	VAL
1	A	578	ILE
1	A	617	LEU
1	A	622	ILE
1	A	634	LYS
1	A	662	GLU
1	A	665	ARG
1	А	676	THR



Continued from previous page...

Mol	Chain	Res	Type
1	А	688	ARG
1	А	690	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	48	HIS
1	А	223	GLN
1	А	253	ASN
1	А	303	HIS
1	А	334	GLN
1	А	357	GLN
1	А	597	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mal	Mal Truna Ch		Chain Bog		Bos	Dog	Dog	Dog	Dec	Dec	Dec	Dec	Dec	Dec	Dec	Dec	Dec	Tiple	Bond lengths			Bond angles		
INIOI	туре	Unam	nes	LINK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2														
3	PO4	А	802	-	4,4,4	0.80	0	$6,\!6,\!6$	1.81	2 (33%)														
2	CIX	А	801	1	31,35,35	1.61	4 (12%)	41,46,46	1.59	8 (19%)														

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CIX	А	801	1	-	7/36/41/41	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	А	801	CIX	O8-C7	-5.40	1.34	1.45
2	А	801	CIX	C21-C20	-3.65	1.42	1.53
2	А	801	CIX	C13-C14	3.01	1.65	1.52
2	А	801	CIX	C20-N19	2.77	1.51	1.45

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
3	А	802	PO4	O4-P-O1	-3.53	98.47	110.95
2	А	801	CIX	C7-O8-C9	3.52	123.85	115.93
2	А	801	CIX	O8-C7-C6	3.17	117.10	109.40
2	А	801	CIX	O8-C9-O10	-3.03	118.46	124.26
2	А	801	CIX	C5-C6-C1	2.73	122.29	118.23
2	А	801	CIX	C20-N19-C17	2.65	127.35	121.65
2	А	801	CIX	O8-C9-N11	2.62	116.06	110.45
2	А	801	CIX	C21-C20-C25	-2.50	104.67	110.59
3	А	802	PO4	O2-P-O1	2.29	119.04	110.95
2	A	801	CIX	C28-N27-C25	2.26	128.70	122.99

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	А	801	CIX	O10-C9-O8-C7
2	А	801	CIX	N11-C9-O8-C7
2	А	801	CIX	C6-C7-O8-C9



Mol	Chain	Chain Res		Atoms
2	А	801	CIX	C20-C21-C22-C24
2	А	801	CIX	N19-C20-C21-C22
2	А	801	CIX	C25-C20-C21-C22
2	А	801	CIX	C20-C21-C22-C23

There are no ring outliers.

2 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	А	802	PO4	1	0
2	А	801	CIX	17	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2		$\mathbf{OWAB}(\mathrm{\AA}^2)$	Q<0.9	
1	А	581/732~(79%)	0.10	22 (3%)	40	38	20, 36, 87, 129	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	284	LEU	6.2
1	А	238	TYR	4.9
1	А	344	PRO	4.6
1	А	345	ALA	4.3
1	А	285	VAL	4.0
1	А	223	GLN	3.8
1	А	290	TRP	3.8
1	А	227	TYR	3.8
1	А	79	LEU	3.7
1	А	220	ARG	3.4
1	А	237	ARG	3.3
1	А	224	ALA	3.3
1	А	83	LEU	3.3
1	А	294	VAL	3.2
1	А	251	ARG	3.2
1	А	692	PHE	3.2
1	А	257	SER	2.5
1	А	691	GLY	2.4
1	А	241	THR	2.2
1	А	252	PRO	2.2
1	А	232	ARG	2.2
1	А	225	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
2	CIX	А	801	35/35	0.93	0.16	$25,\!34,\!62,\!65$	0
3	PO4	А	802	5/5	1.00	0.11	30,34,38,38	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers (i)

There are no such residues in this entry.

