



wwPDB EM Validation Summary Report ⓘ

Nov 28, 2023 – 01:37 AM EST

PDB ID : 8FWE
EMDB ID : EMD-29503
Title : Neck structure of Agrobacterium phage Milano, C3 symmetry
Authors : Sonani, R.R.; Wang, F.; Esteves, N.C.; Kelly, R.J.; Sebastian, A.;
Kreutzberger, M.A.B.; Leiman, P.G.; Scharf, B.E.; Egelman, E.H.
Deposited on : 2023-01-21
Resolution : 3.46 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	230	5% (red), 96% (green), 2% (yellow), 2% (grey) ..
1	1	230	5% (red), 96% (green), 2% (yellow), 2% (grey) ..
1	2	230	5% (red), 97% (green), 2% (yellow), 2% (grey) .
1	3	230	5% (red), 97% (green), 2% (yellow), 2% (grey) .
1	4	230	5% (red), 96% (green), 2% (yellow), 2% (grey) ..
1	5	230	5% (red), 97% (green), 2% (yellow), 2% (grey) .
1	6	230	7% (red), 97% (green), 2% (yellow), 2% (grey) .
1	7	230	6% (red), 96% (green), 2% (yellow), 2% (grey) ..
1	8	230	5% (red), 97% (green), 2% (yellow), 2% (grey) .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	9	230	5% 96%
1	A	230	6% 97%
1	B	230	5% 96%
1	C	230	5% 97%
1	D	230	6% 96%
1	E	230	5% 97%
1	F	230	7% 97%
1	G	230	5% 96%
1	J	230	8% 97%
1	K	230	7% 97%
1	L	230	7% 97%
1	M	230	7% 97%
1	N	230	7% 97%
1	O	230	7% 96%
1	P	230	7% 97%
1	Q	230	7% 96%
1	R	230	7% 97%
1	S	230	7% 97%
1	T	230	7% 97%
1	U	230	7% 97%
1	V	230	6% 97%
1	W	230	7% 97%
1	X	230	8% 97%
1	Y	230	97%
1	Z	230	96%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	a	230	5% 97%
1	b	230	6% 97%
1	c	230	5% 97%
1	d	230	5% 97%
1	e	230	5% 96%
1	f	230	5% 97%
1	g	230	6% 97%
1	h	230	6% 97%
1	i	230	5% 97%
1	j	230	6% 96%
1	k	230	5% 97%
1	l	230	6% 97%
1	m	230	5% 97%
1	n	230	5% 97%
1	o	230	5% 97%
1	p	230	5% 97%
1	q	230	5% 96%
1	r	230	5% 97%
1	s	230	5% 97%
1	t	230	5% 97%
1	u	230	5% 97%
1	v	230	5% 97%
1	w	230	5% 97%
1	x	230	5% 97%
1	y	230	5% 97%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	z	230	97%
2	AA	420	27% 90% 9%
2	AB	420	33% 90% 9%
2	AC	420	32% 90% 9%
2	AD	420	25% 90% 9%
2	AE	420	26% 90% 9%
2	AF	420	33% 89% 9%
2	AG	420	31% 90% 9%
2	AH	420	25% 89% 9%
2	AI	420	26% 90% 9%
2	AJ	420	34% 90% 9%
2	AK	420	32% 90% 9%
2	AL	420	25% 89% 9%
3	AM	141	89% 11%
3	AN	141	87% 11%
3	AO	141	89% 11%
3	AP	141	87% 11%
3	H	141	86% 11%
3	I	141	87% 11%
4	AQ	178	85% 13%
4	AR	178	83% 13%
4	AS	178	85% 13%
4	AT	178	85% 13%
4	AW	178	85% 13%
4	AX	178	85% 13%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	AU	136	92% .. 6%
5	AV	136	93% • 6%
5	AY	136	93% • 6%
5	AZ	136	93% • 6%
5	Aa	136	93% • 6%
5	Ab	136	93% • 6%
6	R3	202	84% 5% 10%
6	R4	202	83% 6% 10%
6	R5	202	85% • 10%
6	S3	202	85% • 11%
6	S4	202	86% • 11%
6	S5	202	86% • 11%
6	T3	202	87% • 11%
6	T4	202	87% • 11%
6	T5	202	86% • 11%
6	U3	202	84% • • 11%
6	U4	202	81% 8% 11%
6	U5	202	84% • • 11%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 171990 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Collar sheath protein, gp13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	J	223	1679	1065	279	327	8	0	0
1	K	223	1679	1065	279	327	8	0	0
1	L	223	1679	1065	279	327	8	0	0
1	M	223	1679	1065	279	327	8	0	0
1	N	223	1679	1065	279	327	8	0	0
1	O	223	1679	1065	279	327	8	0	0
1	P	223	1679	1065	279	327	8	0	0
1	Q	223	1679	1065	279	327	8	0	0
1	R	223	1679	1065	279	327	8	0	0
1	S	223	1679	1065	279	327	8	0	0
1	T	223	1679	1065	279	327	8	0	0
1	U	223	1679	1065	279	327	8	0	0
1	V	223	1679	1065	279	327	8	0	0
1	W	223	1679	1065	279	327	8	0	0
1	X	223	1679	1065	279	327	8	0	0
1	Y	223	1679	1065	279	327	8	0	0
1	Z	223	1679	1065	279	327	8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
1	a	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	b	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	c	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	d	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	e	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	f	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	g	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	h	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	i	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	j	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	k	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	l	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	m	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	n	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	o	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	p	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	q	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	r	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	s	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	t	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	u	223	Total 1679	C 1065	N 279	O 327	S 8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
1	v	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	w	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	x	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	y	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	z	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	1	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	2	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	3	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	4	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	5	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	6	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	7	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	8	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	9	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	0	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	A	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	B	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	C	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	D	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	E	223	Total 1679	C 1065	N 279	O 327	S 8	0	0
1	F	223	Total 1679	C 1065	N 279	O 327	S 8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	G	223	1679	1065	279	327	8	0	0

- Molecule 2 is a protein called Portal protein, gp7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	AA	381	2938	1860	504	560	14	0	0
2	AB	381	2938	1860	504	560	14	0	0
2	AC	381	2938	1860	504	560	14	0	0
2	AD	381	2938	1860	504	560	14	0	0
2	AE	381	2938	1860	504	560	14	0	0
2	AF	381	2938	1860	504	560	14	0	0
2	AG	381	2938	1860	504	560	14	0	0
2	AH	381	2938	1860	504	560	14	0	0
2	AI	381	2938	1860	504	560	14	0	0
2	AJ	381	2938	1860	504	560	14	0	0
2	AK	381	2938	1860	504	560	14	0	0
2	AL	381	2938	1860	504	560	14	0	0

- Molecule 3 is a protein called Neck 2 protein, gp15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	AM	125	997	621	183	185	8	0	0
3	AP	125	997	621	183	185	8	0	0
3	AN	125	997	621	183	185	8	0	0
3	H	125	997	621	183	185	8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
3	AO	125	Total	C	N	O	S	0	0
			997	621	183	185	8		
3	I	125	Total	C	N	O	S	0	0
			997	621	183	185	8		

- Molecule 4 is a protein called Tail-terminator protein, gp18.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	AQ	155	Total	C	N	O	S	0	0
			1251	798	207	243	3		
4	AR	155	Total	C	N	O	S	0	0
			1251	798	207	243	3		
4	AS	155	Total	C	N	O	S	0	0
			1251	798	207	243	3		
4	AT	155	Total	C	N	O	S	0	0
			1251	798	207	243	3		
4	AW	155	Total	C	N	O	S	0	0
			1251	798	207	243	3		
4	AX	155	Total	C	N	O	S	0	0
			1251	798	207	243	3		

- Molecule 5 is a protein called Tail-tube, gp21.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	AU	128	Total	C	N	O	S	0	0
			977	606	162	202	7		
5	AZ	128	Total	C	N	O	S	0	0
			977	606	162	202	7		
5	AV	128	Total	C	N	O	S	0	0
			977	606	162	202	7		
5	Aa	128	Total	C	N	O	S	0	0
			977	606	162	202	7		
5	AY	128	Total	C	N	O	S	0	0
			977	606	162	202	7		
5	Ab	128	Total	C	N	O	S	0	0
			977	606	162	202	7		

- Molecule 6 is a protein called Neck 1 protein, gp14.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	R3	181	Total	C	N	O	S	0	0
			1395	887	249	255	4		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
6	S3	180	Total	C	N	O	S	0	0
			1387	881	248	254	4		
6	T3	179	Total	C	N	O	S	0	0
			1379	875	247	253	4		
6	U3	180	Total	C	N	O	S	0	0
			1387	881	248	254	4		
6	R4	181	Total	C	N	O	S	0	0
			1395	887	249	255	4		
6	S4	180	Total	C	N	O	S	0	0
			1387	881	248	254	4		
6	T4	179	Total	C	N	O	S	0	0
			1379	875	247	253	4		
6	U4	180	Total	C	N	O	S	0	0
			1387	881	248	254	4		
6	R5	181	Total	C	N	O	S	0	0
			1395	887	249	255	4		
6	S5	180	Total	C	N	O	S	0	0
			1387	881	248	254	4		
6	T5	179	Total	C	N	O	S	0	0
			1379	875	247	253	4		
6	U5	180	Total	C	N	O	S	0	0
			1387	881	248	254	4		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




• Molecule 1: Collar sheath protein, gp13




• Molecule 1: Collar sheath protein, gp13




• Molecule 1: Collar sheath protein, gp13




• Molecule 1: Collar sheath protein, gp13



• Molecule 1: Collar sheath protein, gp13




• Molecule 1: Collar sheath protein, gp13




• Molecule 1: Collar sheath protein, gp13







- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13



- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13

Chain i:  97%




- Molecule 1: Collar sheath protein, gp13

Chain j:  96%




- Molecule 1: Collar sheath protein, gp13

Chain k:  97%




- Molecule 1: Collar sheath protein, gp13

Chain l:  97%




- Molecule 1: Collar sheath protein, gp13

Chain m:  97%




- Molecule 1: Collar sheath protein, gp13

Chain n:  97%




- Molecule 1: Collar sheath protein, gp13


Chain o:  97%




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13



- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13

Chain v:  97%




- Molecule 1: Collar sheath protein, gp13

Chain w:  97%




- Molecule 1: Collar sheath protein, gp13

Chain x:  5% 97%




- Molecule 1: Collar sheath protein, gp13

Chain y:  97%




- Molecule 1: Collar sheath protein, gp13

Chain z:  97%




- Molecule 1: Collar sheath protein, gp13

Chain 1:  96%




- Molecule 1: Collar sheath protein, gp13


Chain 2:  5% 97%




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13



- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13







- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13




- Molecule 1: Collar sheath protein, gp13





- Molecule 1: Collar sheath protein, gp13





• Molecule 1: Collar sheath protein, gp13




• Molecule 2: Portal protein, gp7




• Molecule 2: Portal protein, gp7




• Molecule 2: Portal protein, gp7




• Molecule 2: Portal protein, gp7





• Molecule 2: Portal protein, gp7






• Molecule 2: Portal protein, gp7




• Molecule 2: Portal protein, gp7




• Molecule 2: Portal protein, gp7








• Molecule 2: Portal protein, gp7




• Molecule 2: Portal protein, gp7




• Molecule 3: Neck 2 protein, gp15





• Molecule 3: Neck 2 protein, gp15




• Molecule 3: Neck 2 protein, gp15





• Molecule 3: Neck 2 protein, gp15





• Molecule 3: Neck 2 protein, gp15




• Molecule 3: Neck 2 protein, gp15




• Molecule 4: Tail-terminator protein, gp18





• Molecule 4: Tail-terminator protein, gp18









• Molecule 4: Tail-terminator protein, gp18




• Molecule 4: Tail-terminator protein, gp18




• Molecule 4: Tail-terminator protein, gp18



• Molecule 4: Tail-terminator protein, gp18




• Molecule 5: Tail-tube, gp21



• Molecule 5: Tail-tube, gp21




• Molecule 5: Tail-tube, gp21




• Molecule 5: Tail-tube, gp21





• Molecule 5: Tail-tube, gp21





• Molecule 5: Tail-tube, gp21





• Molecule 6: Neck 1 protein, gp14





• Molecule 6: Neck 1 protein, gp14





• Molecule 6: Neck 1 protein, gp14





• Molecule 6: Neck 1 protein, gp14





• Molecule 6: Neck 1 protein, gp14




• Molecule 6: Neck 1 protein, gp14




• Molecule 6: Neck 1 protein, gp14




- Molecule 6: Neck 1 protein, gp14




- Molecule 6: Neck 1 protein, gp14




- Molecule 6: Neck 1 protein, gp14




- Molecule 6: Neck 1 protein, gp14



- Molecule 6: Neck 1 protein, gp14





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	10216	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.780	Depositor
Minimum map value	-0.421	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.045	Depositor
Recommended contour level	0.15	Depositor
Map size (\AA)	483.84003, 483.84003, 483.84003	wwPDB
Map dimensions	448, 448, 448	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.08, 1.08, 1.08	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.45	0/1723	0.52	0/2353
1	1	0.47	0/1723	0.53	0/2353
1	2	0.49	0/1723	0.55	0/2353
1	3	0.44	0/1723	0.52	0/2353
1	4	0.44	0/1723	0.51	0/2353
1	5	0.45	0/1723	0.52	0/2353
1	6	0.43	0/1723	0.52	0/2353
1	7	0.43	0/1723	0.54	0/2353
1	8	0.44	0/1723	0.52	0/2353
1	9	0.44	0/1723	0.51	0/2353
1	A	0.43	0/1723	0.52	0/2353
1	B	0.44	0/1723	0.54	0/2353
1	C	0.44	0/1723	0.52	0/2353
1	D	0.44	0/1723	0.51	0/2353
1	E	0.45	0/1723	0.52	0/2353
1	F	0.43	0/1723	0.52	0/2353
1	G	0.44	0/1723	0.53	0/2353
1	J	0.48	0/1723	0.53	0/2353
1	K	0.47	0/1723	0.54	0/2353
1	L	0.46	0/1723	0.52	1/2353 (0.0%)
1	M	0.44	0/1723	0.52	0/2353
1	N	0.46	0/1723	0.52	0/2353
1	O	0.48	0/1723	0.53	0/2353
1	P	0.48	0/1723	0.54	0/2353
1	Q	0.46	0/1723	0.52	1/2353 (0.0%)
1	R	0.43	0/1723	0.52	0/2353
1	S	0.46	0/1723	0.52	0/2353
1	T	0.48	0/1723	0.53	0/2353
1	U	0.47	0/1723	0.54	0/2353
1	V	0.46	0/1723	0.53	1/2353 (0.0%)
1	W	0.44	0/1723	0.52	0/2353
1	X	0.46	0/1723	0.52	0/2353
1	Y	0.48	0/1723	0.53	1/2353 (0.0%)
1	Z	0.49	0/1723	0.53	0/2353

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	a	0.48	0/1723	0.53	0/2353
1	b	0.48	0/1723	0.53	0/2353
1	c	0.48	0/1723	0.54	1/2353 (0.0%)
1	d	0.48	0/1723	0.53	1/2353 (0.0%)
1	e	0.49	0/1723	0.53	0/2353
1	f	0.48	0/1723	0.53	0/2353
1	g	0.48	0/1723	0.53	0/2353
1	h	0.48	0/1723	0.53	0/2353
1	i	0.48	0/1723	0.53	1/2353 (0.0%)
1	j	0.49	0/1723	0.53	0/2353
1	k	0.48	0/1723	0.52	0/2353
1	l	0.48	0/1723	0.52	0/2353
1	m	0.48	0/1723	0.53	1/2353 (0.0%)
1	n	0.49	0/1723	0.52	0/2353
1	o	0.48	0/1723	0.53	1/2353 (0.0%)
1	p	0.47	0/1723	0.53	0/2353
1	q	0.48	0/1723	0.53	0/2353
1	r	0.49	0/1723	0.56	0/2353
1	s	0.49	0/1723	0.53	0/2353
1	t	0.48	0/1723	0.53	1/2353 (0.0%)
1	u	0.47	0/1723	0.52	0/2353
1	v	0.49	0/1723	0.54	0/2353
1	w	0.48	0/1723	0.55	0/2353
1	x	0.49	0/1723	0.53	0/2353
1	y	0.48	0/1723	0.52	1/2353 (0.0%)
1	z	0.48	0/1723	0.53	0/2353
2	AA	0.37	0/3000	0.52	2/4056 (0.0%)
2	AB	0.37	0/3000	0.53	0/4056
2	AC	0.35	0/3000	0.51	0/4056
2	AD	0.36	0/3000	0.53	0/4056
2	AE	0.36	0/3000	0.52	0/4056
2	AF	0.36	0/3000	0.52	0/4056
2	AG	0.35	0/3000	0.51	0/4056
2	AH	0.36	0/3000	0.53	1/4056 (0.0%)
2	AI	0.37	0/3000	0.51	0/4056
2	AJ	0.36	0/3000	0.53	2/4056 (0.0%)
2	AK	0.35	0/3000	0.51	0/4056
2	AL	0.36	0/3000	0.53	1/4056 (0.0%)
3	AM	0.43	0/1017	0.50	0/1381
3	AN	0.44	0/1017	0.50	0/1381
3	AO	0.43	0/1017	0.50	0/1381
3	AP	0.43	0/1017	0.53	0/1381
3	H	0.43	0/1017	0.51	0/1381

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
3	I	0.43	0/1017	0.52	0/1381
4	AQ	0.46	0/1281	0.49	0/1734
4	AR	0.47	0/1281	0.49	0/1734
4	AS	0.47	0/1281	0.52	0/1734
4	AT	0.47	0/1281	0.49	0/1734
4	AW	0.47	0/1281	0.52	0/1734
4	AX	0.48	0/1281	0.51	1/1734 (0.1%)
5	AU	0.45	0/993	0.55	0/1358
5	AV	0.45	0/993	0.55	0/1358
5	AY	0.46	0/993	0.55	0/1358
5	AZ	0.45	0/993	0.53	0/1358
5	Aa	0.44	0/993	0.53	0/1358
5	Ab	0.44	0/993	0.54	0/1358
6	R3	0.47	0/1420	0.56	0/1927
6	R4	0.47	0/1420	0.57	0/1927
6	R5	0.47	0/1420	0.58	1/1927 (0.1%)
6	S3	0.46	0/1412	0.56	0/1916
6	S4	0.46	0/1412	0.56	0/1916
6	S5	0.46	0/1412	0.57	0/1916
6	T3	0.39	0/1404	0.54	0/1905
6	T4	0.40	0/1404	0.55	0/1905
6	T5	0.39	0/1404	0.55	0/1905
6	U3	0.48	0/1412	0.61	1/1916 (0.1%)
6	U4	0.50	0/1412	0.59	0/1916
6	U5	0.46	0/1412	0.57	1/1916 (0.1%)
All	All	0.44	0/176070	0.53	21/239682 (0.0%)

There are no bond length outliers.

The worst 5 of 21 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AA	249	ARG	NE-CZ-NH1	5.65	123.13	120.30
1	t	93	PRO	C-N-CA	-5.58	107.75	121.70
1	Q	93	PRO	C-N-CA	-5.47	108.02	121.70
4	AX	95	LYS	N-CA-C	-5.36	96.52	111.00
1	o	93	PRO	C-N-CA	-5.27	108.53	121.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	219/230 (95%)	199 (91%)	20 (9%)	0	100	100
1	1	219/230 (95%)	196 (90%)	23 (10%)	0	100	100
1	2	219/230 (95%)	195 (89%)	24 (11%)	0	100	100
1	3	219/230 (95%)	201 (92%)	18 (8%)	0	100	100
1	4	219/230 (95%)	196 (90%)	21 (10%)	2 (1%)	17	54
1	5	219/230 (95%)	200 (91%)	19 (9%)	0	100	100
1	6	219/230 (95%)	197 (90%)	22 (10%)	0	100	100
1	7	219/230 (95%)	202 (92%)	17 (8%)	0	100	100
1	8	219/230 (95%)	202 (92%)	17 (8%)	0	100	100
1	9	219/230 (95%)	195 (89%)	23 (10%)	1 (0%)	29	66
1	A	219/230 (95%)	196 (90%)	23 (10%)	0	100	100
1	B	219/230 (95%)	204 (93%)	15 (7%)	0	100	100
1	C	219/230 (95%)	202 (92%)	17 (8%)	0	100	100
1	D	219/230 (95%)	198 (90%)	20 (9%)	1 (0%)	29	66
1	E	219/230 (95%)	200 (91%)	19 (9%)	0	100	100
1	F	219/230 (95%)	196 (90%)	23 (10%)	0	100	100
1	G	219/230 (95%)	201 (92%)	18 (8%)	0	100	100
1	J	219/230 (95%)	194 (89%)	25 (11%)	0	100	100
1	K	219/230 (95%)	193 (88%)	26 (12%)	0	100	100
1	L	219/230 (95%)	198 (90%)	21 (10%)	0	100	100
1	M	219/230 (95%)	196 (90%)	23 (10%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	N	219/230 (95%)	198 (90%)	21 (10%)	0	100	100
1	O	219/230 (95%)	193 (88%)	25 (11%)	1 (0%)	29	66
1	P	219/230 (95%)	192 (88%)	27 (12%)	0	100	100
1	Q	219/230 (95%)	198 (90%)	21 (10%)	0	100	100
1	R	219/230 (95%)	198 (90%)	21 (10%)	0	100	100
1	S	219/230 (95%)	198 (90%)	21 (10%)	0	100	100
1	T	219/230 (95%)	191 (87%)	28 (13%)	0	100	100
1	U	219/230 (95%)	195 (89%)	24 (11%)	0	100	100
1	V	219/230 (95%)	201 (92%)	18 (8%)	0	100	100
1	W	219/230 (95%)	198 (90%)	21 (10%)	0	100	100
1	X	219/230 (95%)	198 (90%)	21 (10%)	0	100	100
1	Y	219/230 (95%)	198 (90%)	21 (10%)	0	100	100
1	Z	219/230 (95%)	197 (90%)	22 (10%)	0	100	100
1	a	219/230 (95%)	196 (90%)	23 (10%)	0	100	100
1	b	219/230 (95%)	200 (91%)	19 (9%)	0	100	100
1	c	219/230 (95%)	196 (90%)	23 (10%)	0	100	100
1	d	219/230 (95%)	199 (91%)	20 (9%)	0	100	100
1	e	219/230 (95%)	199 (91%)	20 (9%)	0	100	100
1	f	219/230 (95%)	197 (90%)	22 (10%)	0	100	100
1	g	219/230 (95%)	200 (91%)	19 (9%)	0	100	100
1	h	219/230 (95%)	201 (92%)	18 (8%)	0	100	100
1	i	219/230 (95%)	198 (90%)	21 (10%)	0	100	100
1	j	219/230 (95%)	198 (90%)	21 (10%)	0	100	100
1	k	219/230 (95%)	198 (90%)	21 (10%)	0	100	100
1	l	219/230 (95%)	199 (91%)	20 (9%)	0	100	100
1	m	219/230 (95%)	197 (90%)	22 (10%)	0	100	100
1	n	219/230 (95%)	198 (90%)	21 (10%)	0	100	100
1	o	219/230 (95%)	197 (90%)	22 (10%)	0	100	100
1	p	219/230 (95%)	194 (89%)	25 (11%)	0	100	100
1	q	219/230 (95%)	196 (90%)	23 (10%)	0	100	100
1	r	219/230 (95%)	194 (89%)	25 (11%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	s	219/230 (95%)	198 (90%)	21 (10%)	0	100	100
1	t	219/230 (95%)	198 (90%)	21 (10%)	0	100	100
1	u	219/230 (95%)	195 (89%)	24 (11%)	0	100	100
1	v	219/230 (95%)	196 (90%)	23 (10%)	0	100	100
1	w	219/230 (95%)	195 (89%)	24 (11%)	0	100	100
1	x	219/230 (95%)	198 (90%)	21 (10%)	0	100	100
1	y	219/230 (95%)	198 (90%)	21 (10%)	0	100	100
1	z	219/230 (95%)	194 (89%)	25 (11%)	0	100	100
2	AA	377/420 (90%)	323 (86%)	54 (14%)	0	100	100
2	AB	377/420 (90%)	324 (86%)	53 (14%)	0	100	100
2	AC	377/420 (90%)	324 (86%)	53 (14%)	0	100	100
2	AD	377/420 (90%)	323 (86%)	54 (14%)	0	100	100
2	AE	377/420 (90%)	322 (85%)	53 (14%)	2 (0%)	29	66
2	AF	377/420 (90%)	324 (86%)	52 (14%)	1 (0%)	41	75
2	AG	377/420 (90%)	323 (86%)	54 (14%)	0	100	100
2	AH	377/420 (90%)	321 (85%)	55 (15%)	1 (0%)	41	75
2	AI	377/420 (90%)	323 (86%)	52 (14%)	2 (0%)	29	66
2	AJ	377/420 (90%)	323 (86%)	54 (14%)	0	100	100
2	AK	377/420 (90%)	323 (86%)	54 (14%)	0	100	100
2	AL	377/420 (90%)	315 (84%)	62 (16%)	0	100	100
3	AM	123/141 (87%)	107 (87%)	16 (13%)	0	100	100
3	AN	123/141 (87%)	107 (87%)	14 (11%)	2 (2%)	9	42
3	AO	123/141 (87%)	108 (88%)	15 (12%)	0	100	100
3	AP	123/141 (87%)	110 (89%)	11 (9%)	2 (2%)	9	42
3	H	123/141 (87%)	109 (89%)	11 (9%)	3 (2%)	6	34
3	I	123/141 (87%)	108 (88%)	13 (11%)	2 (2%)	9	42
4	AQ	153/178 (86%)	136 (89%)	15 (10%)	2 (1%)	12	46
4	AR	153/178 (86%)	137 (90%)	15 (10%)	1 (1%)	22	60
4	AS	153/178 (86%)	132 (86%)	18 (12%)	3 (2%)	7	37
4	AT	153/178 (86%)	137 (90%)	15 (10%)	1 (1%)	22	60
4	AW	153/178 (86%)	134 (88%)	16 (10%)	3 (2%)	7	37

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	AX	153/178 (86%)	135 (88%)	15 (10%)	3 (2%)	7	37
5	AU	126/136 (93%)	112 (89%)	13 (10%)	1 (1%)	19	57
5	AV	126/136 (93%)	114 (90%)	11 (9%)	1 (1%)	19	57
5	AY	126/136 (93%)	113 (90%)	12 (10%)	1 (1%)	19	57
5	AZ	126/136 (93%)	115 (91%)	11 (9%)	0	100	100
5	Aa	126/136 (93%)	115 (91%)	11 (9%)	0	100	100
5	Ab	126/136 (93%)	115 (91%)	11 (9%)	0	100	100
6	R3	177/202 (88%)	142 (80%)	30 (17%)	5 (3%)	5	31
6	R4	177/202 (88%)	142 (80%)	29 (16%)	6 (3%)	3	27
6	R5	177/202 (88%)	141 (80%)	31 (18%)	5 (3%)	5	31
6	S3	176/202 (87%)	142 (81%)	30 (17%)	4 (2%)	6	34
6	S4	176/202 (87%)	143 (81%)	28 (16%)	5 (3%)	5	31
6	S5	176/202 (87%)	142 (81%)	30 (17%)	4 (2%)	6	34
6	T3	175/202 (87%)	143 (82%)	30 (17%)	2 (1%)	14	50
6	T4	175/202 (87%)	146 (83%)	27 (15%)	2 (1%)	14	50
6	T5	175/202 (87%)	143 (82%)	30 (17%)	2 (1%)	14	50
6	U3	176/202 (87%)	143 (81%)	27 (15%)	6 (3%)	3	27
6	U4	176/202 (87%)	139 (79%)	32 (18%)	5 (3%)	5	31
6	U5	176/202 (87%)	142 (81%)	29 (16%)	5 (3%)	5	31
All	All	22188/23994 (92%)	19565 (88%)	2536 (11%)	87 (0%)	38	70

5 of 87 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	AP	50	ASP
6	R3	168	ASN
6	S3	73	PRO
6	U3	141	PRO
6	U3	174	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	186/191 (97%)	184 (99%)	2 (1%)	73	88
1	1	186/191 (97%)	183 (98%)	3 (2%)	62	83
1	2	186/191 (97%)	185 (100%)	1 (0%)	88	95
1	3	186/191 (97%)	186 (100%)	0	100	100
1	4	186/191 (97%)	184 (99%)	2 (1%)	73	88
1	5	186/191 (97%)	185 (100%)	1 (0%)	88	95
1	6	186/191 (97%)	186 (100%)	0	100	100
1	7	186/191 (97%)	183 (98%)	3 (2%)	62	83
1	8	186/191 (97%)	186 (100%)	0	100	100
1	9	186/191 (97%)	184 (99%)	2 (1%)	73	88
1	A	186/191 (97%)	186 (100%)	0	100	100
1	B	186/191 (97%)	184 (99%)	2 (1%)	73	88
1	C	186/191 (97%)	186 (100%)	0	100	100
1	D	186/191 (97%)	185 (100%)	1 (0%)	88	95
1	E	186/191 (97%)	185 (100%)	1 (0%)	88	95
1	F	186/191 (97%)	186 (100%)	0	100	100
1	G	186/191 (97%)	183 (98%)	3 (2%)	62	83
1	J	186/191 (97%)	186 (100%)	0	100	100
1	K	186/191 (97%)	186 (100%)	0	100	100
1	L	186/191 (97%)	186 (100%)	0	100	100
1	M	186/191 (97%)	186 (100%)	0	100	100
1	N	186/191 (97%)	186 (100%)	0	100	100
1	O	186/191 (97%)	185 (100%)	1 (0%)	88	95
1	P	186/191 (97%)	186 (100%)	0	100	100
1	Q	186/191 (97%)	185 (100%)	1 (0%)	88	95
1	R	186/191 (97%)	186 (100%)	0	100	100
1	S	186/191 (97%)	186 (100%)	0	100	100
1	T	186/191 (97%)	185 (100%)	1 (0%)	88	95
1	U	186/191 (97%)	186 (100%)	0	100	100
1	V	186/191 (97%)	186 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	W	186/191 (97%)	186 (100%)	0	100	100
1	X	186/191 (97%)	186 (100%)	0	100	100
1	Y	186/191 (97%)	186 (100%)	0	100	100
1	Z	186/191 (97%)	184 (99%)	2 (1%)	73	88
1	a	186/191 (97%)	186 (100%)	0	100	100
1	b	186/191 (97%)	186 (100%)	0	100	100
1	c	186/191 (97%)	186 (100%)	0	100	100
1	d	186/191 (97%)	186 (100%)	0	100	100
1	e	186/191 (97%)	184 (99%)	2 (1%)	73	88
1	f	186/191 (97%)	186 (100%)	0	100	100
1	g	186/191 (97%)	185 (100%)	1 (0%)	88	95
1	h	186/191 (97%)	185 (100%)	1 (0%)	88	95
1	i	186/191 (97%)	186 (100%)	0	100	100
1	j	186/191 (97%)	183 (98%)	3 (2%)	62	83
1	k	186/191 (97%)	186 (100%)	0	100	100
1	l	186/191 (97%)	186 (100%)	0	100	100
1	m	186/191 (97%)	186 (100%)	0	100	100
1	n	186/191 (97%)	185 (100%)	1 (0%)	88	95
1	o	186/191 (97%)	186 (100%)	0	100	100
1	p	186/191 (97%)	185 (100%)	1 (0%)	88	95
1	q	186/191 (97%)	184 (99%)	2 (1%)	73	88
1	r	186/191 (97%)	185 (100%)	1 (0%)	88	95
1	s	186/191 (97%)	185 (100%)	1 (0%)	88	95
1	t	186/191 (97%)	186 (100%)	0	100	100
1	u	186/191 (97%)	185 (100%)	1 (0%)	88	95
1	v	186/191 (97%)	185 (100%)	1 (0%)	88	95
1	w	186/191 (97%)	185 (100%)	1 (0%)	88	95
1	x	186/191 (97%)	185 (100%)	1 (0%)	88	95
1	y	186/191 (97%)	186 (100%)	0	100	100
1	z	186/191 (97%)	185 (100%)	1 (0%)	88	95
2	AA	311/339 (92%)	308 (99%)	3 (1%)	76	89

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	AB	311/339 (92%)	310 (100%)	1 (0%)	92	98
2	AC	311/339 (92%)	309 (99%)	2 (1%)	86	95
2	AD	311/339 (92%)	306 (98%)	5 (2%)	62	83
2	AE	311/339 (92%)	309 (99%)	2 (1%)	86	95
2	AF	311/339 (92%)	305 (98%)	6 (2%)	57	80
2	AG	311/339 (92%)	308 (99%)	3 (1%)	76	89
2	AH	311/339 (92%)	303 (97%)	8 (3%)	46	74
2	AI	311/339 (92%)	308 (99%)	3 (1%)	76	89
2	AJ	311/339 (92%)	309 (99%)	2 (1%)	86	95
2	AK	311/339 (92%)	309 (99%)	2 (1%)	86	95
2	AL	311/339 (92%)	305 (98%)	6 (2%)	57	80
3	AM	114/128 (89%)	114 (100%)	0	100	100
3	AN	114/128 (89%)	111 (97%)	3 (3%)	46	74
3	AO	114/128 (89%)	114 (100%)	0	100	100
3	AP	114/128 (89%)	112 (98%)	2 (2%)	59	81
3	H	114/128 (89%)	111 (97%)	3 (3%)	46	74
3	I	114/128 (89%)	112 (98%)	2 (2%)	59	81
4	AQ	134/153 (88%)	131 (98%)	3 (2%)	52	77
4	AR	134/153 (88%)	128 (96%)	6 (4%)	27	60
4	AS	134/153 (88%)	131 (98%)	3 (2%)	52	77
4	AT	134/153 (88%)	131 (98%)	3 (2%)	52	77
4	AW	134/153 (88%)	131 (98%)	3 (2%)	52	77
4	AX	134/153 (88%)	131 (98%)	3 (2%)	52	77
5	AU	113/116 (97%)	110 (97%)	3 (3%)	44	73
5	AV	113/116 (97%)	112 (99%)	1 (1%)	78	91
5	AY	113/116 (97%)	112 (99%)	1 (1%)	78	91
5	AZ	113/116 (97%)	112 (99%)	1 (1%)	78	91
5	Aa	113/116 (97%)	111 (98%)	2 (2%)	59	81
5	Ab	113/116 (97%)	111 (98%)	2 (2%)	59	81
6	R3	149/168 (89%)	141 (95%)	8 (5%)	22	54
6	R4	149/168 (89%)	141 (95%)	8 (5%)	22	54

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	R5	149/168 (89%)	146 (98%)	3 (2%)	55	79
6	S3	148/168 (88%)	144 (97%)	4 (3%)	44	73
6	S4	148/168 (88%)	145 (98%)	3 (2%)	55	79
6	S5	148/168 (88%)	145 (98%)	3 (2%)	55	79
6	T3	147/168 (88%)	144 (98%)	3 (2%)	55	79
6	T4	147/168 (88%)	144 (98%)	3 (2%)	55	79
6	T5	147/168 (88%)	143 (97%)	4 (3%)	44	73
6	U3	148/168 (88%)	141 (95%)	7 (5%)	26	59
6	U4	148/168 (88%)	136 (92%)	12 (8%)	11	40
6	U5	148/168 (88%)	141 (95%)	7 (5%)	26	59
All	All	18834/19926 (94%)	18641 (99%)	193 (1%)	77	89

5 of 193 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
6	T3	166	VAL
6	R4	182	ASN
6	U3	23	ARG
5	AV	66	LEU
6	T4	166	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 203 such sidechains are listed below:

Mol	Chain	Res	Type
2	AI	191	ASN
2	AL	291	ASN
6	T5	125	GLN
2	AJ	81	ASN
2	AK	164	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-29503. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)

6.1.1 Primary map




6.1.2 Raw map




The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 224




Y Index: 224




Z Index: 224


6.2.2 Raw map



X Index: 224



Y Index: 224




Z Index: 224


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 246




Y Index: 246




Z Index: 284


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 249

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




X

Y

Z

6.4.2 Raw map



X


Y

Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.15. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1570 nm^3 ; this corresponds to an approximate mass of 1418 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.289 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.289 Å⁻¹

8.2 Resolution estimates


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.46	-	-
Author-provided FSC curve	3.46	4.07	3.51
Unmasked-calculated*	4.55	8.01	4.74

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.55 differs from the reported value 3.46 by more than 10 %

9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-29503 and PDB model 8FWE. Per-residue inclusion information can be found in section [3](#) on page [13](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.15 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)


This section was not generated.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.15).

9.4 Atom inclusion [i](#)



At the recommended contour level, 84% of all backbone atoms, 71% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary











































The table lists the average atom inclusion at the recommended contour level (0.15) and Q-score for the entire model and for each chain.

Chain	Atom inclusion
All	0.7140
0	0.7990
1	0.8180
2	0.8130
3	0.7890
4	0.7910
5	0.7960
6	0.7940
7	0.7830
8	0.7880
9	0.7860
A	0.8000
AA	0.5160
AB	0.4750
AC	0.4810
AD	0.5070
AE	0.5210
AF	0.4770
AG	0.4870
AH	0.5080
AI	0.5170
AJ	0.4730
AK	0.4860
AL	0.5120
AM	0.7670
AN	0.7700
AO	0.7740
AP	0.7530
AQ	0.7740
AR	0.7680
AS	0.7750
AT	0.7660
AU	0.7650
AV	0.7680
AW	0.7660





























Continued on next page...

Continued from previous page...

Chain	Atom inclusion
AX	 0.7620
AY	 0.7630
AZ	 0.7570
Aa	 0.7570
Ab	 0.7580
B	 0.7850
C	 0.7910
D	 0.7800
E	 0.7980
F	 0.7940
G	 0.7800
H	 0.7550
I	 0.7530
J	 0.7510
K	 0.7490
L	 0.7520
M	 0.7250
N	 0.7210
O	 0.7580
P	 0.7450
Q	 0.7510
R	 0.7240
R3	 0.7010
R4	 0.6930
R5	 0.6940
S	 0.7250
S3	 0.6950
S4	 0.6940
S5	 0.6880
T	 0.7570
T3	 0.6420
T4	 0.6410
T5	 0.6440
U	 0.7530
U3	 0.6420
U4	 0.6400
U5	 0.6430
V	 0.7550
W	 0.7260
X	 0.7240
Y	 0.8100
Z	 0.7940

Continued on next page...

Continued from previous page...

Chain	Atom inclusion
a	 0.8080
b	 0.7970
c	 0.7940
d	 0.8080
e	 0.7930
f	 0.8060
g	 0.7990
h	 0.7930
i	 0.8090
j	 0.7910
k	 0.8110
l	 0.7950
m	 0.7920
n	 0.8290
o	 0.8260
p	 0.8170
q	 0.8240
r	 0.8110
s	 0.8260
t	 0.8280
u	 0.8180
v	 0.8190
w	 0.8180
x	 0.8250
y	 0.8210
z	 0.8210