



# Full wwPDB X-ray Structure Validation Report ⓘ

May 24, 2020 – 05:12 pm BST

PDB ID : 6G3U  
Title : Structure of Pseudomonas aeruginosa Isocitrate Dehydrogenase, IDH  
Authors : Crousilles, A.; Welch, M.  
Deposited on : 2018-03-26  
Resolution : 2.71 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*



The reported resolution of this entry is 2.71 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	737	 % 84% 15% •
1	B	737	 17% 75% 23% ••

## 2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 11551 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isocitrate dehydrogenase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	737	Total 5695	C 3584	N 982	O 1096	S 33	0	0	0
1	B	730	Total 5601	C 3521	N 966	O 1081	S 33	0	0	0

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula:  $C_{21}H_{28}N_7O_{17}P_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total 48	C 21	N 7	O 17	P 3	0	0

- Molecule 3 is 2-OXOGLUTARIC ACID (three-letter code: AKG) (formula:  $C_5H_6O_5$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			10	5	5		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	119	Total	O	0	0
			119	119		
4	B	78	Total	O	0	0
			78	78		


### 3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Isocitrate dehydrogenase



- Molecule 1: Isocitrate dehydrogenase





## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	126.46Å 149.02Å 201.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.62 – 2.71 29.62 – 2.71	Depositor EDS
% Data completeness (in resolution range)	99.7 (29.62-2.71) 99.7 (29.62-2.71)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.44 (at 2.72Å)	Xtrriage
Refinement program	PHENIX 1.13_2998	Depositor
R, $R_{free}$	0.208 , 0.267 0.208 , 0.267	Depositor DCC
$R_{free}$ test set	2630 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	43.4	Xtrriage
Anisotropy	0.073	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 55.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	11551	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	52.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.59% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, AKG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.49	1/5804 (0.0%)	0.69	1/7844 (0.0%)
1	B	0.47	1/5708 (0.0%)	0.71	7/7717 (0.1%)
All	All	0.48	2/11512 (0.0%)	0.70	8/15561 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	366	LYS	CE-NZ	5.60	1.63	1.49
1	A	523	GLU	CG-CD	5.25	1.59	1.51

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	366	LYS	CB-CG-CD	8.46	133.60	111.60
1	B	258	MET	CB-CG-SD	-8.21	87.77	112.40
1	B	366	LYS	CD-CE-NZ	-7.11	95.35	111.70
1	B	67	LEU	CA-CB-CG	6.95	131.28	115.30
1	A	353	MET	CG-SD-CE	-6.89	89.17	100.20
1	B	258	MET	CA-CB-CG	5.86	123.26	113.30
1	B	496	ARG	NE-CZ-NH1	-5.01	117.79	120.30
1	B	506	LEU	CB-CG-CD2	5.01	119.52	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen



atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5695	0	5673	86	0
1	B	5601	0	5536	124	0
2	A	48	0	25	3	0
3	A	10	0	4	1	0
4	A	119	0	0	2	0
4	B	78	0	0	1	0
All	All	11551	0	11238	210	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (210) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:204:LYS:HE3	1:A:432:ASP:CB	1.85	1.06
1:B:735:ALA:HA	1:B:738:ASP:HB2	1.10	1.05
1:B:328:GLU:HG3	1:B:366:LYS:HE3	1.44	0.99
1:B:731:ALA:HA	1:B:735:ALA:HB3	1.46	0.97
1:A:204:LYS:HE3	1:A:432:ASP:HB2	1.46	0.94
1:B:94:LEU:HD11	1:B:131:LEU:HD12	1.51	0.93
1:A:636:ALA:HA	1:A:666:TYR:HD2	1.38	0.88
1:A:204:LYS:HE3	1:A:432:ASP:HB3	1.56	0.87
1:A:636:ALA:HA	1:A:666:TYR:CD2	2.11	0.84
1:A:5:SER:N	1:A:37:ASP:H	1.77	0.82
1:B:14:GLU:HB3	1:B:589:HIS:HB2	1.61	0.81
1:B:236:PHE:O	1:B:239:THR:HG22	1.80	0.81
1:B:91:VAL:HB	1:B:92:PRO:HD3	1.65	0.79
1:A:6:LYS:HE2	1:A:617:THR:HA	1.65	0.78
1:B:239:THR:HG23	1:B:250:TRP:HE1	1.50	0.77
1:A:69:ARG:NH2	4:A:901:HOH:O	2.19	0.76
1:B:621:THR:O	1:B:623:ASN:N	2.21	0.74
1:B:729:PRO:O	1:B:732:THR:OG1	2.02	0.73
1:A:5:SER:O	1:A:6:LYS:HB2	1.87	0.72
1:A:6:LYS:HZ1	1:A:80:ASN:HD22	1.38	0.71
1:B:43:ILE:HD11	1:B:67:LEU:HD13	1.73	0.70
1:B:639:LYS:HD3	1:B:666:TYR:CD1	2.26	0.70
1:B:28:LYS:HD2	1:B:38:VAL:HB	1.74	0.69
1:A:329:MET:HE2	1:A:340:ASN:HB3	1.76	0.68
1:B:652:GLY:HA3	1:B:655:ASP:HB2	1.74	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:726:VAL:HG12	1:A:727:MET:HE2	1.74	0.68
1:A:478:ARG:NH2	1:A:510:ASP:O	2.25	0.68
1:B:50:LEU:HG	1:B:53:PHE:CE2	2.29	0.68
1:B:735:ALA:HA	1:B:738:ASP:CB	2.05	0.67
1:A:86:ASN:H	2:A:801:NAP:H71N	1.41	0.67
1:A:621:THR:HG22	1:A:623:ASN:HB2	1.76	0.67
1:B:94:LEU:CD1	1:B:131:LEU:HD12	2.24	0.66
1:B:210:VAL:O	1:B:212:LYS:N	2.27	0.66
1:B:574:GLY:O	1:B:620:LYS:NZ	2.25	0.66
1:B:127:TYR:O	1:B:131:LEU:HD23	1.95	0.65
1:B:730:SER:O	1:B:735:ALA:N	2.17	0.65
1:A:34:ALA:HA	1:A:625:LYS:HD2	1.78	0.64
1:B:58:GLU:HB3	1:B:62:ARG:HH21	1.63	0.64
1:B:587:PRO:O	1:B:588:LYS:HG2	1.98	0.64
1:B:400:ASP:O	1:B:404:MET:HG3	1.97	0.64
1:B:600:ARG:N	1:B:653:ASP:O	2.31	0.63
1:B:46:ALA:O	1:B:50:LEU:N	2.30	0.63
1:A:329:MET:CE	1:A:340:ASN:HB3	2.29	0.63
1:B:703:ASN:HB2	1:B:705:VAL:HG22	1.80	0.63
1:B:53:PHE:HZ	1:B:63:ILE:HG12	1.64	0.63
1:B:14:GLU:HB2	1:B:587:PRO:HB2	1.81	0.62
1:B:145:ASP:OD2	1:B:147:ARG:NH1	2.32	0.62
1:A:597:ASN:ND2	1:A:710:ALA:HB2	2.15	0.61
1:B:31:ALA:HB1	1:B:36:ILE:CG2	2.29	0.61
1:A:722:LEU:O	1:A:725:LYS:HG3	2.00	0.61
1:B:45:LEU:HD21	1:B:87:ILE:HD11	1.82	0.61
1:B:329:MET:HE1	1:B:341:LEU:H	1.66	0.61
1:B:88:SER:HB3	1:B:133:SER:HB3	1.83	0.61
1:B:735:ALA:CA	1:B:738:ASP:HB2	2.06	0.60
1:A:140:ARG:HH12	3:A:802:AKG:H41	1.66	0.60
1:B:15:ALA:HB3	1:B:587:PRO:O	2.02	0.59
1:B:16:PRO:O	1:B:20:THR:HG23	2.03	0.59
1:B:565:MET:HB2	1:B:582:ALA:CB	2.33	0.59
1:B:357:ILE:HG21	1:B:389:MET:CE	2.32	0.58
1:A:677:ASP:OD1	1:A:680:LEU:N	2.24	0.58
1:B:14:GLU:HB2	1:B:587:PRO:CB	2.33	0.58
1:B:333:ASP:OD2	1:B:336:LYS:HD2	2.05	0.57
1:B:402:THR:HG22	1:B:403:THR:HG23	1.85	0.57
1:A:439:LEU:HD22	1:A:445:LEU:HD11	1.85	0.57
1:B:173:HIS:CE1	1:B:374:LYS:HZ1	2.23	0.57
1:B:95:LYS:HA	1:B:98:ILE:HG12	1.86	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:THR:HG22	1:A:12:THR:HG23	1.87	0.57
1:B:719:ASN:N	1:B:720:PRO:HD3	2.20	0.56
1:B:653:ASP:OD2	1:B:709:PRO:HD3	2.05	0.56
1:B:65:ASP:HA	1:B:69:ARG:HD3	1.87	0.56
1:A:282:TRP:HZ2	1:A:314:GLU:HG2	1.70	0.56
1:A:626:ALA:HA	1:A:629:LEU:HD13	1.87	0.56
1:B:367:ASP:OD2	1:B:369:LYS:HD2	2.07	0.56
1:A:140:ARG:HD3	1:A:413:MET:SD	2.46	0.55
1:A:400:ASP:O	1:A:404:MET:HB2	2.05	0.55
1:B:357:ILE:HG21	1:B:389:MET:HE2	1.88	0.55
1:B:400:ASP:OD1	1:B:402:THR:HB	2.07	0.54
1:B:26:ILE:HD11	1:B:30:PHE:CE1	2.41	0.54
1:A:593:LEU:HD11	1:A:727:MET:CE	2.38	0.54
1:B:86:ASN:HD21	1:B:135:VAL:HG21	1.72	0.54
1:B:639:LYS:HA	1:B:642:ASP:HB2	1.90	0.54
1:A:181:ASP:HB2	1:A:379:GLU:OE1	2.08	0.53
1:A:86:ASN:O	2:A:801:NAP:H2N	2.08	0.53
1:B:414:ALA:HB3	1:B:465:PRO:HB3	1.90	0.52
1:A:728:ARG:O	1:A:734:ASN:ND2	2.35	0.52
1:B:241:GLN:NE2	1:B:245:GLU:OE1	2.43	0.52
1:A:339:THR:HG23	1:A:341:LEU:H	1.75	0.52
1:A:329:MET:CE	1:A:341:LEU:HG	2.40	0.52
1:B:675:ASN:HD21	1:B:681:LYS:NZ	2.08	0.52
1:B:5:SER:OG	1:B:36:ILE:HD12	2.10	0.51
1:A:593:LEU:HD11	1:A:727:MET:HE3	1.93	0.51
1:B:152:VAL:HG12	1:B:559:LEU:HD22	1.92	0.51
1:B:145:ASP:OD1	1:B:147:ARG:HD3	2.10	0.51
1:B:731:ALA:CA	1:B:735:ALA:HB3	2.30	0.51
1:A:674:GLN:O	1:A:681:LYS:HD2	2.11	0.51
1:A:297:ILE:HG22	1:A:342:HIS:HA	1.93	0.50
1:B:10:THR:HG23	1:B:82:ILE:O	2.11	0.50
1:B:50:LEU:HD13	1:B:66:ASP:HB3	1.94	0.50
1:A:624:ALA:O	1:A:628:LEU:HD22	2.12	0.50
1:B:199:ILE:O	1:B:210:VAL:O	2.29	0.50
1:B:406:SER:OG	1:B:558:GLU:OE2	2.20	0.50
1:A:649:ARG:NH1	2:A:801:NAP:O2X	2.45	0.49
1:B:173:HIS:CE1	1:B:374:LYS:NZ	2.80	0.49
1:B:297:ILE:HG22	1:B:342:HIS:HA	1.95	0.49
1:A:145:ASP:OD2	1:A:147:ARG:NH1	2.46	0.49
1:A:328:GLU:OE2	1:A:371:LYS:NZ	2.35	0.49
1:A:424:ASP:OD1	1:A:425:LYS:NZ	2.40	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:635:GLU:C	1:A:666:TYR:HE2	2.15	0.49
1:B:706:GLN:HB3	1:B:710:ALA:HB3	1.94	0.49
1:A:611:ALA:HB2	1:A:633:LEU:HD23	1.95	0.49
1:B:202:VAL:HG21	1:B:436:ARG:NH1	2.27	0.49
1:B:260:LYS:O	1:B:264:PRO:HG2	2.13	0.49
1:B:333:ASP:HB3	1:B:338:ILE:HD12	1.95	0.48
1:A:43:ILE:HD12	1:A:135:VAL:HG11	1.96	0.48
1:A:6:LYS:O	1:A:80:ASN:HB3	2.13	0.48
1:B:173:HIS:NE2	1:B:374:LYS:NZ	2.62	0.48
1:B:724:SER:OG	1:B:728:ARG:HD3	2.14	0.48
1:A:5:SER:O	1:A:5:SER:OG	2.29	0.48
1:B:50:LEU:HD13	1:B:66:ASP:CB	2.44	0.47
1:A:625:LYS:HA	1:A:628:LEU:HD23	1.96	0.47
1:A:727:MET:C	1:A:729:PRO:HD3	2.34	0.47
1:B:695:GLU:HG3	1:B:696:ALA:N	2.29	0.47
1:A:725:LYS:HE3	1:A:726:VAL:HG23	1.96	0.47
1:B:16:PRO:HD2	1:B:587:PRO:HB3	1.97	0.47
1:B:239:THR:CG2	1:B:250:TRP:HE1	2.22	0.47
1:A:402:THR:HG22	1:A:403:THR:HG23	1.97	0.47
1:B:53:PHE:CZ	1:B:63:ILE:HG12	2.47	0.47
1:A:329:MET:HE1	1:A:341:LEU:HG	1.96	0.47
1:B:198:ARG:NH2	1:B:440:ALA:HA	2.30	0.47
1:A:64:GLU:OE1	1:A:69:ARG:HD3	2.15	0.46
1:A:598:TYR:CE1	1:A:655:ASP:HB3	2.50	0.46
1:A:599:LEU:HD23	1:A:656:ASN:HB3	1.96	0.46
1:B:720:PRO:HB2	1:B:722:LEU:HG	1.97	0.46
1:B:83:LYS:HD2	1:B:84:LEU:O	2.16	0.46
1:B:43:ILE:CD1	1:B:67:LEU:HD13	2.44	0.46
1:B:647:PRO:HD3	1:B:659:SER:OG	2.16	0.46
1:A:414:ALA:HB3	1:A:465:PRO:HB3	1.98	0.46
1:B:697:THR:O	1:B:701:GLU:N	2.46	0.46
1:A:687:LEU:HD22	1:A:740:LEU:HD12	1.98	0.46
1:A:6:LYS:NZ	1:A:80:ASN:HD22	2.11	0.46
1:B:13:ASP:OD1	1:B:44:SER:HB2	2.16	0.46
1:A:209:GLU:OE1	1:A:211:LYS:NZ	2.44	0.45
1:A:331:MET:HE3	1:A:366:LYS:HD2	1.98	0.45
1:B:14:GLU:CB	1:B:587:PRO:HB2	2.46	0.45
1:A:119:GLU:OE1	1:A:119:GLU:N	2.44	0.45
1:A:196:ASP:OD2	1:A:213:GLN:NE2	2.42	0.45
1:B:464:ALA:HB1	1:B:572:MET:HE1	1.99	0.45
1:A:439:LEU:HD12	1:A:439:LEU:HA	1.69	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:357:ILE:HG21	1:B:389:MET:HE3	1.99	0.45
1:A:117:THR:HG23	1:A:120:GLU:OE1	2.17	0.44
1:B:329:MET:CE	1:B:340:ASN:HB3	2.48	0.44
1:A:592:GLN:HG2	1:A:598:TYR:O	2.17	0.44
1:B:89:ALA:HB2	1:B:133:SER:N	2.32	0.44
1:B:239:THR:HG23	1:B:250:TRP:NE1	2.28	0.44
1:B:262:SER:HB3	1:B:455:ILE:HG21	1.99	0.44
1:B:551:THR:O	1:B:555:PRO:HG2	2.18	0.44
1:B:675:ASN:HD21	1:B:681:LYS:HZ3	1.64	0.44
1:A:362:GLN:OE1	1:A:370:GLN:HG3	2.17	0.44
1:A:73:LEU:O	1:A:79:ALA:HB2	2.18	0.44
1:B:92:PRO:O	1:B:95:LYS:HB2	2.18	0.44
1:B:331:MET:HE1	1:B:339:THR:HG22	1.99	0.43
1:A:233:ARG:HH12	1:A:272:SER:HB2	1.83	0.43
1:B:639:LYS:HD3	1:B:666:TYR:CE1	2.52	0.43
1:A:282:TRP:CZ2	1:A:314:GLU:HG2	2.52	0.43
1:B:286:PHE:O	1:B:291:VAL:HG12	2.18	0.43
1:B:50:LEU:HD23	1:B:50:LEU:C	2.39	0.43
1:B:571:LEU:HD12	1:B:576:GLY:N	2.34	0.43
1:B:591:GLN:NE2	4:B:808:HOH:O	2.45	0.43
1:A:329:MET:HE1	1:A:341:LEU:H	1.84	0.43
1:B:73:LEU:O	1:B:79:ALA:HB2	2.19	0.43
1:B:464:ALA:HB3	1:B:465:PRO:HD3	2.00	0.43
1:B:98:ILE:HG13	1:B:99:ALA:N	2.34	0.43
1:A:370:GLN:C	1:A:371:LYS:HG3	2.39	0.43
1:A:498:LEU:HA	1:A:498:LEU:HD12	1.69	0.43
1:B:83:LYS:HD2	1:B:83:LYS:C	2.40	0.43
1:B:307:LEU:HB3	1:B:308:PRO:HD2	2.01	0.42
1:B:83:LYS:HD2	1:B:84:LEU:N	2.35	0.42
1:A:286:PHE:HB3	1:A:291:VAL:HG22	2.02	0.42
1:B:146:ARG:HH12	1:B:547:ARG:HH11	1.67	0.42
1:B:702:LEU:O	1:B:704:ALA:N	2.52	0.42
1:A:625:LYS:HE2	1:A:625:LYS:HB3	1.84	0.42
1:B:685:ALA:N	1:B:686:PRO:HD2	2.35	0.42
1:B:734:ASN:O	1:B:738:ASP:N	2.47	0.42
1:A:457:ARG:NH2	4:A:909:HOH:O	2.52	0.42
1:B:121:LYS:O	1:B:124:ARG:HB3	2.20	0.42
1:B:647:PRO:HB3	1:B:651:VAL:O	2.20	0.42
1:A:157:ARG:HD3	1:A:402:THR:O	2.20	0.41
1:A:688:ALA:HB3	1:A:689:LYS:HD2	2.01	0.41
1:A:341:LEU:HA	1:A:341:LEU:HD23	1.78	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:191:MET:HB2	1:B:218:GLU:O	2.20	0.41
1:B:469:TRP:CZ2	1:B:541:VAL:HG12	2.55	0.41
1:B:565:MET:HB2	1:B:582:ALA:HB3	2.02	0.41
1:B:89:ALA:HB2	1:B:133:SER:H	1.86	0.41
1:B:708:LYS:N	1:B:709:PRO:HD2	2.36	0.41
1:B:703:ASN:C	1:B:705:VAL:H	2.24	0.41
1:A:631:LYS:HD3	1:A:634:ASP:HB2	2.02	0.41
1:A:71:ALA:HB2	1:A:138:VAL:CG1	2.51	0.41
1:A:721:GLU:CD	1:A:721:GLU:H	2.24	0.41
1:B:568:ILE:HG22	1:B:570:PRO:HD3	2.03	0.41
1:A:286:PHE:HB3	1:A:291:VAL:CG2	2.51	0.41
1:A:551:THR:O	1:A:555:PRO:HG2	2.21	0.40
1:A:597:ASN:HB2	1:A:708:LYS:O	2.22	0.40
1:A:204:LYS:CE	1:A:432:ASP:HB2	2.31	0.40
1:B:405:GLY:HA3	1:B:536:LYS:O	2.21	0.40
1:B:48:ARG:NH2	1:B:101:LEU:HD13	2.35	0.40
1:B:87:ILE:O	1:B:87:ILE:HG13	2.21	0.40
1:A:182:PHE:CD1	1:A:225:MET:HG3	2.56	0.40
1:A:695:GLU:O	1:A:699:VAL:HG23	2.22	0.40
1:B:689:LYS:O	1:B:693:GLU:HG3	2.21	0.40
1:B:8:THR:O	1:B:81:ILE:HA	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	735/737 (100%)	704 (96%)	30 (4%)	1 (0%)	51 78
1	B	726/737 (98%)	668 (92%)	51 (7%)	7 (1%)	15 37
All	All	1461/1474 (99%)	1372 (94%)	81 (6%)	8 (0%)	29 54

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	6	LYS
1	B	57	LEU
1	B	211	LYS
1	B	578	TYR
1	B	622	GLY
1	B	91	VAL
1	B	698	ILE
1	B	719	ASN

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	607/607 (100%)	592 (98%)	15 (2%)	47	76
1	B	592/607 (98%)	584 (99%)	8 (1%)	67	86
All	All	1199/1214 (99%)	1176 (98%)	23 (2%)	57	82

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	SER
1	A	76	SER
1	A	153	LYS
1	A	196	ASP
1	A	234	ASP
1	A	248	VAL
1	A	339	THR
1	A	340	ASN
1	A	552	ASP
1	A	593	LEU
1	A	597	ASN
1	A	677	ASP
1	A	689	LYS
1	A	717	ARG
1	A	725	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	41	SER
1	B	76	SER
1	B	141	GLU
1	B	170	SER
1	B	340	ASN
1	B	506	LEU
1	B	588	LYS
1	B	724	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	80	ASN
1	A	159	HIS
1	B	86	ASN
1	B	213	GLN
1	B	241	GLN
1	B	675	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond



length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	AKG	A	802	-	3,9,9	1.53	1 (33%)	4,11,11	3.98	2 (50%)
2	NAP	A	801	-	45,52,52	1.55	3 (6%)	56,80,80	1.43	8 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	AKG	A	802	-	-	0/3/9/9	-
2	NAP	A	801	-	-	13/31/67/67	0/5/5/5

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	NAP	O7N-C7N	7.66	1.38	1.24
2	A	801	NAP	C2A-N3A	3.93	1.38	1.32
3	A	802	AKG	O5-C2	-2.31	1.18	1.22
2	A	801	NAP	C2A-N1A	2.28	1.38	1.33

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	802	AKG	C3-C4-C5	-6.80	101.26	112.67
2	A	801	NAP	N3A-C2A-N1A	-5.61	119.90	128.68
3	A	802	AKG	C4-C3-C2	-4.14	104.21	113.14
2	A	801	NAP	C6N-N1N-C2N	-3.08	119.17	121.97
2	A	801	NAP	C5N-C4N-C3N	-2.68	117.17	120.34
2	A	801	NAP	C3N-C2N-N1N	2.09	122.47	120.43
2	A	801	NAP	O2B-P2B-O1X	-2.09	101.34	109.39
2	A	801	NAP	O2N-PN-O1N	2.08	122.51	112.24
2	A	801	NAP	O2B-C2B-C1B	-2.07	102.64	110.10
2	A	801	NAP	O7N-C7N-N7N	-2.05	119.67	122.58

There are no chirality outliers.

All (13) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	801	NAP	C5B-O5B-PA-O1A
2	A	801	NAP	C5B-O5B-PA-O2A
2	A	801	NAP	C5B-O5B-PA-O3
2	A	801	NAP	C5D-O5D-PN-O1N
2	A	801	NAP	O4D-C1D-N1N-C2N
2	A	801	NAP	O4D-C1D-N1N-C6N
2	A	801	NAP	O4B-C4B-C5B-O5B
2	A	801	NAP	C3B-C4B-C5B-O5B
2	A	801	NAP	PA-O3-PN-O5D
2	A	801	NAP	C5D-O5D-PN-O3
2	A	801	NAP	C5D-O5D-PN-O2N
2	A	801	NAP	C2B-O2B-P2B-O3X
2	A	801	NAP	C2D-C1D-N1N-C2N

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	802	AKG	1	0
2	A	801	NAP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	737/737 (100%)	-0.21	7 (0%) <span style="border: 1px solid blue; padding: 2px;">84</span> <span style="border: 1px solid blue; padding: 2px;">85</span>	19, 38, 71, 88	0
1	B	730/737 (99%)	0.68	124 (16%) <span style="border: 1px solid red; padding: 2px;">1</span> <span style="border: 1px solid red; padding: 2px;">1</span>	19, 51, 135, 159	0
All	All	1467/1474 (99%)	0.24	131 (8%) <span style="border: 1px solid red; padding: 2px;">9</span> <span style="border: 1px solid red; padding: 2px;">7</span>	19, 43, 120, 159	0

All (131) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	104	LEU	11.4
1	B	115	PRO	9.4
1	B	592	GLN	8.5
1	B	125	ALA	8.3
1	B	59	ALA	8.1
1	B	92	PRO	7.6
1	B	105	GLY	7.6
1	B	54	ALA	7.6
1	B	649	ARG	7.6
1	B	112	PRO	7.4
1	B	98	ILE	7.2
1	B	103	GLY	7.2
1	B	93	GLN	7.1
1	B	107	LYS	6.9
1	B	62	ARG	6.9
1	B	99	ALA	6.7
1	B	584	GLY	6.7
1	B	90	SER	6.6
1	B	710	ALA	6.6
1	B	91	VAL	6.4
1	B	648	SER	6.2
1	B	53	PHE	6.2
1	B	58	GLU	6.2
1	B	102	GLN	6.1

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	65	ASP	6.0
1	B	119	GLU	6.0
1	B	116	GLN	6.0
1	B	117	THR	5.6
1	B	55	ASP	5.5
1	B	585	SER	5.5
1	B	96	GLY	5.4
1	B	101	LEU	5.4
1	B	732	THR	5.3
1	B	108	VAL	5.2
1	B	583	GLY	5.2
1	B	113	GLU	5.1
1	B	114	ASP	5.1
1	B	701	GLU	4.9
1	B	709	PRO	4.7
1	B	100	GLU	4.7
1	B	110	ASP	4.5
1	B	589	HIS	4.5
1	B	654	ILE	4.4
1	B	706	GLN	4.4
1	B	650	LYS	4.4
1	B	590	VAL	4.3
1	B	95	LYS	4.2
1	B	582	ALA	4.2
1	B	591	GLN	4.2
1	B	50	LEU	4.1
1	B	122	GLU	4.0
1	B	712	ILE	4.0
1	B	94	LEU	4.0
1	B	111	PHE	3.9
1	B	120	GLU	3.9
1	B	121	LYS	3.8
1	B	702	LEU	3.8
1	B	89	ALA	3.7
1	B	738	ASP	3.6
1	B	57	LEU	3.6
1	B	123	VAL	3.5
1	B	622	GLY	3.5
1	B	688	ALA	3.4
1	B	719	ASN	3.4
1	B	106	TYR	3.4
1	B	625	LYS	3.4

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	48	ARG	3.3
1	B	731	ALA	3.3
1	B	586	ALA	3.3
1	B	60	ASP	3.2
1	B	653	ASP	3.2
1	B	64	GLU	3.2
1	B	621	THR	3.2
1	B	258	MET	3.1
1	B	726	VAL	3.1
1	B	727	MET	3.1
1	B	118	ASP	3.1
1	B	714	GLY	3.1
1	B	43	ILE	3.1
1	B	720	PRO	3.0
1	B	127	TYR	3.0
1	B	677	ASP	3.0
1	B	593	LEU	3.0
1	B	733	PHE	3.0
1	B	707	GLY	3.0
1	B	692	THR	2.9
1	A	60	ASP	2.9
1	B	647	PRO	2.9
1	B	693	GLU	2.9
1	B	78	ASP	2.8
1	B	721	GLU	2.8
1	B	623	ASN	2.8
1	B	700	ALA	2.8
1	B	676	GLU	2.8
1	B	626	ALA	2.8
1	A	310	SER	2.7
1	B	673	ALA	2.7
1	B	18	LEU	2.6
1	B	88	SER	2.6
1	B	45	LEU	2.6
1	B	725	LYS	2.6
1	A	666	TYR	2.6
1	B	109	PRO	2.5
1	B	711	GLU	2.5
1	B	17	ALA	2.5
1	B	576	GLY	2.5
1	B	19	ALA	2.5
1	B	587	PRO	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	310	SER	2.4
1	B	624	ALA	2.4
1	B	675	ASN	2.3
1	B	87	ILE	2.3
1	B	690	ALA	2.3
1	A	697	THR	2.3
1	B	259	MET	2.3
1	B	31	ALA	2.2
1	B	124	ARG	2.2
1	B	697	THR	2.2
1	B	32	ALA	2.2
1	B	313	GLU	2.2
1	B	699	VAL	2.1
1	B	6	LYS	2.1
1	B	666	TYR	2.1
1	B	652	GLY	2.1
1	B	131	LEU	2.1
1	A	682	ALA	2.0
1	A	308	PRO	2.0
1	B	51	ALA	2.0
1	B	689	LYS	2.0
1	A	664	ALA	2.0
1	B	68	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	AKG	A	802	10/10	0.93	0.35	25,33,41,44	0
2	NAP	A	801	48/48	0.97	0.13	19,27,36,41	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.