



Full wwPDB X-ray Structure Validation Report ⓘ

May 14, 2020 – 09:40 am BST

PDB ID : 6G7E
Title : Crystal structure of Chaetomium thermophilum Mot1 (E1434Q, 1837-1886 deletion mutant)
Authors : Butryn, A.; Hopfner, K.-P.
Deposited on : 2018-04-05
Resolution : 3.21 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.21 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1335 (3.24-3.20)
Clashscore	141614	1460 (3.24-3.20)
Ramachandran outliers	138981	1437 (3.24-3.20)
Sidechain outliers	138945	1436 (3.24-3.20)
RSRZ outliers	127900	1291 (3.24-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	1852	 75% 10% 15%

2 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 12390 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Helicase-like protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	N	O	S				Se
1	B	1575	12390	7871	2176	2277	20	46	0	0	0

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	1	MSE	-	initiating methionine	UNP G0S6C0
B	1434	GLN	GLU	engineered mutation	UNP G0S6C0
B	1837	LEU	-	expression tag	UNP G0S6C0
B	1838	GLU	-	expression tag	UNP G0S6C0
B	1839	VAL	-	expression tag	UNP G0S6C0
B	1840	LEU	-	expression tag	UNP G0S6C0
B	1841	PHE	-	expression tag	UNP G0S6C0
B	1842	GLN	-	expression tag	UNP G0S6C0
B	1843	GLY	-	expression tag	UNP G0S6C0
B	1844	PRO	-	expression tag	UNP G0S6C0
B	1845	HIS	-	expression tag	UNP G0S6C0
B	1846	HIS	-	expression tag	UNP G0S6C0
B	1847	HIS	-	expression tag	UNP G0S6C0
B	1848	HIS	-	expression tag	UNP G0S6C0
B	1849	HIS	-	expression tag	UNP G0S6C0
B	1850	HIS	-	expression tag	UNP G0S6C0
B	1851	HIS	-	expression tag	UNP G0S6C0
B	1852	HIS	-	expression tag	UNP G0S6C0

ASP VAL ALA SER THR VAL VAL ASN GLN GLN ALA GLY LEU ALA THR M1809
M1819 L1820 G1821 GLU SER GLY PRO SER LEU ILE THR ASP ASN LYS GLU SER ILE GLU LEU GLU VAL LEU PHE GLN GLY PRO HIS HIS HIS HIS HIS HIS HIS

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	93.13Å 96.85Å 129.64Å 90.00° 97.55° 90.00°	Depositor
Resolution (Å)	48.70 – 3.21 48.69 – 3.21	Depositor EDS
% Data completeness (in resolution range)	97.1 (48.70-3.21) 97.2 (48.69-3.21)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.90 (at 3.19Å)	Xtrriage
Refinement program	PHENIX 1.10.1-2155	Depositor
R, R_{free}	0.191 , 0.238 0.191 , 0.240	Depositor DCC
R_{free} test set	1823 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	76.9	Xtrriage
Anisotropy	0.154	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 44.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	12390	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	B	0.23	0/12570	0.39	0/16944

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	12390	0	12681	105	0
All	All	12390	0	12681	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:311:TRP:HH2	1:B:346:HIS:HB3	1.55	0.71
1:B:115:LEU:HD23	1:B:423:LEU:HD13	1.73	0.70
1:B:311:TRP:CH2	1:B:346:HIS:HB3	2.28	0.68
1:B:568:PRO:HB3	1:B:607:ARG:HH12	1.59	0.66
1:B:1096:GLY:O	1:B:1144:LYS:NZ	2.30	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:121:VAL:HG11	1:B:439:MSE:HE1	1.81	0.62
1:B:1423:GLU:OE2	1:B:1451:ARG:NH2	2.36	0.59
1:B:1399:LYS:HG3	1:B:1421:VAL:HG11	1.85	0.59
1:B:414:VAL:HG12	1:B:457:ARG:HH22	1.69	0.57
1:B:851:ARG:HB2	1:B:861:LEU:HD11	1.87	0.57
1:B:1491:LEU:HA	1:B:1495:ALA:HB3	1.86	0.56
1:B:1639:ARG:HD3	1:B:1688:MSE:SE	2.55	0.56
1:B:1291:VAL:HG23	1:B:1293:ILE:HG13	1.88	0.56
1:B:620:ARG:O	1:B:750:ARG:NH2	2.39	0.55
1:B:1467:ASN:OD1	1:B:1468:ASN:N	2.39	0.55
1:B:361:ASN:HA	1:B:364:LEU:HB3	1.87	0.55
1:B:1353:PRO:O	1:B:1356:ARG:NH1	2.40	0.54
1:B:1647:ILE:HG23	1:B:1720:ASP:HB3	1.90	0.53
1:B:1682:ASN:HA	1:B:1686:LYS:HD2	1.89	0.53
1:B:1118:SER:HB2	1:B:1156:MSE:HE3	1.90	0.53
1:B:558:ASP:OD1	1:B:559:GLU:N	2.42	0.53
1:B:1223:LEU:HA	1:B:1226:MSE:HE2	1.91	0.52
1:B:1300:TYR:O	1:B:1532:ARG:NH1	2.40	0.51
1:B:75:TYR:HB3	1:B:311:TRP:HZ3	1.75	0.51
1:B:640:ALA:HB2	1:B:647:LEU:HD22	1.93	0.51
1:B:1552:ASP:OD1	1:B:1777:ARG:NH2	2.44	0.50
1:B:1257:PRO:HD2	1:B:1265:LEU:HD21	1.93	0.50
1:B:409:LEU:HD23	1:B:412:ILE:HD11	1.94	0.50
1:B:575:ARG:NE	1:B:732:ASP:OD2	2.42	0.50
1:B:357:THR:HG22	1:B:360:GLU:HG3	1.94	0.50
1:B:617:ILE:HG21	1:B:675:MSE:HE1	1.94	0.49
1:B:1595:ARG:O	1:B:1599:ASN:ND2	2.45	0.49
1:B:337:MSE:HE2	1:B:340:ARG:HH22	1.78	0.49
1:B:1668:LEU:HD23	1:B:1722:LEU:HB3	1.95	0.49
1:B:131:GLY:N	1:B:132:PRO:HD2	2.27	0.48
1:B:51:ARG:HH22	1:B:145:ARG:HH12	1.61	0.48
1:B:1733:LEU:O	1:B:1760:ALA:HA	2.13	0.48
1:B:75:TYR:HB3	1:B:311:TRP:CZ3	2.48	0.48
1:B:1388:TYR:HD1	1:B:1398:MSE:HG3	1.78	0.48
1:B:962:MSE:HE2	1:B:1000:VAL:HG13	1.96	0.48
1:B:1534:LYS:HE3	1:B:1665:HIS:CE1	2.49	0.48
1:B:868:VAL:HG12	1:B:879:PHE:HB3	1.94	0.48
1:B:141:ASP:HB3	1:B:144:LYS:HB2	1.96	0.47
1:B:476:MSE:HE2	1:B:512:LEU:HB2	1.96	0.47
1:B:1569:GLY:HA2	1:B:1572:ILE:HD12	1.97	0.47
1:B:1496:LYS:HB3	1:B:1497:PRO:HD3	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:573:PHE:HB3	1:B:585:VAL:HG21	1.97	0.47
1:B:587:LYS:HG2	1:B:627:MSE:HE3	1.97	0.46
1:B:6:ASP:OD1	1:B:45:ARG:NH1	2.47	0.46
1:B:966:LYS:HE3	1:B:1007:PHE:CZ	2.50	0.46
1:B:1228:ASP:OD1	1:B:1229:SER:N	2.47	0.46
1:B:28:LEU:HB3	1:B:68:ILE:HD11	1.96	0.46
1:B:329:TRP:NE1	1:B:330:GLU:OE2	2.49	0.46
1:B:469:ASP:OD2	1:B:473:ARG:NH1	2.48	0.46
1:B:1372:TRP:HE1	1:B:1433:ASP:CG	2.18	0.46
1:B:1359:PRO:HG3	1:B:1403:ASP:HA	1.98	0.46
1:B:1783:LYS:NZ	1:B:1819:ASN:O	2.36	0.46
1:B:1716:ASP:OD1	1:B:1718:SER:OG	2.26	0.45
1:B:1212:LEU:HD21	1:B:1248:VAL:HA	1.98	0.45
1:B:950:LEU:HG	1:B:988:PHE:HE1	1.81	0.45
1:B:51:ARG:HH22	1:B:145:ARG:HH22	1.65	0.45
1:B:472:VAL:HG21	1:B:501:PHE:CE1	2.52	0.44
1:B:465:GLY:O	1:B:505:ARG:NH2	2.50	0.44
1:B:1231:ASN:OD1	1:B:1234:ARG:NH2	2.50	0.44
1:B:607:ARG:NH2	1:B:683:PRO:O	2.47	0.44
1:B:1183:SER:HB2	1:B:1192:PHE:CE2	2.52	0.44
1:B:735:MSE:HE3	1:B:743:VAL:HG11	2.00	0.44
1:B:1666:ARG:NH2	1:B:1713:PHE:O	2.41	0.44
1:B:1664:PRO:O	1:B:1665:HIS:ND1	2.51	0.43
1:B:1220:VAL:HG23	1:B:1271:GLU:HG2	2.00	0.43
1:B:451:ARG:HA	1:B:493:THR:HG23	2.00	0.43
1:B:1323:ASP:OD1	1:B:1324:MSE:N	2.51	0.43
1:B:571:TYR:CE1	1:B:608:ILE:HD13	2.55	0.42
1:B:1468:ASN:OD1	1:B:1469:VAL:N	2.52	0.42
1:B:491:ALA:O	1:B:495:ILE:HG13	2.20	0.42
1:B:339:LEU:HD13	1:B:372:LEU:HD11	2.01	0.42
1:B:311:TRP:HE1	1:B:313:PHE:HB2	1.85	0.42
1:B:478:GLY:O	1:B:487:ARG:HG2	2.19	0.42
1:B:595:LEU:HD23	1:B:599:THR:HG21	2.02	0.42
1:B:577:THR:HG21	1:B:728:THR:HG22	2.00	0.42
1:B:1257:PRO:HA	1:B:1258:PRO:HD3	1.94	0.42
1:B:854:GLY:HA3	1:B:899:MSE:HE2	2.02	0.42
1:B:1181:LEU:O	1:B:1184:ILE:HG13	2.20	0.41
1:B:1578:ARG:NH1	1:B:1583:ALA:HB2	2.35	0.41
1:B:311:TRP:CD1	1:B:314:GLU:HG3	2.55	0.41
1:B:447:MSE:HG2	1:B:489:VAL:HG13	2.01	0.41
1:B:1339:ASP:O	1:B:1343:ARG:HG2	2.19	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:525:ASP:OD1	1:B:526:ASP:N	2.53	0.41
1:B:1605:MSE:HB3	1:B:1626:LEU:HD21	2.03	0.41
1:B:775:ASP:HA	1:B:778:VAL:HG22	2.03	0.41
1:B:1268:ARG:O	1:B:1272:ARG:NH1	2.53	0.41
1:B:1592:GLN:HG2	1:B:1748:TRP:CZ2	2.56	0.41
1:B:462:LEU:HA	1:B:468:ILE:HD11	2.01	0.41
1:B:944:LEU:HD23	1:B:947:MSE:HE3	2.02	0.41
1:B:494:LEU:HD21	1:B:512:LEU:HD21	2.02	0.41
1:B:451:ARG:HE	1:B:492:ALA:HB1	1.86	0.41
1:B:1266:LYS:HD3	1:B:1266:LYS:HA	1.83	0.41
1:B:356:LYS:HB3	1:B:360:GLU:HB2	2.02	0.41
1:B:1289:ILE:HG21	1:B:1293:ILE:HD12	2.03	0.40
1:B:491:ALA:HA	1:B:537:LEU:HD22	2.03	0.40
1:B:554:SER:HB3	1:B:561:ARG:HD2	2.04	0.40
1:B:735:MSE:HE1	1:B:747:VAL:HG12	2.02	0.40
1:B:1115:ASP:O	1:B:1119:VAL:HG23	2.22	0.40
1:B:7:ARG:O	1:B:11:ILE:HG13	2.21	0.40
1:B:1399:LYS:HG3	1:B:1421:VAL:CG1	2.50	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	1555/1852 (84%)	1513 (97%)	42 (3%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	B	1353/1537 (88%)	1353 (100%)	0	100 100

There are no protein residues with a non-rotameric sidechain to report.

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	1529/1852 (82%)	-0.18	6 (0%) 92 89	30, 71, 117, 150	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	728	THR	3.3
1	B	525	ASP	3.1
1	B	438	ASN	2.9
1	B	134	ASP	2.5
1	B	560	GLU	2.4
1	B	1296	GLU	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.