



wwPDB EM Validation Summary Report ⓘ

Nov 20, 2022 – 06:12 am GMT

PDB ID : 5GAK
EMDB ID : EMD-3227
Title : Yeast 60S ribosomal subunit with A-site tRNA, P-site tRNA and eIF-5A
Authors : Schmidt, C.; Becker, T.
Deposited on : 2015-12-09
Resolution : 3.88 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	3396	70% 56% 36% 7%
2	X	137	81% 99%
3	3	121	66% 72% 28%
4	Y	155	52% 63% 37%
5	4	158	78% 59% 39%
6	Z	142	65% 85% 15%
7	A	76	86% 45% 53%
8	a	127	80% 98%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	B	77	81% 51% 48%
10	b	136	77% 99%
11	C	106	89% 99%
12	c	149	79% 97%
13	D	92	84% 99%
14	d	59	83% 97%
15	E	254	78% 99%
16	e	105	82% 92% 8%
17	F	387	73% 99%
18	f	109	81% 100%
19	G	362	82% 99%
20	g	130	77% 98%
21	H	297	82% 98%
22	h	107	71% 99%
23	I	176	74% 88% 11%
24	i	121	66% 93% 7%
25	J	244	73% 91% 9%
26	j	120	78% 99%
27	K	256	74% 89% 9%
28	k	100	80% 98%
29	L	191	79% 100%
30	l	88	77% 98%
31	M	174	79% 96%
32	m	78	85% 99%
33	N	199	78% 97%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	n	51	80% 98% .
35	O	138	86% 98% ..
36	o	128	34% 41% 59%
37	P	204	71% 100%
38	p	25	80% 100%
39	Q	199	78% 98% ..
40	q	157	93% 89% 8% ..
41	R	184	78% 99% .
42	r	210	88% 100%
43	S	186	81% 99% ..
44	s	221	81% 94% ..
45	T	189	83% 99% ..
46	U	172	83% 99% .
47	V	160	84% 99% ..
48	W	121	61% 82% 17%
49	z	23	96% 100%

2 Entry composition [i](#)

There are 50 unique types of molecules in this entry. The entry contains 128975 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 25S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	1	3165	67695	30238	12201	22091	3165	0	0

- Molecule 2 is a protein called 60S ribosomal protein L23-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	X	136	1003	628	189	179	7	0	0

- Molecule 3 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	3	121	2579	1152	461	845	121	0	0

- Molecule 4 is a protein called 60S ribosomal protein L24-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	Y	98	699	443	137	118	1	0	0

- Molecule 5 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
5	4	158	3353	1500	586	1109	158	0	0

- Molecule 6 is a protein called 60S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	Z	121	964	620	169	173	2	0	0

- Molecule 7 is a RNA chain called The A-site tRNA was modeled based on an E. coli tRNA-Lys.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
7	A	76	1611	721	281	534	75	0	0

- Molecule 8 is a protein called 60S ribosomal protein L26-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
8	a	126	993	625	192	176	0	0

- Molecule 9 is a RNA chain called P-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
9	B	77	1644	731	290	546	77	0	0

- Molecule 10 is a protein called 60S ribosomal protein L27-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
10	b	135	1092	710	202	180	0	0

- Molecule 11 is a protein called 60S ribosomal protein L42-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	C	105	847	534	170	138	5	0	0

- Molecule 12 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	c	148	1173	749	231	190	3	0	0

- Molecule 13 is a protein called 60S ribosomal protein L43-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	D	91	694	429	138	121	6	0	0

- Molecule 14 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	d	58	Total	C	N	O	0	0
			462	289	100	73		

- Molecule 15 is a protein called 60S ribosomal protein L2-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	E	252	Total	C	N	O	S	0	0
			1914	1191	388	334	1		

- Molecule 16 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	e	97	Total	C	N	O	S	0	0
			743	479	124	139	1		

- Molecule 17 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	F	386	Total	C	N	O	S	0	0
			3075	1950	584	533	8		

- Molecule 18 is a protein called 60S ribosomal protein L31-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	f	109	Total	C	N	O	S	0	0
			876	556	167	152	1		

- Molecule 19 is a protein called 60S ribosomal protein L4-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	G	361	Total	C	N	O	S	0	0
			2748	1729	522	494	3		

- Molecule 20 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	g	127	Total	C	N	O	S	0	0
			1020	647	205	167	1		

- Molecule 21 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	H	296	Total	C	N	O	S	0	0
			2375	1501	414	458	2		

- Molecule 22 is a protein called 60S ribosomal protein L33-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	h	106	Total	C	N	O	S	0	0
			850	540	165	144	1		

- Molecule 23 is a protein called 60S ribosomal protein L6-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	I	156	Total	C	N	O	S	0	0
			1239	800	222	216	1		

- Molecule 24 is a protein called 60S ribosomal protein L34-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	i	112	Total	C	N	O	S	0	0
			880	545	179	152	4		

- Molecule 25 is a protein called 60S ribosomal protein L7-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	J	222	Total	C	N	O	S	0	0
			1784	1151	324	308	1		

- Molecule 26 is a protein called 60S ribosomal protein L35-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	j	119	Total	C	N	O	S	0	0
			969	615	186	167	1		

- Molecule 27 is a protein called 60S ribosomal protein L8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	K	233	Total	C	N	O	S	0	0
			1804	1151	323	327	3		

- Molecule 28 is a protein called 60S ribosomal protein L36-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	k	99	771	481	156	132	2	0	0

- Molecule 29 is a protein called 60S ribosomal protein L9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	L	191	1518	963	274	277	4	0	0

- Molecule 30 is a protein called 60S ribosomal protein L37-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	l	87	681	414	148	114	5	0	0

- Molecule 31 is a protein called 60S ribosomal protein L11-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	M	169	1353	847	253	249	4	0	0

- Molecule 32 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
32	m	77	612	391	115	106	0	0

- Molecule 33 is a protein called 60S ribosomal protein L13-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
33	N	193	1543	962	315	266	0	0

- Molecule 34 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	n	50	436	272	97	65	2	0	0

- Molecule 35 is a protein called 60S ribosomal protein L14-B.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	O	136	Total	C	N	O	S	0	0
			1053	675	199	177	2		

- Molecule 36 is a protein called Ubiquitin-60S ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	o	52	Total	C	N	O	S	0	0
			417	259	86	67	5		

- Molecule 37 is a protein called 60S ribosomal protein L15-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	P	203	Total	C	N	O	S	0	0
			1720	1077	361	281	1		

- Molecule 38 is a protein called 60S ribosomal protein L41-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	p	25	Total	C	N	O	S	0	0
			233	142	63	27	1		

- Molecule 39 is a protein called 60S ribosomal protein L16-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	Q	197	Total	C	N	O	S	0	0
			1555	1003	289	262	1		

- Molecule 40 is a protein called Eukaryotic translation initiation factor 5A-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	q	154	Total	C	N	O	S	0	0
			1143	709	195	230	9		

- Molecule 41 is a protein called 60S ribosomal protein L17-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
41	R	183	Total	C	N	O	0	0
			1420	882	281	257		

- Molecule 42 is a protein called ribosomal protein RPL1.

Mol	Chain	Residues	Atoms				AltConf	Trace
42	r	210	Total	C	N	O	0	0
			1050	630	210	210		

- Molecule 43 is a protein called 60S ribosomal protein L18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	S	185	Total	C	N	O	S	0	0
			1441	908	290	241	2		

- Molecule 44 is a protein called 60S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	s	220	Total	C	N	O	S	0	0
			1770	1121	335	307	7		

- Molecule 45 is a protein called 60S ribosomal protein L19-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
45	T	188	Total	C	N	O	0	0
			1521	935	326	260		

- Molecule 46 is a protein called 60S ribosomal protein L20-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	U	172	Total	C	N	O	S	0	0
			1445	930	267	244	4		

- Molecule 47 is a protein called 60S ribosomal protein L21-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	V	159	Total	C	N	O	S	0	0
			1276	805	246	221	4		


- Molecule 48 is a protein called 60S ribosomal protein L22-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
48	W	100	Total	C	N	O	0	0
			796	516	131	149		


- Molecule 49 is a protein called nascent polypeptide chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
49	z	23	115	69	23	23	0	0


- Molecule 50 is 4-{(2R)-2-[(1S,3S,5S)-3,5-dimethyl-2-oxocyclohexyl]-2-hydroxyethyl}piperidine-2,6-dione (three-letter code: 3HE) (formula: C₁₅H₂₃NO₄).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
50	1	1	20	15	1	4	0





A3021	G3022	U3023	G3026	A3027	G3028	A3029	G3030	G3031	A3032	G3033	A3034	G3035	A3036	G3037	A3038	G3039	A3040	G3041	A3042	G3043	A3044	G3045	A3046	G3047	A3048	A3049	G3050	A3051	G3052	A3053	G3054	A3055	G3056	U3057	G3058	G3059	G3060	G3061	G3062	G3063	U3064	G3065	U3068	G3069	A3070	U3071	G3072	A3073	G3074	G3075	A3076	U3077	G3078	U3079	G3080	A3081	G3082	U3083	G3084	A3085	G3086	A3087	G3088	A3089	G3089	A3090	G3091	A3092	G3093	A3094	G3095	A3096	G3097	A3098	G3099	A3100	G3101	A3102	G3103	A3104	G3105	A3106	G3107	A3108	G3109	A3110	G3111	A3112	G3113	A3114	G3115	A3116	G3117	A3118	G3119	A3120	G3121	A3122	G3123	A3124	G3125	A3126	G3127	A3128	G3129	A3130	G3131	A3132	G3133	A3134	G3135	A3136	G3137	A3138	G3139	A3140	G3141	A3142	G3143	A3144	G3145	A3146	G3147	A3148	G3149	A3150	G3151	A3152	G3153	A3154	G3155	A3156	G3157	A3158	G3159	A3160	G3161	A3162	G3163	A3164	G3165	A3166	G3167	A3168	G3169	A3170	G3171	A3172	G3173	A3174	G3175	A3176	G3177	A3178	G3179	A3180	G3181	A3182	G3183	A3184	G3185	A3186	G3187	A3188	G3189	A3190	G3191	A3192	G3193	A3194	G3195	A3196	G3197	A3198	G3199	A3200	G3201	A3202	G3203	A3204	G3205	A3206	G3207	A3208	G3209	A3210	G3211	A3212	G3213	A3214	G3215	A3216	G3217	A3218	G3219	A3220	G3221	A3222	G3223	A3224	G3225	A3226	G3227	A3228	G3229	A3230	G3231	A3232	G3233	A3234	G3235	A3236	G3237	A3238	G3239	A3240	G3241	A3242	G3243	A3244	G3245	A3246	G3247	A3248	G3249	A3250	G3251	A3252	G3253	A3254	G3255	A3256	G3257	A3258	G3259	A3260	G3261	A3262	G3263	A3264	G3265	A3266	G3267	A3268	G3269	A3270	G3271	A3272	G3273	A3274	G3275	A3276	G3277	A3278	G3279	A3280	G3281	A3282	G3283	A3284	G3285	A3286	G3287	A3288	G3289	A3290	G3291	A3292	G3293	A3294	G3295	A3296	G3297	A3298	G3299	A3300	G3301	A3302	G3303	A3304	G3305	A3306	G3307	A3308	G3309	A3310	G3311	A3312	G3313	A3314	G3315	A3316	G3317	A3318	G3319	A3320	G3321	A3322	G3323	A3324	G3325	A3326	G3327	A3328	G3329	A3330	G3331	A3332	G3333	A3334	G3335	A3336	G3337	A3338	G3339	A3340	G3341	A3342	G3343	A3344	G3345	A3346	G3347	A3348	G3349	A3350	G3351	A3352	G3353	A3354	G3355	A3356	G3357	A3358	G3359	A3360	G3361	A3362	G3363	A3364	G3365	A3366	G3367	A3368	G3369	A3370	G3371	A3372	G3373	A3374	G3375	A3376	G3377	A3378	G3379	A3380	G3381	A3382	G3383	A3384	G3385	A3386	G3387	A3388	G3389	A3390	G3391	A3392	G3393	A3394	G3395	A3396	G3397	A3398	G3399	A3400	G3401	A3402	G3403	A3404	G3405	A3406	G3407	A3408	G3409	A3409	G3410	A3411	G3412	A3413	G3414	A3415	G3416	A3417	G3418	A3419	G3419	A3420	G3421	A3422	G3423	A3424	G3425	A3426	G3427	A3428	G3429	A3430	G3431	A3432	G3433	A3434	G3435	A3436	G3437	A3438	G3439	A3440	G3441	A3442	G3443	A3444	G3445	A3446	G3447	A3448	G3449	A3450	G3451	A3452	G3453	A3454	G3455	A3456	G3457	A3458	G3459	A3460	G3461	A3462	G3463	A3464	G3465	A3466	G3467	A3468	G3469	A3470	G3471	A3472	G3473	A3474	G3475	A3476	G3477	A3478	G3479	A3480	G3481	A3482	G3483	A3484	G3485	A3486	G3487	A3488	G3489	A3490	G3491	A3492	G3493	A3494	G3495	A3496	G3497	A3498	G3499	A3500	G3501	A3502	G3503	C2492	U2493	A2494	C2495	C2496	U2497	U2498	U2499	A2500	A2501	A2502	G2503	C2507	U2508	U2509	U2510	A2511	C2512	U2513	U2514	A2515	U2516	A2517	G2518	A2519	G2520	A2521	G2522	A2523	A2524	G2525	G2526	G2527	G2528	A2529	G2530	C2531	G2532	G2533	A2534	A2535	A2536	U2537	G2538	G2539	A2540	U2541	U2542	U2543	U2544	C2545	C2546	A2547	G2548	G2549	U2550	U2551	C2552	U2553	A2554	G2555	C2556	A2557	U2558	U2559	A2561	A2562	G2563	G2564	U2565	C2566	A2567	G2568	A2569	U2570	U2571	C2572	G2575	G2576	C2577	A2578	G2579	A2580	G2581	A2582	G2583	A2584	G2585	A2586	G2587	A2588	G2589	A2590	G2591	A2592	A2593	C2594	A2595	U2596	U2597	C2598	C2599	G2600	G2601	G2602	U2611	U2612	U2613	G2614	C2615	C2616	U2617	G2618	G2619	G2620	G2621	G2622	G2623	G2624	C2625	A2626	C2627	A2628	U2629	A2629	G2630	U2631	G2632	A2635	A2636	A2637	G2638	G2639	A2640	A2641	G2642	A2643	A2644	G2645	A2646	G2647	A2648	U2649	G2650	G2651	G2652	U2653	A2654	G2655	U2656	A2657	U2658	U2659	A2661	A2662	G2663	G2664	U2665	C2666	A2667	U2668	G2669	A2670	A2671	G2672	A2673	A2674	A2675	A2676	G2677	A2678	A2679	A2680	U2681	C2682	U2683	C2684	C2685	A2686	G2687	U2688	G2689	G2690	A2691	A2692	C2693	A2694	A2695	A2696	A2697	G2698	U2701	A2702	A2703	G2704	A2705	G2706	A2707	G2708	G2709	C2710	A2711	U2712	G2713	U2714	A2715	U2716	U2717	U2718	U2719	U2720	G2721	A2722	G2723	A2724	G2725	A2726	A2727	G2728	U2729	G2730	U2731	G2732	A2733	A2734	U2735	A2736	C2737	A2738	A2739	A2740	C2741	C2742	A2743	U2744	G2745	A2746	A2747	U2752	G2753	G2754	C2755	C2756	U2757	A2758	U2759	C2760	A2761	G2762	U2763	C2764	U2767	U2768	A2769	G2770	U2771	C2772	C2773	C2774	U2775	C2776	G2777	G2778	A2779	A2780	U2781	U2782	A2783	G2786	A2790	G2791	A2792	G2793	G2794	U2795	G2796	C2797	U2798	U2860	U2861	U2862	A2801	A2864	U2865	U2866	C2867	U2868	U2869	G2870	G2871	A2872	U2873	G2874	U2875	C2876	G2877	G2878	C2881	U2882	C2885	U2886	A2887	U2888	C2889	A2890	U2891	A2892	C2893	G2895	A2896	G2897	A2900	G2901	A2902	A2903	U2904	U2905	C2906	G2907	G2908	U2909	A2910	A2911	G2912	C2913	G2914	U2915	U2916	G2917	A2918	A2919	U2920	U2921	G2922	U2923	U2924	C2925	A2926	C2927	C2928	A2929	A2930	C2931	U2932	A2933	A2934	U2935	A2936	G2937	G2938	G2939	A2941	C2942	G2943	U2944	G2945	G2946	G2947	C2948	U2949	G2950	G2951	G2952	U2953	U2954	U2955	A2956	U2957	A2958	G2959	A2960	G2961	A2962	C2963	G2964	U2965	G2966	A2967	G2968	A2969	C2970	A2971	G2972	C2973	G2974	U2975	U2976	U2979	U2980	U2981	A2982	C2983	C2984	C2985	U2986	U2989	G2990	A2991	U2992	U2996	G2997	U2998	U2999	A3000	C3001	C3002	G3003	C3004	A3005	A3006	U3007	A3008	C3009	U3010	A3011	A3012	U3013	U3014	U3015	U3016	U3017	C3018	U3019	U3020	C2267	U2268	U2269	A2270	A2271	G2272	G2273	U2274	A2275	G2276	U2281	U2282	G2283	C2284	U2286	C2287	G2288	U2289	C2290	A2291	U2292	C2293	U2294	A2295	A2296	U2297	U2298	A2299	G2300	U2301	G2302	A2303	C2304	G2305	C2306	G2307	C2308	A2309	G2310	G2311	A2312	A2313	U2314	G2315	G2316	A2317	U2318	U2319	G2323	A2324	G2325	A2326	U2327	U2328	C2329	C2330	C2331	A2332	C2333	U2334	G2335	U2336	G2337	C2338	U2339	A2340	A2341	U2342	C2343	U2344	A2345	C2346	U2347	A2348	U2349	C2350	C2351	A2352	G2353	C2354	G2355	A2356	A2357	A2358	C2359	C2360	A2363	G2364	C2365	C2366	A2367	A2368	G2369	G2370	G2371	A2372	C2373	A2374	G2375	G2376	G2377	C2378	U2379	U2380	G2381	G2382	C2383	A2384	G2385	A2386	A2387	U2388	C2389	A2390	G2391	C2392	G2393	U2394	G2395	G2396	A2397	U2398	G2399	A2400	A2401	A2402	G2403	A2404	C2405	C2406	C2407	U2408	G2409	U2410	U2411	G2412	A2413	G2414	C2415	U2416	U2417	A2418	A2419	C2420	U2421	C2422	U2423	A2424	G2425	U2426	U2427	U2428	G2429	A2430	C2431	A2432	U2433	U2434	G2435	U2436	G2437	A2438	A2439	G2440	A2441	G2442	A2443	C2444	A2445	U2446	A2447	G2448	A2449	A2450	G2451	G2452	U2453	A2454	G2455	A2456	G2457	U2458	U2459	A2501	A2502	G2503	C2507	U2508	U2509	U2510	A2511	C2512	U2513	U2514	A2515	U2516	A2517	G2518	A2519	G2520	A2521	G2522	A2523	A2524	G2525	G2526	G2527	G2528	A2529	G2530	C2531	G2532	G2533	A2534	A2535	A2536	U2537	G2538	G2539	A2540	U2541	U2542	U2543	U2544	C2545	C2546	A2547	G2548	G2549	U2550	U2551	C2552	U2553	A2554	G2555	C2556	A2557	U2558	U2559	A2561	A2562	G2563	G2564	U2565	C2566	A2567	G2568	A2569	U2570	U2571	C2572	G2575	G2576	C2577	A2578	G2579	A2580	G2581	A2582	G2583	A2584	G2585	A2586	G2587	A2588	C2589	A2590	G2591	A2592	A2593	C2594	A2595	U2596	U2597	C2598	C2599	G2600	G2601	G2602	U2611	U2612	U2613	G2614	C2615	C2616	U2617	G2618	G2619	G2620	G2621	G2622	G2623	G2624	C2625	A2626	C2627	A2628	U2629	A2629	G2630	U2631	G2632	A2635	A2636	A2637	G2638	G2639	A2640	A2641	G2642	A2643	A2644	G2645	A2646	G2647	A2648	U2649	G2650	G2651	G2652	U2653	A2654	G2655	U2656	A2657	U2658	U2659	A2501	A2502	G2503	C2507	U2508	U2509	U2510	A2511	C2512	U2513	U2514	A2515	U2516	A2517	G2518	A2519	G2520	A2521	G2522	A2523	A2524	G2525	G2526	G2527	G2528	A2529	G2530	C2531	G2532	G2533	A2534	A2535	A2536	U2537	G2538	G2539	A2540	U2541	U2542	U2543	U2544	C2545	C2546	A2547	G2548	G2549	U2550	U2551	C2552	U2553	A2554	G2555	C2556	A2557	U2558	U2559	A2561	A2562	G2563	G2564	U2565	C2566	A2567	G2568	A2569	U2570	U2571	C2572	G2575	G2576	C2577	A2578	G2579	A2580	G2581	A2582	G2583	A2584	G2585	A2586	G2587	A2588	C2589	A2590	G2591	A2592	A2593	C2594	A2595	U2596	U2597	C2598	C2599	G2600	G2601	G2602	U2611	U2612	U2613	G2614
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------




• Molecule 2: 60S ribosomal protein L23-A




• Molecule 3: 5S rRNA




• Molecule 4: 60S ribosomal protein L24-A




• Molecule 8: 60S ribosomal protein L26-A



• Molecule 9: P-site tRNA




• Molecule 10: 60S ribosomal protein L27-A





• Molecule 11: 60S ribosomal protein L42-A








• Molecule 12: 60S ribosomal protein L28





• Molecule 13: 60S ribosomal protein L43-A




• Molecule 14: 60S ribosomal protein L29





• Molecule 15: 60S ribosomal protein L2-A







• Molecule 16: 60S ribosomal protein L30




• Molecule 17: 60S ribosomal protein L3





• Molecule 18: 60S ribosomal protein L31-A




• Molecule 22: 60S ribosomal protein L33-A




• Molecule 23: 60S ribosomal protein L6-A





• Molecule 24: 60S ribosomal protein L34-A








• Molecule 25: 60S ribosomal protein L7-A




• Molecule 26: 60S ribosomal protein L35-A





• Molecule 27: 60S ribosomal protein L8-A









• Molecule 28: 60S ribosomal protein L36-A




• Molecule 29: 60S ribosomal protein L9-A






• Molecule 30: 60S ribosomal protein L37-A













• Molecule 31: 60S ribosomal protein L11-A




• Molecule 32: 60S ribosomal protein L38





• Molecule 33: 60S ribosomal protein L13-A





• Molecule 34: 60S ribosomal protein L39





• Molecule 38: 60S ribosomal protein L41-A




• Molecule 39: 60S ribosomal protein L16-A




• Molecule 40: Eukaryotic translation initiation factor 5A-1





• Molecule 41: 60S ribosomal protein L17-A








• Molecule 42: ribosomal protein RPL1




• Molecule 43: 60S ribosomal protein L18-A




• Molecule 44: 60S ribosomal protein L10








• Molecule 45: 60S ribosomal protein L19-A




• Molecule 46: 60S ribosomal protein L20-A




• Molecule 47: 60S ribosomal protein L21-A



• Molecule 48: 60S ribosomal protein L22-A



• Molecule 49: nascent polypeptide chain



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	62532	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING ONLY; Each Particle	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	20	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	0.404	Depositor
Minimum map value	-0.244	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.022	Depositor
Recommended contour level	0.06	Depositor
Map size (\AA)	401.08, 401.08, 401.08	wwPDB
Map dimensions	370, 370, 370	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.084, 1.084, 1.084	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 5CT, 3HE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1	0.73	0/75774	1.03	156/118137 (0.1%)
2	X	0.39	0/1018	0.52	0/1369
3	3	0.61	0/2883	0.94	0/4491
4	Y	0.32	0/712	0.50	0/958
5	4	0.73	0/3746	0.99	8/5832 (0.1%)
6	Z	0.39	0/979	0.54	0/1321
7	A	0.52	0/1799	1.03	4/2801 (0.1%)
8	a	0.34	0/1004	0.55	1/1341 (0.1%)
9	B	0.57	1/1835 (0.1%)	1.01	1/2858 (0.0%)
10	b	0.35	0/1118	0.51	0/1497
11	C	0.37	0/860	0.53	0/1136
12	c	0.40	0/1204	0.54	0/1612
13	D	0.42	0/701	0.60	0/934
14	d	0.36	0/473	0.48	0/629
15	E	0.41	0/1948	0.56	0/2617
16	e	0.34	0/751	0.50	0/1008
17	F	0.40	0/3146	0.55	0/4228
18	f	0.40	0/890	0.54	0/1196
19	G	0.39	0/2800	0.53	0/3790
20	g	0.39	0/1041	0.54	0/1394
21	H	0.34	0/2425	0.50	0/3271
22	h	0.45	0/868	0.53	0/1168
23	I	0.34	0/1260	0.47	0/1694
24	i	0.39	0/890	0.52	0/1189
25	J	0.41	0/1821	0.50	0/2451
26	j	0.33	0/978	0.47	0/1301
27	K	0.35	0/1836	0.52	0/2481
28	k	0.31	0/778	0.50	0/1034
29	L	0.37	0/1539	0.53	0/2073
30	l	0.44	0/696	0.54	0/923
31	M	0.33	0/1374	0.51	0/1842
32	m	0.31	0/618	0.53	0/826

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	N	0.36	0/1568	0.52	0/2106
34	n	0.36	0/443	0.51	0/588
35	O	0.34	0/1068	0.52	0/1438
36	o	0.37	0/423	0.52	0/562
37	P	0.45	0/1757	0.58	0/2354
38	p	0.29	0/234	0.52	0/300
39	Q	0.41	0/1585	0.54	0/2128
40	q	0.32	0/1142	0.61	0/1537
41	R	0.40	0/1443	0.55	0/1944
43	S	0.37	0/1465	0.54	0/1965
44	s	0.40	0/1807	0.54	0/2425
45	T	0.34	0/1538	0.48	0/2050
46	U	0.43	0/1481	0.55	0/1990
47	V	0.39	0/1300	0.54	0/1743
48	W	0.36	0/812	0.52	0/1099
All	All	0.61	1/137831 (0.0%)	0.89	170/203631 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
17	F	0	1
25	J	0	1
27	K	0	1
30	l	0	1
35	O	0	1
39	Q	0	1
40	q	0	1
43	S	0	1
44	s	0	2
All	All	0	10

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	B	1	G	OP3-P	-10.85	1.48	1.61

The worst 5 of 170 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	922	U	C2-N1-C1'	8.41	127.79	117.70
1	1	3278	C	C2-N1-C1'	7.92	127.51	118.80
1	1	1836	C	N3-C2-O2	-7.81	116.43	121.90
1	1	2867	C	N1-C2-O2	7.79	123.57	118.90
1	1	1836	C	N1-C2-O2	7.77	123.56	118.90

There are no chirality outliers.

5 of 10 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
17	F	348	ARG	Peptide
25	J	108	LEU	Peptide
27	K	76	ALA	Peptide
35	O	48	GLY	Peptide
30	l	50	GLY	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	X	134/137 (98%)	130 (97%)	4 (3%)	0	100	100
4	Y	96/155 (62%)	86 (90%)	10 (10%)	0	100	100
6	Z	119/142 (84%)	111 (93%)	7 (6%)	1 (1%)	19	57
8	a	124/127 (98%)	109 (88%)	15 (12%)	0	100	100
10	b	133/136 (98%)	120 (90%)	12 (9%)	1 (1%)	19	57
11	C	103/106 (97%)	88 (85%)	15 (15%)	0	100	100
12	c	146/149 (98%)	128 (88%)	15 (10%)	3 (2%)	7	39

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
13	D	89/92 (97%)	79 (89%)	10 (11%)	0	100	100
14	d	56/59 (95%)	48 (86%)	7 (12%)	1 (2%)	8	41
15	E	250/254 (98%)	230 (92%)	20 (8%)	0	100	100
16	e	95/105 (90%)	88 (93%)	7 (7%)	0	100	100
17	F	384/387 (99%)	358 (93%)	25 (6%)	1 (0%)	41	75
18	f	107/109 (98%)	99 (92%)	8 (8%)	0	100	100
19	G	359/362 (99%)	319 (89%)	38 (11%)	2 (1%)	25	63
20	g	125/130 (96%)	115 (92%)	10 (8%)	0	100	100
21	H	294/297 (99%)	260 (88%)	31 (10%)	3 (1%)	15	52
22	h	104/107 (97%)	100 (96%)	4 (4%)	0	100	100
23	I	152/176 (86%)	145 (95%)	6 (4%)	1 (1%)	22	60
24	i	110/121 (91%)	106 (96%)	4 (4%)	0	100	100
25	J	220/244 (90%)	202 (92%)	18 (8%)	0	100	100
26	j	117/120 (98%)	103 (88%)	14 (12%)	0	100	100
27	K	231/256 (90%)	205 (89%)	23 (10%)	3 (1%)	12	48
28	k	97/100 (97%)	80 (82%)	16 (16%)	1 (1%)	15	52
29	L	189/191 (99%)	169 (89%)	20 (11%)	0	100	100
30	l	85/88 (97%)	74 (87%)	11 (13%)	0	100	100
31	M	167/174 (96%)	145 (87%)	20 (12%)	2 (1%)	13	49
32	m	75/78 (96%)	69 (92%)	6 (8%)	0	100	100
33	N	191/199 (96%)	171 (90%)	20 (10%)	0	100	100
34	n	48/51 (94%)	45 (94%)	3 (6%)	0	100	100
35	O	134/138 (97%)	119 (89%)	15 (11%)	0	100	100
36	o	50/128 (39%)	46 (92%)	4 (8%)	0	100	100
37	P	201/204 (98%)	176 (88%)	25 (12%)	0	100	100
38	p	23/25 (92%)	22 (96%)	1 (4%)	0	100	100
39	Q	195/199 (98%)	179 (92%)	16 (8%)	0	100	100
40	q	151/157 (96%)	127 (84%)	14 (9%)	10 (7%)	1	19
41	R	181/184 (98%)	166 (92%)	15 (8%)	0	100	100
43	S	183/186 (98%)	169 (92%)	14 (8%)	0	100	100
44	s	218/221 (99%)	180 (83%)	29 (13%)	9 (4%)	3	27

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
45	T	186/189 (98%)	169 (91%)	16 (9%)	1 (0%)	29	67
46	U	170/172 (99%)	151 (89%)	18 (11%)	1 (1%)	25	63
47	V	157/160 (98%)	150 (96%)	6 (4%)	1 (1%)	25	63
48	W	98/121 (81%)	86 (88%)	11 (11%)	1 (1%)	15	52
All	All	6347/6736 (94%)	5722 (90%)	583 (9%)	42 (1%)	26	60

5 of 42 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
12	c	48	TYR
23	I	98	VAL
40	q	110	LYS
40	q	112	ASP
40	q	133	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	X	104/105 (99%)	104 (100%)	0	100	100
4	Y	57/129 (44%)	57 (100%)	0	100	100
6	Z	104/118 (88%)	104 (100%)	0	100	100
8	a	109/110 (99%)	109 (100%)	0	100	100
10	b	115/116 (99%)	115 (100%)	0	100	100
11	C	90/91 (99%)	90 (100%)	0	100	100
12	c	118/119 (99%)	118 (100%)	0	100	100
13	D	71/72 (99%)	71 (100%)	0	100	100
14	d	46/47 (98%)	46 (100%)	0	100	100
15	E	193/196 (98%)	193 (100%)	0	100	100
16	e	81/88 (92%)	81 (100%)	0	100	100
17	F	320/323 (99%)	319 (100%)	1 (0%)	92	95

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
18	f	92/96 (96%)	92 (100%)	0	100	100
19	G	288/289 (100%)	288 (100%)	0	100	100
20	g	109/111 (98%)	109 (100%)	0	100	100
21	H	244/245 (100%)	243 (100%)	1 (0%)	91	94
22	h	90/91 (99%)	90 (100%)	0	100	100
23	I	134/153 (88%)	134 (100%)	0	100	100
24	i	95/103 (92%)	95 (100%)	0	100	100
25	J	186/205 (91%)	186 (100%)	0	100	100
26	j	104/105 (99%)	104 (100%)	0	100	100
27	K	187/208 (90%)	187 (100%)	0	100	100
28	k	81/82 (99%)	81 (100%)	0	100	100
29	L	171/171 (100%)	171 (100%)	0	100	100
30	l	70/71 (99%)	70 (100%)	0	100	100
31	M	147/150 (98%)	147 (100%)	0	100	100
32	m	68/69 (99%)	68 (100%)	0	100	100
33	N	154/159 (97%)	154 (100%)	0	100	100
34	n	45/46 (98%)	45 (100%)	0	100	100
35	O	107/109 (98%)	107 (100%)	0	100	100
36	o	47/116 (40%)	47 (100%)	0	100	100
37	P	175/176 (99%)	175 (100%)	0	100	100
38	p	23/23 (100%)	23 (100%)	0	100	100
39	Q	160/162 (99%)	160 (100%)	0	100	100
40	q	118/132 (89%)	113 (96%)	5 (4%)	30	57
41	R	140/146 (96%)	140 (100%)	0	100	100
43	S	150/151 (99%)	150 (100%)	0	100	100
44	s	184/187 (98%)	178 (97%)	6 (3%)	38	63
45	T	153/154 (99%)	153 (100%)	0	100	100
46	U	156/156 (100%)	156 (100%)	0	100	100
47	V	136/137 (99%)	136 (100%)	0	100	100
48	W	87/107 (81%)	87 (100%)	0	100	100
All	All	5309/5624 (94%)	5296 (100%)	13 (0%)	93	96

5 of 13 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
44	s	102	LEU
44	s	103	SER
44	s	110	LEU
44	s	108	ASP
44	s	109	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 79 such sidechains are listed below:

Mol	Chain	Res	Type
36	o	109	ASN
44	s	54	ASN
37	P	87	GLN
40	q	125	GLN
46	U	46	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1	3162/3396 (93%)	1117 (35%)	336 (10%)
3	3	120/121 (99%)	30 (25%)	7 (5%)
5	4	157/158 (99%)	58 (36%)	20 (12%)
7	A	75/76 (98%)	40 (53%)	7 (9%)
9	B	76/77 (98%)	35 (46%)	6 (7%)
All	All	3590/3828 (93%)	1280 (35%)	376 (10%)

5 of 1280 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1	6	A
1	1	11	A
1	1	13	A
1	1	14	U
1	1	15	C

5 of 376 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	1	2403	G
1	1	2850	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	2500	A
1	1	2635	A
1	1	3115	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
40	5CT	q	51	40	13,14,15	0.35	0	9,15,17	1.21	2 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
40	5CT	q	51	40	-	5/13/14/16	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
40	q	51	5CT	C1-NZ-CE	-2.32	108.23	113.42
40	q	51	5CT	C4-C3-C2	-2.05	109.16	113.47

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
40	q	51	5CT	O-C-CA-CB

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
40	q	51	5CT	C2-C3-C4-N1
40	q	51	5CT	CG-CD-CE-NZ
40	q	51	5CT	C2-C1-NZ-CE
40	q	51	5CT	CD-CE-NZ-C1

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
50	3HE	1	3401	-	21,21,21	0.87	1 (4%)	19,30,30	0.76	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
50	3HE	1	3401	-	-	3/8/36/36	0/2/2/2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
50	1	3401	3HE	C5-C7	3.30	1.58	1.53

There are no bond angle outliers.

There are no chirality outliers.


All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
50	1	3401	3HE	C7-C8-C9-C10
50	1	3401	3HE	C7-C8-C9-C13
50	1	3401	3HE	O3-C7-C8-C9

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-3227. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 185



Y Index: 185




Z Index: 185


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 184



Y Index: 216



Z Index: 198


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.06. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1328 nm³; this corresponds to an approximate mass of 1199 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.258\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-3227 and PDB model 5GAK. Per-residue inclusion information can be found in section [3](#) on page [13](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.06 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.06).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 21% of all backbone atoms, 24% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary































The table lists the average atom inclusion at the recommended contour level (0.06) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.2400	 -0.0120
1	 0.2674	 -0.0130
3	 0.3183	 -0.0210
4	 0.2431	 -0.0250
A	 0.1676	 -0.0150
B	 0.2305	 0.0010
C	 0.1280	 -0.0020
D	 0.1465	 -0.0120
E	 0.2093	 0.0100
F	 0.2585	 -0.0090
G	 0.2022	 -0.0280
H	 0.2011	 0.0080
I	 0.1979	 -0.0340
J	 0.1912	 -0.0280
K	 0.1755	 0.0320
L	 0.2114	 -0.0230
M	 0.1909	 0.0130
N	 0.2145	 0.0110
O	 0.1550	 -0.0430
P	 0.2676	 0.0110
Q	 0.2358	 -0.0320
R	 0.2340	 -0.0260
S	 0.2136	 -0.0210
T	 0.1871	 -0.0350
U	 0.1947	 -0.0200
V	 0.1790	 -0.0200
W	 0.2199	 -0.0260
X	 0.1645	 -0.0310
Y	 0.1977	 0.0080
Z	 0.2208	 -0.0080
a	 0.2008	 -0.0390
b	 0.2176	 0.0030
c	 0.2093	 -0.0130
d	 0.1637	 -0.0330
e	 0.1354	 -0.0040



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
f	 0.2129	 -0.0140
g	 0.2304	 -0.0230
h	 0.2753	 -0.0160
i	 0.2644	 0.0200
j	 0.2110	 0.0010
k	 0.1678	 0.0600
l	 0.2183	 -0.0270
m	 0.1519	 -0.0310
n	 0.1904	 -0.0230
o	 0.1836	 0.0130
p	 0.1934	 -0.0010
q	 0.1041	 0.0100
r	 0.1514	 -0.0060
s	 0.1895	 -0.0110
z	 0.0696	 -0.0450