

Full wwPDB X-ray Structure Validation Report (i)

Oct 10, 2021 – 03:23 PM EDT

PDB ID	:	3GDV
Title	:	Crystal structure of DegS H198P/D320A mutant modified by DFP and in
		complex with YQF peptide
Authors	:	Sohn, J.; Grant, R.A.; Sauer, R.T.
Deposited on	:	2009-02-24
Resolution	:	2.49 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.23.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.23.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution
wietric	$(\# {\rm Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	5857 (2.50-2.46)
Clashscore	141614	6594 (2.50-2.46)
Ramachandran outliers	138981	6469 (2.50-2.46)
Sidechain outliers	138945	6471 (2.50-2.46)
RSRZ outliers	127900	5738 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
			6%		
1	А	340	65%	22%	13%
			14%		
1	В	340	66%	18%	16%
			4%		
1	С	340	69%	17%	14%
			67%		
2	D	3	67%	33%	
			100%		
2	Ε	3	67%	33%	



Mol	Chain	Length		Quality of chain	
2	F	3	33%	67%	-



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 6662 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace		
1	Δ	296	Total	С	Ν	Ο	Р	\mathbf{S}	0	0	Ο
1	11	250	2193	1371	388	428	1	5	0	0	0
1	В	284	Total	\mathbf{C}	Ν	Ο	Р	\mathbf{S}	0	0	Ο
1	D	204	2103	1321	367	410	1	4	0	0	0
1	С	204	Total	С	Ν	0	Р	S	0	0	0
1	1 0 294	294	2189	1372	388	423	1	5	0	0	0

• Molecule 1 is a protein called DegS protease.

There are 39 discrepancies between the mod	delled and reference sequences:
--	---------------------------------

Chain	Residue	Modelled	Actual	Comment	Reference
А	16	MET	-	expression tag	UNP P0AEE3
А	17	ARG	-	expression tag	UNP P0AEE3
А	18	GLY	-	expression tag	UNP P0AEE3
А	19	SER	-	expression tag	UNP P0AEE3
А	20	HIS	-	expression tag	UNP P0AEE3
А	21	HIS	-	expression tag	UNP P0AEE3
А	22	HIS	-	expression tag	UNP P0AEE3
А	23	HIS	-	expression tag	UNP P0AEE3
А	24	HIS	-	expression tag	UNP P0AEE3
А	25	HIS	-	expression tag	UNP P0AEE3
А	26	GLY	-	expression tag	UNP P0AEE3
А	198	PRO	HIS	engineered mutation	UNP P0AEE3
A	320	ALA	ASP	engineered mutation	UNP P0AEE3
В	16	MET	-	expression tag	UNP P0AEE3
В	17	ARG	-	expression tag	UNP P0AEE3
В	18	GLY	-	expression tag	UNP P0AEE3
В	19	SER	-	expression tag	UNP P0AEE3
В	20	HIS	-	expression tag	UNP P0AEE3
В	21	HIS	-	expression tag	UNP P0AEE3
В	22	HIS	-	expression tag	UNP P0AEE3
В	23	HIS	-	expression tag	UNP P0AEE3
В	24	HIS	-	expression tag	UNP P0AEE3
В	25	HIS	_	expression tag	UNP P0AEE3



Chain

В

В

В

С

С

С

С

С

С

С

С

С

С

С

С

С

vious page			
Modelled	Actual	Comment	Reference
GLY	-	expression tag	UNP P0AEE3
PRO	HIS	engineered mutation	UNP P0AEE3
ALA	ASP	engineered mutation	UNP P0AEE3
MET	-	expression tag	UNP P0AEE3
ARG	-	expression tag	UNP P0AEE3
GLY	-	expression tag	UNP P0AEE3
SER	-	expression tag	UNP P0AEE3

expression tag

engineered mutation

engineered mutation

UNP POAEE3

UNP POAEE3

UNP POAEE3

UNP P0AEE3

UNP POAEE3

UNP POAEE3

UNP POAEE3

UNP POAEE3

UNP POAEE3

Continued from previous page...

Residue

26

198

320

16

17

18

19

20

21

22

23

24

25

26

198

320

• Molecule 2 is a protein called YQF peptide.

HIS

HIS

HIS

HIS

HIS

HIS

GLY

PRO

ALA

_

-

_

-

-

-

_

HIS

ASP

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	D	3	Total C N O 33 23 4 6	0	0	0
2	Е	3	Total C N O 33 23 4 6	0	0	0
2	F	3	Total C N O 33 23 4 6	0	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	12	Total O 12 12	0	0
3	В	34	$\begin{array}{cc} \text{Total} & \text{O} \\ 34 & 34 \end{array}$	0	0
3	С	32	TotalO3232	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: DegS protease

Y408 Q409 F410

Q280 (2281) (2297) (2297) (2297) (2299) (2299) (2299) (2299) (2290) (229

• Molecule 2: YQF peptide		
	67%	_
Chain D:	67%	33%
7408 6409 F410		
• Molecule 2: YQF peptide		
	100%	
Chain E:	67%	33%
Y408		
• Molecule 2: YQF peptide		
Chain F: 33%		67%



4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants	118.88Å 172.28Å 114.77Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	32.04 - 2.49	Depositor
Resolution (A)	32.04 - 2.49	EDS
% Data completeness	95.9 (32.04-2.49)	Depositor
(in resolution range)	95.9 (32.04-2.49)	EDS
R_{merge}	0.08	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.43 (at 2.48 \text{\AA})$	Xtriage
Refinement program	PHENIX	Depositor
P. P.	0.191 , 0.224	Depositor
n, n_{free}	0.187 , 0.220	DCC
R_{free} test set	2003 reflections $(5.02%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	48.8	Xtriage
Anisotropy	0.454	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.29, 63.3	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6662	wwPDB-VP
Average B, all atoms $(Å^2)$	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.69% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MIS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
IVIOI	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.24	0/2204	0.45	0/2996
1	В	0.29	0/2115	0.50	0/2881
1	С	0.27	0/2200	0.49	0/2989
2	D	0.29	0/34	0.27	0/43
2	Е	0.32	0/34	0.28	0/43
2	F	0.33	0/34	0.27	0/43
All	All	0.27	0/6621	0.48	0/8995

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2193	0	2232	63	0
1	В	2103	0	2129	66	0
1	С	2189	0	2239	49	0
2	D	33	0	25	1	0
2	Е	33	0	25	2	0
2	F	33	0	25	5	0
3	А	12	0	0	0	0



	f = f = f = f = f = f = f = f = f = f =						
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes	
3	В	34	0	0	0	0	
3	С	32	0	0	0	0	
All	All	6662	0	6675	170	0	

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:261:ILE:HG13	1:B:293:ALA:HB1	1.45	0.96
1:B:181:LEU:HD21	1:B:220:PHE:CD1	2.05	0.91
1:C:87:GLN:HE22	1:C:138:LEU:H	1.16	0.90
1:B:178:ARG:O	1:B:179:ILE:HG12	1.72	0.89
1:A:179:ILE:HD12	1:A:183:PRO:HA	1.57	0.87
1:B:258:TYR:HB2	1:B:351:TYR:HB2	1.54	0.86
1:A:62:TYR:HB3	1:A:64:ARG:HH12	1.43	0.82
1:B:261:ILE:HG13	1:B:293:ALA:CB	2.10	0.81
1:B:298:ILE:HG12	1:B:344:LEU:HD13	1.62	0.81
1:A:181:LEU:CD2	1:A:220:PHE:HD1	1.97	0.76
1:A:334:VAL:HG22	1:A:343:THR:HG22	1.67	0.76
1:A:64:ARG:CZ	1:A:76:ILE:HG12	2.17	0.75
1:B:84:ILE:HG21	1:B:138:LEU:HD13	1.68	0.75
1:A:74:LEU:H	1:A:74:LEU:HD23	1.52	0.75
1:C:196:ILE:CG2	1:C:201:MIS:H31	2.18	0.74
1:A:223:SER:HA	1:A:227:GLU:HB2	1.71	0.72
1:A:62:TYR:HB3	1:A:64:ARG:NH1	2.03	0.72
1:C:196:ILE:HG22	1:C:201:MIS:H21	1.71	0.71
1:B:181:LEU:CD2	1:B:220:PHE:CD1	2.74	0.71
1:B:201:MIS:H21	1:B:219:SER:HB2	1.73	0.70
1:C:73:GLN:HG2	1:C:74:LEU:H	1.59	0.67
1:B:261:ILE:CG1	1:B:293:ALA:HB1	2.24	0.66
1:A:117:LEU:HD12	1:A:118:LEU:H	1.61	0.65
1:A:181:LEU:HD22	1:A:220:PHE:HD1	1.62	0.64
1:B:296:ALA:O	1:B:344:LEU:HD22	1.97	0.64
1:C:87:GLN:NE2	1:C:138:LEU:H	1.91	0.64
1:B:179:ILE:HA	1:B:187:GLN:O	1.99	0.63
1:B:64:ARG:HH21	1:B:74:LEU:HD13	1.62	0.62
1:B:181:LEU:HD21	1:B:220:PHE:HD1	1.61	0.62
1:C:316:LEU:HD21	2:F:408:TYR:HE1	1.63	0.62
1:A:164:LEU:O	1:B:178:ARG:NH1	2.33	0.62



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:337:ARG:O	1:A:340:LYS:HG2	1.99	0.62	
1:C:259:ILE:HD11	2:F:410:PHE:CE2	2.35	0.61	
1:C:266:ILE:HD13	1:C:278:GLN:NE2	2.15	0.61	
1:C:180:GLY:HA3	1:C:182:ASN:N	2.15	0.61	
1:B:317:GLU:HA	1:B:317:GLU:OE1	2.00	0.61	
1:B:181:LEU:HD11	1:B:220:PHE:HA	1.83	0.61	
1:A:164:LEU:C	1:B:178:ARG:HH12	2.04	0.60	
1:A:308:ASP:HA	1:A:332:PRO:HD2	1.83	0.60	
1:B:308:ASP:HB2	1:B:331:ILE:HD13	1.83	0.60	
1:B:322:VAL:HA	1:B:325:ILE:HD12	1.82	0.59	
1:A:94:ASN:HD21	1:A:217:THR:HA	1.67	0.59	
1:B:258:TYR:CZ	1:B:260:GLY:HA2	2.38	0.58	
1:A:64:ARG:NH1	1:A:76:ILE:HG12	2.18	0.58	
1:A:336:MET:HA	1:A:340:LYS:O	2.04	0.58	
1:C:298:ILE:HG12	1:C:344:LEU:HD12	1.85	0.58	
1:C:87:GLN:HE22	1:C:138:LEU:N	1.96	0.58	
1:B:319:MET:HA	1:B:322:VAL:HG12	1.86	0.57	
1:A:181:LEU:HD22	1:A:220:PHE:CD1	2.39	0.57	
1:B:198:PRO:HA	1:B:201:MIS:H33	1.86	0.57	
1:B:325:ILE:HD13	1:B:331:ILE:CD1	2.35	0.57	
1:C:73:GLN:CG	1:C:74:LEU:H	2.16	0.57	
1:B:299:GLN:O	1:B:302:ASP:HB2	2.05	0.56	
1:B:300:VAL:O	1:B:301:ASN:HB2	2.06	0.56	
1:C:268:PRO:HA	1:C:280:GLN:HE22	1.70	0.55	
1:B:250:ARG:HG2	1:B:251:ASP:OD1	2.07	0.55	
1:A:117:LEU:HD12	1:A:118:LEU:N	2.21	0.55	
1:A:258:TYR:CZ	1:A:260:GLY:HA2	2.42	0.55	
1:A:300:VAL:O	1:A:301:ASN:HB2	2.07	0.55	
1:B:298:ILE:HG12	1:B:344:LEU:CD1	2.34	0.55	
1:A:196:ILE:HG21	1:A:201:MIS:H31	1.88	0.54	
1:A:84:ILE:HD13	1:A:91:ILE:HG12	1.88	0.54	
1:B:261:ILE:HD11	1:B:298:ILE:HD12	1.90	0.54	
1:A:165:GLY:CA	1:B:178:ARG:HH12	2.21	0.54	
1:A:164:LEU:C	1:B:178:ARG:NH1	2.61	0.53	
1:A:177:GLY:HA2	1:A:188:ASN:OD1	2.08	0.53	
1:A:196:ILE:CG2	1:A:201:MIS:H31	2.37	0.53	
1:C:92:ILE:HD11	1:C:245:MET:HB2	1.90	0.53	
1:A:314:SER:HB3	1:A:317:GLU:OE1	2.08	0.53	
1:A:64:ARG:HD2	1:A:74:LEU:HB2	1.90	0.53	
1:B:259:ILE:HG22	2:E:410:PHE:O	2.07	0.53	
1:C:196:ILE:HG21	1:C:201:MIS:H31	1.90	0.53	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:C:325:ILE:HG21	1:C:348:ILE:HG13	1.91	0.52	
1:A:74:LEU:H	1:A:74:LEU:CD2	2.19	0.52	
1:C:66:LEU:HA	1:C:73:GLN:O	2.09	0.52	
1:C:279:LEU:HD13	1:C:305:ILE:CD1	2.40	0.52	
1:B:319:MET:HA	1:B:322:VAL:CG1	2.40	0.52	
1:B:295:ASN:O	1:B:296:ALA:HB3	2.10	0.52	
1:A:174:SER:HB3	1:C:167:THR:HG23	1.91	0.51	
1:C:90:TYR:CE2	1:C:131:LYS:HD3	2.45	0.51	
1:B:125:THR:HA	1:B:187:GLN:NE2	2.25	0.51	
1:B:64:ARG:NH2	1:B:74:LEU:HD13	2.25	0.51	
1:A:181:LEU:HD21	1:A:220:PHE:HD1	1.73	0.51	
1:C:247:LYS:HD2	1:C:254:VAL:HG13	1.93	0.51	
1:A:299:GLN:CD	1:A:337:ARG:HH12	2.13	0.51	
1:C:279:LEU:HD13	1:C:305:ILE:HD11	1.93	0.51	
1:B:316:LEU:O	1:B:319:MET:HG2	2.10	0.51	
1:A:88:ARG:HD2	1:A:90:TYR:HE1	1.75	0.50	
1:B:198:PRO:CA	1:B:201:MIS:H33	2.42	0.50	
1:C:196:ILE:HG23	1:C:201:MIS:H31	1.93	0.50	
1:A:261:ILE:HG23	1:A:284:VAL:HG13	1.94	0.50	
1:A:220:PHE:HD2	1:A:229:PRO:CB	2.25	0.50	
1:B:299:GLN:HG2	1:B:300:VAL:O	2.11	0.50	
1:B:283:VAL:HG22	1:B:303:LEU:HD23	1.94	0.49	
1:B:318:THR:O	1:B:322:VAL:HG12	2.11	0.49	
1:A:251:ASP:C	1:A:253:ARG:H	2.16	0.49	
1:C:296:ALA:HB3	1:C:346:VAL:HG12	1.94	0.49	
1:A:264:ARG:O	1:A:283:VAL:HG12	2.12	0.49	
1:B:310:LYS:HG3	1:B:321:GLN:NE2	2.27	0.49	
1:C:201:MIS:H22	1:C:219:SER:HB2	1.94	0.49	
1:A:281:GLY:HA3	1:A:303:LEU:HD11	1.93	0.49	
1:B:259:ILE:HG22	2:E:410:PHE:C	2.33	0.49	
1:C:78:THR:HG22	1:C:79:LEU:N	2.28	0.49	
1:A:341:GLN:O	1:A:342:LEU:HD23	2.13	0.48	
1:A:166:GLN:O	1:B:178:ARG:NH2	2.47	0.48	
1:C:319:MET:HE2	2:F:410:PHE:HB3	1.96	0.48	
1:A:220:PHE:HD2	1:A:229:PRO:HB3	1.79	0.48	
1:A:165:GLY:C	1:B:178:ARG:HH22	2.17	0.48	
1:A:262:GLY:HA2	2:D:408:TYR:O	2.14	0.47	
1:B:303:LEU:HD13	1:B:304:ILE:N	2.29	0.47	
1:A:299:GLN:CG	1:A:337:ARG:HH12	2.27	0.47	
1:B:177:GLY:HA2	1:B:188:ASN:OD1	2.14	0.47	
1:B:178:ARG:O	1:B:179:ILE:CG1	2.56	0.47	



	lo uo pugo	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:85:MET:HG3	1:B:92:ILE:HG13	1.97	0.47
1:A:258:TYR:HB2	1:A:351:TYR:HA	1.95	0.47
1:B:261:ILE:HD11	1:B:298:ILE:CD1	2.45	0.47
1:C:262:GLY:HA2	2:F:408:TYR:O	2.15	0.47
1:C:73:GLN:HG2	1:C:74:LEU:N	2.26	0.46
1:C:305:ILE:HD11	1:C:336:MET:HG2	1.96	0.46
1:A:74:LEU:HD23	1:A:74:LEU:N	2.24	0.46
1:A:257:GLY:HA3	1:A:322:VAL:O	2.16	0.46
1:B:114:PHE:CZ	1:B:134:ALA:HB2	2.51	0.46
1:B:331:ILE:HA	1:B:332:PRO:HD3	1.76	0.45
1:C:267:ALA:HB1	1:C:268:PRO:HD2	1.98	0.45
1:C:300:VAL:O	1:C:301:ASN:HB2	2.16	0.45
1:B:261:ILE:HG23	1:B:284:VAL:HG13	1.98	0.45
1:C:303:LEU:HB3	1:C:336:MET:HB2	1.99	0.45
1:A:338:ASP:HB2	1:A:340:LYS:HE3	1.99	0.45
1:C:158:ILE:HG23	1:C:168:ILE:HD13	1.98	0.45
1:B:188:ASN:O	1:B:237:PRO:HD3	2.17	0.44
1:B:64:ARG:HD3	1:B:105:ILE:HG12	2.00	0.44
1:B:325:ILE:HG21	1:B:348:ILE:HG13	1.99	0.44
1:A:176:THR:HG22	1:A:190:LEU:CD2	2.48	0.43
1:B:159:GLY:C	1:B:161:PRO:HD3	2.38	0.43
1:C:303:LEU:O	1:C:335:VAL:HA	2.18	0.43
1:A:240:LEU:O	1:A:244:ILE:HG12	2.18	0.43
1:B:293:ALA:O	1:B:298:ILE:HB	2.18	0.43
1:C:48:ASN:OD1	1:C:52:ARG:NH1	2.47	0.43
1:A:165:GLY:N	1:B:178:ARG:HH12	2.15	0.43
1:A:223:SER:CA	1:A:227:GLU:HB2	2.45	0.43
1:C:98:ILE:C	1:C:98:ILE:HD12	2.40	0.43
1:B:259:ILE:O	1:B:293:ALA:HB2	2.20	0.42
1:C:336:MET:SD	1:C:341:GLN:HG2	2.59	0.42
1:B:175:ALA:HB1	1:B:178:ARG:HE	1.84	0.42
1:B:259:ILE:CG2	1:B:261:ILE:H	2.32	0.42
1:C:55:ALA:N	1:C:56:PRO:CD	2.82	0.42
1:B:325:ILE:HD13	1:B:331:ILE:HD12	2.02	0.42
1:C:296:ALA:CB	1:C:346:VAL:HG12	2.48	0.42
1:C:316:LEU:CD2	2:F:408:TYR:HE1	2.31	0.42
1:C:305:ILE:HD11	1:C:336:MET:CG	2.51	0.41
1:A:63:ASN:ND2	1:A:101:ALA:HB2	2.35	0.41
1:A:84:ILE:CD1	1:A:91:ILE:HG12	2.49	0.41
1:B:259:ILE:O	1:B:293:ALA:N	2.54	0.41
1:A:141:ILE:O	1:A:141:ILE:HG23	2.19	0.41



Atom_1	Atom_2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:351:TYR:HA	1:C:352:PRO:HD3	1.95	0.41
1:A:43:THR:HA	1:A:44:PRO:HD3	1.89	0.41
1:A:55:ALA:N	1:A:56:PRO:CD	2.83	0.41
1:A:94:ASN:HB2	1:A:97:VAL:HG23	2.02	0.41
1:A:313:ILE:HD12	1:A:313:ILE:N	2.36	0.41
1:C:176:THR:HG22	1:C:190:LEU:CD2	2.51	0.41
1:C:298:ILE:CG1	1:C:344:LEU:HD12	2.48	0.41
1:C:281:GLY:HA2	1:C:312:ALA:O	2.20	0.40
1:C:331:ILE:HA	1:C:332:PRO:HD3	1.95	0.40
1:A:103:GLN:HE21	1:A:115:GLU:CD	2.25	0.40
1:A:189:PHE:CG	1:A:234:PHE:HB3	2.57	0.40
1:A:197:ASN:HB3	1:A:198:PRO:HD2	2.04	0.40
1:B:63:ASN:HB3	1:B:78:THR:HB	2.02	0.40
1:B:221:ASP:HA	1:B:229:PRO:HG2	2.03	0.40
1:C:179:ILE:C	1:C:179:ILE:HD12	2.42	0.40
1:C:182:ASN:ND2	1:C:187:GLN:OE1	2.50	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	287/340~(84%)	279~(97%)	8 (3%)	0	100	100
1	В	273/340~(80%)	262 (96%)	9~(3%)	2 (1%)	22	36
1	С	283/340~(83%)	282 (100%)	1 (0%)	0	100	100
2	D	1/3~(33%)	1 (100%)	0	0	100	100
2	Е	1/3~(33%)	1 (100%)	0	0	100	100
2	F	1/3~(33%)	1 (100%)	0	0	100	100
All	All	846/1029 (82%)	826 (98%)	18 (2%)	2~(0%)	47	66



All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	В	179	ILE
1	В	137	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	235/275~(86%)	234 (100%)	1 (0%)	91	96
1	В	226/275~(82%)	225 (100%)	1 (0%)	91	96
1	С	234/275~(85%)	233 (100%)	1 (0%)	91	96
2	D	3/3~(100%)	3 (100%)	0	100	100
2	Ε	3/3~(100%)	3~(100%)	0	100	100
2	F	3/3~(100%)	3~(100%)	0	100	100
All	All	704/834~(84%)	701 (100%)	3 (0%)	91	96

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	219	SER
1	В	179	ILE
1	С	319	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	72	ASN
1	А	94	ASN
1	А	103	GLN
1	А	295	ASN
1	А	321	GLN
1	В	187	GLN
1	В	295	ASN



Continued from previous page...

	0	-	
Mol	Chain	\mathbf{Res}	Type
1	С	87	GLN
1	С	278	GLN
1	С	295	ASN
1	С	321	GLN
2	F	409	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal Truna	Chain Dea	Thain Bog	Chain Res	Tiple	Bo	ond leng	$_{\rm sths}$	B	ond ang	les		
	туре	Unain		nes	nes	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ
1	MIS	С	201	1	11,12,13	0.70	0	10,16,18	0.78	0		
1	MIS	В	201	1	11,12,13	0.73	0	10,16,18	0.72	0		
1	MIS	А	201	1	11,12,13	0.67	0	10,16,18	0.68	0		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	MIS	С	201	1	-	3/10/13/15	-
1	MIS	В	201	1	-	6/10/13/15	-
1	MIS	А	201	1	-	3/10/13/15	-

There are no bond length outliers.

There are no bond angle outliers.



There are no chirality outliers.

Mol	Chain	\mathbf{Res}	Type	Atoms
1	А	201	MIS	CB-OG-P-O2P
1	А	201	MIS	CB-OG-P-O3P
1	В	201	MIS	CB-OG-P-O1P
1	В	201	MIS	CB-OG-P-O2P
1	В	201	MIS	CB-OG-P-O3P
1	В	201	MIS	C3-C1-O3P-P
1	С	201	MIS	CB-OG-P-O3P
1	В	201	MIS	C1-O3P-P-OG
1	А	201	MIS	CA-CB-OG-P
1	В	201	MIS	CA-CB-OG-P
1	С	201	MIS	CA-CB-OG-P
1	С	201	MIS	CB-OG-P-O2P

All (12) torsion outliers are listed below:

There are no ring outliers.

3 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	С	201	MIS	5	0
1	В	201	MIS	3	0
1	А	201	MIS	2	0

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2	$\mathbf{OWAB}(\mathbf{\AA}^2)$	Q<0.9
1	А	295/340~(86%)	0.26	20 (6%) 17 17	39, 82, 143, 168	0
1	В	283/340~(83%)	0.59	46 (16%) 1 1	28,50,176,198	0
1	С	293/340~(86%)	-0.01	14 (4%) 30 32	34, 54, 107, 150	0
2	D	3/3~(100%)	2.64	2(66%) 0 0	128, 128, 139, 140	0
2	Ε	3/3~(100%)	3.62	3 (100%) 0 0	145, 145, 162, 164	0
2	F	3/3~(100%)	0.51	0 100 100	66, 66, 81, 99	0
All	All	880/1029~(85%)	0.29	85 (9%) 7 7	28, 60, 152, 198	0

All (85) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	304	ILE	11.3
1	В	313	ILE	8.4
1	А	66	LEU	7.0
1	В	181	LEU	6.5
1	А	74	LEU	6.4
1	В	291	GLY	6.0
1	В	301	ASN	5.9
1	В	282	ILE	5.9
1	В	289	PRO	5.8
1	В	316	LEU	5.5
1	А	264	ARG	5.4
1	В	182	ASN	5.3
2	Е	408	TYR	5.3
1	В	37	PHE	5.3
1	В	305	ILE	5.1
1	В	297	GLY	5.1
1	В	303	LEU	4.9
1	В	183	PRO	4.7
1	В	294	ALA	4.7



Mol	Chain	Res	Type	RSRZ
1	В	300	VAL	4.6
1	В	261	ILE	4.5
2	D	410	PHE	4.1
1	В	283	VAL	4.1
1	А	313	ILE	4.1
1	А	73	GLN	4.0
1	А	301	ASN	3.9
1	В	258	TYR	3.9
1	В	344	LEU	3.9
1	В	299	GLN	3.8
1	В	296	ALA	3.7
1	А	280	GLN	3.6
1	А	72	ASN	3.6
1	В	293	ALA	3.5
1	В	38	ASP	3.5
1	С	267	ALA	3.5
1	В	312	ALA	3.4
1	В	284	VAL	3.4
1	С	73	GLN	3.4
1	С	266	ILE	3.2
1	В	285	ASN	3.2
2	D	408	TYR	3.2
1	С	75	GLU	3.2
1	С	183	PRO	3.2
1	В	39	SER	3.1
2	Е	409	GLN	3.1
1	А	75	GLU	3.0
1	В	311	PRO	3.0
1	А	283	VAL	3.0
1	В	331	ILE	3.0
1	В	298	ILE	2.9
1	A	184	THR	2.9
1	В	184	THR	2.9
1	В	347	THR	2.9
1	A	64	ARG	2.8
1	В	290	ASP	2.8
1	C	135	THR	2.8
1	В	307	VAL	2.7
1	A	182	ASN	2.6
1	В	334	VAL	2.5
2	E	410	PHE	2.5
1	В	41	ASP	2.4



Mol	Chain	Res	Type	RSRZ
1	В	40	THR	2.4
1	В	259	ILE	2.4
1	В	292	PRO	2.4
1	С	157	ALA	2.3
1	В	260	GLY	2.3
1	А	77	ARG	2.3
1	В	330	VAL	2.2
1	С	180	GLY	2.2
1	В	353	ALA	2.2
1	А	183	PRO	2.2
1	С	279	LEU	2.2
1	С	66	LEU	2.2
1	А	265	GLU	2.2
1	А	41	ASP	2.2
1	А	39	SER	2.2
1	В	333	VAL	2.2
1	В	343	THR	2.1
1	С	169	THR	2.1
1	С	278	GLN	2.1
1	А	223	SER	2.1
1	В	137	GLY	2.1
1	С	221	ASP	2.1
1	С	67	ASN	2.1
1	А	340	LYS	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
1	MIS	В	201	13/14	0.98	0.15	$26,\!35,\!60,\!78$	0
1	MIS	А	201	13/14	0.99	0.12	40,51,60,67	0
1	MIS	С	201	13/14	0.99	0.18	30,34,46,54	0

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.

