



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 19, 2023 – 05:04 PM EDT

PDB ID : 2GGT
Title : Crystal structure of human SCO1 complexed with nickel.
Authors : Banci, L.; Bertini, I.; Calderone, V.; Ciofi-Baffoni, S.; Mangani, S.; Martinelli, M.; Palumaa, P.; Wang, S.
Deposited on : 2006-03-24
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.35
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	164	
1	B	164	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 2691 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SCO1 protein homolog, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	164	1321	846	212	258	5	0	0	0
1	B	163	1309	840	208	256	5	0	0	0

- Molecule 2 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Ni	0	0
			1	1		
2	B	1	Total	Ni	0	0
			1	1		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Cl	0	0
			1	1		
3	B	1	Total	Cl	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	45	Total	O	0	0
			45	45		
4	B	12	Total	O	0	0
			12	12		


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: SCO1 protein homolog, mitochondrial



- Molecule 1: SCO1 protein homolog, mitochondrial



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	51.46Å 52.44Å 136.41Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	36.74 – 2.40 36.73 – 2.40	Depositor EDS
% Data completeness (in resolution range)	100.0 (36.74-2.40) 96.9 (36.73-2.40)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.79 (at 2.39Å)	Xtrriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.217 , 0.318 0.223 , 0.318	Depositor DCC
R_{free} test set	1253 reflections (8.53%)	wwPDB-VP
Wilson B-factor (Å ²)	39.0	Xtrriage
Anisotropy	0.211	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 46.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.039 for k,h,-l	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	2691	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.11% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NI, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.74	19/1354 (1.4%)	1.51	17/1838 (0.9%)
1	B	1.67	16/1342 (1.2%)	1.49	16/1824 (0.9%)
All	All	1.71	35/2696 (1.3%)	1.50	33/3662 (0.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	3
All	All	0	4

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	253	ASP	C-N	12.81	1.63	1.34
1	B	254	GLU	C-N	9.25	1.55	1.34
1	A	273	PHE	CE1-CZ	8.06	1.52	1.37
1	A	219	GLU	CG-CD	7.92	1.63	1.51
1	A	169	CYS	CB-SG	7.71	1.95	1.82
1	B	186	GLU	CD-OE1	7.36	1.33	1.25
1	B	270	ASP	CB-CG	6.99	1.66	1.51
1	A	232	GLU	CD-OE2	6.98	1.33	1.25
1	A	219	GLU	CD-OE2	6.92	1.33	1.25
1	B	232	GLU	CG-CD	6.85	1.62	1.51
1	A	298	ARG	CZ-NH1	6.82	1.42	1.33
1	A	175	GLU	CG-CD	6.77	1.62	1.51
1	A	186	GLU	CG-CD	6.67	1.61	1.51
1	A	173	CYS	CB-SG	6.62	1.93	1.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	257	ILE	CB-CG2	6.45	1.72	1.52
1	A	175	GLU	CD-OE2	6.42	1.32	1.25
1	A	268	GLY	C-O	6.36	1.33	1.23
1	B	183	VAL	CB-CG2	-6.32	1.39	1.52
1	A	175	GLU	CB-CG	6.28	1.64	1.52
1	B	137	GLY	CA-C	6.18	1.61	1.51
1	B	186	GLU	CB-CG	5.94	1.63	1.52
1	B	282	ARG	CB-CG	5.92	1.68	1.52
1	B	138	GLY	N-CA	5.90	1.54	1.46
1	A	237	VAL	CB-CG2	-5.86	1.40	1.52
1	B	137	GLY	N-CA	5.82	1.54	1.46
1	A	167	THR	CA-CB	5.79	1.68	1.53
1	A	237	VAL	CB-CG1	-5.69	1.41	1.52
1	A	298	ARG	CG-CD	-5.55	1.38	1.51
1	B	280	ASN	CB-CG	5.49	1.63	1.51
1	B	282	ARG	CG-CD	5.40	1.65	1.51
1	B	184	VAL	CA-CB	5.30	1.65	1.54
1	A	243	VAL	CB-CG2	5.19	1.63	1.52
1	B	178	GLU	CD-OE2	5.19	1.31	1.25
1	B	283	LYS	CD-CE	5.17	1.64	1.51
1	A	219	GLU	CB-CG	5.12	1.61	1.52

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	298	ARG	NE-CZ-NH2	-16.14	112.23	120.30
1	B	295	ARG	NE-CZ-NH2	11.14	125.87	120.30
1	B	136	LEU	CB-CG-CD1	9.57	127.27	111.00
1	A	298	ARG	NE-CZ-NH1	9.03	124.82	120.30
1	A	161	LEU	CB-CG-CD2	-8.47	96.60	111.00
1	B	253	ASP	O-C-N	8.32	136.01	122.70
1	A	294	MET	CG-SD-CE	-7.93	87.51	100.20
1	B	253	ASP	CA-C-N	-7.36	101.02	117.20
1	B	227	LEU	CA-CB-CG	6.61	130.51	115.30
1	B	237	VAL	CB-CA-C	-6.46	99.13	111.40
1	B	254	GLU	O-C-N	6.13	132.52	122.70
1	A	152	ASP	CB-CG-OD1	6.02	123.72	118.30
1	B	259	ASP	CB-CA-C	5.91	122.21	110.40
1	A	185	ASP	CB-CG-OD1	5.87	123.59	118.30
1	B	136	LEU	CB-CA-C	5.76	121.15	110.20
1	A	270	ASP	CB-CG-OD1	5.74	123.47	118.30
1	A	180	MET	CG-SD-CE	-5.60	91.23	100.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	270	ASP	CB-CG-OD2	5.56	123.31	118.30
1	A	135	LEU	CA-CB-CG	5.53	128.02	115.30
1	B	254	GLU	CA-C-N	-5.43	105.25	117.20
1	A	224	LEU	CA-CB-CG	5.43	127.78	115.30
1	A	204	ASP	CB-CG-OD2	-5.38	113.46	118.30
1	A	251	ASP	CB-CG-OD1	5.38	123.14	118.30
1	B	138	GLY	N-CA-C	5.37	126.52	113.10
1	A	257	ILE	CB-CA-C	5.34	122.27	111.60
1	B	136	LEU	CA-CB-CG	5.32	127.55	115.30
1	A	237	VAL	CB-CA-C	-5.31	101.31	111.40
1	B	208	ASP	CB-CA-C	5.31	121.02	110.40
1	B	254	GLU	CB-CA-C	5.30	121.00	110.40
1	A	259	ASP	CB-CG-OD1	5.27	123.05	118.30
1	A	227	LEU	CA-CB-CG	5.08	127.00	115.30
1	A	171	ASP	N-CA-C	5.05	124.64	111.00
1	B	197	THR	N-CA-CB	5.03	119.85	110.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	190	ILE	Peptide
1	B	136	LEU	Peptide
1	B	227	LEU	Peptide
1	B	277	PHE	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1321	0	1281	62	0
1	B	1309	0	1268	105	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	45	0	0	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	12	0	0	2	0
All	All	2691	0	2549	165	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 32.

All (165) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:267:ILE:CG1	1:B:267:ILE:CD1	1.75	1.57
1:B:202:SER:HB3	1:B:228:THR:HG23	1.33	1.07
1:A:193:LEU:HD22	1:A:294:MET:HE3	1.40	1.00
1:B:242:ARG:HH11	1:B:242:ARG:HG2	1.20	0.99
1:B:217:VAL:HG13	1:B:224:LEU:HB3	1.43	0.99
1:B:242:ARG:HG2	1:B:242:ARG:NH1	1.77	0.97
1:B:250:LYS:HD3	1:B:254:GLU:HG3	1.48	0.95
1:B:220:PHE:HB2	1:B:224:LEU:HD12	1.49	0.92
1:A:180:MET:HE2	1:A:198:PRO:HB2	1.52	0.92
1:B:193:LEU:HD13	1:B:294:MET:CE	1.99	0.91
1:A:217:VAL:HG22	1:A:224:LEU:HD13	1.52	0.89
1:B:282:ARG:HG2	1:B:283:LYS:H	1.36	0.88
1:B:145:HIS:CB	1:B:213:ILE:HG22	2.06	0.85
1:B:193:LEU:HB3	1:B:294:MET:HE3	1.59	0.83
1:B:282:ARG:NH2	1:B:284:GLY:H	1.76	0.83
1:B:140:PHE:CB	1:B:237:VAL:HG13	2.11	0.81
1:B:202:SER:HB3	1:B:228:THR:CG2	2.10	0.81
1:B:140:PHE:HB2	1:B:237:VAL:HG13	1.62	0.81
1:B:242:ARG:HH11	1:B:242:ARG:CG	1.95	0.80
1:A:140:PHE:HB3	1:A:237:VAL:HG13	1.64	0.79
1:B:145:HIS:HB3	1:B:213:ILE:CG2	2.11	0.79
1:B:172:VAL:HG11	1:B:262:ILE:HG12	1.65	0.79
1:B:145:HIS:HB3	1:B:213:ILE:HG22	1.61	0.79
1:A:180:MET:HE2	1:A:198:PRO:CB	2.14	0.78
1:B:193:LEU:HD22	1:B:294:MET:HE2	1.66	0.77
1:B:254:GLU:O	4:B:65:HOH:O	2.01	0.76
1:B:282:ARG:HH22	1:B:284:GLY:H	1.33	0.76
1:A:223:LYS:HE3	4:A:63:HOH:O	1.85	0.75
1:B:193:LEU:HD22	1:B:294:MET:CE	2.17	0.74
1:A:168:HIS:CG	1:A:207:ARG:NH1	2.56	0.74
1:B:174:PRO:HB3	1:B:220:PHE:HZ	1.53	0.72
1:A:180:MET:CE	1:A:198:PRO:CB	2.69	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:193:LEU:HD22	1:A:294:MET:CE	2.17	0.69
1:B:144:THR:CG2	1:B:150:LYS:HG3	2.23	0.69
1:A:256:TYR:O	1:A:257:ILE:CG2	2.41	0.69
1:B:205:PRO:HG3	1:B:234:VAL:HG21	1.73	0.69
1:B:218:LYS:C	1:B:220:PHE:H	1.96	0.68
1:B:182:GLN:HB3	1:B:283:LYS:HD3	1.75	0.68
1:B:221:SER:C	1:B:223:LYS:H	1.97	0.68
1:A:162:ILE:HG22	1:A:163:TYR:N	2.08	0.67
1:A:188:ASP:HA	4:A:62:HOH:O	1.93	0.67
1:B:145:HIS:HB2	1:B:213:ILE:HG22	1.73	0.67
1:B:282:ARG:HH22	1:B:284:GLY:N	1.92	0.67
1:B:165:GLY:O	1:B:203:ILE:HG13	1.95	0.66
1:B:220:PHE:CB	1:B:224:LEU:HD12	2.25	0.66
1:B:282:ARG:NH2	1:B:284:GLY:N	2.46	0.64
1:A:145:HIS:HB3	1:A:213:ILE:HG22	1.81	0.63
1:A:180:MET:CE	1:A:198:PRO:HB2	2.27	0.63
1:A:218:LYS:HD3	1:A:218:LYS:H	1.64	0.63
1:B:165:GLY:O	1:B:166:PHE:HB3	1.99	0.63
1:A:206:GLU:HG2	1:A:256:TYR:OH	1.99	0.62
1:B:193:LEU:HD13	1:B:294:MET:HE1	1.82	0.62
1:B:209:THR:O	1:B:210:LYS:C	2.37	0.62
1:B:140:PHE:HB3	1:B:237:VAL:HG13	1.82	0.62
1:B:218:LYS:HD2	1:B:219:GLU:OE2	2.00	0.61
1:B:283:LYS:HG3	1:B:284:GLY:N	2.14	0.61
1:B:282:ARG:HG2	1:B:283:LYS:N	2.12	0.61
1:B:251:ASP:OD2	1:B:255:ASP:HB2	2.01	0.61
1:A:244:TYR:O	1:A:260:HIS:HA	2.01	0.60
1:B:220:PHE:O	1:B:221:SER:HB3	1.99	0.60
1:A:211:GLU:N	1:A:211:GLU:OE2	2.35	0.60
1:B:215:ASN:O	1:B:218:LYS:HE2	2.02	0.59
1:A:140:PHE:CD1	1:A:142:LEU:HD12	2.37	0.59
1:B:176:GLU:HA	1:B:176:GLU:OE2	2.03	0.58
1:B:149:ARG:HH11	1:B:149:ARG:HG3	1.69	0.58
1:B:210:LYS:HD2	1:B:211:GLU:OE1	2.05	0.57
1:B:163:TYR:HE2	1:B:173:CYS:HB3	1.68	0.57
1:A:168:HIS:CG	1:A:207:ARG:HH11	2.23	0.56
1:A:256:TYR:O	1:A:257:ILE:HG23	2.05	0.56
1:A:178:GLU:O	1:A:182:GLN:HG3	2.05	0.56
1:B:287:ALA:O	1:B:288:ALA:C	2.42	0.56
1:A:193:LEU:HD13	1:A:294:MET:HE1	1.88	0.56
1:B:218:LYS:C	1:B:220:PHE:N	2.59	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:149:ARG:HH22	1:A:233:GLU:CD	2.10	0.55
1:B:172:VAL:CG1	1:B:262:ILE:HG12	2.35	0.55
1:B:252:GLU:O	1:B:253:ASP:OD1	2.24	0.55
1:B:161:LEU:HA	1:B:265:TYR:O	2.07	0.55
1:A:282:ARG:O	1:A:286:ILE:HG13	2.06	0.55
1:B:181:ILE:HD11	1:B:224:LEU:HG	1.87	0.55
1:A:172:VAL:HG11	1:A:262:ILE:HD13	1.89	0.54
1:A:201:ILE:HG12	1:A:227:LEU:HD12	1.89	0.54
1:A:168:HIS:CB	1:A:207:ARG:HH12	2.21	0.54
1:A:215:ASN:HA	1:A:218:LYS:HE2	1.90	0.52
1:B:149:ARG:HG3	1:B:149:ARG:NH1	2.23	0.52
1:B:193:LEU:CB	1:B:294:MET:HE3	2.34	0.52
1:A:159:TRP:CE2	1:A:269:PRO:HD3	2.45	0.52
1:A:166:PHE:HZ	1:A:257:ILE:HB	1.75	0.52
1:A:215:ASN:HD22	1:A:218:LYS:HE2	1.75	0.51
1:A:253:ASP:O	1:A:254:GLU:HB2	2.10	0.51
1:B:183:VAL:HG11	1:B:286:ILE:HG22	1.91	0.51
1:B:171:ASP:O	1:B:174:PRO:HD2	2.11	0.51
1:B:220:PHE:HB2	1:B:224:LEU:CD1	2.32	0.51
1:B:282:ARG:HH22	1:B:284:GLY:CA	2.24	0.51
1:A:166:PHE:CZ	1:A:257:ILE:HB	2.46	0.51
1:B:270:ASP:OD1	1:B:272:GLU:N	2.44	0.51
1:A:162:ILE:CG2	1:A:163:TYR:N	2.74	0.50
1:A:286:ILE:O	1:A:290:ILE:HG13	2.12	0.50
1:B:220:PHE:O	1:B:221:SER:CB	2.59	0.50
1:A:261:THR:HB	1:A:263:ILE:HD12	1.93	0.50
1:B:213:ILE:C	1:B:215:ASN:H	2.15	0.50
1:B:184:VAL:HG12	1:B:196:LEU:HD13	1.94	0.49
1:B:176:GLU:OE2	1:B:176:GLU:CA	2.60	0.49
1:A:231:ARG:HG3	4:A:19:HOH:O	2.11	0.49
1:B:144:THR:HG23	1:B:148:GLU:O	2.12	0.49
1:B:145:HIS:HB3	1:B:213:ILE:HG21	1.95	0.48
1:B:270:ASP:OD2	1:B:272:GLU:HB2	2.13	0.48
1:B:193:LEU:HD22	1:B:294:MET:HE3	1.96	0.48
1:B:193:LEU:HD22	1:B:294:MET:HB2	1.95	0.48
1:B:263:ILE:HG22	1:B:265:TYR:CZ	2.48	0.48
1:B:145:HIS:CD2	1:B:214:ALA:HA	2.49	0.48
1:B:282:ARG:HH22	1:B:284:GLY:HA3	1.78	0.48
1:A:210:LYS:HE3	1:A:210:LYS:HB3	1.41	0.47
1:B:141:SER:HA	1:B:151:THR:HG22	1.97	0.47
1:B:140:PHE:CD1	1:B:142:LEU:HD12	2.50	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:148:GLU:OE1	1:B:150:LYS:NZ	2.47	0.47
1:B:204:ASP:O	1:B:204:ASP:CG	2.52	0.47
1:A:263:ILE:O	4:A:4:HOH:O	2.21	0.47
1:B:174:PRO:HB3	1:B:220:PHE:CZ	2.42	0.47
1:A:161:LEU:HD22	1:A:196:LEU:HD11	1.96	0.46
1:A:168:HIS:CB	1:A:207:ARG:NH1	2.77	0.46
1:B:184:VAL:HG11	1:B:198:PRO:HB3	1.97	0.46
1:A:159:TRP:CD2	1:A:269:PRO:HD3	2.51	0.46
1:A:143:THR:HG22	1:A:144:THR:N	2.31	0.45
1:B:180:MET:HE3	1:B:198:PRO:CB	2.46	0.45
1:A:213:ILE:O	1:A:217:VAL:HB	2.16	0.45
1:A:250:LYS:HZ1	1:A:250:LYS:H	1.65	0.45
1:B:201:ILE:HA	1:B:227:LEU:O	2.17	0.45
1:A:265:TYR:CD1	1:A:265:TYR:N	2.85	0.44
1:B:193:LEU:HD13	1:B:294:MET:HE3	1.90	0.44
1:B:296:PRO:HB2	1:B:297:TYR:H	1.46	0.44
1:A:294:MET:HB2	1:A:294:MET:HE2	1.32	0.44
1:B:161:LEU:HD12	1:B:265:TYR:O	2.17	0.44
1:B:144:THR:HG22	1:B:150:LYS:HG3	1.96	0.44
1:B:201:ILE:HG12	1:B:227:LEU:HD12	1.98	0.44
1:B:270:ASP:OD1	1:B:272:GLU:HB2	2.17	0.44
1:B:295:ARG:O	1:B:296:PRO:O	2.35	0.43
1:A:145:HIS:O	1:A:210:LYS:HG3	2.18	0.43
1:B:218:LYS:O	1:B:220:PHE:N	2.51	0.43
1:A:235:ASP:OD2	1:B:281:LYS:NZ	2.35	0.43
1:A:196:LEU:HD23	1:A:196:LEU:HA	1.87	0.43
1:B:145:HIS:HD2	1:B:214:ALA:HA	1.84	0.43
1:B:270:ASP:CG	1:B:272:GLU:HB2	2.38	0.43
1:A:217:VAL:HG13	4:A:26:HOH:O	2.19	0.43
1:B:221:SER:O	1:B:223:LYS:N	2.47	0.43
1:B:140:PHE:CB	1:B:237:VAL:CG1	2.92	0.42
1:A:207:ARG:NH2	1:A:256:TYR:O	2.51	0.42
1:A:198:PRO:HB2	1:A:224:LEU:HD23	2.02	0.42
1:A:219:GLU:OE1	1:A:219:GLU:HA	2.19	0.42
1:B:252:GLU:O	1:B:252:GLU:HG2	2.19	0.42
1:A:246:SER:OG	1:B:263:ILE:HD13	2.20	0.42
1:B:254:GLU:HB3	4:B:65:HOH:O	2.20	0.42
1:A:180:MET:HE1	1:A:199:LEU:N	2.34	0.42
1:B:193:LEU:CD1	1:B:294:MET:CE	2.86	0.42
1:B:148:GLU:OE1	1:B:150:LYS:CE	2.68	0.41
1:B:166:PHE:O	1:B:169:CYS:HB2	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:190:ILE:HD12	1:B:193:LEU:HD12	2.01	0.41
1:B:203:ILE:HD13	1:B:245:TYR:HB3	2.01	0.41
1:A:145:HIS:CB	1:A:213:ILE:HG22	2.47	0.41
1:A:285:GLU:O	1:A:288:ALA:HB3	2.19	0.41
1:A:208:ASP:HB3	1:A:213:ILE:HG13	2.02	0.41
1:A:215:ASN:O	1:A:218:LYS:HE3	2.19	0.41
1:B:200:PHE:O	1:B:226:GLY:HA2	2.20	0.41
1:A:180:MET:O	1:A:184:VAL:HG13	2.20	0.41
1:B:144:THR:HG21	1:B:150:LYS:HG3	2.03	0.40
1:B:204:ASP:OD1	1:B:204:ASP:C	2.59	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	162/164 (99%)	144 (89%)	13 (8%)	5 (3%)	4	3
1	B	161/164 (98%)	128 (80%)	20 (12%)	13 (8%)	1	0
All	All	323/328 (98%)	272 (84%)	33 (10%)	18 (6%)	2	1

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	252	GLU
1	B	166	PHE
1	B	210	LYS
1	B	253	ASP
1	B	254	GLU
1	B	278	GLY
1	B	296	PRO
1	B	221	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	170	PRO
1	B	249	PRO
1	A	285	GLU
1	B	167	THR
1	B	194	PRO
1	B	222	PRO
1	A	236	GLN
1	A	189	SER
1	B	203	ILE
1	A	286	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	145/145 (100%)	118 (81%)	27 (19%)	1 2
1	B	144/145 (99%)	114 (79%)	30 (21%)	1 1
All	All	289/290 (100%)	232 (80%)	57 (20%)	1 1

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	135	LEU
1	A	144	THR
1	A	156	LEU
1	A	184	VAL
1	A	190	ILE
1	A	196	LEU
1	A	203	ILE
1	A	206	GLU
1	A	210	LYS
1	A	217	VAL
1	A	218	LYS
1	A	221	SER
1	A	224	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	228	THR
1	A	231	ARG
1	A	237	VAL
1	A	250	LYS
1	A	253	ASP
1	A	255	ASP
1	A	257	ILE
1	A	261	THR
1	A	275	ASP
1	A	280	ASN
1	A	283	LYS
1	A	285	GLU
1	A	286	ILE
1	A	298	ARG
1	B	135	LEU
1	B	136	LEU
1	B	144	THR
1	B	145	HIS
1	B	160	LEU
1	B	169	CYS
1	B	176	GLU
1	B	184	VAL
1	B	186	GLU
1	B	196	LEU
1	B	203	ILE
1	B	209	THR
1	B	211	GLU
1	B	213	ILE
1	B	218	LYS
1	B	227	LEU
1	B	228	THR
1	B	232	GLU
1	B	237	VAL
1	B	242	ARG
1	B	252	GLU
1	B	254	GLU
1	B	257	ILE
1	B	259	ASP
1	B	262	ILE
1	B	275	ASP
1	B	281	LYS
1	B	282	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	283	LYS
1	B	297	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	215	ASN
1	A	293	HIS
1	B	158	GLN
1	B	215	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	253:ASP	C	254:GLU	N	1.63

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	164/164 (100%)	-0.35	1 (0%) 89 88	15, 30, 50, 63	0
1	B	163/164 (99%)	0.25	9 (5%) 25 24	19, 39, 63, 78	0
All	All	327/328 (99%)	-0.05	10 (3%) 49 47	15, 34, 59, 78	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	297	TYR	5.6
1	B	253	ASP	4.5
1	B	208	ASP	3.9
1	B	147	GLY	3.4
1	B	252	GLU	3.3
1	B	254	GLU	3.3
1	A	252	GLU	2.4
1	B	166	PHE	2.3
1	B	296	PRO	2.2
1	B	218	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CL	A	300	1/1	0.92	0.09	46,46,46,46	0
3	CL	B	301	1/1	0.95	0.12	40,40,40,40	0
2	NI	B	299	1/1	0.98	0.06	39,39,39,39	0
2	NI	A	299	1/1	0.99	0.07	33,33,33,33	0

6.5 Other polymers [i](#)

There are no such residues in this entry.