



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 16, 2024 – 04:55 AM EDT

PDB ID : 2GHP
Title : Crystal structure of the N-terminal 3 RNA binding domains of the yeast splicing factor Prp24
Authors : Bae, E.; Wesenberg, G.E.; Phillips Jr., G.N.; Bitto, E.; Bingman, C.A.; Center for Eukaryotic Structural Genomics (CESG)
Deposited on : 2006-03-27
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 1.20.1
EDS : 2.37.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	292	 2% 62% 15% 21%
1	B	292	 2% 69% 12% 18%
1	C	292	 5% 61% 16% 21%
1	D	292	 10% 63% 15% 21%
1	E	292	 2% 66% 11% 21%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	292	
1	G	292	
1	H	292	

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 15219 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called U4/U6 snRNA-associated splicing factor PRP24.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	232	Total 1864	C 1183	N 328	O 344	S 5	Se 4	0	0	0
1	B	239	Total 1921	C 1218	N 339	O 355	S 5	Se 4	0	0	0
1	C	232	Total 1864	C 1183	N 328	O 344	S 5	Se 4	0	0	0
1	D	232	Total 1864	C 1183	N 328	O 344	S 5	Se 4	0	0	0
1	E	232	Total 1864	C 1183	N 328	O 344	S 5	Se 4	0	0	0
1	F	239	Total 1921	C 1218	N 339	O 355	S 5	Se 4	0	0	0
1	G	232	Total 1864	C 1183	N 328	O 344	S 5	Se 4	0	0	0
1	H	232	Total 1864	C 1183	N 328	O 344	S 5	Se 4	0	0	0

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	SER	-	CLONING ARTIFACT	UNP P49960
A	1	MSE	MET	MODIFIED RESIDUE	UNP P49960
A	121	MSE	MET	MODIFIED RESIDUE	UNP P49960
A	213	MSE	MET	MODIFIED RESIDUE	UNP P49960
A	258	MSE	MET	MODIFIED RESIDUE	UNP P49960
A	272	MSE	MET	MODIFIED RESIDUE	UNP P49960
B	0	SER	-	CLONING ARTIFACT	UNP P49960
B	1	MSE	MET	MODIFIED RESIDUE	UNP P49960
B	121	MSE	MET	MODIFIED RESIDUE	UNP P49960
B	213	MSE	MET	MODIFIED RESIDUE	UNP P49960
B	258	MSE	MET	MODIFIED RESIDUE	UNP P49960
B	272	MSE	MET	MODIFIED RESIDUE	UNP P49960
C	0	SER	-	CLONING ARTIFACT	UNP P49960

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1	MSE	MET	MODIFIED RESIDUE	UNP P49960
C	121	MSE	MET	MODIFIED RESIDUE	UNP P49960
C	213	MSE	MET	MODIFIED RESIDUE	UNP P49960
C	258	MSE	MET	MODIFIED RESIDUE	UNP P49960
C	272	MSE	MET	MODIFIED RESIDUE	UNP P49960
D	0	SER	-	CLONING ARTIFACT	UNP P49960
D	1	MSE	MET	MODIFIED RESIDUE	UNP P49960
D	121	MSE	MET	MODIFIED RESIDUE	UNP P49960
D	213	MSE	MET	MODIFIED RESIDUE	UNP P49960
D	258	MSE	MET	MODIFIED RESIDUE	UNP P49960
D	272	MSE	MET	MODIFIED RESIDUE	UNP P49960
E	0	SER	-	CLONING ARTIFACT	UNP P49960
E	1	MSE	MET	MODIFIED RESIDUE	UNP P49960
E	121	MSE	MET	MODIFIED RESIDUE	UNP P49960
E	213	MSE	MET	MODIFIED RESIDUE	UNP P49960
E	258	MSE	MET	MODIFIED RESIDUE	UNP P49960
E	272	MSE	MET	MODIFIED RESIDUE	UNP P49960
F	0	SER	-	CLONING ARTIFACT	UNP P49960
F	1	MSE	MET	MODIFIED RESIDUE	UNP P49960
F	121	MSE	MET	MODIFIED RESIDUE	UNP P49960
F	213	MSE	MET	MODIFIED RESIDUE	UNP P49960
F	258	MSE	MET	MODIFIED RESIDUE	UNP P49960
F	272	MSE	MET	MODIFIED RESIDUE	UNP P49960
G	0	SER	-	CLONING ARTIFACT	UNP P49960
G	1	MSE	MET	MODIFIED RESIDUE	UNP P49960
G	121	MSE	MET	MODIFIED RESIDUE	UNP P49960
G	213	MSE	MET	MODIFIED RESIDUE	UNP P49960
G	258	MSE	MET	MODIFIED RESIDUE	UNP P49960
G	272	MSE	MET	MODIFIED RESIDUE	UNP P49960
H	0	SER	-	CLONING ARTIFACT	UNP P49960
H	1	MSE	MET	MODIFIED RESIDUE	UNP P49960
H	121	MSE	MET	MODIFIED RESIDUE	UNP P49960
H	213	MSE	MET	MODIFIED RESIDUE	UNP P49960
H	258	MSE	MET	MODIFIED RESIDUE	UNP P49960
H	272	MSE	MET	MODIFIED RESIDUE	UNP P49960

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	32	Total O 32 32	0	0
2	B	28	Total O 28 28	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	C	24	Total O 24 24	0	0
2	D	16	Total O 16 16	0	0
2	E	27	Total O 27 27	0	0
2	F	26	Total O 26 26	0	0
2	G	21	Total O 21 21	0	0
2	H	19	Total O 19 19	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: U4/U6 snRNA-associated splicing factor PRP24





- Molecule 1: U4/U6 snRNA-associated splicing factor PRP24





- Molecule 1: U4/U6 snRNA-associated splicing factor PRP24







• Molecule 1: U4/U6 snRNA-associated splicing factor PRP24




• Molecule 1: U4/U6 snRNA-associated splicing factor PRP24




• Molecule 1: U4/U6 snRNA-associated splicing factor PRP24



- Molecule 1: U4/U6 snRNA-associated splicing factor PRP24



- Molecule 1: U4/U6 snRNA-associated splicing factor PRP24



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	114.61Å 125.85Å 196.54Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.50 – 2.70 49.50 – 2.70	Depositor EDS
% Data completeness (in resolution range)	94.2 (49.50-2.70) 94.2 (49.50-2.70)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.21 (at 2.69Å)	Xtrriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.213 , 0.264 0.221 , 0.268	Depositor DCC
R_{free} test set	3738 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	57.9	Xtrriage
Anisotropy	0.028	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 58.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	15219	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 49.81 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.0758e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.59	1/1889 (0.1%)	0.72	0/2536
1	B	0.62	0/1948	0.71	0/2617
1	C	0.59	2/1889 (0.1%)	0.68	0/2536
1	D	0.57	1/1889 (0.1%)	0.67	0/2536
1	E	0.57	0/1889	0.70	0/2536
1	F	0.56	1/1948 (0.1%)	0.69	0/2617
1	G	0.59	2/1889 (0.1%)	0.68	0/2536
1	H	0.53	0/1889	0.66	0/2536
All	All	0.58	7/15230 (0.0%)	0.69	0/20450

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	174	CYS	CB-SG	-7.12	1.70	1.82
1	G	174	CYS	CB-SG	-7.04	1.70	1.82
1	A	174	CYS	CB-SG	-6.88	1.70	1.82
1	C	254	CYS	CB-SG	-6.44	1.71	1.82
1	G	254	CYS	CB-SG	-5.31	1.73	1.81
1	F	174	CYS	CB-SG	-5.20	1.73	1.81
1	D	99	LYS	CE-NZ	5.19	1.62	1.49

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1864	0	1899	27	0
1	B	1921	0	1956	19	0
1	C	1864	0	1899	25	0
1	D	1864	0	1899	21	0
1	E	1864	0	1899	24	0
1	F	1921	0	1956	22	0
1	G	1864	0	1899	23	0
1	H	1864	0	1899	29	0
2	A	32	0	0	1	0
2	B	28	0	0	0	0
2	C	24	0	0	0	0
2	D	16	0	0	0	0
2	E	27	0	0	1	0
2	F	26	0	0	1	0
2	G	21	0	0	0	0
2	H	19	0	0	1	0
All	All	15219	0	15306	170	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:121:MSE:HE2	1:B:133:ILE:HD12	1.53	0.89
1:B:215:ARG:HH12	1:C:216:ASN:HB2	1.47	0.80
1:B:121:MSE:HE2	1:B:133:ILE:CD1	2.13	0.78
1:E:131:ARG:HH22	1:E:134:ARG:HD2	1.49	0.76
1:A:216:ASN:HB2	1:D:215:ARG:HH12	1.49	0.75
1:D:211:GLU:HG3	1:D:259:VAL:HG22	1.69	0.73
1:F:274:ARG:HD3	2:F:303:HOH:O	1.88	0.73
1:F:84:ARG:HB2	1:F:145:LEU:HG	1.71	0.71
1:A:121:MSE:HE1	1:A:136:LEU:HD12	1.71	0.71
1:B:84:ARG:HB2	1:B:145:LEU:HG	1.73	0.70
1:A:128:TYR:O	1:A:159:ARG:NH2	2.25	0.69
1:H:84:ARG:HB2	1:H:145:LEU:HG	1.73	0.69
1:E:215:ARG:NH1	1:H:216:ASN:HB2	2.08	0.67
1:E:131:ARG:NH2	1:E:134:ARG:HD2	2.09	0.67
1:B:215:ARG:NH1	1:C:216:ASN:HB2	2.10	0.66
1:H:76:LEU:HD22	1:H:143:VAL:HG23	1.78	0.66
1:G:53:ASN:HB3	1:G:56:LYS:HG3	1.78	0.66
1:H:89:ARG:HG3	1:H:90:TYR:H	1.62	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:216:ASN:ND2	1:H:281:GLU:O	2.28	0.64
1:C:49:PRO:HG2	1:C:52:TYR:CD1	2.33	0.63
1:D:50:LYS:HA	1:D:81:ARG:HG3	1.81	0.63
1:E:128:TYR:O	1:E:159:ARG:NH2	2.32	0.63
1:F:131:ARG:NH2	1:F:134:ARG:HD2	2.15	0.62
1:G:223:ASP:HB3	1:G:226:LEU:HB3	1.80	0.62
1:A:216:ASN:HB2	1:D:215:ARG:NH1	2.15	0.62
1:B:121:MSE:HB2	1:B:190:THR:HG23	1.81	0.61
1:E:215:ARG:HH12	1:H:216:ASN:HB2	1.65	0.61
1:F:121:MSE:HE2	1:F:133:ILE:CD1	2.31	0.61
1:F:216:ASN:O	1:F:216:ASN:ND2	2.34	0.60
1:H:89:ARG:HG3	1:H:90:TYR:N	2.16	0.60
1:D:121:MSE:HE2	1:D:133:ILE:CD1	2.32	0.60
1:C:76:LEU:HD13	1:C:143:VAL:HG23	1.84	0.59
1:A:215:ARG:NH2	1:D:216:ASN:HB2	2.18	0.59
1:B:219:THR:HG23	1:B:247:LYS:HD2	1.84	0.58
1:A:84:ARG:HB2	1:A:145:LEU:HD21	1.86	0.57
1:G:170:ASP:O	1:G:174:CYS:HB2	2.04	0.57
1:C:180:GLY:HA2	1:C:187:THR:HG22	1.85	0.57
1:D:225:ASN:OD1	1:D:228:ARG:NH2	2.37	0.57
1:H:47:ASN:HA	1:H:80:PHE:CD2	2.38	0.57
1:A:279:ASN:HB2	1:B:139:ASP:OD1	2.06	0.56
1:F:120:TRP:O	1:F:190:THR:HG22	2.06	0.56
1:H:121:MSE:HE2	1:H:133:ILE:CD1	2.36	0.55
1:A:76:LEU:HD13	1:A:143:VAL:HG23	1.87	0.55
1:C:53:ASN:OD1	1:C:55:ASN:HB2	2.07	0.55
1:A:231:PHE:CE2	1:A:272:MSE:HG3	2.42	0.55
1:H:225:ASN:O	1:H:229:GLU:HG3	2.06	0.55
1:C:211:GLU:HG3	1:C:259:VAL:HG22	1.89	0.54
1:G:46:LYS:HG3	1:G:82:PHE:CE1	2.42	0.54
1:C:222:LEU:HD13	1:C:254:CYS:HB3	1.89	0.54
1:H:50:LYS:HG2	1:H:79:ASN:O	2.08	0.54
1:F:121:MSE:HE2	1:F:133:ILE:HD12	1.90	0.53
1:B:120:TRP:O	1:B:190:THR:HG22	2.07	0.53
1:D:121:MSE:HE1	1:D:136:LEU:HD12	1.90	0.53
1:G:53:ASN:HB3	1:G:56:LYS:CG	2.39	0.52
1:D:84:ARG:HB2	1:D:145:LEU:HG	1.91	0.52
1:A:206:THR:HG22	1:A:210:ARG:HH21	1.75	0.52
1:H:130:GLN:HB2	2:H:307:HOH:O	2.10	0.52
1:D:89:ARG:HG3	1:D:90:TYR:H	1.75	0.51
1:E:131:ARG:HH11	1:E:131:ARG:HA	1.74	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:74:ASP:OD1	1:H:81:ARG:NE	2.42	0.51
1:C:173:TYR:OH	1:C:177:LYS:HE3	2.11	0.51
1:C:84:ARG:HB2	1:C:145:LEU:HG	1.93	0.50
1:A:211:GLU:HG3	1:A:259:VAL:HG22	1.92	0.50
1:F:196:LEU:H	1:F:196:LEU:HD23	1.77	0.50
1:H:67:ILE:HG21	1:H:70:VAL:HG23	1.94	0.50
1:C:190:THR:O	1:C:191:LYS:HG2	2.12	0.49
1:G:49:PRO:HG2	1:G:52:TYR:CD1	2.48	0.49
1:A:49:PRO:HG2	1:A:52:TYR:CD1	2.47	0.49
1:H:121:MSE:HE2	1:H:133:ILE:HD13	1.95	0.49
1:A:170:ASP:O	1:A:174:CYS:HB2	2.13	0.48
1:D:121:MSE:HE2	1:D:133:ILE:HD13	1.94	0.48
1:E:210:ARG:HD2	1:E:260:PHE:O	2.13	0.48
1:B:158:ARG:HG3	1:B:233:GLY:HA3	1.96	0.48
1:G:216:ASN:ND2	1:G:281:GLU:O	2.46	0.48
1:H:133:ILE:HB	1:H:147:ILE:HD13	1.94	0.48
1:A:121:MSE:HB2	1:A:190:THR:HG23	1.95	0.48
1:A:173:TYR:OH	1:A:177:LYS:HE2	2.13	0.48
1:C:214:ILE:O	1:C:255:CYS:HA	2.13	0.47
1:E:49:PRO:HG2	1:E:52:TYR:CD1	2.49	0.47
1:E:120:TRP:CZ2	1:E:191:LYS:HG3	2.48	0.47
1:F:253:ASN:OD1	1:G:253:ASN:ND2	2.47	0.47
1:A:84:ARG:HB2	1:A:145:LEU:CD2	2.44	0.47
1:E:76:LEU:HD13	1:E:143:VAL:HG23	1.96	0.47
1:H:240:ILE:HG12	1:H:258:MSE:HE2	1.97	0.47
1:E:159:ARG:HB2	1:E:159:ARG:HH11	1.80	0.47
1:H:228:ARG:HG2	1:H:228:ARG:HH11	1.80	0.47
1:E:131:ARG:HH22	1:E:134:ARG:CD	2.26	0.46
1:H:124:PHE:HB2	1:H:125:PRO:CD	2.46	0.46
1:F:121:MSE:HE2	1:F:133:ILE:HD13	1.97	0.46
1:G:214:ILE:O	1:G:255:CYS:HA	2.15	0.46
1:C:223:ASP:HB3	1:C:226:LEU:HB3	1.96	0.46
1:E:121:MSE:HE3	1:E:188:LEU:HD11	1.98	0.46
1:A:42:THR:OG1	1:A:86:GLU:HG3	2.16	0.46
1:A:243:PRO:HB3	1:D:251:PHE:CZ	2.51	0.46
1:E:158:ARG:O	1:E:158:ARG:HG2	2.16	0.46
1:B:247:LYS:H	1:B:247:LYS:HG2	1.48	0.46
1:F:217:LEU:O	1:F:254:CYS:HB2	2.16	0.45
1:B:136:LEU:O	1:B:139:ASP:HB2	2.17	0.45
1:F:196:LEU:HD23	1:F:196:LEU:N	2.31	0.45
1:H:136:LEU:HD13	1:H:178:LEU:HD13	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:170:ASP:O	1:C:174:CYS:HB2	2.17	0.45
1:G:216:ASN:CG	1:G:280:ARG:HH21	2.19	0.45
1:H:121:MSE:HE1	1:H:136:LEU:HD12	1.99	0.45
1:F:176:GLU:OE1	1:H:267:GLU:OE2	2.35	0.45
1:E:279:ASN:HB2	1:F:139:ASP:OD1	2.17	0.45
1:F:155:ASN:O	1:F:156:THR:C	2.55	0.45
1:F:194:ASN:ND2	1:F:263:LYS:HD2	2.32	0.45
1:G:76:LEU:HD13	1:G:143:VAL:HG23	1.99	0.45
1:A:194:ASN:HA	1:A:195:PRO:HD2	1.78	0.44
1:F:158:ARG:HD3	1:F:234:PHE:CZ	2.52	0.44
1:B:131:ARG:NH2	1:B:134:ARG:HD2	2.33	0.44
1:D:228:ARG:HH11	1:D:228:ARG:HG3	1.82	0.44
1:B:53:ASN:OD1	1:B:56:LYS:HG3	2.18	0.44
1:G:94:LEU:HD23	1:G:97:ILE:HD12	2.00	0.44
1:A:141:ASN:O	1:C:289:LYS:HE2	2.17	0.44
1:H:172:ARG:O	1:H:176:GLU:HG2	2.18	0.44
1:B:131:ARG:HH22	1:B:134:ARG:HD2	1.83	0.43
1:B:74:ASP:OD1	1:B:81:ARG:NH2	2.51	0.43
1:D:66:PRO:HB2	1:D:88:ALA:HB2	2.00	0.43
1:H:170:ASP:O	1:H:174:CYS:HB2	2.18	0.43
1:E:170:ASP:OD1	1:G:208:GLU:OE2	2.35	0.43
1:B:253:ASN:OD1	1:C:215:ARG:HD3	2.18	0.43
1:C:121:MSE:HG2	1:C:188:LEU:HD11	2.00	0.43
1:E:191:LYS:HD3	2:E:295:HOH:O	2.17	0.43
1:G:131:ARG:HH22	1:G:134:ARG:HD2	1.82	0.43
1:F:129:THR:N	1:F:132:ASN:OD1	2.38	0.43
1:F:240:ILE:HG12	1:F:258:MSE:HE2	2.01	0.43
1:F:289:LYS:HG3	1:H:141:ASN:HB2	2.00	0.42
1:C:210:ARG:CG	1:C:263:LYS:HG2	2.49	0.42
1:E:289:LYS:HG3	1:G:141:ASN:HB2	2.01	0.42
1:B:251:PHE:O	1:B:252:ASN:HB2	2.20	0.42
1:G:218:SER:OG	1:G:221:LEU:HG	2.19	0.42
1:D:121:MSE:HE2	1:D:133:ILE:HD12	2.01	0.42
1:E:194:ASN:ND2	1:E:263:LYS:HD2	2.35	0.42
1:G:195:PRO:O	1:G:263:LYS:NZ	2.52	0.42
1:A:131:ARG:NH1	1:A:134:ARG:HD2	2.35	0.42
1:E:149:LEU:HD21	1:E:159:ARG:NE	2.35	0.42
1:G:196:LEU:HD23	1:G:196:LEU:H	1.84	0.42
1:H:121:MSE:HE2	1:H:133:ILE:HD12	2.01	0.42
1:B:121:MSE:CE	1:B:133:ILE:CD1	2.90	0.42
1:D:145:LEU:HD12	1:D:145:LEU:HA	1.81	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:158:ARG:NH1	1:A:230:SER:O	2.53	0.42
1:E:131:ARG:HA	1:E:131:ARG:NH1	2.34	0.42
1:F:222:LEU:HD12	1:F:222:LEU:HA	1.90	0.42
1:A:222:LEU:HD22	1:A:254:CYS:HB3	2.02	0.42
1:E:190:THR:C	1:E:191:LYS:HG2	2.40	0.42
1:C:96:ALA:O	1:C:99:LYS:HB2	2.19	0.41
1:D:45:VAL:HB	1:D:83:ALA:HB3	2.02	0.41
1:C:54:GLN:HA	1:C:72:VAL:HG21	2.02	0.41
1:A:136:LEU:O	1:A:139:ASP:HB2	2.20	0.41
1:A:168:LYS:HG3	2:A:293:HOH:O	2.20	0.41
1:C:49:PRO:O	1:C:52:TYR:HB2	2.21	0.41
1:G:139:ASP:OD1	1:H:279:ASN:HB2	2.20	0.41
1:A:289:LYS:HG3	1:C:141:ASN:HB2	2.03	0.41
1:G:273:ASN:O	1:H:182:LYS:HE3	2.20	0.41
1:E:206:THR:HG23	1:E:208:GLU:H	1.85	0.41
1:F:216:ASN:ND2	1:F:280:ARG:HE	2.18	0.41
1:H:258:MSE:HE3	1:H:258:MSE:HB2	1.94	0.41
1:A:222:LEU:HD12	1:A:222:LEU:HA	1.90	0.41
1:D:120:TRP:O	1:D:190:THR:CG2	2.69	0.41
1:D:170:ASP:O	1:D:174:CYS:HB2	2.21	0.41
1:D:231:PHE:CE2	1:D:272:MSE:HG3	2.56	0.41
1:E:216:ASN:ND2	1:E:281:GLU:O	2.46	0.41
1:G:43:VAL:HG13	1:G:111:VAL:HG13	2.03	0.41
1:C:149:LEU:HA	1:C:150:PRO:HD2	1.71	0.41
1:C:125:PRO:O	1:C:128:TYR:HB2	2.20	0.40
1:G:125:PRO:O	1:G:128:TYR:HB2	2.20	0.40
1:G:42:THR:HG22	1:G:43:VAL:N	2.37	0.40
1:C:158:ARG:NH1	1:C:230:SER:O	2.54	0.40
1:D:120:TRP:O	1:D:190:THR:HG22	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	224/292 (77%)	218 (97%)	6 (3%)	0	100	100
1	B	233/292 (80%)	227 (97%)	6 (3%)	0	100	100
1	C	224/292 (77%)	216 (96%)	7 (3%)	1 (0%)	34	60
1	D	224/292 (77%)	211 (94%)	12 (5%)	1 (0%)	34	60
1	E	224/292 (77%)	220 (98%)	4 (2%)	0	100	100
1	F	233/292 (80%)	226 (97%)	7 (3%)	0	100	100
1	G	224/292 (77%)	213 (95%)	10 (4%)	1 (0%)	34	60
1	H	224/292 (77%)	211 (94%)	12 (5%)	1 (0%)	34	60
All	All	1810/2336 (78%)	1742 (96%)	64 (4%)	4 (0%)	47	73

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	278	GLY
1	D	245	GLY
1	G	278	GLY
1	H	245	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	208/253 (82%)	192 (92%)	16 (8%)	13	30
1	B	215/253 (85%)	197 (92%)	18 (8%)	11	25
1	C	208/253 (82%)	190 (91%)	18 (9%)	10	23
1	D	208/253 (82%)	185 (89%)	23 (11%)	6	14
1	E	208/253 (82%)	188 (90%)	20 (10%)	8	19
1	F	215/253 (85%)	196 (91%)	19 (9%)	10	23
1	G	208/253 (82%)	188 (90%)	20 (10%)	8	19
1	H	208/253 (82%)	189 (91%)	19 (9%)	9	21
All	All	1678/2024 (83%)	1525 (91%)	153 (9%)	9	21

All (153) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	43	VAL
1	A	44	LEU
1	A	68	ILE
1	A	76	LEU
1	A	78	LYS
1	A	89	ARG
1	A	94	LEU
1	A	100	THR
1	A	119	LEU
1	A	128	TYR
1	A	146	SER
1	A	149	LEU
1	A	158	ARG
1	A	190	THR
1	A	230	SER
1	A	251	PHE
1	B	41	THR
1	B	44	LEU
1	B	55	ASN
1	B	76	LEU
1	B	89	ARG
1	B	100	THR
1	B	115	THR
1	B	119	LEU
1	B	128	TYR
1	B	131	ARG
1	B	138	GLN
1	B	149	LEU
1	B	151	SER
1	B	158	ARG
1	B	190	THR
1	B	191	LYS
1	B	206	THR
1	B	229	GLU
1	C	41	THR
1	C	43	VAL
1	C	44	LEU
1	C	50	LYS
1	C	52	TYR
1	C	55	ASN
1	C	76	LEU
1	C	100	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	101	HIS
1	C	115	THR
1	C	119	LEU
1	C	128	TYR
1	C	131	ARG
1	C	149	LEU
1	C	159	ARG
1	C	190	THR
1	C	196	LEU
1	C	224	GLU
1	D	50	LYS
1	D	52	TYR
1	D	71	ASP
1	D	76	LEU
1	D	78	LYS
1	D	79	ASN
1	D	89	ARG
1	D	91	ASP
1	D	94	LEU
1	D	104	VAL
1	D	107	ASN
1	D	115	THR
1	D	128	TYR
1	D	131	ARG
1	D	135	ASP
1	D	148	ARG
1	D	158	ARG
1	D	159	ARG
1	D	174	CYS
1	D	190	THR
1	D	196	LEU
1	D	206	THR
1	D	283	SER
1	E	41	THR
1	E	43	VAL
1	E	44	LEU
1	E	59	LYS
1	E	76	LEU
1	E	89	ARG
1	E	94	LEU
1	E	119	LEU
1	E	128	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	130	GLN
1	E	131	ARG
1	E	158	ARG
1	E	159	ARG
1	E	174	CYS
1	E	176	GLU
1	E	190	THR
1	E	191	LYS
1	E	196	LEU
1	E	206	THR
1	E	224	GLU
1	F	41	THR
1	F	44	LEU
1	F	76	LEU
1	F	89	ARG
1	F	94	LEU
1	F	115	THR
1	F	128	TYR
1	F	130	GLN
1	F	131	ARG
1	F	138	GLN
1	F	149	LEU
1	F	157	SER
1	F	158	ARG
1	F	159	ARG
1	F	190	THR
1	F	196	LEU
1	F	206	THR
1	F	219	THR
1	F	247	LYS
1	G	44	LEU
1	G	50	LYS
1	G	52	TYR
1	G	76	LEU
1	G	77	LYS
1	G	89	ARG
1	G	98	THR
1	G	115	THR
1	G	119	LEU
1	G	128	TYR
1	G	131	ARG
1	G	146	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	148	ARG
1	G	149	LEU
1	G	159	ARG
1	G	190	THR
1	G	196	LEU
1	G	207	LEU
1	G	225	ASN
1	G	236	SER
1	H	42	THR
1	H	50	LYS
1	H	52	TYR
1	H	71	ASP
1	H	76	LEU
1	H	78	LYS
1	H	89	ARG
1	H	91	ASP
1	H	94	LEU
1	H	115	THR
1	H	119	LEU
1	H	131	ARG
1	H	136	LEU
1	H	138	GLN
1	H	148	ARG
1	H	158	ARG
1	H	191	LYS
1	H	196	LEU
1	H	206	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	228/292 (78%)	0.33	5 (2%) 62 63	41, 57, 73, 81	0
1	B	235/292 (80%)	0.33	5 (2%) 63 65	40, 57, 72, 78	0
1	C	228/292 (78%)	0.63	15 (6%) 18 16	39, 55, 70, 75	0
1	D	228/292 (78%)	0.72	30 (13%) 3 2	39, 54, 73, 78	0
1	E	228/292 (78%)	0.33	5 (2%) 62 63	41, 56, 71, 80	0
1	F	235/292 (80%)	0.34	7 (2%) 50 51	40, 57, 72, 80	0
1	G	228/292 (78%)	0.56	15 (6%) 18 16	39, 55, 70, 74	0
1	H	228/292 (78%)	0.70	23 (10%) 7 5	38, 54, 73, 78	0
All	All	1838/2336 (78%)	0.49	105 (5%) 23 22	38, 56, 71, 81	0

All (105) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	251	PHE	6.7
1	D	103	VAL	5.9
1	D	106	GLN	5.5
1	B	290	LYS	5.3
1	H	61	PHE	5.3
1	G	61	PHE	5.3
1	C	196	LEU	4.8
1	C	61	PHE	4.6
1	H	106	GLN	4.5
1	G	251	PHE	4.3
1	G	105	GLY	4.3
1	H	59	LYS	4.2
1	F	153	ARG	4.1
1	D	110	ILE	4.1
1	H	90	TYR	4.1
1	B	291	PRO	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	245	GLY	3.9
1	H	98	THR	3.8
1	H	102	LYS	3.7
1	E	251	PHE	3.6
1	H	60	TYR	3.6
1	D	59	LYS	3.6
1	D	51	SER	3.6
1	C	66	PRO	3.6
1	F	291	PRO	3.5
1	H	104	VAL	3.5
1	D	109	ILE	3.5
1	D	88	ALA	3.5
1	H	57	VAL	3.4
1	D	48	LEU	3.3
1	D	105	GLY	3.3
1	H	52	TYR	3.3
1	H	58	TYR	3.3
1	G	103	VAL	3.2
1	C	110	ILE	3.2
1	C	105	GLY	3.2
1	G	60	TYR	3.2
1	A	90	TYR	3.1
1	H	97	ILE	3.1
1	H	103	VAL	3.1
1	C	87	PHE	3.1
1	D	251	PHE	3.1
1	B	153	ARG	3.1
1	H	101	HIS	3.0
1	G	87	PHE	3.0
1	D	104	VAL	3.0
1	H	110	ILE	2.9
1	D	47	ASN	2.9
1	C	251	PHE	2.9
1	H	49	PRO	2.9
1	F	89	ARG	2.8
1	D	52	TYR	2.8
1	D	49	PRO	2.8
1	D	60	TYR	2.8
1	D	107	ASN	2.8
1	D	53	ASN	2.7
1	F	251	PHE	2.7
1	H	150	PRO	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	102	LYS	2.7
1	D	90	TYR	2.7
1	C	68	ILE	2.7
1	G	63	HIS	2.7
1	F	152	LEU	2.7
1	H	48	LEU	2.7
1	D	61	PHE	2.6
1	D	45	VAL	2.6
1	E	89	ARG	2.6
1	D	98	THR	2.6
1	C	60	TYR	2.6
1	H	99	LYS	2.6
1	D	245	GLY	2.5
1	G	104	VAL	2.5
1	G	223	ASP	2.5
1	C	106	GLN	2.4
1	A	93	ALA	2.4
1	H	107	ASN	2.4
1	D	67	ILE	2.4
1	G	106	GLN	2.4
1	D	108	GLU	2.4
1	E	90	TYR	2.4
1	F	90	TYR	2.4
1	C	62	LYS	2.3
1	F	151	SER	2.3
1	D	55	ASN	2.3
1	D	87	PHE	2.3
1	A	91	ASP	2.3
1	G	291	PRO	2.3
1	A	58	TYR	2.3
1	D	43	VAL	2.2
1	H	66	PRO	2.2
1	G	102	LYS	2.2
1	G	64	CYS	2.2
1	C	59	LYS	2.2
1	D	79	ASN	2.2
1	B	251	PHE	2.2
1	E	91	ASP	2.2
1	C	109	ILE	2.1
1	G	196	LEU	2.1
1	E	59	LYS	2.1
1	G	88	ALA	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	91	ASP	2.1
1	H	91	ASP	2.0
1	B	68	ILE	2.0
1	C	89	ARG	2.0
1	C	291	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.