



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 31, 2023 – 06:17 PM JST

PDB ID : 5GSU
Title : Crystal structure of nucleosome core particle consisting of human testis-specific histone variants, Th2A and Th2B
Authors : Kumarevel, T.; Sivaraman, P.
Deposited on : 2016-08-17
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	135	
1	E	135	
2	B	102	
2	F	102	
3	C	130	
3	G	130	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	126	
4	H	126	
5	I	146	
5	J	146	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	MN	I	202	-	-	-	X

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 12086 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone H3.1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	99	Total 816	C 514	N 158	O 140	S 4	0	0	0
1	E	99	Total 816	C 514	N 158	O 140	S 4	0	0	0

- Molecule 2 is a protein called Histone H4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	79	Total 624	C 394	N 121	O 108	S 1	0	0	0
2	F	86	Total 694	C 436	N 140	O 117	S 1	0	0	0

- Molecule 3 is a protein called Histone H2A type 1-A.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	C	106	Total 814	C 514	N 157	O 143	0	0	0
3	G	105	Total 805	C 508	N 155	O 142	0	0	0

- Molecule 4 is a protein called Histone H2B type 1-A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	97	Total 769	C 482	N 140	O 145	S 2	0	0	0
4	H	94	Total 738	C 464	N 130	O 142	S 2	0	0	0

- Molecule 5 is a DNA chain called DNA (146-MER).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
5	I	146	2990	1431	540	874	145	0	0	0
5	J	146	2990	1431	540	874	145	0	0	0

- Molecule 6 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	G	1	Total 1	Cl 1	0	0
6	I	1	Total 1	Cl 1	0	0
6	J	1	Total 1	Cl 1	0	0

- Molecule 7 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	D	2	Total 2	Mn 2	0	0
7	I	8	Total 8	Mn 8	0	0
7	J	5	Total 5	Mn 5	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	B	1	Total 1	O 1	0	0
8	F	2	Total 2	O 2	0	0
8	C	2	Total 2	O 2	0	0
8	G	1	Total 1	O 1	0	0
8	D	1	Total 1	O 1	0	0
8	I	3	Total 3	O 3	0	0
8	J	2	Total 2	O 2	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Histone H3.1




- Molecule 1: Histone H3.1



- Molecule 2: Histone H4




- Molecule 2: Histone H4



- Molecule 3: Histone H2A type 1-A






GLN
SER
LYS

- Molecule 3: Histone H2A type 1-A


Chain G: 65% 15% 19%



LYS
ALA
GLN
SER
LYS


- Molecule 4: Histone H2B type 1-A

Chain D: 50% 24% 23%




- Molecule 4: Histone H2B type 1-A

Chain H: 51% 23% 25%




- Molecule 5: DNA (146-MER)

Chain I: 8% 33% 64%



- Molecule 5: DNA (146-MER)



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	107.09Å 109.74Å 182.44Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.33 – 3.10 37.50 – 3.10	Depositor EDS
% Data completeness (in resolution range)	96.6 (35.33-3.10) 96.7 (37.50-3.10)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.93 (at 3.12Å)	Xtrriage
Refinement program	PHENIX 1.8.4_1496, REFMAC	Depositor
R, R_{free}	0.197 , 0.257 0.200 , 0.257	Depositor DCC
R_{free} test set	1939 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	79.9	Xtrriage
Anisotropy	0.499	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.25 , 42.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.024 for k,h,-l	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	12086	wwPDB-VP
Average B, all atoms (Å ²)	94.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CL, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.53	0/828	0.71	0/1109
1	E	0.67	0/828	0.77	0/1109
2	B	0.62	0/631	0.75	0/844
2	F	0.70	0/702	0.80	0/937
3	C	0.63	0/824	0.78	0/1110
3	G	0.51	0/815	0.74	1/1099 (0.1%)
4	D	0.71	0/780	0.79	1/1044 (0.1%)
4	H	0.61	0/749	0.70	0/1005
5	I	0.90	7/3354 (0.2%)	1.08	9/5175 (0.2%)
5	J	0.90	9/3354 (0.3%)	1.07	7/5175 (0.1%)
All	All	0.78	16/12865 (0.1%)	0.95	18/18607 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
4	D	0	1

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	J	204	DG	C3'-O3'	-7.87	1.33	1.44
5	J	223	DA	C3'-O3'	-7.01	1.34	1.44
5	J	196	DC	C3'-O3'	-6.80	1.35	1.44
5	I	28	DA	C3'-O3'	-6.75	1.35	1.44
5	I	48	DT	C3'-O3'	-6.51	1.35	1.44
5	I	98	DG	C3'-O3'	-6.08	1.36	1.44
5	I	29	DA	C3'-O3'	-5.92	1.36	1.44
5	J	248	DA	C3'-O3'	-5.85	1.36	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	I	58	DG	C3'-O3'	-5.75	1.36	1.44
5	J	225	DC	C3'-O3'	-5.62	1.36	1.44
5	J	206	DC	P-O5'	-5.61	1.54	1.59
5	J	247	DC	C3'-O3'	-5.47	1.36	1.44
5	J	277	DG	C3'-O3'	-5.34	1.37	1.44
5	I	68	DG	C3'-O3'	-5.23	1.37	1.44
5	I	101	DC	P-O5'	-5.12	1.54	1.59
5	J	175	DA	C3'-O3'	-5.08	1.37	1.44

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	J	155	DC	O5'-P-OP1	-10.99	95.81	105.70
5	I	58	DG	O4'-C1'-N9	8.16	113.71	108.00
5	J	206	DC	O5'-P-OP1	-7.60	98.86	105.70
5	I	80	DT	OP1-P-OP2	7.01	130.12	119.60
5	I	80	DT	O5'-P-OP2	-6.68	99.69	105.70
5	J	206	DC	OP1-P-OP2	6.61	129.51	119.60
5	J	206	DC	O5'-P-OP2	-5.76	100.51	105.70
5	I	80	DT	OP2-P-O3'	5.75	117.86	105.20
5	I	18	DG	O4'-C1'-N9	5.72	112.01	108.00
5	I	89	DC	O5'-P-OP2	-5.65	100.61	105.70
5	I	125	DG	O4'-C1'-N9	5.52	111.86	108.00
5	I	48	DT	O4'-C1'-N1	5.45	111.81	108.00
3	G	94	GLU	N-CA-C	5.44	125.69	111.00
5	I	33	DG	O4'-C1'-N9	5.29	111.70	108.00
4	D	30	THR	N-CA-CB	5.24	120.26	110.30
5	J	152	DT	O4'-C1'-N1	5.15	111.61	108.00
5	J	197	DA	O5'-P-OP2	-5.05	101.15	105.70
5	J	288	DT	OP2-P-O3'	5.02	116.25	105.20

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
4	D	29	ARG	Sidechain

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	816	0	856	14	0
1	E	816	0	856	17	0
2	B	624	0	661	19	0
2	F	694	0	742	16	0
3	C	814	0	871	31	0
3	G	805	0	858	25	0
4	D	769	0	803	39	0
4	H	738	0	764	31	0
5	I	2990	0	1652	83	0
5	J	2990	0	1652	89	0
6	G	1	0	0	0	0
6	I	1	0	0	0	0
6	J	1	0	0	1	0
7	D	2	0	0	0	0
7	I	8	0	0	0	0
7	J	5	0	0	0	0
8	B	1	0	0	0	0
8	C	2	0	0	0	0
8	D	1	0	0	0	0
8	F	2	0	0	0	0
8	G	1	0	0	0	0
8	I	3	0	0	0	0
8	J	2	0	0	0	0
All	All	12086	0	9715	291	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (291) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:44:ARG:HB2	4:D:86:THR:HG22	1.50	0.93
5:I:43:DA:H2''	5:I:44:DC:H5''	1.52	0.88
2:B:26:ILE:HG22	2:B:27:GLN:N	1.88	0.88
3:C:79:ARG:HH11	5:I:19:DA:H4'	1.39	0.87
3:C:33:HIS:HD2	3:C:50:PRO:HG3	1.39	0.87
5:I:5:DA:H2''	5:I:6:DT:H5''	1.56	0.86
3:G:44:ARG:HB2	4:H:86:THR:HG22	1.57	0.85
5:J:246:DG:H2''	5:J:247:DC:H5''	1.55	0.85

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:31:ARG:HG3	3:C:34:ARG:HH21	1.42	0.83
5:J:261:DA:H2''	5:J:262:DC:H5''	1.61	0.83
5:J:194:DT:H2''	5:J:195:DC:H5'	1.60	0.82
5:J:152:DT:H2''	5:J:153:DA:H5''	1.61	0.82
3:G:104:ILE:HG23	4:H:59:ILE:HD12	1.63	0.81
3:C:94:GLU:OE2	4:D:102:GLY:O	1.98	0.81
2:B:26:ILE:CG2	2:B:27:GLN:N	2.44	0.81
3:C:33:HIS:CD2	3:C:50:PRO:HG3	2.16	0.80
5:I:115:DA:H2''	5:I:116:DC:H5''	1.64	0.80
4:D:27:ARG:HG3	5:J:193:DC:OP1	1.82	0.79
3:C:76:LYS:CG	3:C:76:LYS:O	2.31	0.79
5:I:58:DG:H2''	5:I:59:DG:C8	2.19	0.78
5:J:181:DA:H2''	5:J:182:DT:H5''	1.65	0.77
2:B:26:ILE:HG23	2:B:55:ARG:HD3	1.67	0.77
3:G:94:GLU:OE2	4:H:103:GLU:HB2	1.86	0.76
5:J:205:DG:H2''	5:J:206:DC:H5''	1.68	0.76
5:J:259:DA:H2''	5:J:260:DC:H5''	1.66	0.76
5:I:51:DA:H2''	5:I:52:DT:H5''	1.69	0.75
4:D:35:TYR:HB2	4:D:61:ASN:ND2	2.02	0.74
3:C:79:ARG:NH1	5:I:19:DA:H4'	2.04	0.73
5:J:277:DG:H8	5:J:277:DG:H5''	1.54	0.73
5:J:173:DA:H2''	5:J:174:DA:C8	2.25	0.72
5:J:154:DT:H1'	5:J:155:DC:H5''	1.72	0.71
5:I:6:DT:H2''	5:I:7:DA:C8	2.26	0.70
5:I:40:DG:H2''	5:I:41:DA:C8	2.24	0.70
5:J:182:DT:H2''	5:J:183:DT:H5''	1.73	0.70
5:J:288:DT:H1'	5:J:289:DT:H5'	1.72	0.70
1:E:63:ARG:NH1	5:I:91:DT:OP1	2.24	0.70
4:H:34:SER:HB3	4:H:36:SER:H	1.56	0.70
5:J:273:DA:H2''	5:J:274:DT:H5''	1.73	0.70
5:I:36:DT:H2''	5:I:37:DT:H5''	1.73	0.69
1:A:42:ARG:NH1	5:I:144:DG:OP2	2.25	0.69
4:D:44:LYS:NZ	4:D:50:THR:O	2.26	0.68
1:E:42:ARG:NE	5:J:215:DC:OP1	2.27	0.67
3:G:31:ARG:HG3	3:G:34:ARG:HH21	1.59	0.67
3:C:76:LYS:O	3:C:76:LYS:HG3	1.93	0.67
3:C:94:GLU:HG2	4:D:101:PRO:HB2	1.77	0.67
5:I:8:DT:H1'	5:I:9:DC:H5''	1.78	0.66
4:H:44:LYS:NZ	4:H:50:THR:O	2.29	0.66
5:I:106:DT:H1'	5:I:107:DC:H5'	1.77	0.66
5:I:39:DG:H2''	5:I:40:DG:H5''	1.78	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:J:277:DG:H5''	5:J:277:DG:C8	2.33	0.64
1:A:108:ASN:HD22	2:B:43:VAL:HG22	1.63	0.63
5:I:55:DA:H61	5:J:238:DT:H3	1.46	0.63
5:I:136:DT:H2''	5:I:137:DG:H5'	1.80	0.63
5:J:206:DC:H2''	5:J:207:DA:C8	2.33	0.63
4:H:77:ARG:HG2	4:H:81:TYR:CZ	2.34	0.63
5:I:38:DT:O4	5:J:254:DC:N4	2.31	0.63
5:J:194:DT:C2'	5:J:195:DC:H5'	2.29	0.62
5:J:198:DT:H2''	5:J:199:DC:H5'	1.80	0.62
5:I:74:DT:H1'	5:I:75:DT:H5'	1.82	0.61
4:D:102:GLY:O	4:D:103:GLU:HB2	2.00	0.61
5:J:153:DA:H1'	5:J:154:DT:H5'	1.82	0.61
3:C:94:GLU:CD	4:D:102:GLY:O	2.39	0.61
5:I:134:DG:H1'	5:I:135:DG:H5'	1.83	0.61
5:J:220:DT:H1'	5:J:221:DT:H5'	1.83	0.61
4:D:105:ALA:O	4:D:109:VAL:HG23	2.01	0.60
5:J:197:DA:H2''	5:J:198:DT:H5''	1.82	0.60
5:J:266:DT:H2''	5:J:267:DG:C8	2.35	0.60
5:I:47:DC:H2''	5:I:48:DT:C6	2.36	0.60
5:I:82:DA:H1'	5:I:83:DA:H5'	1.84	0.60
3:C:104:ILE:HG23	4:D:59:ILE:HD13	1.83	0.60
2:B:52:GLU:OE2	2:B:55:ARG:NH1	2.35	0.59
5:J:183:DT:H2''	5:J:184:DT:H5'	1.85	0.58
5:I:146:DT:H6	5:I:146:DT:H5'	1.68	0.58
5:I:116:DC:H1'	5:I:117:DT:H5'	1.83	0.58
5:I:130:DT:H2''	5:I:131:DG:C8	2.39	0.58
2:F:98:TYR:OH	4:D:66:ASP:OD2	2.20	0.58
3:C:16:SER:HB3	5:J:266:DT:OP1	2.04	0.57
3:C:75:ASN:O	3:C:77:LYS:HG3	2.04	0.57
3:G:69:GLY:HA3	4:H:47:HIS:CD2	2.39	0.57
1:A:73:GLU:OE1	2:B:25:ASN:ND2	2.37	0.57
4:D:27:ARG:N	4:D:29:ARG:NH1	2.51	0.57
3:G:34:ARG:NH2	4:H:33:GLU:OE2	2.24	0.57
2:F:31:LYS:HG3	2:F:51:TYR:CE2	2.40	0.57
1:A:108:ASN:ND2	2:B:43:VAL:HA	2.20	0.57
3:G:22:ARG:HH21	4:H:123:LYS:HB3	1.70	0.57
5:I:20:DT:H1'	5:I:21:DT:H5'	1.85	0.57
5:J:175:DA:H2''	5:J:176:DA:C8	2.39	0.57
3:G:66:GLU:HB2	4:H:46:VAL:HG11	1.85	0.57
4:D:84:ARG:HH12	4:D:90:ARG:HH11	1.52	0.57
5:J:148:DT:H2''	5:J:149:DC:H5'	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:I:120:DT:H2''	5:I:121:DG:C8	2.40	0.56
4:D:28:LYS:O	4:D:28:LYS:HG3	2.05	0.56
2:B:60:VAL:O	2:B:64:ASN:ND2	2.36	0.56
5:J:164:DG:H2''	5:J:165:DA:H5''	1.88	0.56
5:J:226:DT:H2''	5:J:227:DG:C8	2.40	0.56
5:I:51:DA:C2'	5:I:52:DT:H5''	2.36	0.56
3:C:28:PRO:HG3	4:D:38:TYR:CE2	2.41	0.55
5:I:93:DT:H1'	5:I:94:DG:H5'	1.89	0.55
4:H:30:THR:HG22	5:J:250:DT:OP1	2.05	0.55
5:I:37:DT:O4	5:J:255:DA:N6	2.39	0.55
1:A:106:ASP:OD2	1:A:131:ARG:NH1	2.40	0.55
1:A:107:THR:HG21	1:A:124:ILE:HG12	1.88	0.55
4:D:35:TYR:HB2	4:D:61:ASN:HD21	1.72	0.55
3:C:44:ARG:HG2	5:J:259:DA:H5''	1.89	0.55
5:J:200:DA:H2''	5:J:201:DA:C8	2.43	0.54
3:C:15:LYS:HG2	3:C:16:SER:H	1.73	0.54
1:E:76:GLN:HA	1:E:79:LYS:O	2.09	0.53
3:C:94:GLU:CG	4:D:101:PRO:HB2	2.38	0.53
5:J:261:DA:C2'	5:J:262:DC:H5''	2.36	0.53
4:H:77:ARG:HG2	4:H:81:TYR:OH	2.09	0.53
4:H:105:ALA:O	4:H:109:VAL:HG23	2.09	0.53
3:C:32:ILE:HG23	4:D:68:PHE:HE2	1.74	0.53
5:I:105:DT:H1'	5:I:106:DT:H5'	1.89	0.52
5:J:264:DT:H1'	5:J:265:DT:H5'	1.92	0.52
3:C:31:ARG:HG3	3:C:34:ARG:NH2	2.16	0.52
3:C:52:TYR:O	3:C:56:VAL:HG23	2.09	0.52
5:I:130:DT:O4	5:J:162:DC:N4	2.42	0.52
2:F:98:TYR:CE2	3:C:102:VAL:HG11	2.45	0.52
3:G:66:GLU:HB2	4:H:46:VAL:CG1	2.40	0.52
5:I:109:DA:H1'	5:I:110:DA:H5'	1.91	0.52
3:C:76:LYS:O	3:C:76:LYS:HG2	2.07	0.52
5:I:23:DT:H1'	5:I:24:DA:H5'	1.92	0.52
1:A:76:GLN:HG3	1:A:80:THR:HA	1.91	0.52
5:I:115:DA:C2'	5:I:116:DC:H5''	2.38	0.52
5:I:7:DA:H1'	5:I:8:DT:H5'	1.91	0.52
5:J:179:DG:H2''	5:J:180:DT:H5''	1.91	0.52
5:I:101:DC:H2''	5:I:102:DA:H5'	1.92	0.51
5:J:249:DG:H1'	5:J:250:DT:H5''	1.92	0.51
4:H:31:ARG:HB3	5:I:122:DG:H4'	1.91	0.51
5:J:233:DG:H2''	5:J:234:DC:OP2	2.10	0.51
3:C:18:SER:O	3:C:22:ARG:HG3	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:G:52:TYR:O	3:G:56:VAL:HG23	2.10	0.51
4:H:40:TYR:CE1	4:H:44:LYS:HE2	2.46	0.51
5:I:36:DT:C2'	5:I:37:DT:H5''	2.41	0.51
5:J:157:DA:C8	5:J:157:DA:H5'	2.45	0.51
4:D:29:ARG:NH2	5:J:194:DT:O5'	2.44	0.51
4:H:92:ILE:O	4:H:96:VAL:HG23	2.10	0.51
3:G:69:GLY:O	3:G:73:ARG:HG3	2.10	0.51
5:I:111:DA:H1'	5:I:112:DT:H5'	1.91	0.51
5:I:43:DA:C2'	5:I:44:DC:H5''	2.32	0.51
5:I:26:DC:H2''	5:I:27:DA:N7	2.25	0.51
5:J:165:DA:H2''	5:J:166:DT:H5'	1.92	0.51
3:G:94:GLU:CD	4:H:103:GLU:HB2	2.30	0.51
5:I:9:DC:H2''	5:I:10:DC:H5'	1.93	0.51
5:I:146:DT:H5'	5:I:146:DT:C6	2.45	0.51
5:J:197:DA:C2'	5:J:198:DT:H5''	2.40	0.51
1:A:49:ARG:HD2	5:J:155:DC:OP1	2.12	0.50
1:A:119:ILE:HG13	2:B:50:ILE:HG13	1.93	0.50
1:E:85:GLN:HA	5:J:196:DC:OP1	2.11	0.50
4:D:92:ILE:O	4:D:96:VAL:HG23	2.11	0.50
1:E:48:LEU:HD11	2:F:44:LYS:HE3	1.94	0.50
5:J:172:DC:H2''	5:J:173:DA:N7	2.27	0.50
5:J:268:DG:N7	6:J:306:CL:CL	2.82	0.50
3:G:31:ARG:NH1	4:H:34:SER:O	2.45	0.49
5:I:10:DC:H42	5:J:283:DG:H1	1.60	0.49
5:I:118:DT:H1'	5:I:119:DT:H5'	1.92	0.49
5:I:65:DT:H1'	5:I:66:DC:H5'	1.94	0.49
1:E:100:LEU:HD11	2:F:58:LEU:HD13	1.92	0.49
5:J:188:DA:H2''	5:J:189:DA:C8	2.48	0.49
5:J:229:DA:H1'	5:J:230:DC:H5'	1.95	0.49
1:E:128:ARG:HH12	1:E:134:ARG:NH2	2.10	0.49
5:J:166:DT:H1'	5:J:167:DT:H5'	1.94	0.49
3:G:39:GLY:HA3	3:G:41:TYR:CE2	2.48	0.49
5:J:247:DC:H2''	5:J:248:DA:C8	2.48	0.48
5:I:131:DG:H2''	5:I:132:DC:C6	2.49	0.48
3:G:94:GLU:HG2	4:H:101:PRO:HB2	1.96	0.48
5:I:6:DT:H2''	5:I:7:DA:H8	1.77	0.48
4:D:28:LYS:HE2	5:I:104:DT:OP1	2.14	0.48
4:D:35:TYR:HB2	4:D:61:ASN:HD22	1.78	0.48
5:I:52:DT:H2''	5:I:53:DC:H5'	1.96	0.48
5:J:158:DC:H1'	5:J:159:DC:H5''	1.96	0.48
5:J:292:DT:H5'	5:J:292:DT:C6	2.48	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:83:ALA:O	2:F:87:VAL:HG23	2.12	0.47
2:F:30:THR:HB	2:F:32:PRO:HD2	1.95	0.47
5:J:241:DA:H2''	5:J:242:DT:H5'	1.96	0.47
5:I:5:DA:C2'	5:I:6:DT:H5''	2.36	0.47
5:I:142:DT:H1'	5:I:143:DT:H5'	1.96	0.47
5:J:152:DT:H2''	5:J:153:DA:C5'	2.40	0.47
4:D:27:ARG:N	4:D:29:ARG:CZ	2.77	0.47
5:J:279:DA:H1'	5:J:280:DG:H5''	1.96	0.47
1:E:99:TYR:OH	1:E:133:GLU:OE2	2.32	0.47
5:J:174:DA:H2''	5:J:175:DA:C8	2.50	0.47
4:D:65:THR:O	4:D:69:GLU:HG3	2.14	0.47
5:I:131:DG:H5''	5:I:131:DG:H8	1.80	0.47
4:D:40:TYR:O	4:D:43:LEU:HB3	2.14	0.47
5:I:134:DG:N2	5:J:160:DT:O2	2.48	0.47
2:F:70:VAL:O	2:F:74:GLU:HG2	2.15	0.46
5:J:271:DG:H4'	5:J:271:DG:OP1	2.13	0.46
4:D:88:SER:O	4:D:91:GLU:N	2.48	0.46
5:I:38:DT:C2	5:I:39:DG:C2	3.03	0.46
4:D:29:ARG:HG3	5:J:271:DG:OP2	2.16	0.46
5:I:47:DC:H6	5:I:47:DC:H5'	1.81	0.46
5:I:63:DG:H1	5:J:230:DC:H42	1.64	0.46
3:C:94:GLU:OE1	4:D:103:GLU:HB2	2.16	0.46
5:J:280:DG:H1'	5:J:281:DG:H5'	1.98	0.46
3:G:81:ILE:HA	4:H:53:SER:HB3	1.98	0.45
5:I:45:DT:H2'	5:I:46:DG:C8	2.51	0.45
5:J:181:DA:C2'	5:J:182:DT:H5''	2.42	0.45
4:H:38:TYR:O	4:H:42:VAL:HG23	2.16	0.45
5:J:282:DT:H2''	5:J:283:DG:H5'	1.98	0.45
2:B:98:TYR:OH	4:H:66:ASP:OD2	2.31	0.45
4:H:65:THR:O	4:H:69:GLU:HG3	2.16	0.45
5:I:113:DA:H2''	5:I:114:DC:O5'	2.17	0.45
5:I:88:DC:H2''	5:I:89:DC:C6	2.52	0.44
3:G:82:PRO:O	3:G:85:LEU:N	2.50	0.44
5:I:11:DA:H1'	5:I:12:DC:H5'	1.99	0.44
4:D:102:GLY:O	4:D:103:GLU:CB	2.65	0.44
4:D:27:ARG:N	4:D:29:ARG:HH12	2.15	0.44
5:I:89:DC:H2''	5:I:90:DT:H71	1.98	0.44
5:J:285:DA:H1'	5:J:286:DT:H5'	1.98	0.44
2:B:31:LYS:HG3	2:B:51:TYR:CE1	2.53	0.44
1:E:101:VAL:HG11	2:F:40:ARG:HG2	1.99	0.44
3:G:31:ARG:HA	5:J:176:DA:OP1	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:I:110:DA:C6	5:I:111:DA:C6	3.06	0.44
1:E:63:ARG:HB2	1:E:66:PRO:HG2	2.00	0.44
5:J:200:DA:H2''	5:J:201:DA:H8	1.83	0.44
1:E:124:ILE:O	1:E:128:ARG:HG3	2.18	0.44
4:H:86:THR:OG1	5:J:186:DG:OP1	2.23	0.43
2:B:26:ILE:O	2:B:28:GLY:N	2.51	0.43
2:F:17:ARG:O	2:F:17:ARG:NH1	2.51	0.43
3:C:65:LEU:HD13	4:D:43:LEU:HA	2.00	0.43
4:D:55:LYS:O	4:D:59:ILE:HG13	2.18	0.43
5:I:82:DA:C6	5:I:83:DA:C6	3.06	0.43
5:J:177:DG:H1'	5:J:178:DT:H5''	2.01	0.43
1:A:108:ASN:O	1:A:112:ILE:HG13	2.18	0.43
4:D:29:ARG:NH2	5:J:194:DT:OP1	2.50	0.43
4:D:31:ARG:NE	5:I:27:DA:H4'	2.33	0.43
1:E:119:ILE:HG13	2:F:50:ILE:HG13	2.01	0.43
2:B:26:ILE:C	2:B:28:GLY:N	2.72	0.43
3:G:73:ARG:HH21	4:H:47:HIS:CD2	2.36	0.43
5:J:198:DT:C2'	5:J:199:DC:H5'	2.46	0.43
3:C:78:THR:O	4:D:50:THR:HG23	2.19	0.42
4:D:27:ARG:N	4:D:29:ARG:NH2	2.66	0.42
5:I:19:DA:H2''	5:I:20:DT:H5'	2.01	0.42
5:I:137:DG:H2''	5:I:138:DG:OP2	2.18	0.42
5:J:194:DT:H2''	5:J:195:DC:C6	2.54	0.42
1:A:64:LYS:HB2	1:A:64:LYS:HE3	1.75	0.42
3:G:22:ARG:HH21	4:H:123:LYS:CB	2.33	0.42
1:A:65:LEU:HB3	1:A:66:PRO:HD3	2.01	0.42
2:B:31:LYS:HE3	2:B:51:TYR:CZ	2.54	0.42
2:F:62:LEU:O	2:F:66:ILE:HG13	2.20	0.42
4:D:34:SER:OG	4:D:35:TYR:N	2.51	0.42
3:C:67:LEU:HD23	3:C:67:LEU:HA	1.76	0.42
2:B:31:LYS:N	2:B:32:PRO:HD2	2.34	0.42
5:I:101:DC:C2'	5:I:102:DA:H5'	2.49	0.42
5:I:140:DT:H2''	5:I:141:DA:C8	2.55	0.42
5:J:182:DT:C2'	5:J:183:DT:H5''	2.47	0.42
5:J:275:DC:H6	5:J:275:DC:H5'	1.85	0.42
1:E:73:GLU:OE1	2:F:25:ASN:HB2	2.20	0.42
1:E:108:ASN:O	1:E:112:ILE:HG13	2.20	0.42
5:J:148:DT:C2'	5:J:149:DC:H5'	2.49	0.42
1:A:113:HIS:CD2	1:E:114:ALA:HB2	2.54	0.42
5:I:47:DC:H5'	5:I:47:DC:C6	2.55	0.41
3:C:15:LYS:HG2	3:C:16:SER:N	2.35	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:I:11:DA:H5'	5:I:11:DA:C8	2.55	0.41
5:I:131:DG:C8	5:I:131:DG:H5''	2.55	0.41
2:F:20:LYS:HA	2:F:20:LYS:HD2	1.90	0.41
4:D:100:LEU:HA	4:D:101:PRO:HD3	1.85	0.41
5:I:123:DT:H6	5:I:123:DT:H2'	1.72	0.41
1:E:118:THR:HA	2:F:45:ARG:O	2.20	0.41
5:J:238:DT:H6	5:J:238:DT:H2'	1.73	0.41
2:B:49:LEU:HA	2:B:49:LEU:HD13	1.76	0.41
5:I:3:DC:H2''	5:I:4:DA:C8	2.55	0.41
3:C:31:ARG:NH1	4:D:34:SER:O	2.53	0.41
3:G:52:TYR:OH	4:H:93:GLN:HG3	2.21	0.41
5:I:61:DA:H2''	5:I:62:DT:H5'	2.03	0.41
5:J:156:DC:H6	5:J:156:DC:H2'	1.68	0.41
5:I:71:DG:N2	5:J:222:DC:O2	2.52	0.41
1:A:118:THR:HA	2:B:45:ARG:O	2.21	0.41
1:E:61:LEU:HD12	2:F:37:LEU:HD23	2.03	0.41
3:G:78:THR:O	4:H:50:THR:HG23	2.21	0.41
5:I:129:DC:C4	5:J:163:DA:N6	2.89	0.41
3:C:33:HIS:HA	3:C:50:PRO:HB3	2.03	0.41
5:I:62:DT:H1'	5:I:63:DG:H5'	2.03	0.41
5:I:83:DA:H1'	5:I:84:DC:H5'	2.02	0.41
5:J:281:DG:H1'	5:J:282:DT:H5''	2.03	0.41
5:I:12:DC:H1'	5:I:13:DC:H5''	2.02	0.40
5:J:168:DC:H1'	5:J:169:DT:H5''	2.02	0.40
5:J:291:DA:H2''	5:J:292:DT:H71	2.02	0.40
3:G:87:LEU:HD23	3:G:87:LEU:HA	1.89	0.40
2:B:61:PHE:O	2:B:65:VAL:HG23	2.22	0.40
5:I:17:DA:C6	5:I:18:DG:C6	3.09	0.40
5:J:181:DA:H1'	5:J:182:DT:O4'	2.22	0.40
2:B:26:ILE:HD12	2:B:26:ILE:HA	1.57	0.40
3:G:22:ARG:HH11	3:G:22:ARG:HD2	1.77	0.40
3:G:80:ILE:HG13	4:H:50:THR:HG21	2.04	0.40
4:H:40:TYR:CZ	4:H:44:LYS:HE2	2.57	0.40
5:I:132:DC:H6	5:I:132:DC:H2'	1.73	0.40
5:J:178:DT:H2''	5:J:179:DG:C8	2.56	0.40
5:J:150:DA:C6	5:J:151:DA:C6	3.09	0.40
5:J:183:DT:H2'	5:J:184:DT:H72	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	97/135 (72%)	97 (100%)	0	0	100	100
1	E	97/135 (72%)	96 (99%)	1 (1%)	0	100	100
2	B	77/102 (76%)	73 (95%)	4 (5%)	0	100	100
2	F	84/102 (82%)	82 (98%)	2 (2%)	0	100	100
3	C	104/130 (80%)	101 (97%)	3 (3%)	0	100	100
3	G	103/130 (79%)	98 (95%)	4 (4%)	1 (1%)	15	49
4	D	95/126 (75%)	89 (94%)	6 (6%)	0	100	100
4	H	92/126 (73%)	86 (94%)	6 (6%)	0	100	100
All	All	749/986 (76%)	722 (96%)	26 (4%)	1 (0%)	51	83

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	G	119	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	86/110 (78%)	85 (99%)	1 (1%)	71	88
1	E	86/110 (78%)	85 (99%)	1 (1%)	71	88
2	B	63/78 (81%)	62 (98%)	1 (2%)	62	84
2	F	71/78 (91%)	70 (99%)	1 (1%)	67	86

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	C	84/101 (83%)	84 (100%)	0	100	100
3	G	83/101 (82%)	83 (100%)	0	100	100
4	D	86/110 (78%)	81 (94%)	5 (6%)	20	51
4	H	83/110 (76%)	80 (96%)	3 (4%)	35	67
All	All	642/798 (80%)	630 (98%)	12 (2%)	57	81

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	58	THR
1	E	80	THR
2	B	26	ILE
2	F	74	GLU
4	D	27	ARG
4	D	28	LYS
4	D	53	SER
4	D	55	LYS
4	D	104	LEU
4	H	34	SER
4	H	83	LYS
4	H	84	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	108	ASN
3	C	33	HIS
4	D	61	ASN
4	H	45	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 18 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	99/135 (73%)	0.03	2 (2%) 65 44	50, 65, 103, 132	0
1	E	99/135 (73%)	-0.17	1 (1%) 82 67	37, 53, 85, 118	0
2	B	79/102 (77%)	-0.11	0 100 100	49, 63, 82, 107	0
2	F	86/102 (84%)	-0.08	1 (1%) 79 61	39, 51, 74, 121	0
3	C	106/130 (81%)	-0.21	0 100 100	41, 57, 82, 114	0
3	G	105/130 (80%)	-0.20	0 100 100	53, 67, 95, 116	0
4	D	97/126 (76%)	-0.08	0 100 100	43, 59, 101, 139	0
4	H	94/126 (74%)	-0.12	0 100 100	48, 70, 101, 120	0
5	I	146/146 (100%)	0.44	11 (7%) 14 5	74, 126, 162, 171	0
5	J	146/146 (100%)	0.43	11 (7%) 14 5	73, 125, 157, 163	0
All	All	1057/1278 (82%)	0.03	26 (2%) 57 34	37, 68, 145, 171	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
5	I	146	DT	12.7
5	I	24	DA	4.4
5	J	169	DT	3.5
5	J	162	DC	3.5
5	J	161	DG	3.4
5	J	160	DT	3.1
2	F	102	GLY	3.0
5	I	128	DT	3.0
5	I	42	DA	2.8
5	I	56	DA	2.8
5	I	43	DA	2.8
5	I	106	DT	2.7
5	I	57	DA	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	135	ALA	2.6
5	I	21	DT	2.5
5	J	242	DT	2.5
5	J	168	DC	2.5
5	J	170	DA	2.5
5	J	233	DG	2.4
5	J	171	DC	2.4
5	J	180	DT	2.4
1	A	135	ALA	2.4
5	I	23	DT	2.1
1	A	83	ARG	2.1
5	J	241	DA	2.1
5	I	122	DG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	MN	I	201	1/1	0.53	0.26	153,153,153,153	0
7	MN	J	302	1/1	0.55	0.32	211,211,211,211	0
7	MN	J	305	1/1	0.56	0.12	155,155,155,155	0
7	MN	I	202	1/1	0.65	0.47	227,227,227,227	0
7	MN	I	207	1/1	0.69	0.15	138,138,138,138	0
7	MN	J	304	1/1	0.86	0.12	98,98,98,98	0
6	CL	J	306	1/1	0.88	0.17	96,96,96,96	0
7	MN	I	205	1/1	0.90	0.13	96,96,96,96	0
7	MN	J	303	1/1	0.91	0.15	100,100,100,100	0
7	MN	I	206	1/1	0.92	0.18	128,128,128,128	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
7	MN	I	203	1/1	0.93	0.07	159,159,159,159	0
7	MN	I	208	1/1	0.93	0.46	141,141,141,141	0
7	MN	I	204	1/1	0.95	0.09	116,116,116,116	0
6	CL	G	201	1/1	0.96	0.18	79,79,79,79	0
7	MN	J	301	1/1	0.96	0.24	132,132,132,132	0
6	CL	I	209	1/1	0.96	0.09	98,98,98,98	0
7	MN	D	202	1/1	0.99	0.15	77,77,77,77	0
7	MN	D	201	1/1	0.99	0.17	69,69,69,69	0

6.5 Other polymers [i](#)

There are no such residues in this entry.