



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 11, 2022 – 01:27 pm BST

PDB ID : 6GTM
Title : Crystal structure of SmbA in complex with ppGpp.
Authors : Dubey, B.N.; Schirmer, T.
Deposited on : 2018-06-18
Resolution : 3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at <http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.29
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.29


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1149 (3.34-3.26)
Clashscore	141614	1205 (3.34-3.26)
Ramachandran outliers	138981	1183 (3.34-3.26)
Sidechain outliers	138945	1182 (3.34-3.26)
RSRZ outliers	127900	1115 (3.34-3.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	309	
1	B	309	
1	C	309	
1	D	309	

2 Entry composition i

There are 2 unique types of molecules in this entry. The entry contains 9096 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SmbA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	288	2238	1401	414	418	5	72	0	0
1	B	288	2238	1401	414	418	5	72	0	0
1	C	288	2238	1401	414	418	5	72	0	0
1	D	288	2238	1401	414	418	5	72	0	0

There are 52 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	297	LYS	-	expression tag	UNP Q9A5E6
A	298	LEU	-	expression tag	UNP Q9A5E6
A	299	ALA	-	expression tag	UNP Q9A5E6
A	300	ALA	-	expression tag	UNP Q9A5E6
A	301	ALA	-	expression tag	UNP Q9A5E6
A	302	LEU	-	expression tag	UNP Q9A5E6
A	303	GLU	-	expression tag	UNP Q9A5E6
A	304	HIS	-	expression tag	UNP Q9A5E6
A	305	HIS	-	expression tag	UNP Q9A5E6
A	306	HIS	-	expression tag	UNP Q9A5E6
A	307	HIS	-	expression tag	UNP Q9A5E6
A	308	HIS	-	expression tag	UNP Q9A5E6
A	309	HIS	-	expression tag	UNP Q9A5E6
B	297	LYS	-	expression tag	UNP Q9A5E6
B	298	LEU	-	expression tag	UNP Q9A5E6
B	299	ALA	-	expression tag	UNP Q9A5E6
B	300	ALA	-	expression tag	UNP Q9A5E6
B	301	ALA	-	expression tag	UNP Q9A5E6
B	302	LEU	-	expression tag	UNP Q9A5E6
B	303	GLU	-	expression tag	UNP Q9A5E6
B	304	HIS	-	expression tag	UNP Q9A5E6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	305	HIS	-	expression tag	UNP Q9A5E6
B	306	HIS	-	expression tag	UNP Q9A5E6
B	307	HIS	-	expression tag	UNP Q9A5E6
B	308	HIS	-	expression tag	UNP Q9A5E6
B	309	HIS	-	expression tag	UNP Q9A5E6
C	297	LYS	-	expression tag	UNP Q9A5E6
C	298	LEU	-	expression tag	UNP Q9A5E6
C	299	ALA	-	expression tag	UNP Q9A5E6
C	300	ALA	-	expression tag	UNP Q9A5E6
C	301	ALA	-	expression tag	UNP Q9A5E6
C	302	LEU	-	expression tag	UNP Q9A5E6
C	303	GLU	-	expression tag	UNP Q9A5E6
C	304	HIS	-	expression tag	UNP Q9A5E6
C	305	HIS	-	expression tag	UNP Q9A5E6
C	306	HIS	-	expression tag	UNP Q9A5E6
C	307	HIS	-	expression tag	UNP Q9A5E6
C	308	HIS	-	expression tag	UNP Q9A5E6
C	309	HIS	-	expression tag	UNP Q9A5E6
D	297	LYS	-	expression tag	UNP Q9A5E6
D	298	LEU	-	expression tag	UNP Q9A5E6
D	299	ALA	-	expression tag	UNP Q9A5E6
D	300	ALA	-	expression tag	UNP Q9A5E6
D	301	ALA	-	expression tag	UNP Q9A5E6
D	302	LEU	-	expression tag	UNP Q9A5E6
D	303	GLU	-	expression tag	UNP Q9A5E6
D	304	HIS	-	expression tag	UNP Q9A5E6
D	305	HIS	-	expression tag	UNP Q9A5E6
D	306	HIS	-	expression tag	UNP Q9A5E6
D	307	HIS	-	expression tag	UNP Q9A5E6
D	308	HIS	-	expression tag	UNP Q9A5E6
D	309	HIS	-	expression tag	UNP Q9A5E6

- Molecule 2 is GUANOSINE-5',3'-TETRAPHOSPHATE (three-letter code: G4P) (formula: C₁₀H₁₇N₅O₁₇P₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total	C	N	O	P	0	0
			36	10	5	17	4		
2	B	1	Total	C	N	O	P	0	0
			36	10	5	17	4		
2	C	1	Total	C	N	O	P	0	0
			36	10	5	17	4		
2	D	1	Total	C	N	O	P	0	0
			36	10	5	17	4		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: SmbA

Chain A: 




- Molecule 1: SmbA


Chain B: 




- Molecule 1: SmbA

Chain C: 





- Molecule 1: SmbA



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	107.92Å 58.19Å 115.25Å 90.00° 93.06° 90.00°	Depositor
Resolution (Å)	30.00 – 3.30 49.67 – 3.26	Depositor EDS
% Data completeness (in resolution range)	99.7 (30.00-3.30) 99.8 (49.67-3.26)	Depositor EDS
R_{merge}	0.34	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.01 (at 3.25Å)	Xtrriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.212 , 0.246 0.215 , 0.247	Depositor DCC
R_{free} test set	1206 reflections (5.31%)	wwPDB-VP
Wilson B-factor (Å ²)	48.3	Xtrriage
Anisotropy	0.347	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	9096	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 20.31 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.9474e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: G4P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.21	10/2283 (0.4%)	1.52	9/3093 (0.3%)
1	B	1.68	6/2283 (0.3%)	1.81	7/3093 (0.2%)
1	C	1.22	7/2283 (0.3%)	1.58	9/3093 (0.3%)
1	D	1.10	7/2283 (0.3%)	1.94	10/3093 (0.3%)
All	All	1.32	30/9132 (0.3%)	1.72	35/12372 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	1
1	C	0	1
1	D	1	2
All	All	1	6

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	305	HIS	CA-CB	69.03	3.05	1.53
1	C	305	HIS	CA-CB	39.58	2.41	1.53
1	A	305	HIS	CA-CB	36.21	2.33	1.53
1	D	305	HIS	CA-CB	24.61	2.08	1.53
1	D	296	PRO	C-N	-18.08	0.92	1.34
1	A	196	ARG	CA-CB	-16.47	1.17	1.53
1	C	196	ARG	CA-CB	-15.16	1.20	1.53
1	A	296	PRO	C-N	12.98	1.63	1.34
1	D	196	ARG	CA-CB	-10.29	1.31	1.53
1	C	259	GLU	CD-OE2	8.46	1.34	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	234	GLU	CD-OE2	8.27	1.34	1.25
1	D	259	GLU	CD-OE2	8.02	1.34	1.25
1	B	259	GLU	CD-OE2	7.96	1.34	1.25
1	B	234	GLU	CD-OE2	7.56	1.33	1.25
1	A	259	GLU	CD-OE2	7.22	1.33	1.25
1	B	296	PRO	C-N	6.83	1.49	1.34
1	A	234	GLU	CD-OE2	6.80	1.33	1.25
1	C	54	GLU	CD-OE1	6.58	1.32	1.25
1	D	303	GLU	CA-C	5.93	1.68	1.52
1	B	303	GLU	CA-C	5.92	1.68	1.52
1	A	303	GLU	CA-C	5.91	1.68	1.52
1	C	303	GLU	CA-C	5.89	1.68	1.52
1	C	303	GLU	N-CA	5.66	1.57	1.46
1	B	303	GLU	N-CA	5.64	1.57	1.46
1	D	303	GLU	N-CA	5.64	1.57	1.46
1	A	303	GLU	N-CA	5.63	1.57	1.46
1	A	61	GLU	CD-OE1	5.47	1.31	1.25
1	A	280	GLU	CD-OE1	5.45	1.31	1.25
1	C	234	GLU	CD-OE2	5.33	1.31	1.25
1	A	40	GLU	CD-OE2	5.29	1.31	1.25

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	296	PRO	O-C-N	-64.01	20.28	122.70
1	D	305	HIS	N-CA-CB	-56.52	8.86	110.60
1	B	296	PRO	O-C-N	-55.46	33.96	122.70
1	B	305	HIS	N-CA-CB	-53.28	14.69	110.60
1	C	305	HIS	N-CA-CB	-53.16	14.92	110.60
1	A	305	HIS	N-CA-CB	-52.70	15.75	110.60
1	C	296	PRO	O-C-N	-31.88	71.69	122.70
1	D	196	ARG	CB-CA-C	-26.90	56.60	110.40
1	B	196	ARG	CB-CA-C	-26.80	56.80	110.40
1	A	196	ARG	CB-CA-C	-24.77	60.85	110.40
1	C	196	ARG	CB-CA-C	-17.18	76.04	110.40
1	A	296	PRO	O-C-N	-16.45	96.38	122.70
1	C	196	ARG	N-CA-CB	16.10	139.58	110.60
1	D	305	HIS	CA-CB-CG	-13.58	90.52	113.60
1	C	305	HIS	CA-CB-CG	-12.97	91.55	113.60
1	A	305	HIS	CA-CB-CG	-12.72	91.97	113.60
1	A	196	ARG	N-CA-CB	12.21	132.58	110.60
1	B	305	HIS	CA-CB-CG	-11.23	94.50	113.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	196	ARG	CA-CB-CG	10.99	137.58	113.40
1	B	296	PRO	CA-C-N	-10.83	93.37	117.20
1	D	196	ARG	CA-CB-CG	9.47	134.23	113.40
1	C	296	PRO	C-N-CA	8.60	143.21	121.70
1	D	196	ARG	N-CA-CB	8.51	125.91	110.60
1	A	4	ARG	NE-CZ-NH2	-7.49	116.55	120.30
1	A	196	ARG	CA-CB-CG	6.74	128.22	113.40
1	C	4	ARG	NE-CZ-NH2	-6.47	117.07	120.30
1	D	296	PRO	C-N-CA	6.17	137.13	121.70
1	D	133	ARG	CG-CD-NE	5.82	124.01	111.80
1	C	227	ASN	CB-CA-C	-5.77	98.86	110.40
1	A	227	ASN	CB-CA-C	-5.68	99.03	110.40
1	B	227	ASN	CB-CA-C	-5.58	99.23	110.40
1	A	296	PRO	C-N-CA	5.36	135.11	121.70
1	D	4	ARG	NE-CZ-NH2	-5.33	117.63	120.30
1	D	227	ASN	CB-CA-C	-5.32	99.77	110.40
1	C	305	HIS	CB-CA-C	-5.01	100.39	110.40

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	D	305	HIS	CA

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	255	ASP	Peptide
1	A	296	PRO	Mainchain
1	B	296	PRO	Mainchain
1	C	296	PRO	Mainchain
1	D	255	ASP	Peptide
1	D	296	PRO	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2238	0	2201	38	0
1	B	2238	0	2201	34	0
1	C	2238	0	2201	26	6
1	D	2238	0	2200	33	6
2	A	36	0	11	2	0
2	B	36	0	11	1	0
2	C	36	0	11	0	0
2	D	36	0	11	1	0
All	All	9096	0	8847	126	6

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:305:HIS:O	1:A:306:HIS:HB2	1.88	0.71
1:C:305:HIS:O	1:C:306:HIS:HB2	1.89	0.70
1:D:305:HIS:O	1:D:306:HIS:HB2	1.89	0.70
1:C:165:LEU:HD12	1:C:237:CYS:SG	2.33	0.68
1:C:291:LYS:HE3	1:C:291:LYS:HA	1.75	0.68
1:B:305:HIS:O	1:B:306:HIS:HB2	1.93	0.68
1:D:25:ARG:HH11	1:D:25:ARG:HB2	1.59	0.68
1:B:291:LYS:HA	1:B:291:LYS:HE3	1.76	0.67
1:D:291:LYS:HA	1:D:291:LYS:HE3	1.76	0.67
1:D:146:ILE:H	1:D:146:ILE:HD12	1.59	0.66
1:B:291:LYS:HA	1:B:291:LYS:CE	2.30	0.61
1:A:146:ILE:HD12	1:A:146:ILE:H	1.64	0.61
1:A:291:LYS:HA	1:A:291:LYS:HE3	1.81	0.61
1:A:120:MET:HE1	1:D:134:ALA:HB1	1.84	0.60
1:B:165:LEU:HD12	1:B:237:CYS:SG	2.42	0.59
1:C:291:LYS:HA	1:C:291:LYS:CE	2.32	0.59
1:C:191:TRP:CE3	1:C:234:GLU:HG3	2.38	0.59
1:B:146:ILE:HD12	1:B:146:ILE:H	1.67	0.58
1:A:53:PRO:HG2	1:B:25:ARG:CZ	2.33	0.58
1:C:146:ILE:H	1:C:146:ILE:HD12	1.68	0.58
1:A:34:LEU:HD22	1:A:260:ILE:CD1	2.35	0.57
1:D:291:LYS:HA	1:D:291:LYS:CE	2.33	0.57
1:D:191:TRP:CE3	1:D:234:GLU:HG3	2.40	0.56
1:B:191:TRP:CE3	1:B:234:GLU:HG3	2.40	0.56
1:D:149:GLY:O	1:D:152:ALA:HB3	2.06	0.56
1:D:34:LEU:HD22	1:D:260:ILE:CD1	2.37	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:54:GLU:CG	1:B:25:ARG:HG3	2.36	0.55
1:D:154:ASP:N	1:D:154:ASP:OD1	2.40	0.55
1:A:54:GLU:HG3	1:B:25:ARG:HG3	1.88	0.55
1:A:191:TRP:CE3	1:A:234:GLU:HG3	2.42	0.54
1:A:291:LYS:HA	1:A:291:LYS:CE	2.36	0.54
1:B:34:LEU:HD22	1:B:260:ILE:CD1	2.38	0.53
1:B:149:GLY:O	1:B:152:ALA:HB3	2.08	0.53
1:D:165:LEU:HD12	1:D:237:CYS:SG	2.48	0.52
1:A:165:LEU:HD12	1:A:237:CYS:SG	2.49	0.52
1:C:74:THR:HG23	1:C:107:LEU:HD23	1.91	0.52
1:C:34:LEU:HD22	1:C:260:ILE:CD1	2.38	0.52
1:C:149:GLY:O	1:C:152:ALA:HB3	2.09	0.52
1:B:74:THR:HG23	1:B:107:LEU:HD23	1.91	0.52
1:A:34:LEU:HD22	1:A:260:ILE:HD12	1.92	0.52
1:A:120:MET:CE	1:D:134:ALA:HB1	2.41	0.51
1:A:149:GLY:O	1:A:152:ALA:HB3	2.10	0.51
1:D:164:ASN:ND2	1:D:192:PRO:HB3	2.26	0.51
1:C:306:HIS:O	1:C:307:HIS:O	2.29	0.50
1:A:142:SER:HA	2:A:600:G4P:O2'	2.11	0.50
1:C:164:ASN:ND2	1:C:192:PRO:HB3	2.27	0.50
1:B:306:HIS:O	1:B:307:HIS:O	2.30	0.49
1:B:164:ASN:ND2	1:B:192:PRO:HB3	2.27	0.49
1:D:306:HIS:O	1:D:307:HIS:O	2.31	0.49
1:A:19:ARG:NH1	1:A:253:THR:OG1	2.46	0.49
1:B:154:ASP:N	1:B:154:ASP:OD1	2.45	0.49
1:A:80:ASP:HB3	1:A:83:GLN:HG2	1.94	0.48
1:A:164:ASN:ND2	1:A:192:PRO:HB3	2.28	0.48
1:B:143:ARG:N	2:B:600:G4P:O2'	2.44	0.47
1:A:154:ASP:N	1:A:154:ASP:OD1	2.47	0.47
1:B:34:LEU:HD22	1:B:260:ILE:HD12	1.96	0.47
1:A:74:THR:HG23	1:A:107:LEU:HD23	1.95	0.47
1:D:34:LEU:HD22	1:D:260:ILE:HD12	1.96	0.46
1:C:19:ARG:NH1	1:C:253:THR:OG1	2.48	0.46
1:A:34:LEU:HD23	1:A:34:LEU:HA	1.84	0.46
1:B:244:GLU:OE2	1:B:245:PRO:HD2	2.15	0.46
1:D:19:ARG:NH1	1:D:253:THR:OG1	2.49	0.46
1:B:19:ARG:NH1	1:B:253:THR:OG1	2.48	0.46
1:A:194:ALA:C	1:A:195:LEU:HD12	2.35	0.46
1:D:143:ARG:HB2	2:D:600:G4P:O1C	2.16	0.45
1:D:244:GLU:OE2	1:D:245:PRO:HD2	2.16	0.45
1:A:244:GLU:OE2	1:A:245:PRO:HD2	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:194:ALA:C	1:C:195:LEU:HD12	2.37	0.45
1:C:244:GLU:OE2	1:C:245:PRO:HD2	2.17	0.45
1:D:74:THR:HG23	1:D:107:LEU:HD23	1.99	0.45
1:B:225:LEU:HD23	1:B:225:LEU:HA	1.86	0.45
1:C:34:LEU:HD22	1:C:260:ILE:HD12	1.97	0.44
1:D:163:TYR:HB2	1:D:175:ILE:HD13	2.00	0.44
1:C:256:ASN:HD21	1:C:259:GLU:HB2	1.83	0.44
1:A:306:HIS:O	1:A:307:HIS:O	2.36	0.44
1:D:234:GLU:OE2	1:D:259:GLU:OE2	2.36	0.44
1:A:34:LEU:HD22	1:A:260:ILE:HD11	2.00	0.43
1:B:21:ALA:O	1:B:22:ASP:C	2.56	0.43
1:D:175:ILE:HG22	1:D:246:SER:CB	2.49	0.43
1:C:21:ALA:O	1:C:22:ASP:C	2.57	0.43
1:D:21:ALA:O	1:D:22:ASP:C	2.57	0.43
1:D:80:ASP:HB3	1:D:83:GLN:HG2	2.00	0.43
1:A:177:GLN:O	1:A:181:ASN:ND2	2.52	0.43
1:B:127:GLN:O	1:B:130:GLN:HB3	2.18	0.43
1:B:163:TYR:HB2	1:B:175:ILE:HD13	2.00	0.43
1:B:175:ILE:HG22	1:B:246:SER:CB	2.49	0.43
1:C:255:ASP:OD1	1:C:259:GLU:OE1	2.37	0.43
1:B:177:GLN:O	1:B:181:ASN:ND2	2.52	0.43
1:D:34:LEU:HD22	1:D:260:ILE:HD11	2.00	0.43
1:D:255:ASP:OD1	1:D:259:GLU:OE1	2.37	0.42
1:B:256:ASN:HD21	1:B:259:GLU:HB2	1.84	0.42
1:A:127:GLN:O	1:A:130:GLN:HB3	2.20	0.42
1:B:258:GLN:HE21	1:B:258:GLN:HB3	1.60	0.42
1:D:112:ASP:HB2	1:D:142:SER:HB2	2.01	0.42
1:C:175:ILE:HG22	1:C:246:SER:CB	2.50	0.42
2:A:600:G4P:O3D	2:A:600:G4P:O2C	2.38	0.42
1:D:225:LEU:HD23	1:D:225:LEU:HA	1.87	0.42
1:B:255:ASP:OD1	1:B:259:GLU:OE1	2.37	0.42
1:A:3:TYR:CD1	1:A:3:TYR:N	2.87	0.41
1:C:3:TYR:CD1	1:C:3:TYR:N	2.88	0.41
1:A:53:PRO:HG2	1:B:25:ARG:NE	2.34	0.41
1:A:164:ASN:HD21	1:A:192:PRO:HB3	1.85	0.41
1:D:127:GLN:O	1:D:130:GLN:HB3	2.20	0.41
1:B:193:GLN:O	1:B:195:LEU:N	2.54	0.41
1:D:177:GLN:O	1:D:181:ASN:ND2	2.54	0.41
1:A:271:LEU:HD23	1:A:271:LEU:HA	1.91	0.41
1:C:37:THR:HG21	1:C:257:ARG:HG2	2.02	0.41
1:B:3:TYR:N	1:B:3:TYR:CD1	2.88	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:194:ALA:C	1:B:195:LEU:HD12	2.41	0.41
1:C:80:ASP:HB3	1:C:83:GLN:HG2	2.02	0.41
1:C:34:LEU:HD22	1:C:260:ILE:HD11	2.02	0.41
1:C:177:GLN:O	1:C:181:ASN:ND2	2.53	0.41
1:A:175:ILE:HG22	1:A:246:SER:CB	2.50	0.41
1:A:255:ASP:OD1	1:A:259:GLU:OE1	2.38	0.41
1:B:34:LEU:HD22	1:B:260:ILE:HD11	2.03	0.41
1:D:164:ASN:HD21	1:D:192:PRO:HB3	1.86	0.41
1:D:256:ASN:HD21	1:D:259:GLU:HB2	1.86	0.41
1:A:21:ALA:O	1:A:22:ASP:C	2.58	0.40
1:A:112:ASP:HB2	1:A:142:SER:HB2	2.03	0.40
1:A:256:ASN:HD21	1:A:259:GLU:HB2	1.86	0.40
1:B:131:LYS:HD3	1:B:131:LYS:HA	1.97	0.40
1:D:176:ARG:HG2	1:D:246:SER:OG	2.20	0.40
1:A:234:GLU:OE2	1:A:259:GLU:OE2	2.39	0.40
1:C:193:GLN:O	1:C:195:LEU:N	2.54	0.40
1:A:193:GLN:O	1:A:195:LEU:N	2.55	0.40
1:C:234:GLU:OE2	1:C:259:GLU:OE2	2.39	0.40

All (6) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:305:HIS:NE2	1:D:83:GLN:OE1[1_565]	1.23	0.97
1:C:305:HIS:NE2	1:D:83:GLN:CD[1_565]	1.44	0.76
1:C:305:HIS:CD2	1:D:83:GLN:CG[1_565]	1.83	0.37
1:C:305:HIS:NE2	1:D:83:GLN:CG[1_565]	2.14	0.06
1:C:305:HIS:CE1	1:D:83:GLN:OE1[1_565]	2.18	0.02
1:C:305:HIS:CD2	1:D:83:GLN:CD[1_565]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	282/309 (91%)	242 (86%)	27 (10%)	13 (5%)	2	15
1	B	282/309 (91%)	244 (86%)	26 (9%)	12 (4%)	2	16
1	C	282/309 (91%)	242 (86%)	27 (10%)	13 (5%)	2	15
1	D	282/309 (91%)	243 (86%)	26 (9%)	13 (5%)	2	15
All	All	1128/1236 (91%)	971 (86%)	106 (9%)	51 (4%)	2	15

All (51) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	170	ALA
1	A	189	ASP
1	A	297	LYS
1	A	299	ALA
1	A	306	HIS
1	A	307	HIS
1	B	170	ALA
1	B	189	ASP
1	B	299	ALA
1	B	306	HIS
1	B	307	HIS
1	C	170	ALA
1	C	189	ASP
1	C	297	LYS
1	C	299	ALA
1	C	306	HIS
1	C	307	HIS
1	D	170	ALA
1	D	189	ASP
1	D	299	ALA
1	D	306	HIS
1	D	307	HIS
1	A	114	GLN
1	A	298	LEU
1	B	114	GLN
1	B	298	LEU
1	C	114	GLN
1	C	194	ALA
1	C	298	LEU
1	D	114	GLN
1	D	298	LEU
1	A	130	GLN
1	A	165	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	194	ALA
1	B	130	GLN
1	B	165	LEU
1	B	194	ALA
1	C	130	GLN
1	C	165	LEU
1	D	165	LEU
1	D	194	ALA
1	D	7	GLY
1	D	130	GLN
1	A	7	GLY
1	C	7	GLY
1	D	285	SER
1	A	285	SER
1	B	7	GLY
1	C	285	SER
1	D	295	ARG
1	B	295	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	229/247 (93%)	206 (90%)	23 (10%)	7 27
1	B	229/247 (93%)	201 (88%)	28 (12%)	5 20
1	C	229/247 (93%)	205 (90%)	24 (10%)	7 25
1	D	229/247 (93%)	203 (89%)	26 (11%)	5 22
All	All	916/988 (93%)	815 (89%)	101 (11%)	6 24

All (101) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	LEU
1	A	77	LEU
1	A	82	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	94	ARG
1	A	103	ASP
1	A	130	GLN
1	A	131	LYS
1	A	146	ILE
1	A	154	ASP
1	A	157	THR
1	A	165	LEU
1	A	167	SER
1	A	176	ARG
1	A	196	ARG
1	A	255	ASP
1	A	257	ARG
1	A	258	GLN
1	A	279	ILE
1	A	285	SER
1	A	291	LYS
1	A	294	ARG
1	A	297	LYS
1	A	306	HIS
1	B	34	LEU
1	B	67	GLU
1	B	77	LEU
1	B	82	LYS
1	B	94	ARG
1	B	103	ASP
1	B	127	GLN
1	B	128	ASP
1	B	130	GLN
1	B	131	LYS
1	B	146	ILE
1	B	154	ASP
1	B	157	THR
1	B	165	LEU
1	B	166	SER
1	B	167	SER
1	B	196	ARG
1	B	255	ASP
1	B	256	ASN
1	B	257	ARG
1	B	258	GLN
1	B	279	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	285	SER
1	B	291	LYS
1	B	294	ARG
1	B	297	LYS
1	B	305	HIS
1	B	306	HIS
1	C	34	LEU
1	C	77	LEU
1	C	82	LYS
1	C	94	ARG
1	C	127	GLN
1	C	130	GLN
1	C	131	LYS
1	C	146	ILE
1	C	157	THR
1	C	165	LEU
1	C	167	SER
1	C	176	ARG
1	C	196	ARG
1	C	255	ASP
1	C	256	ASN
1	C	257	ARG
1	C	258	GLN
1	C	279	ILE
1	C	285	SER
1	C	291	LYS
1	C	294	ARG
1	C	297	LYS
1	C	305	HIS
1	C	306	HIS
1	D	25	ARG
1	D	34	LEU
1	D	77	LEU
1	D	82	LYS
1	D	94	ARG
1	D	127	GLN
1	D	128	ASP
1	D	130	GLN
1	D	131	LYS
1	D	133	ARG
1	D	146	ILE
1	D	154	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	157	THR
1	D	165	LEU
1	D	167	SER
1	D	196	ARG
1	D	255	ASP
1	D	256	ASN
1	D	257	ARG
1	D	279	ILE
1	D	285	SER
1	D	291	LYS
1	D	294	ARG
1	D	297	LYS
1	D	305	HIS
1	D	306	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	182	ASN
1	A	256	ASN
1	B	182	ASN
1	B	256	ASN
1	B	258	GLN
1	C	182	ASN
1	C	256	ASN
1	C	258	GLN
1	D	83	GLN
1	D	130	GLN
1	D	256	ASN
1	D	258	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	G4P	B	600	-	30,38,38	0.90	1 (3%)	42,61,61	1.43	6 (14%)
2	G4P	C	600	-	30,38,38	0.98	2 (6%)	42,61,61	1.44	10 (23%)
2	G4P	D	600	-	30,38,38	1.12	3 (10%)	42,61,61	1.26	4 (9%)
2	G4P	A	600	-	30,38,38	1.13	4 (13%)	42,61,61	1.45	6 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	G4P	B	600	-	-	5/23/43/43	0/3/3/3
2	G4P	C	600	-	-	12/23/43/43	0/3/3/3
2	G4P	D	600	-	-	11/23/43/43	0/3/3/3
2	G4P	A	600	-	-	10/23/43/43	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	600	G4P	O4'-C1'	3.32	1.45	1.41
2	C	600	G4P	O4'-C1'	2.58	1.44	1.41
2	A	600	G4P	C5-C4	2.58	1.49	1.43
2	D	600	G4P	C5-C6	2.55	1.52	1.47
2	D	600	G4P	C6-N1	-2.46	1.34	1.37
2	B	600	G4P	O4'-C1'	2.35	1.44	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	600	G4P	C5-C6	2.34	1.52	1.47
2	A	600	G4P	O6-C6	2.22	1.27	1.23
2	D	600	G4P	O4'-C1'	2.08	1.44	1.41
2	C	600	G4P	C5-C4	2.02	1.48	1.43

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	600	G4P	O6-C6-N1	-3.88	116.07	120.65
2	B	600	G4P	N2-C2-N1	3.26	123.66	116.71
2	D	600	G4P	C8-N7-C5	3.01	108.72	102.99
2	A	600	G4P	PA-O3A-PB	-2.92	122.80	132.83
2	C	600	G4P	N2-C2-N1	2.89	122.87	116.71
2	C	600	G4P	O4'-C1'-C2'	-2.89	102.70	106.93
2	A	600	G4P	O3C-PC-O3'	2.78	108.09	102.48
2	A	600	G4P	C8-N7-C5	2.71	108.16	102.99
2	C	600	G4P	C5-C6-N1	2.61	118.56	113.95
2	B	600	G4P	O3'-C3'-C4'	2.57	119.37	110.08
2	B	600	G4P	PA-O3A-PB	-2.46	124.39	132.83
2	C	600	G4P	O2'-C2'-C3'	-2.40	104.36	111.17
2	C	600	G4P	N2-C2-N3	-2.40	115.07	119.74
2	A	600	G4P	PC-O3'-C3'	-2.36	110.80	119.41
2	C	600	G4P	O2A-PA-O1A	2.35	123.88	112.24
2	A	600	G4P	O2B-PB-O3A	-2.28	97.00	104.64
2	C	600	G4P	C8-N7-C5	2.21	107.20	102.99
2	D	600	G4P	O3D-PD-O2D	2.18	115.96	107.64
2	B	600	G4P	O6-C6-N1	2.16	123.20	120.65
2	D	600	G4P	PC-O3C-PD	-2.14	125.48	132.83
2	C	600	G4P	O3'-C3'-C4'	2.11	117.72	110.08
2	C	600	G4P	O3D-PD-O2D	2.08	115.59	107.64
2	C	600	G4P	O2'-C2'-C1'	2.06	118.47	110.85
2	A	600	G4P	O2C-PC-O1C	2.06	122.41	112.24
2	B	600	G4P	C3'-C2'-C1'	2.05	104.43	99.89
2	B	600	G4P	O6-C6-C5	-2.03	120.40	124.37

There are no chirality outliers.

All (38) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	600	G4P	C5'-O5'-PA-O3A
2	A	600	G4P	C5'-O5'-PA-O2A
2	A	600	G4P	PC-O3C-PD-O3D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	600	G4P	C5'-O5'-PA-O3A
2	B	600	G4P	C5'-O5'-PA-O2A
2	B	600	G4P	C3'-O3'-PC-O2C
2	C	600	G4P	C5'-O5'-PA-O1A
2	C	600	G4P	C5'-O5'-PA-O2A
2	C	600	G4P	C3'-O3'-PC-O2C
2	C	600	G4P	PC-O3C-PD-O3D
2	D	600	G4P	C5'-O5'-PA-O1A
2	D	600	G4P	C5'-O5'-PA-O2A
2	D	600	G4P	O4'-C4'-C5'-O5'
2	A	600	G4P	O4'-C4'-C5'-O5'
2	C	600	G4P	O4'-C4'-C5'-O5'
2	D	600	G4P	C3'-C4'-C5'-O5'
2	D	600	G4P	C2'-C3'-O3'-PC
2	B	600	G4P	C3'-O3'-PC-O3C
2	C	600	G4P	C3'-O3'-PC-O3C
2	B	600	G4P	C3'-O3'-PC-O1C
2	C	600	G4P	C3'-O3'-PC-O1C
2	D	600	G4P	C3'-O3'-PC-O1C
2	A	600	G4P	PB-O3A-PA-O5'
2	C	600	G4P	PA-O3A-PB-O3B
2	C	600	G4P	PC-O3C-PD-O2D
2	D	600	G4P	C5'-O5'-PA-O3A
2	A	600	G4P	PC-O3C-PD-O1D
2	D	600	G4P	C4'-C3'-O3'-PC
2	A	600	G4P	PD-O3C-PC-O2C
2	D	600	G4P	C3'-O3'-PC-O3C
2	A	600	G4P	C3'-O3'-PC-O3C
2	D	600	G4P	PB-O3A-PA-O5'
2	C	600	G4P	PC-O3C-PD-O1D
2	C	600	G4P	PA-O3A-PB-O2B
2	C	600	G4P	C5'-O5'-PA-O3A
2	A	600	G4P	PD-O3C-PC-O1C
2	D	600	G4P	PB-O3A-PA-O2A
2	A	600	G4P	C3'-C4'-C5'-O5'

There are no ring outliers.

3 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	600	G4P	1	0
2	D	600	G4P	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	600	G4P	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	D	2
1	A	2
1	B	1
1	C	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	304:HIS	C	305:HIS	N	3.76
1	D	304:HIS	C	305:HIS	N	3.56
1	C	304:HIS	C	305:HIS	N	3.43
1	A	304:HIS	C	305:HIS	N	3.31
1	A	296:PRO	C	297:LYS	N	1.63
1	D	296:PRO	C	297:LYS	N	0.92

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	280/309 (90%)	0.13	1 (0%) 92 93	30, 50, 83, 122	2 (0%)
1	B	280/309 (90%)	0.17	4 (1%) 75 75	28, 48, 83, 125	2 (0%)
1	C	280/309 (90%)	0.13	3 (1%) 80 81	29, 48, 81, 137	2 (0%)
1	D	280/309 (90%)	0.16	7 (2%) 57 54	24, 45, 79, 130	2 (0%)
All	All	1120/1236 (90%)	0.15	15 (1%) 77 77	24, 48, 83, 137	8 (0%)

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	296	PRO	6.2
1	B	296	PRO	5.8
1	C	305	HIS	5.6
1	A	296	PRO	5.5
1	D	296	PRO	4.5
1	B	305	HIS	3.9
1	D	197	GLU	3.2
1	D	305	HIS	2.6
1	B	10	GLY	2.5
1	D	155	LEU	2.5
1	D	118	LEU	2.4
1	B	197	GLU	2.2
1	D	9	THR	2.2
1	D	10	GLY	2.0
1	C	220	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	G4P	C	600	36/36	0.81	0.29	76,101,124,125	0
2	G4P	D	600	36/36	0.81	0.25	77,101,118,119	0
2	G4P	B	600	36/36	0.83	0.26	67,92,117,119	0
2	G4P	A	600	36/36	0.85	0.20	70,89,104,104	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around G4P D 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around G4P B 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.