Full wwPDB X-ray Structure Validation Report (i)

May 15, 2020 – 11:17 pm BST

PDB ID	:	5GW0
Title	:	Crystal structure of SNX16 PX-Coiled coil
Authors	:	Xu, J.; Liu, J.
Deposited on	:	2016-09-08
Resolution	:	3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (i)) were used in the production of this report:

|		
MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

Metric	Percentile Ranks	Value
Rfree		0.287
Clashscore		11
Ramachandran outliers		0.6%
Sidechain outliers		10.0%
RSRZ outliers		2.2%

Worse　　　　　　　　　　　　　　　　　　　*Better*

▮ Percentile relative to all X-ray structures

▯ Percentile relative to X-ray structures of similar resolution

Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1149 (3.34-3.26)
Clashscore	141614	1205 (3.34-3.26)
Ramachandran outliers	138981	1183 (3.34-3.26)
Sidechain outliers	138945	1182 (3.34-3.26)
RSRZ outliers	127900	1115 (3.34-3.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	179	73% 22% · ·
1	B	179	% 68% 24% · · 5%
1	C	179	% 63% 32% · ·
1	D	179	2% 63% 26% 6% 5%
1	E	179	3% 57% 35% · · ·
1	F	179	5% 63% 23% 7% · 6%

2 Entry composition (i)

There is only 1 type of molecule in this entry. The entry contains 8558 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sorting nexin-16.

| Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	173	Total	C	N	O	S	Se	0	0	0
			1446	926	246	268	3	3			
1	B	170	Total	C	N	O	S	Se	0	0	0
			1419	911	240	262	3	3			
1	C	173	Total	C	N	O	S	Se	0	0	0
			1446	926	246	268	3	3			
1	D	170	Total	C	N	O	S	Se	0	0	0
			1417	906	242	263	3	3			
1	E	171	Total	C	N	O	S	Se	0	0	0
			1428	915	241	266	3	3			
1	F	168	Total	C	N	O	S	Se	0	0	0
			1402	898	237	261	3	3			

3 Residue-property plots ⓘ

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Sorting nexin-16

- Molecule 1: Sorting nexin-16


- Molecule 1: Sorting nexin-16

- Molecule 1: Sorting nexin-16

H198 K199 D200 I201 A202 L205 P216 P217 D221 S222 L223 S226 R227 E231 T232 L233 Y238 R239 L240 Q241 K242 E243 E250 M251 K256 L257 L258 S259 S276 L277 GLU

• Molecule 1: Sorting nexin-16

Chain E:

3%

57% 35%

• • •

THR VAL ASN TRP GLU ASP ARG PRO S108 T109 P110 T111 I112 L113 G114 Y115 M118 E119 E120 R121 A122 K123 V126 Y127 K128 I129 L130 V131 K132 K133 S138 F142 R143 R144 Y145 T146 S149 E157 M158 F159 F162 R163 K169 R170 D174 N177 F180 L181 E182

D183 R184 Q185 L186 G187 L188 Q189 A190 F191 L192 Q193 N194 L195 H198 I201 C204 R208 L211 C212 L213 P217 G218 P219 F220 D221 S222 L223 E224 E231 T232 E235 Y238 R239 K242 E246 E250 M251 E252 S253 L257 I258 S259 Q262 L268

R271 L275 S276 L277 E278

• Molecule 1: Sorting nexin-16

Chain F:

5%

63% 23% 7% • 6%

THR VAL ASN TRP GLU ASP ARG PRO SER T109 P110 T111 I112 L113 G114 Y115 M118 E119 E120 R121 T125 K128 I129 L130 V131 K132 K133 T134 P135 E136 E137 SER W139 V140 V141 F142 R143 F148 S149 R150 L151 L155 G161 F162 R163 L164 A165 L166 P167 P168 K169 R170 TRP F172

K173 D174 N175 Y176 N177 F180 D183 R184 L188 Q189 A190 N194 L195 C204 R208 E209 F210 L211 C212 L213 D214 P217 G218 P219 F220 D221 E225 T236 N237 Y238 R239 L240 S253 L258 R271 I272 R273 S276 L277 E278

4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	70.38Å 196.78Å 72.96Å 90.00° 111.75° 90.00°	Depositor
Resolution (Å)	19.99 – 3.30 54.45 – 3.30	Depositor EDS
% Data completeness (in resolution range)	97.0 (19.99-3.30) 98.1 (54.45-3.30)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	1.99 (at 3.33Å)	Xtriage
Refinement program	PHENIX 1.8.1_1168	Depositor
R, R_{free}	0.236 , 0.288 0.236 , 0.287	Depositor DCC
R_{free} test set	1364 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å^2)	111.3	Xtriage
Anisotropy	0.270	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.30 , 53.4	EDS
L-test for twinning[2]	$< |L| > = 0.47, < L^2 > = 0.30$	Xtriage
Estimated twinning fraction	0.056 for l,-k,h	Xtriage
F_o,F_c correlation	0.93	EDS
Total number of atoms	8558	wwPDB-VP
Average B, all atoms (Å^2)	95.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.33% of the height of the origin peak. No significant pseudotranslation is detected.*

---

[1]Intensities estimated from amplitudes.

[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$|Z|$ >5	RMSZ	#$|Z|$ >5
1	A	0.49	0/1473	0.70	0/1979
1	B	0.43	0/1445	0.66	0/1938
1	C	0.48	0/1473	0.73	0/1979
1	D	0.46	0/1442	0.66	1/1937 (0.1%)
1	E	0.39	0/1454	0.64	1/1953 (0.1%)
1	F	0.35	0/1424	0.68	1/1908 (0.1%)
All	All	0.44	0/8711	0.68	3/11694 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	E	0	1
1	F	0	1
All	All	0	3

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	F	166	LEU	C-N-CD	-7.86	103.30	120.60
1	E	275	LEU	CA-CB-CG	6.12	129.39	115.30
1	D	122	ALA	N-CA-C	-5.44	96.32	111.00

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	121	ARG	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	E	119	GLU	Peptide
1	F	119	GLU	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1446	0	1455	22	0
1	B	1419	0	1430	30	0
1	C	1446	0	1455	36	0
1	D	1417	0	1426	45	0
1	E	1428	0	1435	43	0
1	F	1402	0	1413	33	0
All	All	8558	0	8614	184	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (184) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:164:LEU:HD22	1:F:194:ASN:HB3	1.53	0.90
1:C:150:ARG:HH21	1:C:231:GLU:HB2	1.40	0.85
1:D:238:TYR:OH	1:E:198:HIS:NE2	2.13	0.81
1:D:111:THR:HA	1:D:189:GLN:HE22	1.51	0.74
1:E:170:ARG:NH2	1:E:174:ASP:O	2.21	0.73
1:B:126:VAL:HG12	1:B:144:ARG:HG3	1.71	0.71
1:E:231:GLU:OE1	1:E:239:ARG:NH2	2.23	0.71
1:D:238:TYR:HH	1:E:198:HIS:HE2	1.37	0.70
1:F:177:ASN:HB3	1:F:180:PHE:HB3	1.74	0.69
1:E:144:ARG:NH1	1:E:231:GLU:O	2.26	0.69
1:D:142:PHE:HE2	1:D:223:LEU:HD23	1.58	0.67
1:A:120:GLU:O	1:F:121:ARG:HB2	1.95	0.67
1:A:271:ARG:HG2	1:F:272:ILE:HD13	1.77	0.67
1:D:113:LEU:HD11	1:D:130:LEU:HG	1.78	0.66
1:F:190:ALA:O	1:F:194:ASN:ND2	2.29	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:109:THR:HG21	1:E:193:GLN:HG2	1.79	0.65
1:B:170:ARG:HG2	1:B:184:ARG:HH22	1.62	0.65
1:E:177:ASN:HB3	1:E:180:PHE:HB3	1.80	0.63
1:C:142:PHE:HB2	1:C:226:SER:OG	1.99	0.62
1:A:144:ARG:NH1	1:A:232:THR:HA	2.14	0.62
1:B:214:ASP:N	1:B:214:ASP:OD1	2.28	0.61
1:D:120:GLU:HG3	1:D:124:PHE:HE2	1.64	0.61
1:F:217:PRO:HB2	1:F:221:ASP:HB2	1.81	0.61
1:C:208:ARG:NH1	1:C:214:ASP:OD1	2.34	0.60
1:B:121:ARG:HB2	1:D:121:ARG:HB2	1.84	0.59
1:D:112:ILE:HG12	1:D:129:ILE:HG12	1.82	0.59
1:A:237:ASN:HB2	1:F:237:ASN:OD1	2.03	0.59
1:A:167:PRO:HG3	1:A:187:GLY:HA3	1.84	0.58
1:F:110:PRO:HB3	1:F:131:VAL:HA	1.86	0.58
1:C:198:HIS:CE1	1:C:200:ASP:HB2	2.40	0.57
1:B:129:ILE:HB	1:B:141:VAL:HG23	1.86	0.56
1:F:167:PRO:HB2	1:F:168:PRO:CD	2.34	0.56
1:D:124:PHE:CD1	1:D:144:ARG:HD2	2.41	0.56
1:F:129:ILE:HD11	1:F:148:PHE:HZ	1.69	0.56
1:C:120:GLU:O	1:E:121:ARG:HB2	2.06	0.55
1:F:273:ARG:O	1:F:276:SER:OG	2.20	0.55
1:E:119:GLU:OE2	1:E:121:ARG:NH1	2.37	0.55
1:E:191:PHE:O	1:E:195:LEU:HB2	2.05	0.55
1:E:271:ARG:O	1:E:275:LEU:HD23	2.06	0.55
1:F:112:ILE:HG23	1:F:129:ILE:HG12	1.88	0.55
1:F:170:ARG:HB3	1:F:172:PHE:N	2.21	0.55
1:E:217:PRO:HB2	1:E:221:ASP:HB2	1.89	0.55
1:F:132:LYS:HG3	1:F:135:PRO:HB3	1.90	0.54
1:B:119:GLU:OE2	1:B:121:ARG:HD3	2.08	0.54
1:D:139:TRP:CD2	1:D:216:PRO:HB3	2.43	0.53
1:F:174:ASP:OD1	1:F:174:ASP:N	2.41	0.53
1:C:204:CYS:O	1:C:208:ARG:HG3	2.07	0.53
1:C:139:TRP:CD2	1:C:216:PRO:HB3	2.44	0.53
1:E:250:GLU:O	1:E:253:SER:HB3	2.09	0.53
1:C:134:THR:OG1	1:C:137:GLU:HB2	2.09	0.53
1:B:124:PHE:CD2	1:B:144:ARG:HD2	2.43	0.52
1:D:217:PRO:O	1:D:221:ASP:HB2	2.08	0.52
1:F:167:PRO:HB2	1:F:168:PRO:HD2	1.91	0.52
1:B:198:HIS:HB3	1:B:201:ILE:HB	1.90	0.52
1:C:251:MSE:HB2	1:E:251:MSE:HE2	1.90	0.52
1:F:155:LEU:HD11	1:F:195:LEU:HD21	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:156:LYS:NZ	1:C:163:ARG:HE	2.08	0.52
1:C:110:PRO:HG2	1:C:192:LEU:HB3	1.92	0.52
1:D:198:HIS:HB3	1:D:201:ILE:HB	1.91	0.52
1:A:121:ARG:HB2	1:F:120:GLU:HB3	1.92	0.51
1:D:148:PHE:CD2	1:D:188:LEU:HD22	2.45	0.51
1:D:142:PHE:HB2	1:D:226:SER:OG	2.11	0.51
1:E:242:LYS:O	1:E:246:GLU:HG2	2.10	0.51
1:A:198:HIS:HB3	1:A:201:ILE:HB	1.92	0.51
1:F:155:LEU:HD13	1:F:164:LEU:HD12	1.93	0.51
1:A:111:THR:HG23	1:A:130:LEU:HB3	1.93	0.51
1:A:204:CYS:O	1:A:208:ARG:HG3	2.11	0.50
1:F:208:ARG:HA	1:F:213:LEU:HD12	1.92	0.50
1:B:162:PHE:HE2	1:B:198:HIS:CD2	2.29	0.50
1:E:130:LEU:HD11	1:E:138:SER:HB2	1.94	0.50
1:C:108:SER:HB2	1:C:132:LYS:O	2.12	0.49
1:F:211:LEU:HB2	1:F:213:LEU:HG	1.94	0.49
1:D:150:ARG:HD3	1:D:239:ARG:HH21	1.77	0.49
1:B:257:LEU:HD23	1:D:258:LEU:HD11	1.94	0.49
1:C:245:LEU:HD11	1:C:249:LYS:HE3	1.94	0.49
1:D:239:ARG:HD3	1:D:243:GLU:OE2	2.13	0.48
1:F:143:ARG:NH2	1:F:225:GLU:OE2	2.46	0.48
1:C:112:ILE:H	1:C:189:GLN:HE22	1.60	0.48
1:D:196:VAL:HA	1:D:202:ALA:HB2	1.95	0.48
1:F:118:MSE:C	1:F:119:GLU:HG2	2.34	0.48
1:B:208:ARG:HD2	1:B:213:LEU:HB2	1.94	0.48
1:C:268:LEU:HB2	1:E:268:LEU:HD13	1.94	0.48
1:A:171:TRP:CD1	1:F:238:TYR:HB2	2.49	0.48
1:B:198:HIS:CE1	1:B:200:ASP:HB2	2.48	0.48
1:C:198:HIS:ND1	1:C:201:ILE:HG12	2.29	0.48
1:D:123:LYS:H	1:D:123:LYS:HD2	1.79	0.47
1:D:233:LEU:HD12	1:D:233:LEU:H	1.79	0.47
1:A:139:TRP:CE2	1:A:216:PRO:HB3	2.48	0.47
1:D:198:HIS:HE1	1:D:200:ASP:HB2	1.80	0.47
1:D:256:LYS:O	1:D:259:SER:HB3	2.15	0.47
1:A:217:PRO:O	1:A:221:ASP:HB2	2.14	0.47
1:B:251:MSE:SE	1:D:250:GLU:HB3	2.64	0.47
1:F:133:LYS:HB3	1:F:133:LYS:HE2	1.63	0.47
1:E:162:PHE:HE2	1:E:198:HIS:CD2	2.33	0.47
1:E:204:CYS:O	1:E:208:ARG:HG3	2.15	0.47
1:D:130:LEU:HA	1:D:130:LEU:HD23	1.62	0.47
1:D:223:LEU:O	1:D:227:ARG:HG2	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:217:PRO:HB2	1:B:221:ASP:HB2	1.97	0.47
1:C:128:LYS:HG3	1:C:142:PHE:CE1	2.49	0.47
1:B:169:LYS:NZ	1:D:241:GLN:OE1	2.32	0.47
1:F:236:THR:O	1:F:240:LEU:HG	2.14	0.46
1:A:155:LEU:HD13	1:A:164:LEU:HD13	1.97	0.46
1:D:198:HIS:CE1	1:D:200:ASP:HB2	2.51	0.46
1:B:148:PHE:CE2	1:B:188:LEU:HD13	2.50	0.46
1:C:132:LYS:HB3	1:C:138:SER:HB3	1.98	0.45
1:B:120:GLU:OE1	1:D:121:ARG:HB3	2.15	0.45
1:B:123:LYS:O	1:B:176:TYR:OH	2.34	0.45
1:B:241:GLN:HE22	1:D:240:LEU:HD21	1.81	0.45
1:D:116:GLU:HG3	1:D:128:LYS:HE2	1.99	0.45
1:E:211:LEU:HB2	1:E:213:LEU:HG	1.98	0.45
1:B:178:ALA:HA	1:B:181:LEU:HB2	1.99	0.45
1:A:113:LEU:HD11	1:A:130:LEU:HB2	1.98	0.45
1:F:204:CYS:O	1:F:208:ARG:HG2	2.17	0.45
1:D:170:ARG:HG3	1:D:184:ARG:HH22	1.81	0.45
1:A:196:VAL:HA	1:A:202:ALA:HB2	1.99	0.44
1:C:139:TRP:CG	1:C:216:PRO:HB3	2.53	0.44
1:D:242:LYS:HD2	1:D:242:LYS:HA	1.78	0.44
1:F:114:GLY:H	1:F:128:LYS:HG3	1.83	0.44
1:B:112:ILE:HA	1:B:129:ILE:HA	1.98	0.44
1:C:250:GLU:O	1:C:253:SER:HB3	2.17	0.44
1:D:129:ILE:HB	1:D:141:VAL:HG23	1.99	0.44
1:C:132:LYS:HB3	1:C:138:SER:CB	2.48	0.44
1:D:205:LEU:HD13	1:E:183:ASP:CG	2.38	0.44
1:C:181:LEU:HD23	1:C:181:LEU:HA	1.86	0.44
1:D:112:ILE:HA	1:D:129:ILE:HA	1.99	0.44
1:C:221:ASP:O	1:C:224:GLU:HB3	2.18	0.44
1:D:133:LYS:O	1:D:137:GLU:HB3	2.18	0.44
1:F:164:LEU:HD22	1:F:194:ASN:CB	2.37	0.43
1:C:116:GLU:OE1	1:C:116:GLU:HA	2.18	0.43
1:B:121:ARG:HG3	1:D:121:ARG:HH11	1.83	0.43
1:C:241:GLN:OE1	1:E:169:LYS:HE3	2.18	0.43
1:E:182:GLU:O	1:E:185:GLN:HB3	2.18	0.43
1:E:108:SER:HB3	1:E:132:LYS:O	2.18	0.43
1:E:120:GLU:O	1:E:122:ALA:N	2.52	0.43
1:E:128:LYS:HG2	1:E:142:PHE:CE2	2.54	0.43
1:A:146:THR:O	1:A:149:SER:HB3	2.18	0.43
1:B:113:LEU:HD11	1:B:130:LEU:HB2	2.01	0.43
1:B:119:GLU:HG2	1:B:123:LYS:HB3	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:176:TYR:HA	1:B:181:LEU:CD1	2.49	0.43
1:F:208:ARG:O	1:F:213:LEU:N	2.46	0.43
1:E:126:VAL:HG21	1:E:142:PHE:HB3	2.01	0.42
1:E:119:GLU:OE1	1:E:123:LYS:HE3	2.19	0.42
1:E:181:LEU:HD23	1:E:181:LEU:HA	1.80	0.42
1:C:121:ARG:O	1:E:120:GLU:HB2	2.20	0.42
1:A:181:LEU:HA	1:A:181:LEU:HD23	1.74	0.42
1:A:246:GLU:O	1:A:249:LYS:HB2	2.20	0.42
1:B:142:PHE:HB2	1:B:226:SER:HB2	2.01	0.42
1:B:148:PHE:CD2	1:B:188:LEU:HD22	2.55	0.42
1:E:158:MSE:HB2	1:E:159:PHE:CD1	2.55	0.42
1:B:193:GLN:O	1:B:196:VAL:HG12	2.20	0.42
1:D:150:ARG:HH22	1:D:231:GLU:HB3	1.84	0.42
1:D:251:MSE:HE2	1:D:251:MSE:HB3	1.99	0.42
1:A:150:ARG:HD3	1:A:239:ARG:NH1	2.34	0.41
1:B:122:ALA:CB	1:D:233:LEU:HD13	2.49	0.41
1:D:162:PHE:CE2	1:D:198:HIS:CD2	3.09	0.41
1:D:199:LYS:HE2	1:D:199:LYS:HB3	1.74	0.41
1:C:198:HIS:HE1	1:C:200:ASP:HB2	1.85	0.41
1:D:276:SER:OG	1:D:277:LEU:HD23	2.20	0.41
1:E:118:MSE:HE1	1:E:223:LEU:HD23	2.03	0.41
1:E:144:ARG:H	1:E:144:ARG:HG2	1.70	0.41
1:B:242:LYS:HA	1:B:242:LYS:HD2	1.81	0.41
1:C:113:LEU:HD12	1:C:128:LYS:HD3	2.02	0.41
1:C:129:ILE:HD12	1:C:141:VAL:HG23	2.02	0.41
1:C:150:ARG:HB3	1:C:150:ARG:HH11	1.85	0.41
1:C:171:TRP:CD1	1:E:238:TYR:CD1	3.09	0.41
1:C:258:LEU:HD21	1:E:257:LEU:HD23	2.03	0.41
1:E:235:GLU:HG2	1:E:235:GLU:H	1.47	0.41
1:A:145:TYR:CD1	1:A:184:ARG:HD2	2.56	0.41
1:C:271:ARG:HD2	1:C:271:ARG:HA	1.89	0.41
1:A:121:ARG:CB	1:F:120:GLU:HB3	2.51	0.41
1:C:171:TRP:CD1	1:E:238:TYR:HD1	2.39	0.41
1:E:146:THR:O	1:E:149:SER:HB3	2.21	0.41
1:E:208:ARG:HA	1:E:213:LEU:HD12	2.03	0.41
1:F:271:ARG:HA	1:F:271:ARG:HD2	1.73	0.41
1:C:144:ARG:NH1	1:C:231:GLU:O	2.54	0.41
1:D:139:TRP:CE2	1:D:216:PRO:HB3	2.56	0.40
1:E:115:TYR:CE1	1:E:181:LEU:HD13	2.57	0.40
1:A:120:GLU:O	1:A:121:ARG:HB2	2.21	0.40
1:C:115:TYR:CE2	1:C:181:LEU:HD13	2.57	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:151:LEU:HD22	1:F:210:PHE:CD2	2.56	0.40
1:D:177:ASN:HB3	1:D:180:PHE:HB3	2.03	0.40
1:E:112:ILE:HG22	1:E:189:GLN:CD	2.42	0.40
1:E:221:ASP:O	1:E:224:GLU:HB3	2.21	0.40
1:E:184:ARG:O	1:E:188:LEU:HG	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	171/179 (96%)	167 (98%)	4 (2%)	0	100	100
1	B	166/179 (93%)	157 (95%)	8 (5%)	1 (1%)	25	57
1	C	171/179 (96%)	167 (98%)	4 (2%)	0	100	100
1	D	166/179 (93%)	160 (96%)	6 (4%)	0	100	100
1	E	169/179 (94%)	162 (96%)	6 (4%)	1 (1%)	25	57
1	F	162/179 (90%)	151 (93%)	7 (4%)	4 (2%)	5	27
All	All	1005/1074 (94%)	964 (96%)	35 (4%)	6 (1%)	25	57

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	121	ARG
1	F	121	ARG
1	B	122	ALA
1	F	135	PRO
1	F	166	LEU
1	F	167	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	161/164 (98%)	147 (91%)	14 (9%)	10	34
1	B	158/164 (96%)	142 (90%)	16 (10%)	7	27
1	C	161/164 (98%)	144 (89%)	17 (11%)	6	25
1	D	158/164 (96%)	144 (91%)	14 (9%)	9	32
1	E	159/164 (97%)	144 (91%)	15 (9%)	8	30
1	F	156/164 (95%)	137 (88%)	19 (12%)	5	20
All	All	953/984 (97%)	858 (90%)	95 (10%)	7	27

All (95) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	111	THR
1	A	136	GLU
1	A	141	VAL
1	A	152	ASN
1	A	215	ASP
1	A	227	ARG
1	A	233	LEU
1	A	237	ASN
1	A	239	ARG
1	A	242	LYS
1	A	244	LEU
1	A	256	LYS
1	A	263	LEU
1	A	271	ARG
1	B	121	ARG
1	B	128	LYS
1	B	137	GLU
1	B	146	THR
1	B	163	ARG
1	B	170	ARG
1	B	172	PHE
1	B	176	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	208	ARG
1	B	214	ASP
1	B	220	PHE
1	B	233	LEU
1	B	264	HIS
1	B	269	GLU
1	B	271	ARG
1	B	277	LEU
1	C	106	ARG
1	C	111	THR
1	C	119	GLU
1	C	123	LYS
1	C	137	GLU
1	C	146	THR
1	C	150	ARG
1	C	157	GLU
1	C	162	PHE
1	C	186	LEU
1	C	237	ASN
1	C	246	GLU
1	C	248	GLN
1	C	256	LYS
1	C	257	LEU
1	C	259	SER
1	C	263	LEU
1	D	111	THR
1	D	121	ARG
1	D	123	LYS
1	D	138	SER
1	D	141	VAL
1	D	170	ARG
1	D	193	GLN
1	D	199	LYS
1	D	239	ARG
1	D	241	GLN
1	D	257	LEU
1	D	258	LEU
1	D	276	SER
1	D	277	LEU
1	E	111	THR
1	E	120	GLU
1	E	121	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	144	ARG
1	E	157	GLU
1	E	163	ARG
1	E	184	ARG
1	E	186	LEU
1	E	220	PHE
1	E	232	THR
1	E	235	GLU
1	E	259	SER
1	E	262	GLN
1	E	276	SER
1	E	277	LEU
1	F	112	ILE
1	F	115	TYR
1	F	118	MSE
1	F	119	GLU
1	F	132	LYS
1	F	150	ARG
1	F	162	PHE
1	F	172	PHE
1	F	174	ASP
1	F	176	TYR
1	F	184	ARG
1	F	188	LEU
1	F	208	ARG
1	F	214	ASP
1	F	220	PHE
1	F	225	GLU
1	F	253	SER
1	F	258	LEU
1	F	271	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	F	194	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	170/179 (94%)	0.11	0	100	100	42, 75, 111, 129	0
1	B	167/179 (93%)	0.17	2 (1%)	79	78	59, 87, 142, 163	0
1	C	170/179 (94%)	0.16	2 (1%)	79	78	35, 69, 113, 131	0
1	D	167/179 (93%)	0.05	3 (1%)	68	67	45, 81, 120, 168	0
1	E	168/179 (93%)	0.24	6 (3%)	42	40	65, 113, 155, 169	0
1	F	165/179 (92%)	0.18	9 (5%)	25	23	57, 133, 183, 190	0
All	All	1007/1074 (93%)	0.15	22 (2%)	62	60	35, 87, 162, 190	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	219	PRO	7.0
1	F	195	LEU	4.6
1	C	107	PRO	3.9
1	D	171	TRP	3.1
1	B	219	PRO	3.1
1	E	213	LEU	3.0
1	E	133	LYS	2.9
1	F	140	VAL	2.7
1	D	174	ASP	2.6
1	E	201	ILE	2.5
1	D	233	LEU	2.5
1	C	234	GLU	2.4
1	F	141	VAL	2.4
1	F	161	GLY	2.3
1	F	139	TRP	2.3
1	F	142	PHE	2.3
1	F	183	ASP	2.3
1	B	195	LEU	2.3
1	F	125	THR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	114	GLY	2.2
1	F	219	PRO	2.1
1	E	111	THR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.