

# Full wwPDB X-ray Structure Validation Report (i)

#### Dec 10, 2023 - 03:15 pm GMT

PDB ID	:	1H3V
Title	:	CRYSTAL STRUCTURE OF THE HUMAN IGG1 FC-FRAGMENT, GLYC
		OFORM (G2F)2,SG P212121
Authors	:	Krapp, S.; Mimura, Y.; Jefferis, R.; Huber, R.; Sondermann, P.
Deposited on	:	2002-09-19
Resolution	:	3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

:	4.02b-467
:	1.8.4, CSD as541be (2020)
:	1.13
:	2.36
:	20191225.v01 (using entries in the PDB archive December 25th 2019)
:	5.8.0158
:	7.0.044 (Gargrove)
:	Engh & Huber (2001)
:	Parkinson et al. (1996)
:	2.36
	:::::::::::::::::::::::::::::::::::::::

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution
wietric	$(\# { m Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$
$R_{free}$	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain				
1	А	223	39%	48	3%	6%	7%
1	В	223	46%		42%	•	7%
2	С	8	38%	25%	38%		
3	D	8	75%			25%	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard



residues i	n protein,	DNA,	RNA	chains	that	$\operatorname{are}$	outliers	for	geometric o	or elect	tron-c	lensity-fit	crite-
ria:													

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GAL	С	6	-	-	Х	-
3	NAG	D	1	X	-	-	-



# 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 3600 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace		
1	Δ	208	Total	С	Ν	0	$\mathbf{S}$	45	45 0 1		
1	A	208	1661	1057	283	314	7	40	0	L	
1	р	207	Total	С	Ν	0	S	121	0	1	
	D	207	1656	1054	282	313	7	101	0	1	

• Molecule 1 is a protein called IG GAMMA-1 CHAIN C REGION.

• Molecule 2 is an oligosaccharide called beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]be ta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopy ranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	С	8	Total C N O 96 54 3 39	0	0	0

• Molecule 3 is an oligosaccharide called beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose-(1-2)-beta-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]bet a-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyr anose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	8	Total 96	С 54	N 3	O 39	15	0	0

• Molecule 4 is water.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	51	$\begin{array}{cc} \text{Total} & \text{O} \\ 51 & 51 \end{array}$	0	0
4	В	40	Total         O           40         40	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: IG GAMMA-1 CHAIN C REGION

 $\label{eq:constraint} \bullet \mbox{Molecule 2: beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-6)]2-$ 



 $\label{eq:solution} \bullet \mbox{Molecule 3: beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-beta-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyrano$ 

Chain D: 75% 25%





## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	49.47Å 80.85Å 141.75Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution(Å)	50.00 - 3.10	Depositor
Itesolution (A)	24.37 - 3.20	EDS
% Data completeness	82.8 (50.00-3.10)	Depositor
(in resolution range)	82.9 (24.37-3.20)	EDS
$R_{merge}$	0.13	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.24$ (at $3.17\text{\AA}$ )	Xtriage
Refinement program	CNS 1.0	Depositor
B B c	0.240 , $0.314$	Depositor
It, Itfree	0.233 , $0.306$	DCC
$R_{free}$ test set	445 reflections $(5.44\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	46.9	Xtriage
Anisotropy	0.216	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.28 , $58.7$	EDS
L-test for $twinning^2$	$ < L >=0.47, < L^2>=0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.87	EDS
Total number of atoms	3600	wwPDB-VP
Average B, all atoms $(Å^2)$	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.82% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: GAL, MAN, FUL, NAG, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
1VIOI	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.46	0/1707	0.73	1/2325~(0.0%)	
1	В	0.44	0/1702	0.67	0/2318	
All	All	0.45	0/3409	0.70	1/4643~(0.0%)	

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	383	SER	N-CA-C	-5.61	95.85	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1661	0	1630	119	0
1	В	1656	0	1628	93	0
2	С	96	0	82	16	0
3	D	96	0	82	11	0
4	А	51	0	0	14	0
4	В	40	0	0	7	0
All	All	3600	0	3422	223	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 34.

All (223) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom_1	Atom_2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:D:1:NAG:H62	3:D:8:FUL:C6	1.82	1.10
1:A:351:LEU:HB2	1:A:366:THR:HB	1.33	1.10
1:A:433:HIS:O	1:A:435:HIS:N	1.85	1.07
1:B:433:HIS:O	1:B:435:HIS:N	1.88	1.07
3:D:1:NAG:C6	3:D:8:FUL:H63	1.89	1.01
1:B:238:PRO:HB2	4:B:2001:HOH:O	1.60	1.01
1:A:350:THR:HB	1:A:441:LEU:HG	1.46	0.97
1:B:365:LEU:HD12	1:B:410:LEU:HD23	1.44	0.96
3:D:1:NAG:H61	3:D:8:FUL:O3	1.65	0.96
1:A:253:ILE:HD12	1:A:253:ILE:H	1.29	0.94
1:B:346:PRO:HB3	1:B:372:PHE:HB3	1.55	0.88
3:D:1:NAG:H62	3:D:8:FUL:H63	0.92	0.86
1:A:292:ARG:HG2	1:A:293:GLU:H	1.41	0.85
1:B:351:LEU:HB2	1:B:366:THR:HB	1.59	0.84
1:B:260:THR:HG21	4:B:2040:HOH:O	1.79	0.82
1:A:309:LEU:HB2	1:A:312:ASN:HD22	1.43	0.82
1:A:320:LYS:HD3	1:A:333:GLU:HG2	1.61	0.82
1:B:350:THR:HB	1:B:441:LEU:HG	1.60	0.81
1:A:260:THR:HG23	1:A:305:VAL:HG22	1.65	0.77
1:B:312:ASN:HB3	1:B:319:TYR:OH	1.83	0.77
1:A:276:ASN:HB2	1:A:322:LYS:HB3	1.66	0.76
1:A:253:ILE:H	1:A:253:ILE:CD1	1.97	0.76
1:A:292:ARG:HG2	1:A:293:GLU:N	2.01	0.76
1:B:249:ASP:O	1:B:257:PRO:HG3	1.87	0.75
1:A:244:PRO:HB3	1:A:336:ILE:HD11	1.68	0.74
1:A:245:PRO:HA	2:C:6:GAL:H61	1.69	0.74
1:A:253:ILE:HD12	1:A:253:ILE:N	2.03	0.73
1:A:297:ASN:O	1:A:298:SER:HB2	1.88	0.72
1:A:346:PRO:HB3	1:A:372:PHE:HB3	1.71	0.71
1:B:272:GLN:OE1	1:B:272:GLN:HA	1.90	0.71
1:B:238:PRO:HB2	1:B:328:LEU:HD11	1.71	0.70
1:A:245:PRO:HA	2:C:6:GAL:C6	2.21	0.70
1:A:391:TYR:HB3	1:A:410:LEU:HD12	1.75	0.69
1:A:433:HIS:C	1:A:435:HIS:H	1.93	0.69
1:A:273:VAL:HG21	1:A:302:VAL:HG21	1.74	0.68
1:A:423:PHE:HB2	4:A:2047:HOH:O	1.92	0.67
1:A:353:PRO:HD3	1:A:365:LEU:HD23	1.77	0.67



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:309:LEU:HB2	1:A:312:ASN:ND2	2.08	0.66
1:B:359:THR:O	1:B:359:THR:HG22	1.94	0.66
1:B:261:CYS:HB2	1:B:277:TRP:CZ2	2.31	0.65
2:C:2:NAG:H81	2:C:4:MAN:O4	1.96	0.65
4:A:2048:HOH:O	2:C:1:NAG:H82	1.97	0.65
1:B:311:GLN:OE1	1:B:311:GLN:N	2.28	0.64
2:C:5:NAG:H4	2:C:6:GAL:O2	1.96	0.64
1:B:291:PRO:HB3	1:B:304:SER:HA	1.79	0.64
1:B:278:TYR:HA	1:B:282:VAL:O	1.97	0.64
1:A:284:VAL:HG13	1:A:285:HIS:ND1	2.13	0.64
1:B:261:CYS:HB2	1:B:277:TRP:CH2	2.34	0.62
1:B:241:PHE:HE1	3:D:2:NAG:H4	1.64	0.62
1:A:441:LEU:CB	4:A:2047:HOH:O	2.47	0.62
1:B:360:LYS:HB3	4:B:2021:HOH:O	1.99	0.61
1:B:247:PRO:O	1:B:251:LEU:HG	2.01	0.60
1:B:241:PHE:CE1	3:D:2:NAG:H4	2.36	0.60
1:A:398:LEU:HD12	1:A:399:ASP:N	2.16	0.60
2:C:1:NAG:H61	2:C:2:NAG:HN2	1.66	0.59
1:B:332:ILE:HG23	1:B:334:LYS:NZ	2.17	0.59
1:B:383:SER:O	1:B:385:GLY:N	2.35	0.59
1:A:242:LEU:HD13	1:A:336:ILE:HG22	1.83	0.59
1:B:247:PRO:HB3	1:B:376:ASP:HB3	1.84	0.59
1:A:289:THR:HG22	1:A:290:LYS:H	1.68	0.59
1:B:259:VAL:HG23	1:B:308:VAL:HG21	1.85	0.58
1:B:335:THR:HG22	1:B:336:ILE:N	2.18	0.58
1:A:266:VAL:HB	1:A:300:TYR:HB2	1.84	0.58
1:B:432:LEU:C	1:B:433:HIS:O	2.38	0.58
1:A:301:ARG:HH12	1:A:303:VAL:HG21	1.69	0.58
1:B:276:ASN:HB2	1:B:322:LYS:HB3	1.85	0.57
1:A:436:TYR:CE1	1:A:438:GLN:HG3	2.40	0.57
1:A:325:ASN:HD21	1:A:327:ALA:HB3	1.70	0.57
1:A:347:GLN:NE2	1:B:360:LYS:HE3	2.19	0.57
1:A:289:THR:HG22	1:A:290:LYS:N	2.20	0.57
1:A:391:TYR:HB3	1:A:410:LEU:CD1	2.35	0.56
1:B:346:PRO:HB3	1:B:372:PHE:CB	2.31	0.56
3:D:1:NAG:C6	3:D:8:FUL:O3	2.48	0.56
1:A:325:ASN:ND2	1:A:327:ALA:HB3	2.21	0.55
1:A:280:ASP:OD2	1:A:317:LYS:HD3	2.07	0.55
1:B:383:SER:O	1:B:384:ASN:C	2.46	0.55
1:B:346:PRO:CB	1:B:372:PHE:HB3	2.32	0.54
1:A:441:LEU:O	4:A:2047:HOH:O	2.18	0.54



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:238:PRO:CB	1:B:328:LEU:HD11	2.38	0.54
1:B:243:PHE:O	1:B:259:VAL:HG13	2.07	0.54
1:B:415:SER:O	1:B:419:GLN:N	2.40	0.54
1:A:353:PRO:HD3	1:A:365:LEU:CD2	2.37	0.53
1:B:373:TYR:CD1	1:B:374:PRO:HA	2.44	0.53
1:A:273:VAL:CG2	1:A:302:VAL:HG21	2.38	0.53
1:A:443:LEU:O	1:A:444:SER:CB	2.56	0.53
1:A:287:ALA:N	4:A:2008:HOH:O	2.39	0.53
1:B:259:VAL:HG23	1:B:308:VAL:CG2	2.38	0.53
1:B:368:LEU:HD11	1:B:370:LYS:HB3	1.91	0.53
1:A:311:GLN:HA	1:A:311:GLN:NE2	2.24	0.52
1:B:433:HIS:C	1:B:435:HIS:H	2.07	0.52
2:C:1:NAG:H61	2:C:2:NAG:N2	2.24	0.52
1:B:244:PRO:HD3	1:B:336:ILE:HD11	1.90	0.52
1:B:429:HIS:HB3	1:B:432:LEU:HG	1.91	0.52
1:A:258:GLU:O	2:C:6:GAL:H61	2.10	0.52
1:B:309:LEU:O	1:B:312:ASN:HB2	2.09	0.51
1:A:293:GLU:HG3	1:A:294:GLN:H	1.75	0.51
1:B:279:VAL:O	1:B:282:VAL:HG22	2.10	0.51
1:A:271:PRO:O	1:A:273:VAL:HG23	2.10	0.51
1:B:322:LYS:NZ	1:B:331:PRO:HG3	2.26	0.51
1:A:258:GLU:O	2:C:6:GAL:C6	2.59	0.51
1:A:308:VAL:HG12	1:A:319:TYR:CE2	2.46	0.51
4:A:2048:HOH:O	2:C:1:NAG:H2	2.10	0.51
1:B:349:TYR:O	1:B:367:CYS:HA	2.10	0.51
1:A:427:VAL:O	1:A:436:TYR:HA	2.11	0.51
1:B:397:VAL:O	1:B:404:PHE:HA	2.10	0.50
1:A:252:MET:HB2	1:A:255:ARG:HD3	1.92	0.50
1:B:415:SER:O	1:B:419:GLN:HG3	2.10	0.50
1:A:242:LEU:HD22	1:A:336:ILE:HG21	1.93	0.50
1:B:308:VAL:HG12	1:B:309:LEU:N	2.25	0.50
1:A:293:GLU:HG3	1:A:294:GLN:N	2.27	0.50
1:A:301:ARG:HG2	1:A:301:ARG:HH11	1.77	0.49
1:A:278:TYR:HA	1:A:282:VAL:O	2.12	0.49
1:B:376:ASP:HB2	4:B:2031:HOH:O	2.13	0.49
1:A:432:LEU:C	1:A:433:HIS:O	2.50	0.49
1:A:415:SER:O	1:A:419:GLN:N	2.45	0.49
1:B:322:LYS:HZ1	1:B:331:PRO:HG3	1.77	0.49
1:A:432:LEU:O	1:A:433:HIS:O	2.30	0.49
1:A:429:HIS:CD2	1:A:431:ALA:H	2.31	0.49
1:A:434:ASN:O	1:A:435:HIS:HB2	2.12	0.49



	A de C	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:283:GLN:NE2	4:A:2008:HOH:O	2.29	0.49
1:A:397:VAL:O	1:A:404:PHE:HA	2.13	0.49
1:B:414:LYS:O	1:B:418:GLN:CG	2.61	0.48
1:A:426:SER:HB3	1:A:436:TYR:CE2	2.48	0.48
1:B:308:VAL:HG13	1:B:319:TYR:OH	2.13	0.48
1:A:278:TYR:HB2	1:A:320:LYS:HB3	1.94	0.48
1:A:340:LYS:HA	4:A:2025:HOH:O	2.14	0.48
1:A:266:VAL:O	1:A:300:TYR:HB2	2.14	0.48
1:A:336:ILE:HG13	1:A:337:SER:N	2.28	0.48
3:D:5:NAG:H4	3:D:6:GAL:O2	2.14	0.48
1:B:292:ARG:HG3	1:B:292:ARG:HH11	1.79	0.48
1:B:359:THR:O	1:B:360:LYS:HD3	2.14	0.47
2:C:5:NAG:C4	2:C:6:GAL:O2	2.62	0.47
1:A:301:ARG:NH1	1:A:303:VAL:HG21	2.29	0.47
1:B:391:TYR:O	1:B:392:LYS:HD3	2.14	0.47
1:B:283:GLN:HG2	4:B:2007:HOH:O	2.13	0.47
1:B:380:GLU:HG2	4:B:2023:HOH:O	2.14	0.47
1:A:288:LYS:HD3	1:A:306:LEU:HD11	1.97	0.47
1:A:312:ASN:O	1:A:313:TRP:C	2.52	0.47
1:B:391:TYR:HA	1:B:409:LYS:O	2.15	0.47
1:B:439:LYS:HA	1:B:439:LYS:HD2	1.72	0.47
1:A:245:PRO:HA	2:C:6:GAL:O6	2.15	0.46
1:A:328:LEU:HG	1:A:330:ALA:O	2.15	0.46
1:B:245:PRO:HD3	1:B:259:VAL:HG22	1.97	0.46
1:A:311:GLN:NE2	1:A:311:GLN:CA	2.77	0.46
1:A:365:LEU:HD21	1:A:417:TRP:CE3	2.51	0.46
1:A:406:LEU:HD12	1:A:406:LEU:C	2.36	0.45
1:B:368:LEU:C	1:B:368:LEU:HD12	2.36	0.45
1:A:368:LEU:HD13	1:A:407:TYR:CZ	2.51	0.45
1:A:399:ASP:OD2	1:B:409:LYS:NZ	2.47	0.45
1:B:247:PRO:HG2	1:B:377:ILE:H	1.81	0.45
1:A:255:ARG:HG2	1:A:255:ARG:HH11	1.80	0.45
1:A:391:TYR:HA	1:A:409:LYS:O	2.17	0.45
1:A:261:CYS:HB2	1:A:277:TRP:CH2	2.52	0.45
1:A:293:GLU:OE2	4:A:2013:HOH:O	2.21	0.45
1:A:353:PRO:HG2	1:A:358:MET:HE1	1.98	0.45
1:A:409:LYS:HB2	1:B:407:TYR:OH	2.16	0.45
1:A:246:LYS:HE2	2:C:6:GAL:H3	1.99	0.45
1:B:426:SER:HB3	1:B:436:TYR:CE2	2.52	0.45
1:A:384:ASN:C	1:A:386:GLN:H	2.20	0.45
1:A:368:LEU:HD13	1:A:407:TYR:CE1	2.52	0.45



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:285:HIS:O	1:A:286:ASN:O	2.35	0.45
1:B:335:THR:CG2	1:B:336:ILE:N	2.80	0.45
1:A:243:PHE:CD2	2:C:5:NAG:H5	2.52	0.44
1:B:292:ARG:HH11	1:B:293:GLU:H	1.65	0.44
1:A:423:PHE:CB	4:A:2047:HOH:O	2.57	0.44
1:A:441:LEU:HB2	4:A:2047:HOH:O	2.15	0.44
1:B:264:VAL:HG11	3:D:1:NAG:O4	2.17	0.44
1:B:368:LEU:HD12	1:B:369:VAL:N	2.31	0.44
1:B:429:HIS:O	1:B:435:HIS:HA	2.17	0.44
1:A:246:LYS:HE2	2:C:6:GAL:H5	1.98	0.44
1:B:260:THR:OG1	3:D:5:NAG:H61	2.18	0.44
1:B:332:ILE:HG23	1:B:334:LYS:HZ2	1.83	0.44
1:B:365:LEU:HB2	1:B:410:LEU:HB3	1.99	0.44
1:A:423:PHE:N	1:A:423:PHE:CD1	2.85	0.44
1:B:441:LEU:HD23	4:B:2020:HOH:O	2.17	0.44
1:A:288:LYS:CD	1:A:306:LEU:HD11	2.48	0.44
1:A:384:ASN:O	1:A:386:GLN:N	2.50	0.44
1:B:263:VAL:O	1:B:301:ARG:HA	2.18	0.44
1:A:369:VAL:HG12	1:A:372:PHE:CD2	2.53	0.44
1:B:430:GLU:CG	1:B:431:ALA:N	2.81	0.44
1:A:286:ASN:HA	4:A:2008:HOH:O	2.18	0.43
1:B:312:ASN:HB3	1:B:319:TYR:HH	1.81	0.43
1:A:376:ASP:O	1:A:377:ILE:HB	2.18	0.43
1:B:308:VAL:HG11	1:B:313:TRP:HB2	2.00	0.43
1:B:311:GLN:H	1:B:311:GLN:CD	2.17	0.43
1:B:292:ARG:HG3	1:B:292:ARG:NH1	2.34	0.43
1:A:417:TRP:CZ2	1:A:443:LEU:HB2	2.53	0.43
1:A:429:HIS:O	1:A:435:HIS:HA	2.19	0.43
1:B:240:VAL:HG23	1:B:332:ILE:HD12	2.01	0.43
1:B:309:LEU:HG	1:B:311:GLN:OE1	2.19	0.43
1:A:277:TRP:NE1	1:A:289:THR:HG21	2.34	0.42
1:A:435:HIS:O	1:A:436:TYR:HB2	2.19	0.42
1:B:262:VAL:HG21	3:D:5:NAG:H62	2.00	0.42
1:A:339:ALA:HB3	1:A:374:PRO:HB3	2.00	0.42
1:A:242:LEU:HD13	1:A:336:ILE:CG2	2.48	0.42
1:A:291:PRO:HB3	1:A:304:SER:HA	2.00	0.42
1:A:348:VAL:HG22	1:A:427:VAL:HG21	2.01	0.42
1:B:406:LEU:C	1:B:406:LEU:HD12	2.40	0.42
1:A:284:VAL:HG13	1:A:285:HIS:CE1	2.55	0.42
1:A:328:LEU:HA	1:A:329:PRO:HD3	1.93	0.42
1:A:297:ASN:O	1:A:298:SER:CB	2.62	0.41



A + 1	A.t. a.m. D	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:B:383:SER:O	1:B:386:GLN:N	2.51	0.41
1:A:428:MET:HG2	1:A:436:TYR:HD2	1.86	0.41
1:B:255:ARG:CZ	1:B:255:ARG:HB3	2.50	0.41
1:B:332:ILE:HG23	1:B:334:LYS:HZ3	1.86	0.41
1:A:276:ASN:HB3	1:A:278:TYR:HE1	1.86	0.41
1:A:301:ARG:HG2	1:A:301:ARG:NH1	2.35	0.41
1:A:342:GLN:HA	1:A:343:PRO:HD3	1.89	0.41
1:B:352:PRO:HG3	1:B:441:LEU:HD21	2.03	0.41
1:B:251:LEU:HD13	1:B:429:HIS:C	2.41	0.41
2:C:4:MAN:O2	2:C:5:NAG:H82	2.21	0.41
1:A:297:ASN:HB3	4:A:2049:HOH:O	2.21	0.41
1:B:244:PRO:CD	1:B:336:ILE:HD11	2.51	0.41
1:B:308:VAL:CG1	1:B:309:LEU:N	2.84	0.41
1:B:332:ILE:CG2	1:B:334:LYS:HZ3	2.33	0.41
1:A:424:SER:HA	1:A:439:LYS:O	2.21	0.41
1:A:292:ARG:CG	1:A:293:GLU:N	2.80	0.40
1:A:418:GLN:C	1:A:420:GLY:H	2.25	0.40
1:B:343:PRO:HA	1:B:373:TYR:O	2.22	0.40
1:A:266:VAL:HB	1:A:300:TYR:CB	2.49	0.40
1:A:439:LYS:HA	1:A:439:LYS:HD3	1.76	0.40
1:A:441:LEU:HB3	4:A:2047:HOH:O	2.18	0.40
1:A:243:PHE:HE2	1:A:262:VAL:HG21	1.86	0.40

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	206/223~(92%)	171 (83%)	26 (13%)	9 (4%)	2 15
1	В	205/223~(92%)	176~(86%)	21 (10%)	8 (4%)	3 18
All	All	411/446~(92%)	347 (84%)	47 (11%)	17 (4%)	3 16



Mol	Chain	$\mathbf{Res}$	Type
1	А	286	ASN
1	А	298	SER
1	А	384	ASN
1	А	433	HIS
1	А	434	ASN
1	В	286	ASN
1	В	298	SER
1	В	384	ASN
1	В	434	ASN
1	А	385	GLY
1	А	444	SER
1	А	291	PRO
1	В	291	PRO
1	В	270	ASP
1	А	356	GLU
1	В	387	PRO
1	В	385	GLY

All (17) Ramachandran outliers are listed below:

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perc	entiles
1	А	193/206~(94%)	179~(93%)	14 (7%)	14	43
1	В	193/206~(94%)	173~(90%)	20 (10%)	7	27
All	All	386/412~(94%)	352~(91%)	34~(9%)	10	36

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	254	SER
1	А	260	THR
1	А	269	GLU
1	А	270	ASP
1	А	280	ASP
1	А	283	GLN



Mol	Chain	Res	Type
1	А	284	VAL
1	А	288	LYS
1	А	294	GLN
1	А	324	SER
1	А	336	ILE
1	А	390	ASN
1	А	401	ASP
1	А	411	THR
1	В	242	LEU
1	В	255	ARG
1	В	264	VAL
1	В	272	GLN
1	В	280	ASP
1	В	291	PRO
1	В	294	GLN
1	В	295	GLN
1	В	300	TYR
1	В	318	GLU
1	В	325	ASN
1	В	328	LEU
1	В	370	LYS
1	В	376	ASP
1	В	389	ASN
1	В	390	ASN
1	В	399	ASP
1	В	426	SER
1	В	437	THR
1	В	441	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	276	ASN
1	А	311	GLN
1	А	312	ASN
1	А	325	ASN
1	А	347	GLN
1	А	361	ASN
1	А	390	ASN
1	А	418	GLN
1	А	419	GLN
1	А	429	HIS



Continued from previous page...

Mol	Chain	Res	Type
1	А	438	GLN
1	В	347	GLN
1	В	390	ASN
1	В	419	GLN
1	В	429	HIS

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

16 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tuno	Chain	Dog	Link	Bo	ond leng	$_{\rm ths}$	В	ond ang	gles
	Type	Ullalli	nes	LIIIK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	С	1	2,1	14,14,15	0.61	0	17,19,21	0.77	0
2	NAG	С	2	2	14,14,15	0.63	0	17,19,21	0.72	1 (5%)
2	BMA	С	3	2	11,11,12	0.50	0	$15,\!15,\!17$	0.52	0
2	MAN	С	4	2	11,11,12	0.37	0	$15,\!15,\!17$	0.92	1 (6%)
2	NAG	С	5	2	14,14,15	0.61	0	17,19,21	0.84	1 (5%)
2	GAL	С	6	2	11,11,12	0.43	0	$15,\!15,\!17$	0.49	0
2	MAN	С	7	2	11,11,12	0.49	0	$15,\!15,\!17$	0.44	0
2	FUL	С	8	2	10,10,11	0.82	0	14,14,16	0.63	0
3	NAG	D	1	3,1	14,14,15	0.85	0	17,19,21	0.82	1 (5%)
3	NAG	D	2	3	14,14,15	0.65	0	17,19,21	0.71	0
3	BMA	D	3	3	11,11,12	0.78	0	$15,\!15,\!17$	1.03	1 (6%)
3	BMA	D	4	3	11,11,12	0.64	0	$15,\!15,\!17$	0.94	1 (6%)



Mal	Mol Type Chain F	Dec	Res Link	Bond lengths			Bond angles			
IVIOI	Type	Unain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
3	NAG	D	5	3	14,14,15	0.52	0	17,19,21	0.66	0
3	GAL	D	6	3	11,11,12	0.54	0	15,15,17	0.58	0
3	MAN	D	7	3	11,11,12	0.55	0	15,15,17	0.79	1 (6%)
3	FUL	D	8	3	10,10,11	0.67	0	14,14,16	1.56	4 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	С	1	2,1	-	6/6/23/26	0/1/1/1
2	NAG	С	2	2	-	4/6/23/26	0/1/1/1
2	BMA	С	3	2	-	0/2/19/22	0/1/1/1
2	MAN	С	4	2	-	2/2/19/22	0/1/1/1
2	NAG	С	5	2	-	2/6/23/26	0/1/1/1
2	GAL	С	6	2	-	2/2/19/22	0/1/1/1
2	MAN	С	7	2	-	0/2/19/22	0/1/1/1
2	FUL	С	8	2	-	-	0/1/1/1
3	NAG	D	1	3,1	1/1/5/7	5/6/23/26	0/1/1/1
3	NAG	D	2	3	-	4/6/23/26	0/1/1/1
3	BMA	D	3	3	-	2/2/19/22	0/1/1/1
3	BMA	D	4	3	-	2/2/19/22	0/1/1/1
3	NAG	D	5	3	-	4/6/23/26	0/1/1/1
3	GAL	D	6	3	-	1/2/19/22	0/1/1/1
3	MAN	D	7	3	-	0/2/19/22	0/1/1/1
3	FUL	D	8	3	-	-	0/1/1/1

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	D	8	FUL	C3-C4-C5	3.56	115.32	109.77
3	D	3	BMA	C1-C2-C3	3.39	113.83	109.67
3	D	4	BMA	C1-C2-C3	-2.45	106.66	109.67
2	С	4	MAN	C1-O5-C5	2.43	115.49	112.19
3	D	1	NAG	C2-N2-C7	-2.43	119.45	122.90
3	D	7	MAN	C1-O5-C5	2.42	115.47	112.19
3	D	8	FUL	O5-C5-C4	2.29	113.62	109.52



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	С	5	NAG	C2-N2-C7	-2.22	119.74	122.90
3	D	8	FUL	C1-O5-C5	2.15	117.66	112.78
3	D	8	FUL	C1-C2-C3	2.15	112.31	109.67
2	С	2	NAG	C1-C2-N2	-2.14	106.83	110.49

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	D	1	NAG	C1

All (34) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	С	1	NAG	C8-C7-N2-C2
2	С	1	NAG	O7-C7-N2-C2
2	С	2	NAG	O7-C7-N2-C2
2	С	5	NAG	C8-C7-N2-C2
2	С	5	NAG	O7-C7-N2-C2
3	D	1	NAG	C3-C2-N2-C7
3	D	1	NAG	C8-C7-N2-C2
3	D	1	NAG	O7-C7-N2-C2
3	D	2	NAG	C8-C7-N2-C2
3	D	2	NAG	O7-C7-N2-C2
2	С	2	NAG	C8-C7-N2-C2
2	С	1	NAG	O5-C5-C6-O6
3	D	4	BMA	O5-C5-C6-O6
3	D	2	NAG	O5-C5-C6-O6
3	D	4	BMA	C4-C5-C6-O6
3	D	5	NAG	C8-C7-N2-C2
3	D	5	NAG	O7-C7-N2-C2
2	С	1	NAG	C4-C5-C6-O6
3	D	5	NAG	C4-C5-C6-O6
2	С	4	MAN	O5-C5-C6-O6
3	D	2	NAG	C4-C5-C6-O6
2	С	4	MAN	C4-C5-C6-O6
2	С	6	GAL	O5-C5-C6-O6
2	С	2	NAG	C1-C2-N2-C7
3	D	5	NAG	O5-C5-C6-O6
3	D	6	GAL	O5-C5-C6-O6
2	С	1	NAG	C1-C2-N2-C7
3	D	3	BMA	C4-C5-C6-O6
3	D	1	NAG	O5-C5-C6-O6



Mol	Chain	Res	Type	Atoms
3	D	3	BMA	O5-C5-C6-O6
3	D	1	NAG	C1-C2-N2-C7
2	С	1	NAG	C3-C2-N2-C7
2	С	2	NAG	C3-C2-N2-C7
2	С	6	GAL	C4-C5-C6-O6

Continued from previous page...

There are no ring outliers.

10 monomers are involved in 27 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	6	GAL	1	0
3	D	5	NAG	3	0
2	С	6	GAL	9	0
3	D	8	FUL	5	0
2	С	5	NAG	4	0
2	С	1	NAG	4	0
3	D	1	NAG	6	0
2	С	4	MAN	2	0
2	C	2	NAG	3	0
3	D	2	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







### 5.6 Ligand geometry (i)

There are no ligands in this entry.

### 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$\mathbf{OWAB}(\mathbf{A}^2)$	Q < 0.9
1	А	208/223~(93%)	-0.60	1 (0%) 91 81	2,21,54,65	15~(7%)
1	В	205/223~(91%)	-0.43	0 100 100	2,30,81,90	37~(18%)
All	All	413/446~(92%)	-0.52	1 (0%) 95 90	2, 26, 70, 90	52 (12%)

All (1) RSRZ outliers are listed below:

Mol	Chain	$\mathbf{Res}$	Type	RSRZ
1	А	285	HIS	2.4

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
3	NAG	D	1	14/15	0.65	0.22	88,93,98,102	6
3	MAN	D	7	11/12	0.82	0.26	71,73,75,76	0
3	FUL	D	8	10/11	0.83	0.54	106,109,110,110	0
2	FUL	С	8	10/11	0.86	0.29	58,61,61,63	0
2	NAG	С	1	14/15	0.88	0.14	42,44,50,56	0
3	GAL	D	6	11/12	0.88	0.23	66,68,69,71	2
3	BMA	D	4	11/12	0.91	0.15	$65,\!68,\!69,\!69$	2
2	NAG	С	5	14/15	0.91	0.17	42,47,52,55	0



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} extsf{-}\mathbf{B} extsf{-}\mathbf{factors}(\mathbf{A}^2)$	Q<0.9
2	MAN	С	7	11/12	0.92	0.24	$54,\!58,\!60,\!63$	0
2	MAN	С	4	11/12	0.92	0.15	37,38,39,41	0
2	GAL	С	6	11/12	0.92	0.24	$52,\!53,\!56,\!59$	0
3	NAG	D	2	14/15	0.92	0.15	78,82,84,85	1
3	NAG	D	5	14/15	0.93	0.16	$63,\!64,\!65,\!66$	3
2	NAG	С	2	14/15	0.94	0.16	39,41,42,42	0
3	BMA	D	3	11/12	0.95	0.19	72,75,76,76	1
2	BMA	С	3	11/12	0.95	0.16	37,42,45,48	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.







### 6.4 Ligands (i)

There are no ligands in this entry.

### 6.5 Other polymers (i)

There are no such residues in this entry.

