



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 16, 2023 – 10:26 am BST

PDB ID : 8H53
Title : Human asparaginyl-tRNA synthetase in complex with asparagine-AMP
Authors : Park, J.S.; Han, B.W.
Deposited on : 2022-10-12
Resolution : 2.16 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 2.16 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1479 (2.16-2.16)
Clashscore	141614	1585 (2.16-2.16)
Ramachandran outliers	138981	1560 (2.16-2.16)
Sidechain outliers	138945	1559 (2.16-2.16)
RSRZ outliers	127900	1456 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	472	
1	B	472	
1	C	472	
1	D	472	

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 14571 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Asparagine-tRNA ligase, cytoplasmic.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	427	3385	2159	581	619	26	0	0	0
1	B	429	3395	2163	582	624	26	0	0	0
1	C	428	3369	2146	583	614	26	0	0	0
1	D	428	3352	2133	579	614	26	0	0	0

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	77	MET	-	initiating methionine	UNP O43776
A	78	GLY	-	expression tag	UNP O43776
A	79	SER	-	expression tag	UNP O43776
A	80	SER	-	expression tag	UNP O43776
A	81	HIS	-	expression tag	UNP O43776
A	82	HIS	-	expression tag	UNP O43776
A	83	HIS	-	expression tag	UNP O43776
A	84	HIS	-	expression tag	UNP O43776
A	85	HIS	-	expression tag	UNP O43776
A	86	HIS	-	expression tag	UNP O43776
A	87	SER	-	expression tag	UNP O43776
A	88	SER	-	expression tag	UNP O43776
A	89	GLY	-	expression tag	UNP O43776
A	90	LEU	-	expression tag	UNP O43776
A	91	VAL	-	expression tag	UNP O43776
A	92	PRO	-	expression tag	UNP O43776
A	93	ARG	-	expression tag	UNP O43776
A	94	GLY	-	expression tag	UNP O43776
A	95	SER	-	expression tag	UNP O43776
A	96	HIS	-	expression tag	UNP O43776
A	97	MET	-	expression tag	UNP O43776

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	77	MET	-	initiating methionine	UNP O43776
B	78	GLY	-	expression tag	UNP O43776
B	79	SER	-	expression tag	UNP O43776
B	80	SER	-	expression tag	UNP O43776
B	81	HIS	-	expression tag	UNP O43776
B	82	HIS	-	expression tag	UNP O43776
B	83	HIS	-	expression tag	UNP O43776
B	84	HIS	-	expression tag	UNP O43776
B	85	HIS	-	expression tag	UNP O43776
B	86	HIS	-	expression tag	UNP O43776
B	87	SER	-	expression tag	UNP O43776
B	88	SER	-	expression tag	UNP O43776
B	89	GLY	-	expression tag	UNP O43776
B	90	LEU	-	expression tag	UNP O43776
B	91	VAL	-	expression tag	UNP O43776
B	92	PRO	-	expression tag	UNP O43776
B	93	ARG	-	expression tag	UNP O43776
B	94	GLY	-	expression tag	UNP O43776
B	95	SER	-	expression tag	UNP O43776
B	96	HIS	-	expression tag	UNP O43776
B	97	MET	-	expression tag	UNP O43776
C	77	MET	-	initiating methionine	UNP O43776
C	78	GLY	-	expression tag	UNP O43776
C	79	SER	-	expression tag	UNP O43776
C	80	SER	-	expression tag	UNP O43776
C	81	HIS	-	expression tag	UNP O43776
C	82	HIS	-	expression tag	UNP O43776
C	83	HIS	-	expression tag	UNP O43776
C	84	HIS	-	expression tag	UNP O43776
C	85	HIS	-	expression tag	UNP O43776
C	86	HIS	-	expression tag	UNP O43776
C	87	SER	-	expression tag	UNP O43776
C	88	SER	-	expression tag	UNP O43776
C	89	GLY	-	expression tag	UNP O43776
C	90	LEU	-	expression tag	UNP O43776
C	91	VAL	-	expression tag	UNP O43776
C	92	PRO	-	expression tag	UNP O43776
C	93	ARG	-	expression tag	UNP O43776
C	94	GLY	-	expression tag	UNP O43776
C	95	SER	-	expression tag	UNP O43776
C	96	HIS	-	expression tag	UNP O43776
C	97	MET	-	expression tag	UNP O43776

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	77	MET	-	initiating methionine	UNP O43776
D	78	GLY	-	expression tag	UNP O43776
D	79	SER	-	expression tag	UNP O43776
D	80	SER	-	expression tag	UNP O43776
D	81	HIS	-	expression tag	UNP O43776
D	82	HIS	-	expression tag	UNP O43776
D	83	HIS	-	expression tag	UNP O43776
D	84	HIS	-	expression tag	UNP O43776
D	85	HIS	-	expression tag	UNP O43776
D	86	HIS	-	expression tag	UNP O43776
D	87	SER	-	expression tag	UNP O43776
D	88	SER	-	expression tag	UNP O43776
D	89	GLY	-	expression tag	UNP O43776
D	90	LEU	-	expression tag	UNP O43776
D	91	VAL	-	expression tag	UNP O43776
D	92	PRO	-	expression tag	UNP O43776
D	93	ARG	-	expression tag	UNP O43776
D	94	GLY	-	expression tag	UNP O43776
D	95	SER	-	expression tag	UNP O43776
D	96	HIS	-	expression tag	UNP O43776
D	97	MET	-	expression tag	UNP O43776

- Molecule 2 is 4-AMINO-1,4-DIOXOBUTAN-2-AMINIUM ADENOSINE-5'-MONOPHOSPHATE (three-letter code: 4AD) (formula: $C_{14}H_{21}N_7O_9P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	31	14	7	9	1	0	0
2	B	1	31	14	7	9	1	0	0
2	C	1	31	14	7	9	1	0	0
2	D	1	31	14	7	9	1	0	0

- Molecule 3 is IMIDODIPHOSPHORIC ACID (three-letter code: 2PN) (formula: $H_5NO_6P_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	N	O	P		
3	A	1	9	1	6	2	0	0
3	B	1	9	1	6	2	0	0
3	C	1	9	1	6	2	0	0
3	D	1	9	1	6	2	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	2	Total Mg 2 2	0	0
5	B	2	Total Mg 2 2	0	0
5	C	2	Total Mg 2 2	0	0
5	D	2	Total Mg 2 2	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	224	Total O 224 224	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	217	Total 217	O 217	0	0
6	C	175	Total 175	O 175	0	0
6	D	130	Total 130	O 130	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Asparagine-tRNA ligase, cytoplasmic




- Molecule 1: Asparagine-tRNA ligase, cytoplasmic





- Molecule 1: Asparagine-tRNA ligase, cytoplasmic





- Molecule 1: Asparagine-tRNA ligase, cytoplasmic



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	115.42Å 125.84Å 161.13Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.88 – 2.16 49.88 – 2.16	Depositor EDS
% Data completeness (in resolution range)	99.4 (49.88-2.16) 99.4 (49.88-2.16)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.85 (at 2.16Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.203 , 0.237 0.202 , 0.237	Depositor DCC
R_{free} test set	6229 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	30.8	Xtrriage
Anisotropy	0.653	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 42.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14571	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 52.87 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.5718e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 2PN, MG, GOL, 4AD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/3469	0.52	0/4706
1	B	0.26	0/3479	0.52	0/4722
1	C	0.26	0/3452	0.52	0/4686
1	D	0.26	0/3435	0.52	0/4665
All	All	0.26	0/13835	0.52	0/18779

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3385	0	3263	24	0
1	B	3395	0	3257	18	0
1	C	3369	0	3234	19	0
1	D	3352	0	3185	30	0
2	A	31	0	20	1	0
2	B	31	0	20	1	0
2	C	31	0	20	2	0
2	D	31	0	20	2	0
3	A	9	0	1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	9	0	1	0	0
3	C	9	0	1	0	0
3	D	9	0	1	0	0
4	A	54	0	72	5	0
4	B	36	0	48	2	0
4	C	36	0	48	4	0
4	D	30	0	40	0	0
5	A	2	0	0	0	0
5	B	2	0	0	0	0
5	C	2	0	0	0	0
5	D	2	0	0	0	0
6	A	224	0	0	3	0
6	B	217	0	0	0	0
6	C	175	0	0	1	0
6	D	130	0	0	0	0
All	All	14571	0	13231	91	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:478:ARG:HH22	2:C:601:4AD:HD22	1.23	0.82
1:D:478:ARG:HH22	2:D:601:4AD:HD22	1.25	0.81
1:B:478:ARG:HH22	2:B:601:4AD:HD22	1.25	0.81
1:A:478:ARG:HH22	2:A:601:4AD:HD22	1.29	0.79
1:A:455:ASP:HA	4:A:605:GOL:H2	1.71	0.73
1:A:230:LEU:HD21	1:A:534:ARG:HD2	1.77	0.67
1:A:254:ARG:HH12	4:A:611:GOL:H31	1.61	0.65
1:D:244:LYS:NZ	1:D:376:GLU:OE1	2.26	0.61
1:C:163:GLU:HA	1:C:166:GLN:HG2	1.83	0.61
1:D:421:GLU:O	1:D:425:ARG:HG3	2.01	0.61
1:D:137:LEU:HD12	1:D:138:ARG:N	2.17	0.60
1:A:116:LYS:NZ	6:A:703:HOH:O	2.34	0.59
1:D:136:ARG:HB2	1:D:148:VAL:HB	1.85	0.59
1:A:481:ASP:HB3	1:A:484:GLU:HG3	1.85	0.58
1:D:440:PHE:HB3	1:D:444:ILE:HD11	1.86	0.57
4:A:609:GOL:H11	1:D:254:ARG:HH12	1.70	0.57
1:D:137:LEU:HD11	1:D:145:MET:HE2	1.85	0.57
1:D:399:TRP:CE3	1:D:427:MET:HG3	2.40	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:359:CYS:SG	1:D:386:ARG:HD3	2.46	0.56
1:B:441:PRO:HD2	1:B:444:ILE:HD11	1.87	0.56
1:D:521:GLU:O	1:D:525:THR:HG23	2.06	0.55
1:C:247:LYS:NZ	6:C:707:HOH:O	2.40	0.54
1:C:240:GLU:O	1:C:244:LYS:HG2	2.08	0.54
1:C:188:THR:HG22	1:C:197:GLY:C	2.29	0.53
1:D:137:LEU:HD11	1:D:145:MET:CE	2.40	0.51
1:C:537:CYS:SG	4:C:606:GOL:H31	2.50	0.51
1:D:137:LEU:HD13	1:D:147:LEU:CD2	2.40	0.51
1:B:244:LYS:NZ	1:B:376:GLU:OE1	2.39	0.50
1:A:225:ASP:OD1	1:A:226:VAL:N	2.45	0.50
1:A:521:GLU:OE2	4:A:606:GOL:O1	2.30	0.50
1:C:143:ASN:ND2	1:C:166:GLN:OE1	2.45	0.50
1:B:237:ILE:HA	1:B:242:MET:HB3	1.94	0.49
1:D:372:SER:O	1:D:376:GLU:HG3	2.13	0.49
1:A:425:ARG:HD2	6:A:813:HOH:O	2.13	0.49
1:C:359:CYS:SG	1:C:386:ARG:HD3	2.52	0.48
1:A:232:ASN:O	1:A:236:MET:HG2	2.13	0.48
1:C:266:TYR:CE1	4:C:607:GOL:H32	2.49	0.48
1:D:134:VAL:HG13	1:D:147:LEU:HD22	1.95	0.48
1:D:235:MET:HE3	1:D:238:ARG:HD2	1.96	0.48
1:A:138:ARG:NH2	1:A:140:GLN:OE1	2.46	0.48
1:B:403:HIS:HB3	4:B:606:GOL:H31	1.96	0.47
1:B:437:LEU:HD22	1:B:465:LEU:HD11	1.96	0.47
1:B:521:GLU:O	1:B:525:THR:HG23	2.14	0.47
1:B:233:ARG:NH2	1:B:534:ARG:O	2.48	0.46
1:A:124:ARG:NH2	1:A:196:GLY:O	2.48	0.46
1:A:521:GLU:O	1:A:525:THR:HG23	2.16	0.46
1:B:168:TYR:CZ	1:B:172:LEU:HD11	2.50	0.46
1:A:545:ARG:NH1	1:A:547:THR:O	2.49	0.46
1:C:521:GLU:O	1:C:525:THR:HG23	2.16	0.46
1:D:144:LEU:HD12	1:D:144:LEU:HA	1.80	0.45
1:A:266:TYR:CE1	4:A:609:GOL:H32	2.51	0.45
1:A:441:PRO:HD2	1:A:444:ILE:HD11	1.98	0.45
1:D:168:TYR:CZ	1:D:172:LEU:HD11	2.51	0.45
1:C:127:ARG:HH22	4:C:608:GOL:C3	2.30	0.45
1:D:137:LEU:HD13	1:D:147:LEU:HD23	1.98	0.45
1:D:329:ARG:HA	1:D:532:HIS:CD2	2.52	0.45
1:D:473:VAL:HG22	1:D:518:LEU:HD12	1.98	0.44
1:A:157:GLN:NE2	6:A:701:HOH:O	2.45	0.44
1:B:386:ARG:HE	1:B:386:ARG:HB3	1.63	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:225:ASP:HB3	1:B:228:VAL:HB	2.00	0.44
1:C:489:TYR:CD2	1:C:496:PRO:HB3	2.53	0.43
1:C:377:LEU:HD12	1:C:528:LEU:HD22	2.00	0.43
1:C:115:VAL:HG12	1:C:116:LYS:O	2.18	0.43
1:A:383:PRO:HA	1:A:384:PRO:HD3	1.92	0.43
1:A:473:VAL:HG22	1:A:518:LEU:HD12	2.00	0.43
1:A:414:GLU:O	1:A:417:GLU:HG2	2.18	0.43
1:C:127:ARG:HH22	4:C:608:GOL:H31	1.83	0.43
1:A:439:ARG:HA	1:A:459:THR:O	2.19	0.43
1:B:232:ASN:O	1:B:236:MET:HG2	2.19	0.43
1:D:135:HIS:HB2	1:D:150:ARG:HG2	2.00	0.43
1:A:329:ARG:HD2	1:A:531:TYR:CZ	2.54	0.43
1:B:264:GLY:HA2	4:B:608:GOL:H31	2.01	0.43
1:D:329:ARG:HG2	1:D:532:HIS:HD2	1.84	0.42
1:B:230:LEU:HD21	1:B:534:ARG:HD3	2.00	0.42
1:B:439:ARG:HA	1:B:459:THR:O	2.19	0.42
1:D:337:HIS:HE2	2:D:601:4AD:H5'1	1.84	0.42
1:C:542:PHE:CZ	1:C:545:ARG:HD2	2.54	0.42
1:A:144:LEU:HD23	1:A:144:LEU:HA	1.87	0.42
1:D:538:LEU:HG	1:D:539:TYR:CD2	2.55	0.42
1:D:420:PRO:HD2	1:D:423:PRO:HG2	2.01	0.42
1:A:168:TYR:CZ	1:A:172:LEU:HD11	2.55	0.41
1:B:449:MET:HG2	1:B:476:SER:OG	2.21	0.41
1:C:391:MET:HE3	1:C:391:MET:HB3	1.82	0.41
1:B:414:GLU:O	1:B:417:GLU:HG2	2.21	0.41
1:D:383:PRO:HA	1:D:384:PRO:HD3	1.95	0.41
1:D:439:ARG:HA	1:D:459:THR:O	2.21	0.41
1:B:188:THR:CG2	1:B:199:GLU:HB3	2.51	0.41
1:D:232:ASN:O	1:D:236:MET:HG2	2.21	0.41
1:C:337:HIS:HE2	2:C:601:4AD:H5'1	1.86	0.41
1:C:439:ARG:HA	1:C:459:THR:O	2.20	0.41
1:D:137:LEU:HD12	1:D:138:ARG:H	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	423/472 (90%)	409 (97%)	14 (3%)	0	100	100
1	B	425/472 (90%)	409 (96%)	16 (4%)	0	100	100
1	C	424/472 (90%)	413 (97%)	11 (3%)	0	100	100
1	D	424/472 (90%)	411 (97%)	13 (3%)	0	100	100
All	All	1696/1888 (90%)	1642 (97%)	54 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	360/415 (87%)	358 (99%)	2 (1%)	86	90
1	B	360/415 (87%)	355 (99%)	5 (1%)	67	72
1	C	355/415 (86%)	353 (99%)	2 (1%)	86	90
1	D	349/415 (84%)	348 (100%)	1 (0%)	92	95
All	All	1424/1660 (86%)	1414 (99%)	10 (1%)	84	89

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	201	SER
1	A	446	SER
1	B	198	HIS
1	B	199	GLU
1	B	348	ASP
1	B	485	ILE
1	B	543	VAL
1	C	227	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	446	SER
1	D	446	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	229	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 42 ligands modelled in this entry, 8 are monoatomic - leaving 34 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	2PN	B	602	5	8,8,8	2.56	4 (50%)	8,13,13	1.45	0
4	GOL	A	605	-	5,5,5	0.93	0	5,5,5	1.01	0
4	GOL	C	606	-	5,5,5	0.89	0	5,5,5	0.98	0
2	4AD	C	601	5	28,33,33	1.50	5 (17%)	31,49,49	2.21	5 (16%)
4	GOL	A	609	-	5,5,5	0.80	0	5,5,5	1.05	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	B	605	-	5,5,5	0.97	0	5,5,5	0.90	0
4	GOL	A	604	-	5,5,5	0.88	0	5,5,5	0.98	0
4	GOL	C	604	-	5,5,5	0.95	0	5,5,5	0.94	0
4	GOL	A	603	-	5,5,5	0.86	0	5,5,5	1.03	0
4	GOL	A	607	-	5,5,5	0.91	0	5,5,5	0.98	0
4	GOL	B	604	-	5,5,5	0.92	0	5,5,5	1.00	0
4	GOL	B	607	-	5,5,5	0.87	0	5,5,5	1.01	0
4	GOL	D	604	-	5,5,5	0.90	0	5,5,5	0.98	0
3	2PN	D	602	5	8,8,8	2.68	4 (50%)	8,13,13	1.47	1 (12%)
4	GOL	D	607	-	5,5,5	0.89	0	5,5,5	1.00	0
2	4AD	A	601	5	28,33,33	3.45	10 (35%)	31,49,49	2.20	6 (19%)
4	GOL	A	610	-	5,5,5	0.96	0	5,5,5	1.06	0
3	2PN	A	602	5	8,8,8	2.58	4 (50%)	8,13,13	1.45	0
4	GOL	A	606	-	5,5,5	0.84	0	5,5,5	1.07	0
4	GOL	B	606	-	5,5,5	0.92	0	5,5,5	0.95	0
4	GOL	B	608	-	5,5,5	0.81	0	5,5,5	1.06	0
4	GOL	B	603	-	5,5,5	0.91	0	5,5,5	1.03	0
4	GOL	C	603	-	5,5,5	0.94	0	5,5,5	0.99	0
4	GOL	C	605	-	5,5,5	0.96	0	5,5,5	0.97	0
4	GOL	A	608	-	5,5,5	0.90	0	5,5,5	0.99	0
4	GOL	C	608	-	5,5,5	0.87	0	5,5,5	1.02	0
4	GOL	D	606	-	5,5,5	0.88	0	5,5,5	1.05	0
2	4AD	D	601	5	28,33,33	1.52	5 (17%)	31,49,49	2.17	5 (16%)
3	2PN	C	602	5	8,8,8	2.70	4 (50%)	8,13,13	1.43	0
4	GOL	A	611	-	5,5,5	0.88	0	5,5,5	1.03	0
4	GOL	D	603	-	5,5,5	0.90	0	5,5,5	0.99	0
4	GOL	C	607	-	5,5,5	0.90	0	5,5,5	0.95	0
4	GOL	D	605	-	5,5,5	0.91	0	5,5,5	1.00	0
2	4AD	B	601	5	28,33,33	1.50	5 (17%)	31,49,49	2.14	5 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	2PN	B	602	5	-	1/2/6/6	-
4	GOL	A	605	-	-	2/4/4/4	-
4	GOL	C	606	-	-	2/4/4/4	-
2	4AD	C	601	5	-	3/17/39/39	0/3/3/3
4	GOL	A	609	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	B	605	-	-	1/4/4/4	-
4	GOL	A	604	-	-	1/4/4/4	-
4	GOL	C	604	-	-	2/4/4/4	-
4	GOL	A	603	-	-	0/4/4/4	-
4	GOL	A	607	-	-	0/4/4/4	-
4	GOL	B	604	-	-	2/4/4/4	-
4	GOL	B	607	-	-	0/4/4/4	-
4	GOL	D	604	-	-	2/4/4/4	-
3	2PN	D	602	5	-	1/2/6/6	-
4	GOL	D	607	-	-	1/4/4/4	-
2	4AD	A	601	5	-	3/17/39/39	0/3/3/3
4	GOL	A	610	-	-	0/4/4/4	-
3	2PN	A	602	5	-	1/2/6/6	-
4	GOL	A	606	-	-	1/4/4/4	-
4	GOL	B	606	-	-	0/4/4/4	-
4	GOL	B	608	-	-	0/4/4/4	-
4	GOL	B	603	-	-	0/4/4/4	-
4	GOL	C	603	-	-	0/4/4/4	-
4	GOL	C	605	-	-	0/4/4/4	-
4	GOL	A	608	-	-	2/4/4/4	-
4	GOL	C	608	-	-	0/4/4/4	-
4	GOL	D	606	-	-	1/4/4/4	-
2	4AD	D	601	5	-	3/17/39/39	0/3/3/3
3	2PN	C	602	5	-	1/2/6/6	-
4	GOL	A	611	-	-	1/4/4/4	-
4	GOL	D	603	-	-	0/4/4/4	-
4	GOL	C	607	-	-	1/4/4/4	-
4	GOL	D	605	-	-	2/4/4/4	-
2	4AD	B	601	5	-	2/17/39/39	0/3/3/3

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	4AD	O4'-C1'	10.66	1.56	1.41
2	A	601	4AD	C2'-C3'	-8.25	1.30	1.53
2	A	601	4AD	O4'-C4'	-7.22	1.28	1.45
2	A	601	4AD	C6-N6	4.18	1.49	1.34
2	C	601	4AD	C6-N6	4.17	1.49	1.34
2	D	601	4AD	C6-N6	4.16	1.49	1.34
2	B	601	4AD	C6-N6	4.14	1.49	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	4AD	O2'-C2'	3.99	1.52	1.43
2	A	601	4AD	C3'-C4'	3.98	1.63	1.53
2	D	601	4AD	CG-ND2	3.89	1.45	1.32
2	A	601	4AD	CG-ND2	3.81	1.45	1.32
2	B	601	4AD	CG-ND2	3.80	1.45	1.32
2	C	601	4AD	CG-ND2	3.78	1.45	1.32
3	D	602	2PN	P1-O1	3.45	1.51	1.46
3	D	602	2PN	P2-O4	3.43	1.51	1.46
3	C	602	2PN	P2-O4	3.43	1.51	1.46
3	C	602	2PN	P1-O1	3.42	1.51	1.46
3	B	602	2PN	P1-O1	3.36	1.51	1.46
3	A	602	2PN	P1-O1	3.35	1.51	1.46
3	A	602	2PN	P2-O4	3.35	1.51	1.46
3	B	602	2PN	P2-O4	3.34	1.51	1.46
3	C	602	2PN	P2-N1	3.12	1.71	1.63
3	C	602	2PN	P1-N1	3.11	1.71	1.63
3	D	602	2PN	P2-N1	3.06	1.71	1.63
3	D	602	2PN	P1-N1	3.04	1.71	1.63
3	A	602	2PN	P2-N1	2.89	1.70	1.63
3	B	602	2PN	P2-N1	2.79	1.70	1.63
3	A	602	2PN	P1-N1	2.76	1.70	1.63
3	B	602	2PN	P1-N1	2.73	1.70	1.63
2	B	601	4AD	C5-C4	-2.64	1.33	1.40
2	B	601	4AD	C2-N3	2.61	1.36	1.32
2	A	601	4AD	C2-N3	2.60	1.36	1.32
2	D	601	4AD	C5-C4	-2.60	1.34	1.40
2	A	601	4AD	C5-C4	-2.57	1.34	1.40
2	C	601	4AD	C5-C4	-2.56	1.34	1.40
2	D	601	4AD	C2-N3	2.46	1.36	1.32
2	C	601	4AD	C2-N3	2.41	1.36	1.32
2	D	601	4AD	OD1-CG	-2.09	1.17	1.24
2	C	601	4AD	OD1-CG	-2.05	1.17	1.24
2	A	601	4AD	OD1-CG	-2.04	1.17	1.24
2	B	601	4AD	OD1-CG	-2.00	1.18	1.24

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	601	4AD	C5-C6-N6	8.03	132.55	120.35
2	D	601	4AD	C5-C6-N6	7.67	132.00	120.35
2	A	601	4AD	C5-C6-N6	7.54	131.80	120.35
2	B	601	4AD	C5-C6-N6	7.35	131.52	120.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	4AD	N3-C2-N1	-5.63	119.88	128.68
2	D	601	4AD	N3-C2-N1	-5.52	120.05	128.68
2	C	601	4AD	N3-C2-N1	-5.48	120.11	128.68
2	A	601	4AD	N3-C2-N1	-5.40	120.23	128.68
2	C	601	4AD	N6-C6-N1	-5.32	107.53	118.57
2	A	601	4AD	N6-C6-N1	-5.10	108.00	118.57
2	B	601	4AD	N6-C6-N1	-5.05	108.09	118.57
2	D	601	4AD	N6-C6-N1	-5.03	108.13	118.57
2	B	601	4AD	C1'-N9-C4	-3.32	120.81	126.64
2	D	601	4AD	C1'-N9-C4	-3.14	121.13	126.64
2	A	601	4AD	O3P-P-O5'	3.07	111.87	102.92
2	C	601	4AD	C1'-N9-C4	-2.93	121.49	126.64
2	A	601	4AD	C1'-N9-C4	-2.81	121.71	126.64
2	B	601	4AD	O3P-P-O5'	2.58	110.45	102.92
2	D	601	4AD	O3P-P-O5'	2.57	110.44	102.92
2	A	601	4AD	C3'-C2'-C1'	2.46	104.69	100.98
2	C	601	4AD	O3P-P-O5'	2.42	109.99	102.92
3	D	602	2PN	O6-P2-O4	-2.00	108.42	113.45

There are no chirality outliers.

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	602	2PN	P1-N1-P2-O4
3	B	602	2PN	P1-N1-P2-O4
3	C	602	2PN	P2-N1-P1-O1
3	D	602	2PN	P1-N1-P2-O4
4	A	605	GOL	O1-C1-C2-C3
4	C	606	GOL	C1-C2-C3-O3
4	D	604	GOL	O1-C1-C2-C3
4	D	605	GOL	O1-C1-C2-C3
4	A	604	GOL	O1-C1-C2-C3
4	A	611	GOL	C1-C2-C3-O3
4	B	605	GOL	C1-C2-C3-O3
4	D	605	GOL	O1-C1-C2-O2
2	A	601	4AD	CA-CB-CG-ND2
2	B	601	4AD	CA-CB-CG-ND2
2	C	601	4AD	CA-CB-CG-ND2
4	A	605	GOL	O1-C1-C2-O2
2	A	601	4AD	CA-CB-CG-OD1
2	B	601	4AD	CA-CB-CG-OD1
2	C	601	4AD	CA-CB-CG-OD1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	D	601	4AD	CA-CB-CG-ND2
4	B	604	GOL	O1-C1-C2-O2
4	C	606	GOL	O2-C2-C3-O3
2	A	601	4AD	C-O3P-P-O5'
2	C	601	4AD	C-O3P-P-O5'
2	D	601	4AD	C-O3P-P-O5'
4	A	606	GOL	O1-C1-C2-O2
4	D	604	GOL	O1-C1-C2-O2
4	D	607	GOL	O1-C1-C2-O2
2	D	601	4AD	CA-CB-CG-OD1
4	D	606	GOL	O2-C2-C3-O3
4	C	607	GOL	O1-C1-C2-C3
4	A	608	GOL	O1-C1-C2-C3
4	C	604	GOL	C1-C2-C3-O3
4	A	608	GOL	O1-C1-C2-O2
4	C	604	GOL	O2-C2-C3-O3
4	B	604	GOL	O1-C1-C2-C3



There are no ring outliers.



13 monomers are involved in 17 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	605	GOL	1	0
4	C	606	GOL	1	0
2	C	601	4AD	2	0
4	A	609	GOL	2	0
2	A	601	4AD	1	0
4	A	606	GOL	1	0
4	B	606	GOL	1	0
4	B	608	GOL	1	0
4	C	608	GOL	2	0
2	D	601	4AD	2	0
4	A	611	GOL	1	0
4	C	607	GOL	1	0
2	B	601	4AD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	427/472 (90%)	-0.05	3 (0%) 87 91	22, 35, 53, 73	0
1	B	429/472 (90%)	0.07	10 (2%) 60 68	21, 35, 53, 66	0
1	C	428/472 (90%)	0.18	26 (6%) 21 28	22, 38, 62, 87	0
1	D	428/472 (90%)	0.47	42 (9%) 7 11	24, 46, 76, 96	0
All	All	1712/1888 (90%)	0.17	81 (4%) 31 41	21, 38, 63, 96	0

All (81) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	191	GLY	7.8
1	D	409	ASP	5.3
1	D	408	GLU	5.3
1	C	409	ASP	4.9
1	D	189	PRO	4.8
1	D	191	GLY	4.6
1	D	410	GLY	4.5
1	C	408	GLU	4.3
1	D	190	LYS	4.2
1	D	411	THR	4.0
1	D	400	LEU	4.0
1	D	214	GLY	3.9
1	C	410	GLY	3.9
1	D	141	GLY	3.8
1	D	123	TYR	3.7
1	C	189	PRO	3.6
1	C	411	THR	3.6
1	D	188	THR	3.5
1	C	399	TRP	3.5
1	C	400	LEU	3.4
1	C	405	VAL	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	191	GLY	3.4
1	D	146	PHE	3.2
1	C	317	ILE	3.2
1	D	336	THR	3.2
1	D	335	TYR	3.0
1	C	426	LEU	3.0
1	A	141	GLY	3.0
1	C	398	VAL	2.9
1	B	225	ASP	2.9
1	D	398	VAL	2.9
1	B	317	ILE	2.9
1	D	187	LEU	2.8
1	C	190	LYS	2.8
1	D	193	GLN	2.8
1	D	399	TRP	2.8
1	C	407	LYS	2.8
1	D	144	LEU	2.8
1	D	291	GLY	2.8
1	D	338	VAL	2.7
1	C	338	VAL	2.7
1	B	316	CYS	2.6
1	C	214	GLY	2.6
1	C	413	TYR	2.6
1	D	407	LYS	2.6
1	C	188	THR	2.6
1	C	141	GLY	2.6
1	C	336	THR	2.6
1	D	422	ALA	2.5
1	C	318	ALA	2.5
1	D	375	HIS	2.5
1	D	326	SER	2.4
1	D	125	GLY	2.4
1	C	192	LYS	2.4
1	A	225	ASP	2.4
1	B	123	TYR	2.4
1	C	404	ASP	2.4
1	C	391	MET	2.3
1	D	337	HIS	2.3
1	D	186	ASN	2.3
1	C	412	PHE	2.3
1	D	199	GLU	2.3
1	D	412	PHE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	156	LEU	2.2
1	D	396	ALA	2.2
1	B	336	THR	2.2
1	D	405	VAL	2.2
1	D	318	ALA	2.2
1	D	197	GLY	2.2
1	D	200	LEU	2.2
1	B	318	ALA	2.2
1	D	317	ILE	2.1
1	B	518	LEU	2.1
1	D	202	CYS	2.1
1	D	292	GLU	2.1
1	B	224	SER	2.1
1	D	404	ASP	2.1
1	B	268	VAL	2.0
1	C	536	VAL	2.0
1	D	122	GLY	2.0
1	B	269	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	D	606	6/6	0.75	0.33	50,52,57,61	0
4	GOL	B	608	6/6	0.77	0.20	42,43,48,50	0
4	GOL	D	605	6/6	0.81	0.20	34,39,43,43	0
5	MG	A	613	1/1	0.81	0.07	52,52,52,52	0
4	GOL	C	606	6/6	0.83	0.15	30,35,39,41	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	GOL	A	607	6/6	0.83	0.19	46,51,53,53	0
4	GOL	A	604	6/6	0.84	0.19	41,47,48,55	0
5	MG	D	608	1/1	0.84	0.07	56,56,56,56	0
5	MG	B	610	1/1	0.85	0.09	48,48,48,48	0
4	GOL	D	607	6/6	0.85	0.35	47,50,54,56	0
4	GOL	B	605	6/6	0.86	0.25	37,42,46,47	0
4	GOL	C	607	6/6	0.87	0.19	33,41,44,46	0
4	GOL	D	604	6/6	0.87	0.26	42,47,54,55	0
4	GOL	B	604	6/6	0.87	0.14	40,46,48,48	0
4	GOL	B	606	6/6	0.87	0.15	48,53,58,59	0
4	GOL	C	605	6/6	0.88	0.19	37,40,43,45	0
3	2PN	D	602	9/9	0.89	0.13	55,62,67,68	0
4	GOL	A	610	6/6	0.89	0.21	39,44,48,50	0
4	GOL	A	609	6/6	0.90	0.18	42,44,54,55	0
3	2PN	C	602	9/9	0.90	0.10	48,59,63,65	0
4	GOL	A	606	6/6	0.90	0.17	29,38,39,41	0
2	4AD	A	601	31/31	0.90	0.14	21,31,39,44	0
4	GOL	C	608	6/6	0.90	0.28	45,49,56,58	0
4	GOL	A	608	6/6	0.90	0.23	46,52,57,57	0
4	GOL	A	603	6/6	0.91	0.17	38,44,49,55	0
5	MG	C	610	1/1	0.91	0.08	49,49,49,49	0
3	2PN	B	602	9/9	0.91	0.13	51,52,62,65	0
2	4AD	D	601	31/31	0.92	0.14	26,37,42,44	0
3	2PN	A	602	9/9	0.92	0.10	49,53,67,68	0
5	MG	D	609	1/1	0.92	0.09	52,52,52,52	0
4	GOL	C	604	6/6	0.93	0.12	39,42,45,46	0
2	4AD	B	601	31/31	0.93	0.12	19,32,38,41	0
4	GOL	D	603	6/6	0.94	0.16	40,46,47,50	0
4	GOL	A	611	6/6	0.94	0.36	42,46,50,55	0
4	GOL	B	607	6/6	0.94	0.12	33,35,40,47	0
5	MG	B	609	1/1	0.94	0.06	49,49,49,49	0
2	4AD	C	601	31/31	0.95	0.11	20,32,35,37	0
4	GOL	C	603	6/6	0.95	0.10	39,45,48,52	0
5	MG	C	609	1/1	0.96	0.04	53,53,53,53	0
4	GOL	B	603	6/6	0.96	0.10	35,35,38,41	0
5	MG	A	612	1/1	0.97	0.08	48,48,48,48	0
4	GOL	A	605	6/6	0.97	0.12	33,34,37,45	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around MG A 613:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG D 608:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG B 610:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 2PN D 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around 2PN C 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4AD A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG C 610:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 2PN B 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4AD D 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 2PN A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG D 609:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4AD B 601:

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)






Electron density around MG B 609:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4AD C 601:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around MG C 609:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.