



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 23, 2023 – 01:46 PM EDT

PDB ID : 3H69
Title : Catalytic domain of human Serine/Threonine Phosphatase 5 (PP5c) with two Zn²⁺ atoms complexed with endothall
Authors : Bertini, I.; Calderone, V.; Fragai, M.; Luchinat, C.; Talluri, E.
Deposited on : 2009-04-23
Resolution : 2.10 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	315	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 78%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 18%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: red;"></div> </div> <p style="margin-left: 20px;">78% 18% ..</p>
1	D	315	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 76%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 22%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: orange;"></div> </div> <p style="margin-left: 20px;">76% 22% .</p>

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5433 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Serine/threonine-protein phosphatase 5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	315	Total 2528	C 1615	N 425	O 473	S 15	0	0	0
1	D	315	Total 2528	C 1615	N 425	O 473	S 15	0	0	0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Zn		
2	A	2	Total 2	Zn 2	0	0
2	D	2	Total 2	Zn 2	0	0

- Molecule 3 is (1R,2S,3R,4S)-7-oxabicyclo[2.2.1]heptane-2,3-dicarboxylic acid (three-letter code: ENL) (formula: C₈H₁₀O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	1
			16	9	7		
3	D	1	Total	C	O	0	1
			16	9	7		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	214	Total	O	0	0
			214	214		
4	D	127	Total	O	0	0
			127	127		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Serine/threonine-protein phosphatase 5



- Molecule 1: Serine/threonine-protein phosphatase 5



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	154.53Å 41.78Å 105.48Å 90.00° 97.28° 90.00°	Depositor
Resolution (Å)	38.32 – 2.10 38.32 – 2.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (38.32-2.10) 99.9 (38.32-2.10)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.94 (at 2.10Å)	Xtrriage
Refinement program	REFMAC 5.4.0067	Depositor
R, R_{free}	0.162 , 0.227 0.162 , 0.227	Depositor DCC
R_{free} test set	3585 reflections (9.06%)	wwPDB-VP
Wilson B-factor (Å ²)	20.5	Xtrriage
Anisotropy	0.638	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 55.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5433	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 12.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ENL, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.36	9/2592 (0.3%)	1.11	9/3506 (0.3%)
1	D	1.11	4/2592 (0.2%)	0.96	4/3506 (0.1%)
All	All	1.24	13/5184 (0.3%)	1.04	13/7012 (0.2%)

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	358	GLU	CG-CD	14.07	1.73	1.51
1	D	358	GLU	CG-CD	11.55	1.69	1.51
1	D	358	GLU	CB-CG	6.83	1.65	1.52
1	A	311	GLN	CG-CD	6.62	1.66	1.51
1	A	358	GLU	CD-OE1	6.24	1.32	1.25
1	A	358	GLU	CD-OE2	6.18	1.32	1.25
1	D	358	GLU	CD-OE1	5.62	1.31	1.25
1	A	426	SER	CB-OG	5.46	1.49	1.42
1	A	370	GLU	CG-CD	5.41	1.60	1.51
1	A	266	TYR	CD1-CE1	5.39	1.47	1.39
1	A	358	GLU	CB-CG	5.37	1.62	1.52
1	D	357	SER	CB-OG	-5.18	1.35	1.42
1	A	337	TRP	N-CA	5.09	1.56	1.46

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	425	ARG	NE-CZ-NH1	-6.11	117.25	120.30
1	D	441	ARG	NE-CZ-NH2	-6.07	117.26	120.30
1	A	400	ARG	NE-CZ-NH1	-5.81	117.40	120.30
1	A	359	ASP	CB-CG-OD1	5.68	123.41	118.30
1	A	275	ARG	NE-CZ-NH1	-5.46	117.57	120.30
1	D	367	ARG	NE-CZ-NH1	5.44	123.02	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	189	SER	CB-CA-C	-5.29	100.05	110.10
1	A	377	ASP	CB-CG-OD1	-5.22	113.60	118.30
1	A	191	MET	CG-SD-CE	5.22	108.55	100.20
1	A	441	ARG	NE-CZ-NH2	5.21	122.91	120.30
1	A	350	ILE	CG1-CB-CG2	5.10	122.62	111.40
1	D	367	ARG	NE-CZ-NH2	-5.08	117.76	120.30
1	A	236	LYS	CD-CE-NZ	-5.03	100.14	111.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2528	0	2462	74	0
1	D	2528	0	2462	75	0
2	A	2	0	0	0	0
2	D	2	0	0	0	0
3	A	16	0	2	0	0
3	D	16	0	2	0	0
4	A	214	0	0	15	1
4	D	127	0	0	12	1
All	All	5433	0	4928	148	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:441:ARG:HG3	4:D:562:HOH:O	1.52	1.08
1:A:275:ARG:HH11	1:A:275:ARG:HG3	1.19	1.03
1:A:275:ARG:HH11	1:A:275:ARG:CG	1.72	1.01
1:A:307:ASP:O	1:A:311:GLN:HG2	1.61	1.00
1:A:412:LYS:HB2	4:A:164:HOH:O	1.65	0.95

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:185:LYS:HE2	4:A:126:HOH:O	1.66	0.93
1:A:370:GLU:O	1:A:370:GLU:HG3	1.68	0.93
1:A:176:TYR:HE2	1:A:180:LYS:HE2	1.32	0.92
1:A:176:TYR:CE2	1:A:180:LYS:HE2	2.07	0.90
1:A:185:LYS:CB	4:A:555:HOH:O	2.21	0.89
1:D:307:ASP:O	1:D:311:GLN:HG2	1.72	0.89
1:A:182:GLU:O	1:A:185:LYS:HD2	1.74	0.86
1:A:185:LYS:HB2	4:A:555:HOH:O	1.76	0.85
1:A:182:GLU:O	1:A:185:LYS:CD	2.26	0.84
1:D:307:ASP:HB3	1:D:311:GLN:HE21	1.43	0.83
1:D:205:HIS:HD2	1:D:207:LYS:H	1.28	0.81
1:D:370:GLU:O	1:D:370:GLU:HG3	1.82	0.80
1:D:176:TYR:CE2	1:D:180:LYS:HE3	2.17	0.79
1:D:212:ILE:HG23	1:D:291:LEU:HD12	1.66	0.76
1:D:275:ARG:HH11	1:D:275:ARG:HG3	1.51	0.76
1:A:412:LYS:HG3	1:A:441:ARG:HH21	1.49	0.75
1:A:205:HIS:HD2	1:A:207:LYS:H	1.32	0.75
1:A:412:LYS:NZ	1:A:416:GLU:OE2	2.19	0.73
1:D:176:TYR:HE2	1:D:180:LYS:CE	2.01	0.73
1:A:412:LYS:HD2	4:A:164:HOH:O	1.88	0.71
1:D:416:GLU:CG	4:D:543:HOH:O	2.39	0.70
1:A:228:GLU:OE2	1:A:367:ARG:NH1	2.25	0.70
1:D:248:TYR:CE1	1:D:482:PRO:HD2	2.26	0.70
1:A:487:MET:HG3	1:A:490:ALA:HB2	1.74	0.68
1:D:412:LYS:NZ	1:D:416:GLU:OE2	2.27	0.68
1:A:382:CYS:SG	1:A:402:VAL:CG2	2.83	0.67
1:A:233:GLU:OE2	4:A:557:HOH:O	2.12	0.67
1:A:233:GLU:O	4:A:571:HOH:O	2.14	0.66
1:D:273:VAL:O	1:D:274:ASP:HB2	1.96	0.65
1:D:376:PRO:HG2	4:D:565:HOH:O	1.95	0.65
1:D:416:GLU:HG3	4:D:543:HOH:O	1.95	0.65
1:A:370:GLU:O	1:A:370:GLU:CG	2.42	0.65
1:A:176:TYR:HB3	4:A:584:HOH:O	1.96	0.65
1:A:275:ARG:NH1	1:A:275:ARG:HG3	2.03	0.64
1:D:205:HIS:CD2	1:D:207:LYS:H	2.14	0.64
1:A:273:VAL:O	1:A:274:ASP:HB2	1.97	0.64
1:D:182:GLU:O	1:D:183:ASP:HB2	1.98	0.64
1:A:176:TYR:CE2	1:A:180:LYS:CE	2.80	0.63
1:A:205:HIS:CD2	1:A:207:LYS:H	2.12	0.63
1:A:182:GLU:O	1:A:185:LYS:HD3	1.98	0.63
1:D:307:ASP:HB3	1:D:311:GLN:NE2	2.13	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:275:ARG:NH1	1:A:275:ARG:CG	2.46	0.63
1:A:185:LYS:HB3	4:A:555:HOH:O	1.89	0.62
1:D:176:TYR:HE2	1:D:180:LYS:HE3	1.59	0.62
1:D:388:ASP:O	1:D:405:GLN:HA	1.99	0.62
1:D:441:ARG:CG	4:D:562:HOH:O	2.26	0.61
1:A:200:ASP:O	1:A:201:GLN:HB2	2.00	0.60
1:D:364:ASP:OD2	1:D:368:LYS:NZ	2.31	0.59
1:D:176:TYR:CE2	1:D:180:LYS:CE	2.82	0.59
1:D:325:ALA:O	1:D:329:GLU:HG2	2.02	0.59
1:A:364:ASP:OD2	1:A:368:LYS:NZ	2.32	0.58
1:D:176:TYR:CD2	1:D:180:LYS:HE3	2.39	0.58
1:D:416:GLU:HG2	4:D:543:HOH:O	2.01	0.58
1:A:246:GLN:HE22	1:A:451:TYR:HA	1.70	0.57
1:A:382:CYS:SG	1:A:402:VAL:HG23	2.44	0.57
1:D:200:ASP:O	1:D:201:GLN:HB2	2.05	0.56
1:A:326:GLN:HB2	4:A:175:HOH:O	2.05	0.56
1:A:347:LYS:HE2	4:A:544:HOH:O	2.05	0.56
1:A:274:ASP:O	1:A:275:ARG:HB2	2.05	0.55
1:D:212:ILE:HG23	1:D:291:LEU:CD1	2.34	0.55
1:D:436:VAL:CG1	1:D:440:GLY:HA2	2.37	0.54
1:A:176:TYR:CD2	1:A:180:LYS:CE	2.91	0.54
1:D:441:ARG:NE	4:D:562:HOH:O	1.90	0.54
1:D:229:THR:HB	1:D:344:ILE:HD13	1.90	0.54
1:A:388:ASP:O	1:A:405:GLN:HA	2.10	0.52
1:A:307:ASP:HB3	1:A:311:GLN:NE2	2.24	0.52
1:A:325:ALA:O	1:A:329:GLU:HG2	2.10	0.52
1:D:205:HIS:CD2	1:D:207:LYS:HG3	2.45	0.52
1:D:233:GLU:HG2	4:D:558:HOH:O	2.10	0.51
1:D:349:LEU:HD23	1:D:351:MET:CE	2.41	0.51
1:D:298:HIS:HE1	4:D:158:HOH:O	1.94	0.51
1:D:441:ARG:NH2	4:D:543:HOH:O	2.44	0.50
1:A:298:HIS:HD2	4:A:25:HOH:O	1.94	0.50
1:A:188:ILE:C	1:A:188:ILE:HD13	2.32	0.50
1:A:188:ILE:HD11	1:A:192:LYS:HE3	1.93	0.50
1:A:188:ILE:HD11	1:A:192:LYS:CE	2.43	0.49
1:D:260:PRO:O	1:D:261:SER:HB3	2.12	0.49
1:A:438:HIS:O	1:A:441:ARG:HG2	2.12	0.48
1:D:248:TYR:CE1	1:D:482:PRO:CD	2.96	0.48
1:D:275:ARG:HH11	1:D:275:ARG:CG	2.16	0.47
1:A:336:GLU:O	1:A:372:ASN:HA	2.13	0.47
1:D:415:LEU:CD1	1:D:441:ARG:HD2	2.45	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:303:ASN:O	1:D:309:MET:HG3	2.15	0.47
1:A:225:THR:HG21	1:A:369:ILE:HB	1.97	0.46
1:A:399:LYS:HE2	4:A:585:HOH:O	2.16	0.46
1:A:436:VAL:CG1	1:A:440:GLY:HA2	2.45	0.46
1:D:284:LEU:HD23	1:D:284:LEU:HA	1.85	0.46
1:A:225:THR:CG2	1:A:340:LEU:HD12	2.46	0.46
1:D:452:CYS:O	1:D:453:ASP:HB2	2.16	0.46
1:A:307:ASP:HB3	1:A:311:GLN:HE21	1.81	0.45
1:A:307:ASP:OD1	1:A:332:SER:OG	2.28	0.44
1:D:358:GLU:CG	4:D:10:HOH:O	2.65	0.44
1:D:349:LEU:HD23	1:D:351:MET:HE1	1.99	0.44
1:D:415:LEU:HD11	1:D:441:ARG:HB3	2.00	0.44
1:D:210:TYR:CZ	1:D:214:VAL:HG11	2.52	0.44
1:A:454:GLN:NE2	1:D:454:GLN:NE2	2.65	0.44
1:A:412:LYS:CB	4:A:164:HOH:O	2.42	0.44
1:A:465:GLN:HB2	4:A:571:HOH:O	2.17	0.44
1:A:426:SER:O	1:A:427:HIS:HB3	2.17	0.43
1:D:201:GLN:NE2	1:D:482:PRO:HB3	2.33	0.43
1:A:248:TYR:CZ	1:A:482:PRO:HD3	2.54	0.43
1:D:176:TYR:HE2	1:D:180:LYS:HE2	1.79	0.42
1:D:188:ILE:HD11	1:D:192:LYS:HE3	2.01	0.42
1:A:415:LEU:HD11	1:A:441:ARG:HB3	2.01	0.42
1:D:182:GLU:O	1:D:183:ASP:CB	2.67	0.41
1:D:469:LEU:HD23	1:D:469:LEU:HA	1.88	0.41
1:D:347:LYS:HD3	1:D:347:LYS:HA	1.66	0.41
1:D:188:ILE:HD13	1:D:188:ILE:O	2.21	0.41
1:D:213:LEU:HD21	1:D:331:PHE:CE1	2.56	0.41
1:D:246:GLN:HE22	1:D:451:TYR:HA	1.85	0.41
1:D:248:TYR:CZ	1:D:482:PRO:CD	3.03	0.41
1:D:179:PRO:HD3	1:D:197:TRP:CG	2.56	0.41
1:D:179:PRO:HD3	1:D:197:TRP:CD2	2.56	0.41
1:D:242:ASP:OD1	1:D:426:SER:HB3	2.21	0.41
1:A:392:GLN:O	1:A:392:GLN:HG2	2.20	0.41
1:D:275:ARG:NH1	1:D:275:ARG:CG	2.80	0.41
1:A:228:GLU:CD	1:A:367:ARG:NH1	2.74	0.40
1:A:329:GLU:HG2	1:A:329:GLU:H	1.78	0.40
1:D:474:HIS:HB3	4:D:82:HOH:O	2.20	0.40
1:A:188:ILE:HD13	1:A:188:ILE:O	2.22	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:86:HOH:O	4:A:518:HOH:O[4_544]	2.13	0.07
4:D:83:HOH:O	4:D:563:HOH:O[4_545]	2.14	0.06

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	313/315 (99%)	298 (95%)	15 (5%)	0	100	100
1	D	313/315 (99%)	295 (94%)	17 (5%)	1 (0%)	41	41
All	All	626/630 (99%)	593 (95%)	32 (5%)	1 (0%)	47	49

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	308	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	279/279 (100%)	263 (94%)	16 (6%)	20	18
1	D	279/279 (100%)	265 (95%)	14 (5%)	24	23
All	All	558/558 (100%)	528 (95%)	30 (5%)	22	20

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	185	LYS
1	A	188	ILE
1	A	189	SER
1	A	216	VAL
1	A	242	ASP
1	A	275	ARG
1	A	311	GLN
1	A	329	GLU
1	A	358	GLU
1	A	370	GLU
1	A	399	LYS
1	A	419	ASN
1	A	425	ARG
1	A	441	ARG
1	A	465	GLN
1	A	487	MET
1	D	185	LYS
1	D	188	ILE
1	D	214	VAL
1	D	232	LYS
1	D	236	LYS
1	D	242	ASP
1	D	370	GLU
1	D	377	ASP
1	D	402	VAL
1	D	419	ASN
1	D	425	ARG
1	D	429	VAL
1	D	441	ARG
1	D	485	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	205	HIS
1	A	246	GLN
1	A	264	ASN
1	A	298	HIS
1	A	311	GLN
1	A	405	GLN
1	A	419	ASN
1	A	454	GLN
1	A	474	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	201	GLN
1	D	205	HIS
1	D	246	GLN
1	D	264	ASN
1	D	298	HIS
1	D	311	GLN
1	D	405	GLN
1	D	454	GLN
1	D	472	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ENL	D	0[B]	2	14,14,14	1.55	3 (21%)	19,21,21	2.42	5 (26%)
3	ENL	D	0[A]	2	14,14,14	1.61	3 (21%)	19,21,21	2.13	5 (26%)
3	ENL	A	0[A]	2	14,14,14	1.62	3 (21%)	19,21,21	3.26	11 (57%)
3	ENL	A	0[B]	2	14,14,14	1.43	2 (14%)	19,21,21	3.63	13 (68%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ENL	D	0[B]	2	-	0/8/29/29	0/3/2/2
3	ENL	D	0[A]	2	-	2/8/29/29	0/3/2/2
3	ENL	A	0[A]	2	-	0/8/29/29	0/3/2/2
3	ENL	A	0[B]	2	-	0/8/29/29	0/3/2/2

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	0[A]	ENL	O2-C8	3.95	1.34	1.22
3	A	0[A]	ENL	O2-C8	3.75	1.33	1.22
3	D	0[B]	ENL	O2-C8	3.51	1.32	1.22
3	A	0[B]	ENL	O2-C8	3.27	1.32	1.22
3	D	0[A]	ENL	C3-C7	-3.01	1.44	1.51
3	D	0[B]	ENL	C3-C7	-3.01	1.44	1.51
3	A	0[A]	ENL	O1-C6	-3.00	1.38	1.45
3	A	0[B]	ENL	O1-C6	-3.00	1.38	1.45
3	A	0[A]	ENL	O5-C8	-2.78	1.21	1.30
3	D	0[B]	ENL	O5-C8	-2.49	1.22	1.30
3	D	0[A]	ENL	O5-C8	-2.48	1.22	1.30

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	0[A]	ENL	C1-C2-C3	7.33	117.75	109.70
3	A	0[B]	ENL	C1-C2-C3	7.33	117.75	109.70
3	A	0[B]	ENL	C3-C4-C8	-6.76	98.56	115.07
3	D	0[B]	ENL	C3-C4-C8	5.63	128.82	115.07
3	A	0[A]	ENL	O4-C7-C3	5.26	136.80	122.78
3	A	0[B]	ENL	O4-C7-C3	5.26	136.80	122.78
3	D	0[A]	ENL	C5-C6-C4	-5.08	104.13	109.70
3	D	0[B]	ENL	C5-C6-C4	-5.08	104.13	109.70
3	A	0[A]	ENL	C4-C3-C7	4.89	127.03	115.07
3	A	0[B]	ENL	C4-C3-C7	4.89	127.03	115.07
3	A	0[A]	ENL	O3-C7-O4	-4.75	113.31	124.09
3	A	0[B]	ENL	O3-C7-O4	-4.75	113.31	124.09
3	D	0[A]	ENL	C4-C3-C7	4.34	125.68	115.07
3	D	0[B]	ENL	C4-C3-C7	4.34	125.68	115.07
3	A	0[A]	ENL	C4-C3-C2	-3.92	95.85	101.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	0[B]	ENL	C4-C3-C2	-3.92	95.85	101.38
3	D	0[A]	ENL	C5-C1-C2	-3.27	96.79	103.08
3	D	0[B]	ENL	C5-C1-C2	-3.27	96.79	103.08
3	A	0[A]	ENL	C5-C6-C4	3.15	113.16	109.70
3	A	0[B]	ENL	C5-C6-C4	3.15	113.16	109.70
3	A	0[A]	ENL	C5-C1-C2	-3.09	97.13	103.08
3	A	0[B]	ENL	C5-C1-C2	-3.09	97.13	103.08
3	A	0[A]	ENL	C3-C4-C6	2.80	105.32	101.38
3	A	0[B]	ENL	C3-C4-C6	2.80	105.32	101.38
3	A	0[A]	ENL	O1-C6-C5	-2.77	99.61	104.36
3	A	0[B]	ENL	O1-C6-C5	-2.77	99.61	104.36
3	A	0[B]	ENL	O5-C8-C4	2.69	121.99	114.01
3	A	0[A]	ENL	C3-C4-C8	2.46	121.08	115.07
3	A	0[A]	ENL	O1-C6-C4	-2.30	98.74	103.28
3	A	0[B]	ENL	O1-C6-C4	-2.30	98.74	103.28
3	D	0[A]	ENL	C3-C4-C6	-2.27	98.17	101.38
3	D	0[B]	ENL	C3-C4-C6	-2.27	98.17	101.38
3	A	0[B]	ENL	O5-C8-O2	-2.15	119.20	124.09
3	D	0[A]	ENL	O5-C8-C4	2.02	120.00	114.01

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	0[A]	ENL	C6-C4-C8-O2
3	D	0[A]	ENL	C6-C4-C8-O5

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	315/315 (100%)	-0.26	3 (0%) 82 85	9, 18, 33, 50	4 (1%)
1	D	315/315 (100%)	-0.03	7 (2%) 62 66	14, 27, 47, 61	4 (1%)
All	All	630/630 (100%)	-0.15	10 (1%) 72 75	9, 23, 42, 61	8 (1%)

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	184	GLY	3.1
1	A	489	TYR	2.8
1	A	176	TYR	2.7
1	D	233	GLU	2.4
1	A	488	ALA	2.4
1	D	326	GLN	2.4
1	D	177	SER	2.3
1	D	183	ASP	2.2
1	D	234	THR	2.2
1	D	489	TYR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	ENL	D	0[A]	13/13	0.88	0.21	28,38,47,48	3
3	ENL	D	0[B]	13/13	0.88	0.21	35,39,47,48	3
3	ENL	A	0[A]	13/13	0.90	0.18	22,28,35,40	3
3	ENL	A	0[B]	13/13	0.90	0.18	22,30,35,40	3
2	ZN	A	500	1/1	0.99	0.04	4,4,4,4	0
2	ZN	D	500	1/1	1.00	0.09	7,7,7,7	0
2	ZN	D	501	1/1	1.00	0.08	7,7,7,7	0
2	ZN	A	501	1/1	1.00	0.03	5,5,5,5	0

6.5 Other polymers [i](#)

There are no such residues in this entry.