



Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 03:45 pm BST

PDB ID : 3H8C
Title : A combined crystallographic and molecular dynamics study of cathepsin-L retro-binding inhibitors (compound 14)
Authors : Tulsidas, S.R.; Chowdhury, S.F.; Kumar, S.; Joseph, L.; Purisima, E.O.; Sivaraman, J.
Deposited on : 2009-04-29
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	220	
1	B	220	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NSZ	A	300	X	X	-	-
2	NSZ	B	400	X	X	-	-

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 3557 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cathepsin L1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	215	Total 1661	1041	275	332	13	0	0	0
1	B	215	Total 1661	1041	275	332	13	0	0	0

- Molecule 2 is N-(biphenyl-4-ylacetyl)-S-methyl-L-cysteinyl-D-arginyl-N-(2-phenylethyl)-L-phehylalaninamide (three-letter code: NSZ) (formula: $C_{41}H_{49}N_7O_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	A	1	Total 53	41	7	4	1	0	0
2	B	1	Total 53	41	7	4	1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	72	Total 72	O 72	0	0
3	B	57	Total 57	O 57	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Cathepsin L1



- Molecule 1: Cathepsin L1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	57.92Å 59.01Å 132.62Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 2.50 44.08 – 2.50	Depositor EDS
% Data completeness (in resolution range)	(Not available) (25.00-2.50) 96.1 (44.08-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.12 (at 2.51Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.237 , 0.292 0.227 , 0.280	Depositor DCC
R_{free} test set	950 reflections (5.87%)	wwPDB-VP
Wilson B-factor (Å ²)	53.4	Xtrriage
Anisotropy	0.319	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 57.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.058 for k,h,-l	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	3557	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CSD, NSZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/1694	0.59	0/2288
1	B	0.38	0/1694	0.59	0/2288
All	All	0.38	0/3388	0.59	0/4576

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1661	0	1541	50	0
1	B	1661	0	1541	63	0
2	A	53	0	45	5	0
2	B	53	0	47	4	0
3	A	72	0	0	5	0
3	B	57	0	0	10	0
All	All	3557	0	3174	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:207:ASN:ND2	1:A:210:GLY:HA2	1.92	0.83
1:B:219:THR:HA	3:B:261:HOH:O	1.83	0.77
1:B:34:LEU:HD22	1:B:48:LEU:HD11	1.69	0.74
1:A:20:GLY:O	2:A:300:NSZ:H5	1.88	0.74
1:B:108:ASN:ND2	1:B:109:ASP:H	1.84	0.74
1:A:147:LYS:HD2	3:B:269:HOH:O	1.88	0.72
1:B:108:ASN:HD22	1:B:109:ASP:H	1.38	0.72
1:A:108:ASN:HD22	1:A:109:ASP:H	1.40	0.70
1:B:207:ASN:ND2	1:B:210:GLY:HA2	2.08	0.69
1:B:74:PHE:CZ	1:B:218:PRO:HD3	2.27	0.69
1:B:38:MET:HE1	1:B:107:ALA:HA	1.75	0.68
1:A:174:SER:HB2	3:A:254:HOH:O	1.94	0.66
2:A:300:NSZ:H133	3:A:221:HOH:O	1.95	0.66
1:A:153:GLU:H	1:A:208:HIS:CE1	2.14	0.65
1:A:207:ASN:HD21	1:A:210:GLY:HA2	1.62	0.65
1:B:74:PHE:HB3	3:B:264:HOH:O	1.97	0.64
1:B:34:LEU:HD23	1:B:38:MET:HG2	1.80	0.64
1:B:77:VAL:HG12	1:B:108:ASN:ND2	2.13	0.63
1:A:92:GLU:OE2	1:A:96:GLU:HG3	2.00	0.62
1:B:7:TRP:CE2	1:B:130:GLY:HA2	2.35	0.61
1:B:118:GLN:HB2	3:B:252:HOH:O	1.99	0.61
1:B:49:SER:OG	1:B:89:TYR:HB3	2.01	0.61
1:A:146:TYR:CE2	1:A:199:VAL:HG23	2.35	0.60
1:B:137:ASP:OD2	1:B:140:HIS:HE1	1.86	0.59
1:B:25:CSD:HB3	3:B:221:HOH:O	2.02	0.59
1:B:37:GLN:NE2	1:B:129:VAL:HG12	2.17	0.59
1:B:77:VAL:HG12	1:B:108:ASN:HD22	1.66	0.58
1:B:38:MET:CE	1:B:107:ALA:HA	2.32	0.58
1:B:97:SER:O	1:B:99:LYS:HG3	2.03	0.58
1:A:146:TYR:CZ	1:A:199:VAL:HG23	2.41	0.56
1:B:34:LEU:HD22	1:B:48:LEU:CD1	2.36	0.56
1:B:60:GLN:HG2	1:B:76:TYR:HA	1.88	0.55
1:A:101:ASN:OD1	1:A:103:LYS:HB3	2.05	0.55
1:B:120:LYS:NZ	1:B:120:LYS:HB3	2.21	0.55
1:B:48:LEU:HD13	1:B:83:LEU:HD23	1.89	0.55
1:B:108:ASN:ND2	1:B:109:ASP:N	2.54	0.54
1:A:108:ASN:HD22	1:A:109:ASP:N	2.05	0.54
1:B:187:ASN:HB3	3:B:230:HOH:O	2.08	0.54
1:B:91:TYR:CZ	1:B:93:ALA:HA	2.42	0.53
1:B:160:ASP:O	1:B:160:ASP:CG	2.47	0.53
1:B:7:TRP:NE1	1:B:130:GLY:HA2	2.23	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:52:ASN:C	1:B:52:ASN:HD22	2.12	0.52
1:A:109:ASP:HA	1:A:220:VAL:HA	1.91	0.52
1:A:207:ASN:CG	1:A:210:GLY:HA2	2.30	0.52
1:B:37:GLN:HE22	1:B:129:VAL:HG12	1.75	0.52
1:B:108:ASN:HD22	1:B:109:ASP:N	2.07	0.51
1:A:108:ASN:ND2	1:A:109:ASP:H	2.08	0.51
1:B:206:ARG:HD2	3:B:270:HOH:O	2.10	0.51
1:A:96:GLU:HG3	3:A:230:HOH:O	2.10	0.51
1:A:200:LYS:HD3	3:A:272:HOH:O	2.10	0.50
1:A:193:TRP:CH2	1:A:199:VAL:HB	2.46	0.50
1:B:34:LEU:O	1:B:34:LEU:HD23	2.11	0.50
1:A:85:SER:HB3	1:A:106:VAL:HG21	1.93	0.50
1:B:104:TYR:O	1:B:106:VAL:HG13	2.10	0.50
1:B:49:SER:HG	1:B:89:TYR:HB3	1.77	0.50
2:A:300:NSZ:H15	1:B:145:PHE:CZ	2.46	0.49
1:A:145:PHE:HZ	2:B:400:NSZ:H15	1.76	0.49
1:B:138:ALA:HB1	1:B:143:PHE:CD2	2.48	0.49
1:A:187:ASN:HB3	3:A:246:HOH:O	2.13	0.49
1:B:60:GLN:HG2	1:B:76:TYR:CA	2.42	0.48
1:A:74:PHE:CZ	1:A:218:PRO:HD3	2.48	0.48
1:B:63:GLU:CG	2:B:400:NSZ:H55	2.43	0.48
1:A:145:PHE:CZ	2:B:400:NSZ:H15	2.49	0.48
1:B:164:GLY:O	3:B:221:HOH:O	2.20	0.47
1:B:101:ASN:OD1	1:B:103:LYS:HB3	2.15	0.47
1:B:58:GLY:N	1:B:59:PRO:CD	2.77	0.47
1:A:7:TRP:CE2	1:A:130:GLY:HA2	2.49	0.47
1:A:160:ASP:O	1:A:160:ASP:OD1	2.33	0.46
1:A:34:LEU:HB3	1:A:48:LEU:CD1	2.46	0.46
1:B:207:ASN:HD21	1:B:210:GLY:HA2	1.78	0.46
1:A:25:CSD:OD2	1:A:163:HIS:HA	2.16	0.46
1:B:20:GLY:O	2:B:400:NSZ:H5	2.16	0.46
1:A:153:GLU:O	1:A:156:CYS:HB2	2.16	0.46
1:A:63:GLU:HG2	2:A:300:NSZ:H55	1.98	0.45
1:A:153:GLU:HG3	1:A:156:CYS:N	2.30	0.45
1:B:113:VAL:HG23	1:B:219:THR:HG23	1.98	0.45
1:B:220:VAL:HG23	1:B:220:VAL:OXT	2.17	0.45
1:B:78:GLN:NE2	1:B:110:THR:O	2.50	0.44
1:B:122:LEU:O	1:B:126:VAL:HG23	2.17	0.44
1:B:46:ILE:HD12	1:B:46:ILE:N	2.33	0.44
1:A:73:ALA:O	1:A:77:VAL:HG23	2.18	0.43
1:A:108:ASN:ND2	1:A:109:ASP:N	2.67	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:GLU:O	1:A:208:HIS:HE1	2.02	0.43
1:A:153:GLU:N	1:A:208:HIS:CE1	2.86	0.43
1:B:186:LYS:HB2	1:B:198:TYR:CE2	2.54	0.43
1:A:135:ALA:O	1:A:161:MET:HG2	2.19	0.43
1:B:172:PHE:N	1:B:172:PHE:CD1	2.87	0.43
1:B:129:VAL:HG11	1:B:217:TYR:CD2	2.54	0.42
1:B:119:GLU:OE1	1:B:204:ASP:HA	2.19	0.42
1:A:58:GLY:N	1:A:59:PRO:CD	2.81	0.42
1:A:141:GLU:HG3	1:B:192:GLU:HG3	2.01	0.42
1:B:37:GLN:HG3	1:B:218:PRO:O	2.18	0.42
1:A:153:GLU:C	1:A:155:ASP:H	2.23	0.42
1:B:199:VAL:HG22	1:B:201:MET:HG3	2.02	0.42
1:A:101:ASN:HB3	1:A:104:TYR:HD2	1.84	0.42
1:B:173:GLU:HA	3:B:237:HOH:O	2.19	0.42
1:B:115:ILE:HG23	1:B:116:PRO:HD2	2.02	0.42
1:B:138:ALA:HA	3:B:255:HOH:O	2.20	0.42
1:A:120:LYS:HB3	1:A:120:LYS:NZ	2.35	0.42
1:A:34:LEU:HD13	1:A:48:LEU:HD13	2.02	0.41
1:A:110:THR:N	1:A:219:THR:O	2.42	0.41
1:B:34:LEU:HD21	1:B:107:ALA:HB1	2.03	0.41
1:B:13:VAL:HG12	1:B:14:THR:O	2.21	0.41
1:A:78:GLN:NE2	1:A:110:THR:C	2.74	0.41
1:A:28:PHE:CD2	1:A:50:GLU:HG2	2.56	0.41
1:A:3:ARG:HH11	1:A:3:ARG:HG3	1.86	0.41
1:A:166:LEU:HB3	1:A:186:LYS:HB3	2.03	0.40
1:A:67:GLY:HA2	2:A:300:NSZ:O39	2.20	0.40
1:A:52:ASN:OD1	1:A:83:LEU:HD12	2.22	0.40
1:A:70:MET:HG2	1:A:133:SER:HB3	2.03	0.40
1:A:60:GLN:HG2	1:A:76:TYR:N	2.37	0.40
1:B:168:VAL:HG23	1:B:184:LEU:HD13	2.03	0.40
1:B:29:SER:HB3	1:B:70:MET:CG	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	210/220 (96%)	197 (94%)	13 (6%)	0	100	100
1	B	210/220 (96%)	195 (93%)	14 (7%)	1 (0%)	29	48
All	All	420/440 (96%)	392 (93%)	27 (6%)	1 (0%)	47	68

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	7	TRP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	173/178 (97%)	165 (95%)	8 (5%)	27	50
1	B	173/178 (97%)	164 (95%)	9 (5%)	23	44
All	All	346/356 (97%)	329 (95%)	17 (5%)	25	47

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	LEU
1	A	52	ASN
1	A	89	TYR
1	A	108	ASN
1	A	148	GLU
1	A	155	ASP
1	A	156	CYS
1	A	184	LEU
1	B	22	CYS
1	B	52	ASN
1	B	89	TYR
1	B	108	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	148	GLU
1	B	156	CYS
1	B	159	GLU
1	B	160	ASP
1	B	184	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	GLN
1	A	78	GLN
1	A	108	ASN
1	A	140	HIS
1	B	37	GLN
1	B	75	GLN
1	B	78	GLN
1	B	108	ASN
1	B	140	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CSD	A	25	1	3,7,8	0.76	0	1,8,10	1.12	0
1	CSD	B	25	1	3,7,8	0.87	0	1,8,10	0.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSD	A	25	1	-	0/2/6/8	-
1	CSD	B	25	1	-	0/2/6/8	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	25	CSD	1	0
1	B	25	CSD	1	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NSZ	A	300	-	56,56,56	4.92	43 (76%)	71,72,72	2.99	32 (45%)
2	NSZ	B	400	-	56,56,56	4.89	42 (75%)	71,72,72	2.90	30 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NSZ	A	300	-	2/2/8/13	8/52/52/52	0/4/4/4
2	NSZ	B	400	-	2/2/8/13	5/52/52/52	0/4/4/4

All (85) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	400	NSZ	C47-C45	10.58	1.61	1.38
2	A	300	NSZ	C47-C45	10.55	1.61	1.38
2	A	300	NSZ	C1-C2	-10.05	1.29	1.51
2	B	400	NSZ	C1-C2	-9.66	1.30	1.51
2	A	300	NSZ	C11-C12	9.05	1.58	1.39
2	B	400	NSZ	C11-C12	8.83	1.58	1.39
2	B	400	NSZ	C5-C4	8.14	1.56	1.39
2	A	300	NSZ	C42-N60	7.77	1.50	1.33
2	A	300	NSZ	C5-C4	7.72	1.55	1.39
2	A	300	NSZ	C53-C52	7.37	1.54	1.38
2	B	400	NSZ	C14-C12	7.06	1.54	1.39
2	B	400	NSZ	C6-C7	7.03	1.54	1.38
2	A	300	NSZ	C14-C12	6.98	1.54	1.39
2	A	300	NSZ	C6-C7	6.93	1.53	1.38
2	B	400	NSZ	C53-C52	6.90	1.53	1.38
2	A	300	NSZ	C9-C4	6.87	1.54	1.39
2	B	400	NSZ	C42-N60	6.85	1.48	1.33
2	B	400	NSZ	C9-C4	6.62	1.53	1.39
2	B	400	NSZ	C20-SG2	-6.59	1.71	1.80
2	B	400	NSZ	C15-C14	6.49	1.52	1.38
2	A	300	NSZ	C15-C14	6.42	1.52	1.38
2	A	300	NSZ	C20-SG2	-6.31	1.72	1.80
2	A	300	NSZ	C35-N34	6.25	1.45	1.33
2	B	400	NSZ	C13-C10	6.19	1.54	1.38
2	A	300	NSZ	C15-C10	6.18	1.54	1.38
2	A	300	NSZ	C46-C45	6.17	1.52	1.38
2	A	300	NSZ	C13-C10	6.16	1.54	1.38
2	B	400	NSZ	C46-C45	6.08	1.52	1.38
2	B	400	NSZ	C44-C45	-6.05	1.36	1.51
2	B	400	NSZ	C35-N34	6.04	1.45	1.33
2	B	400	NSZ	C8-C7	5.87	1.51	1.38
2	A	300	NSZ	C44-C45	-5.85	1.37	1.51
2	B	400	NSZ	C56-C57	5.85	1.51	1.38
2	A	300	NSZ	C56-C57	5.78	1.51	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	400	NSZ	C15-C10	5.78	1.53	1.38
2	A	300	NSZ	C8-C7	5.71	1.51	1.38
2	B	400	NSZ	C57-C52	5.63	1.51	1.38
2	B	400	NSZ	O39-C38	5.55	1.34	1.23
2	A	300	NSZ	C50-C48	5.48	1.52	1.38
2	B	400	NSZ	C50-C48	5.24	1.51	1.38
2	A	300	NSZ	O39-C38	5.17	1.33	1.23
2	A	300	NSZ	C56-C55	5.13	1.51	1.38
2	A	300	NSZ	C9-C8	5.09	1.48	1.38
2	A	300	NSZ	C57-C52	5.07	1.49	1.38
2	B	400	NSZ	C9-C8	5.05	1.48	1.38
2	B	400	NSZ	C6-C5	5.03	1.47	1.38
2	A	300	NSZ	C54-C53	5.01	1.49	1.38
2	B	400	NSZ	C56-C55	4.99	1.51	1.38
2	B	400	NSZ	C13-C11	4.97	1.49	1.38
2	A	300	NSZ	C6-C5	4.93	1.47	1.38
2	A	300	NSZ	C13-C11	4.74	1.48	1.38
2	B	400	NSZ	C54-C53	4.65	1.48	1.38
2	A	300	NSZ	C55-C54	4.63	1.50	1.38
2	B	400	NSZ	C59-C58	-4.60	1.34	1.51
2	B	400	NSZ	C55-C54	4.57	1.50	1.38
2	A	300	NSZ	C59-C58	-4.56	1.34	1.51
2	B	400	NSZ	C20-C17	-4.24	1.43	1.53
2	B	400	NSZ	C50-C49	4.17	1.49	1.38
2	A	300	NSZ	C50-C49	3.87	1.48	1.38
2	A	300	NSZ	C38-N40	3.79	1.42	1.34
2	A	300	NSZ	C30-N29	-3.77	1.37	1.45
2	A	300	NSZ	C20-C17	-3.60	1.44	1.53
2	A	300	NSZ	O19-C18	3.55	1.30	1.23
2	B	400	NSZ	O19-C18	3.50	1.30	1.23
2	B	400	NSZ	C30-N29	-3.35	1.38	1.45
2	B	400	NSZ	C17-N16	-3.29	1.38	1.45
2	A	300	NSZ	C32-C31	3.23	1.66	1.52
2	B	400	NSZ	C41-C42	3.13	1.61	1.52
2	B	400	NSZ	C44-C41	-3.10	1.46	1.54
2	A	300	NSZ	C17-N16	-3.07	1.39	1.45
2	A	300	NSZ	O43-C42	2.96	1.29	1.23
2	A	300	NSZ	C41-C42	2.96	1.60	1.52
2	B	400	NSZ	C38-N40	2.95	1.40	1.34
2	B	400	NSZ	C32-C31	2.91	1.64	1.52
2	B	400	NSZ	O43-C42	2.91	1.29	1.23
2	A	300	NSZ	C49-C47	-2.81	1.33	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	400	NSZ	C41-N40	-2.77	1.40	1.45
2	B	400	NSZ	C18-N29	2.65	1.39	1.34
2	A	300	NSZ	C44-C41	-2.64	1.47	1.54
2	B	400	NSZ	C49-C47	-2.64	1.33	1.38
2	A	300	NSZ	C31-C30	2.60	1.59	1.53
2	B	400	NSZ	C31-C30	2.40	1.59	1.53
2	A	300	NSZ	C17-C18	-2.30	1.46	1.52
2	A	300	NSZ	C41-N40	-2.20	1.41	1.45
2	A	300	NSZ	C18-N29	2.01	1.38	1.34

All (62) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	400	NSZ	C22-SG2-C20	8.33	116.62	101.30
2	A	300	NSZ	C1-C2-N16	8.26	129.19	115.88
2	A	300	NSZ	C22-SG2-C20	7.98	115.97	101.30
2	A	300	NSZ	C17-C20-SG2	7.88	126.79	114.04
2	B	400	NSZ	C1-C2-N16	7.36	127.73	115.88
2	B	400	NSZ	C17-C20-SG2	7.08	125.50	114.04
2	B	400	NSZ	C20-C17-C18	5.97	122.68	109.73
2	A	300	NSZ	C17-C18-N29	5.67	129.13	116.70
2	B	400	NSZ	C17-C18-N29	5.42	128.60	116.70
2	A	300	NSZ	C44-C41-N40	5.42	122.21	110.79
2	B	400	NSZ	C32-C33-N34	5.30	127.35	112.21
2	A	300	NSZ	C20-C17-C18	5.18	120.96	109.73
2	A	300	NSZ	C31-C30-C38	5.06	122.01	110.20
2	A	300	NSZ	C31-C30-N29	5.04	121.06	110.88
2	B	400	NSZ	C44-C41-N40	4.92	121.15	110.79
2	A	300	NSZ	C32-C33-N34	4.86	126.09	112.21
2	B	400	NSZ	C31-C30-C38	4.84	121.51	110.20
2	B	400	NSZ	C31-C30-N29	4.63	120.23	110.88
2	A	300	NSZ	O3-C2-C1	-4.48	111.83	122.03
2	B	400	NSZ	O3-C2-C1	-4.33	112.18	122.03
2	A	300	NSZ	O19-C18-C17	-4.30	111.40	120.45
2	B	400	NSZ	C41-N40-C38	-4.29	112.46	121.67
2	A	300	NSZ	C42-C41-N40	-4.27	99.54	111.16
2	B	400	NSZ	O19-C18-C17	-4.19	111.63	120.45
2	A	300	NSZ	C7-C1-C2	4.19	124.99	112.57
2	A	300	NSZ	C18-C17-N16	4.18	122.55	111.16
2	B	400	NSZ	C7-C1-C2	4.13	124.80	112.57
2	B	400	NSZ	C18-C17-N16	3.95	121.91	111.16
2	A	300	NSZ	O39-C38-N40	3.83	130.03	122.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	400	NSZ	C42-C41-N40	-3.83	100.73	111.16
2	B	400	NSZ	N36-C35-N34	3.78	127.93	119.19
2	B	400	NSZ	C45-C44-C41	3.78	123.81	113.39
2	A	300	NSZ	C45-C44-C41	3.77	123.80	113.39
2	A	300	NSZ	O39-C38-C30	-3.74	112.58	120.45
2	A	300	NSZ	C41-N40-C38	-3.67	113.80	121.67
2	A	300	NSZ	C1-C7-C6	-3.54	115.82	120.89
2	B	400	NSZ	O39-C38-C30	-3.26	113.59	120.45
2	A	300	NSZ	N36-C35-N34	3.23	126.66	119.19
2	B	400	NSZ	C1-C7-C6	-3.20	116.32	120.89
2	B	400	NSZ	O39-C38-N40	3.03	128.54	122.93
2	A	300	NSZ	N36-C35-N37	-2.87	111.42	120.26
2	A	300	NSZ	C8-C7-C6	2.87	122.68	118.17
2	A	300	NSZ	C11-C12-C4	-2.82	116.47	121.36
2	B	400	NSZ	C8-C7-C6	2.80	122.57	118.17
2	B	400	NSZ	C5-C6-C7	-2.70	117.31	121.03
2	A	300	NSZ	C59-C58-C52	2.69	119.10	112.87
2	A	300	NSZ	C44-C45-C47	2.68	126.23	120.91
2	B	400	NSZ	N36-C35-N37	-2.68	112.00	120.26
2	B	400	NSZ	C11-C12-C4	-2.65	116.77	121.36
2	B	400	NSZ	C38-C30-N29	2.60	118.24	111.16
2	B	400	NSZ	C44-C45-C47	2.56	125.99	120.91
2	A	300	NSZ	C5-C6-C7	-2.46	117.65	121.03
2	B	400	NSZ	C59-C58-C52	2.39	118.39	112.87
2	A	300	NSZ	C44-C41-C42	-2.37	104.10	110.25
2	A	300	NSZ	O3-C2-N16	-2.35	118.98	122.95
2	A	300	NSZ	C15-C14-C12	-2.22	117.77	120.56
2	B	400	NSZ	C59-N60-C42	-2.22	118.63	122.59
2	B	400	NSZ	C58-C59-N60	2.20	118.65	111.99
2	B	400	NSZ	C44-C41-C42	-2.17	104.63	110.25
2	A	300	NSZ	C38-C30-N29	2.12	116.92	111.16
2	A	300	NSZ	C59-N60-C42	-2.07	118.90	122.59
2	A	300	NSZ	C20-C17-N16	2.02	116.45	111.00

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	300	NSZ	C30
2	A	300	NSZ	C17
2	B	400	NSZ	C30
2	B	400	NSZ	C17

All (13) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	300	NSZ	C17-C20-SG2-C22
2	A	300	NSZ	C38-C30-C31-C32
2	A	300	NSZ	C32-C33-N34-C35
2	B	400	NSZ	C38-C30-C31-C32
2	A	300	NSZ	N16-C17-C20-SG2
2	A	300	NSZ	C7-C1-C2-O3
2	B	400	NSZ	C7-C1-C2-O3
2	B	400	NSZ	C17-C20-SG2-C22
2	A	300	NSZ	C7-C1-C2-N16
2	B	400	NSZ	C7-C1-C2-N16
2	B	400	NSZ	N16-C17-C20-SG2
2	A	300	NSZ	C53-C52-C58-C59
2	A	300	NSZ	C57-C52-C58-C59


There are no ring outliers.

2 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	300	NSZ	5	0
2	B	400	NSZ	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	214/220 (97%)	0.72	22 (10%) 6 6	36, 52, 76, 86	0
1	B	214/220 (97%)	1.05	37 (17%) 1 1	37, 56, 79, 89	0
All	All	428/440 (97%)	0.89	59 (13%) 2 2	36, 54, 77, 89	0

All (59) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	104	TYR	8.9
1	B	172	PHE	7.7
1	B	102	PRO	6.7
1	B	103	LYS	6.4
1	A	104	TYR	5.5
1	B	96	GLU	5.4
1	B	180	ASN	4.8
1	B	89	TYR	4.6
1	A	89	TYR	4.5
1	A	180	ASN	4.4
1	B	101	ASN	4.4
1	B	120	LYS	4.3
1	A	120	LYS	4.1
1	B	48	LEU	3.8
1	B	159	GLU	3.7
1	A	49	SER	3.6
1	A	172	PHE	3.6
1	A	96	GLU	3.6
1	A	97	SER	3.4
1	B	156	CYS	3.4
1	B	55	ASP	3.3
1	A	108	ASN	3.3
1	B	210	GLY	3.3
1	B	4	SER	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	220	VAL	3.2
1	B	78	GLN	3.2
1	B	1	ALA	3.2
1	A	101	ASN	3.1
1	A	206	ARG	3.0
1	B	170	TYR	3.0
1	B	41	LYS	3.0
1	B	15	PRO	2.9
1	A	174	SER	2.9
1	A	199	VAL	2.8
1	A	3	ARG	2.8
1	B	42	THR	2.7
1	A	141	GLU	2.7
1	B	118	GLN	2.7
1	B	174	SER	2.6
1	B	88	SER	2.6
1	A	159	GLU	2.6
1	A	144	LEU	2.5
1	B	100	TYR	2.5
1	A	170	TYR	2.4
1	B	108	ASN	2.4
1	B	144	LEU	2.4
1	B	160	ASP	2.4
1	A	185	VAL	2.3
1	B	98	CYS	2.3
1	B	47	SER	2.3
1	B	3	ARG	2.3
1	B	155	ASP	2.3
1	B	190	GLY	2.2
1	A	198	TYR	2.1
1	B	193	TRP	2.1
1	B	16	VAL	2.1
1	A	208	HIS	2.1
1	B	14	THR	2.0
1	B	204	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
1	CSD	B	25	8/9	0.96	0.21	56,56,56,56	0
1	CSD	A	25	8/9	0.97	0.27	56,56,56,56	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NSZ	A	300	53/53	0.84	0.24	23,29,33,35	0
2	NSZ	B	400	53/53	0.84	0.26	23,29,33,35	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NSZ A 300:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NSZ B 400:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers

There are no such residues in this entry.