



Full wwPDB EM Validation Report ⓘ

May 23, 2023 – 10:48 AM EDT

PDB ID : 8HAO
EMDB ID : EMD-34598
Title : Human parathyroid hormone receptor-1 dimer
Authors : Zhao, L.; Xu, H.E.; Yuan, Q.
Deposited on : 2022-10-26
Resolution : 3.76 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev50
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.33

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.76 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	361	
1	C	361	
2	B	400	
2	D	400	
3	E	71	
3	G	71	
4	F	140	
4	N	140	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	H	35	
5	P	35	
6	I	476	
6	R	476	

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 18479 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Guanine nucleotide-binding protein G(s) subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	235	Total	C	N	O	S	0	0
			1950	1232	350	360	8		
1	C	235	Total	C	N	O	S	0	0
			1950	1232	350	360	8		

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	341	Total	C	N	O	S	0	0
			2614	1612	470	511	21		
2	D	341	Total	C	N	O	S	0	0
			2614	1612	470	511	21		

- Molecule 3 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	E	57	Total	C	N	O	S	0	0
			436	273	77	83	3		
3	G	57	Total	C	N	O	S	0	0
			436	273	77	83	3		

- Molecule 4 is a protein called Nanobody 35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	F	129	Total	C	N	O	S	0	0
			983	611	173	193	6		
4	N	129	Total	C	N	O	S	0	0
			983	611	173	193	6		

- Molecule 5 is a protein called Parathyroid hormone.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	H	34	Total	C	N	O	S	0	0
			288	181	55	50	2		
5	P	34	Total	C	N	O	S	0	0
			288	181	55	50	2		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
H	35	NH2	-	amidation	UNP P01270
P	35	NH2	-	amidation	UNP P01270

- Molecule 6 is a protein called Parathyroid hormone/parathyroid hormone-related peptide receptor.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	I	362	Total	C	N	O	S	0	0
			2977	1969	497	491	20		
6	R	360	Total	C	N	O	S	0	0
			2960	1958	495	487	20		


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
I	188	ALA	GLY	conflict	UNP Q03431
I	484	ARG	LYS	conflict	UNP Q03431
R	188	ALA	GLY	conflict	UNP Q03431
R	484	ARG	LYS	conflict	UNP Q03431


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Guanine nucleotide-binding protein G(s) subunit alpha





- Molecule 1: Guanine nucleotide-binding protein G(s) subunit alpha






• Molecule 2: Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1




• Molecule 2: Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1




LYS
ILE
SER


• Molecule 3: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2




• Molecule 3: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2




• Molecule 4: Nanobody 35




• Molecule 4: Nanobody 35





• Molecule 5: Parathyroid hormone








• Molecule 5: Parathyroid hormone



• Molecule 6: Parathyroid hormone/parathyroid hormone-related peptide receptor



• Molecule 6: Parathyroid hormone/parathyroid hormone-related peptide receptor



PRO	MEI	VAL	SER	HIS	M425	A426	T427	P428	Y429	T430	T435	L436	W437	Q438	W439	Q440	M441	H442	Y443	E444	M445	L446	F447	F450	Q451	F454	W455	A456	I457	F461	C462	A468	E469	I470	K471	K472	S475	R476	L479	A480	L481	ASP	PHE	ARG	ARG	ARG	LYS	ALA	ALA	ARG	GLY	SER	SER	SER	TYR	SER	SER	TYR	GLY	L407	K408	S409	T410	L413	L416	F417	G418	W419	H420	Y421	I422	V423	F424	N358	K359	I362	I363	Q364	I367	L368	A369	S370	I371	V372	L373	N374	F375	I376	L377	F378	I379	N380	I381	V382	V384	L385	R390	E391	T392	N393	ALA	GLY	ARG	CYS	ASP	T399	R400	Q401	A333	V334	V338	S341	V342	R343	A344	T345	L346	A347	N348	T349	G350	C351	W352	D353	L354	S355	V285	T286	F287	F288	Y290	L292	A293	T294	Y297	W298	L299	L300	V301	E302	G303	L304	Y305	L306	T310	F311	M312	A313	F314	F315	S316	E317	K318	K319	Y320	L321	F327	G330	L331	F332	A333	V334	V338	S341	V342	R343	A344	T345	L346	A347	N348	T349	G350	C351	W352	D353	L354	S355	V225	H223	M224	F227	L228	S229	F230	M231	L232	R233	S236	I237	F238	V239	K240	D241	A242	V243	L244	Y245	S246	GLY	ALA	THR	LEU	LEU	ASP	GLU	ALA	ARG	LEU	ALA	ILE	ALA	GLN	PRO	PRO	PRO	PRO	THR	ALA	A276	G277	Y278	A279	G280	C281	R282	D149	R150	S153	W154	E155	L156	V157	P158	G159	H160	N161	R162	T163	W164	A165	N166	Y167	S168	E169	C170	V171	K172	F173	LEU	THR	ASN	GLU	T178	R179	E180	R181	E182	V183	F184	D185	R186	V127	A128	V129	P130	C131	D132	D133	Y134	I135	Y136	D137	F138	M139	H140	K141	G142	H143	A144	Y145	R146	R147	C148	L109	P110	E111	W112	D113	H114	I115	L116	C117	W118	P119	L120	G121	A122	P123	G124	E125	V126	V127	A128	V129	P130	C131	D132	D133	Y134	I135	Y136	D137	F138	M139	H140	K141	G142	H143	A144	Y145	R146	R147	C148	L201	R212	F213	R214	L215	H216	C217	T218	R219	N220	Y221	G105	L109	P110	E111	W112	D113	H114	I115	L116	C117	W118	P119	L120	G121	A122	P123	G124	E125	V126	V127	A128	V129	P130	C131	D132	D133	Y134	I135	Y136	D137	F138	M139	H140	K141	G142	H143	A144	Y145	R146	R147	C148
-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	55858	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	105000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	1.745	Depositor
Minimum map value	-0.003	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.027	Depositor
Recommended contour level	0.386	Depositor
Map size (Å)	421.888, 421.888, 421.888	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.824, 0.824, 0.824	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/1989	0.50	0/2677
1	C	0.25	0/1989	0.50	0/2677
2	B	0.24	0/2661	0.51	0/3607
2	D	0.24	0/2661	0.52	0/3607
3	E	0.25	0/442	0.49	0/597
3	G	0.26	0/442	0.46	0/597
4	F	0.28	0/1004	0.58	1/1360 (0.1%)
4	N	0.26	0/1004	0.51	0/1360
5	H	0.25	0/293	0.44	0/391
5	P	0.25	0/293	0.44	0/391
6	I	0.24	0/3066	0.46	0/4164
6	R	0.25	0/3049	0.47	0/4141
All	All	0.25	0/18893	0.49	1/25569 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	41	PRO	CA-N-CD	-7.35	101.21	111.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1950	0	1925	21	0
1	C	1950	0	1925	16	0
2	B	2614	0	2518	29	0
2	D	2614	0	2518	35	0
3	E	436	0	448	3	0
3	G	436	0	448	4	0
4	F	983	0	945	20	0
4	N	983	0	945	6	0
5	H	288	0	292	2	0
5	P	288	0	292	2	0
6	I	2977	0	2961	29	0
6	R	2960	0	2944	40	0
All	All	18479	0	18161	195	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (195) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:57:SER:OG	3:E:58:GLU:OE2	1.79	0.99
1:A:266:GLU:OE2	1:C:48:THR:OG1	1.90	0.90
6:I:242:ALA:O	6:I:246:SER:OG	1.97	0.81
4:N:114:THR:HG22	4:N:114:THR:O	1.85	0.75
2:D:93:ILE:HD12	2:D:133:VAL:HG21	1.68	0.75
2:D:75:GLN:NE2	2:D:100:VAL:O	2.19	0.75
6:R:215:LEU:O	6:R:220:ASN:ND2	2.24	0.70
6:I:215:LEU:O	6:I:220:ASN:ND2	2.25	0.69
1:A:216:ASN:O	1:A:252:ILE:HD11	1.93	0.68
1:A:334:VAL:HG11	1:C:334:VAL:HG11	1.76	0.68
5:P:4:GLU:OE2	6:R:233:ARG:NH2	2.27	0.67
6:I:228:LEU:O	6:I:232:LEU:HD22	1.94	0.67
6:R:390:ARG:NH2	6:R:391:GLU:OE1	2.29	0.65
2:B:75:GLN:NE2	2:B:100:VAL:O	2.30	0.65
4:F:111:THR:HG23	4:F:111:THR:O	1.98	0.64
4:F:86:LEU:HD12	4:F:126:VAL:HG21	1.80	0.63
1:C:358:TYR:CE2	6:I:306:LEU:HD13	2.34	0.62
2:D:310:GLY:O	2:D:337:LYS:NZ	2.31	0.62
2:B:200:VAL:HG22	2:B:234:PHE:HE1	1.65	0.62
4:F:67:ARG:NH2	4:F:90:ASP:OD2	2.31	0.62
2:B:152:LEU:HD13	2:B:158:VAL:HG23	1.82	0.61
2:B:310:GLY:O	2:B:337:LYS:NZ	2.33	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:152:LEU:HD11	2:B:192:LEU:HD11	1.82	0.60
4:N:60:TYR:OH	4:N:70:ILE:N	2.33	0.60
2:D:163:ASP:OD2	2:D:165:THR:OG1	2.08	0.60
6:I:282:ARG:NH2	6:I:348:ASN:OD1	2.34	0.60
2:D:3:GLU:N	2:D:3:GLU:OE2	2.34	0.60
6:I:146:ARG:NH1	6:I:147:ARG:O	2.36	0.59
6:R:282:ARG:NH2	6:R:348:ASN:OD1	2.35	0.59
1:C:214:CYS:HA	2:D:57:LYS:HZ1	1.67	0.59
2:D:51:LEU:HD12	2:D:336:LEU:HD23	1.86	0.58
1:C:205:ARG:HH12	2:D:164:THR:HG23	1.70	0.57
6:R:198:SER:O	6:R:202:LEU:HD23	2.05	0.57
4:F:76:LYS:N	4:F:76:LYS:HD3	2.20	0.56
2:B:183:HIS:HE2	2:B:201:SER:HG	1.52	0.56
2:D:210:LEU:HD12	2:D:255:LEU:HD22	1.88	0.56
1:C:285:TYR:O	1:C:303:ARG:NH1	2.39	0.55
6:R:299:ILE:HD11	6:R:417:PHE:C	2.27	0.55
2:B:215:GLU:OE1	2:B:219:ARG:NH2	2.40	0.55
2:D:215:GLU:OE1	2:D:215:GLU:N	2.39	0.55
2:B:220:GLN:NE2	2:B:258:ASP:OD1	2.39	0.55
2:D:153:ASP:OD1	2:D:156:GLN:N	2.39	0.54
4:N:114:THR:O	4:N:114:THR:CG2	2.53	0.54
4:F:53:GLN:N	4:F:53:GLN:OE1	2.35	0.54
4:N:86:LEU:HD12	4:N:126:VAL:HG21	1.89	0.54
2:B:200:VAL:HG22	2:B:234:PHE:CE1	2.42	0.54
4:F:60:TYR:OH	4:F:70:ILE:N	2.41	0.54
3:G:57:SER:OG	3:G:58:GLU:OE2	2.21	0.54
1:A:13:VAL:HG13	1:A:17:LYS:NZ	2.22	0.54
6:R:372:VAL:O	6:R:376:ILE:HG13	2.07	0.54
2:D:87:THR:HG22	2:D:87:THR:O	2.09	0.53
6:R:146:ARG:NH1	6:R:164:TRP:O	2.41	0.53
4:F:52:SER:O	4:F:72:ARG:NH1	2.40	0.53
6:R:297:TYR:CE2	6:R:331:LEU:HD23	2.44	0.53
1:A:48:THR:O	1:A:52:GLN:NE2	2.38	0.53
2:D:290:ASP:O	2:D:290:ASP:OD1	2.27	0.53
2:D:323:ASP:OD1	2:D:323:ASP:N	2.40	0.53
3:E:59:ASN:O	3:E:62:ARG:NE	2.42	0.52
2:B:245:SER:OG	2:B:246:ASP:N	2.43	0.52
6:I:282:ARG:NH1	6:I:350:GLY:O	2.43	0.52
1:A:186:GLU:OE1	1:A:186:GLU:N	2.43	0.52
2:B:153:ASP:OD1	2:B:156:GLN:N	2.39	0.52
2:B:225:HIS:NE2	2:B:243:THR:OG1	2.39	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:87:THR:O	2:B:87:THR:HG22	2.11	0.51
6:R:115:ILE:HD12	6:R:115:ILE:H	1.74	0.51
6:R:112:TRP:NE1	6:R:116:LEU:O	2.42	0.51
1:C:229:ASP:O	1:C:231:ASN:N	2.44	0.51
6:I:127:VAL:HG12	6:I:129:VAL:HG23	1.93	0.51
5:P:3:SER:OG	6:R:444:GLU:OE1	2.23	0.51
2:D:164:THR:HG22	2:D:185:GLY:O	2.10	0.51
6:R:127:VAL:HG12	6:R:129:VAL:HG23	1.92	0.51
1:A:285:TYR:O	1:A:303:ARG:NH1	2.43	0.51
2:B:11:ALA:O	2:B:15:LYS:HG2	2.11	0.50
1:A:351:GLN:NE2	6:R:310:ILE:O	2.43	0.50
6:R:457:ILE:HD12	6:R:461:PHE:HB2	1.94	0.50
6:R:282:ARG:NH1	6:R:350:GLY:O	2.44	0.50
4:F:86:LEU:HD12	4:F:126:VAL:CG2	2.42	0.50
6:R:392:THR:HG22	6:R:392:THR:O	2.11	0.50
6:R:299:ILE:HD11	6:R:418:GLY:N	2.27	0.50
6:R:374:ASN:ND2	6:R:417:PHE:O	2.44	0.50
2:D:198:LEU:HB3	2:D:210:LEU:HD21	1.93	0.50
4:F:2:VAL:HG13	4:F:27:PHE:CD2	2.46	0.49
2:D:245:SER:OG	2:D:246:ASP:N	2.44	0.49
2:D:95:LEU:HD12	2:D:100:VAL:HG21	1.93	0.49
6:I:156:LEU:O	6:I:157:VAL:HG22	2.13	0.49
1:C:31:ARG:NH1	6:I:315:PHE:O	2.44	0.49
1:A:48:THR:O	1:A:52:GLN:HG2	2.13	0.49
2:B:146:LEU:HD21	2:B:159:THR:CG2	2.43	0.48
6:R:290:TYR:O	6:R:294:THR:HG23	2.13	0.48
3:E:58:GLU:OE2	3:E:58:GLU:N	2.46	0.48
1:A:184:ILE:HD11	1:A:199:PHE:HB3	1.94	0.48
1:A:281:GLU:OE1	1:A:281:GLU:N	2.43	0.48
1:A:229:ASP:O	1:A:231:ASN:N	2.43	0.48
4:F:31:ASN:OD1	4:F:31:ASN:O	2.32	0.48
2:B:184:THR:HG22	2:B:184:THR:O	2.14	0.47
6:I:112:TRP:CG	6:I:113:ASP:N	2.82	0.47
1:A:289:GLU:OE1	1:A:289:GLU:N	2.32	0.47
4:F:31:ASN:OD1	4:F:31:ASN:C	2.52	0.47
2:D:210:LEU:HD23	2:D:211:TRP:N	2.30	0.47
6:I:173:PHE:O	6:I:174:LEU:C	2.52	0.47
3:G:59:ASN:O	3:G:62:ARG:HD2	2.15	0.47
4:N:52:SER:O	4:N:72:ARG:NH1	2.48	0.47
6:R:138:PHE:O	6:R:139:ASN:OD1	2.33	0.47
2:D:63:TRP:CE3	2:D:321:THR:HG22	2.51	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:164:THR:HG22	2:D:185:GLY:C	2.36	0.46
2:D:311:HIS:ND1	2:D:331:SER:OG	2.45	0.46
6:I:297:TYR:CE2	6:I:331:LEU:HD23	2.50	0.46
6:R:217:CYS:SG	6:R:218:THR:N	2.89	0.46
2:B:198:LEU:HD13	2:B:210:LEU:HD21	1.97	0.46
2:D:152:LEU:HD11	2:D:192:LEU:HD11	1.98	0.46
1:A:337:GLU:N	1:A:337:GLU:OE2	2.45	0.46
2:D:160:SER:HB2	2:D:190:LEU:HD23	1.98	0.46
6:R:149:ASP:O	6:R:150:ARG:HB3	2.16	0.46
6:R:239:VAL:O	6:R:243:VAL:HG23	2.16	0.46
2:B:170:ASP:HB3	2:B:173:THR:HG22	1.97	0.45
2:D:225:HIS:NE2	2:D:243:THR:OG1	2.43	0.45
4:F:6:GLU:N	4:F:6:GLU:OE2	2.49	0.45
1:C:43:ASN:OD1	1:C:44:SER:N	2.50	0.45
2:D:22:ARG:NE	2:D:258:ASP:OD2	2.36	0.45
6:R:157:VAL:N	6:R:161:ASN:O	2.49	0.45
1:C:359:GLU:N	1:C:359:GLU:OE1	2.50	0.45
2:B:12:GLU:OE1	2:B:16:ASN:ND2	2.50	0.45
2:D:286:LEU:HD12	2:D:286:LEU:H	1.82	0.45
4:F:35:ASN:OD1	4:F:47:TRP:NE1	2.46	0.45
1:C:15:ARG:O	1:C:15:ARG:HD3	2.17	0.44
1:A:321:ASP:OD1	1:A:321:ASP:N	2.49	0.44
6:R:112:TRP:CG	6:R:113:ASP:N	2.86	0.44
1:C:262:ASP:N	1:C:262:ASP:OD1	2.51	0.44
2:B:246:ASP:OD1	2:B:246:ASP:O	2.35	0.44
6:I:223:HIS:ND1	6:I:302:GLU:OE1	2.49	0.44
1:A:200:ASP:OD1	1:A:201:VAL:N	2.50	0.44
1:A:262:ASP:OD1	1:A:262:ASP:N	2.51	0.44
2:B:22:ARG:NE	2:B:258:ASP:OD2	2.47	0.44
4:F:8:GLY:O	4:F:122:THR:HG21	2.18	0.44
6:R:202:LEU:HD22	6:R:456:ALA:HB2	1.99	0.44
2:D:320:VAL:HG22	2:D:327:VAL:HG22	1.99	0.43
6:R:156:LEU:H	6:R:156:LEU:HD23	1.83	0.43
2:D:146:LEU:HD21	2:D:159:THR:CG2	2.48	0.43
6:I:374:ASN:ND2	6:I:417:PHE:O	2.47	0.43
6:R:150:ARG:NH2	6:R:153:SER:OG	2.51	0.43
1:A:207:GLU:OE2	1:A:209:ARG:NH2	2.51	0.43
2:D:146:LEU:HD21	2:D:159:THR:HG23	1.99	0.43
5:H:1:SER:N	6:I:425:MET:O	2.45	0.43
6:I:217:CYS:SG	6:I:218:THR:N	2.91	0.43
6:I:137:ASP:O	6:I:139:ASN:N	2.52	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:109:ASP:OD1	4:F:109:ASP:N	2.45	0.43
2:B:49:ARG:HB2	2:B:338:ILE:HD12	1.99	0.43
6:I:302:GLU:HB3	6:I:416:LEU:HD21	2.01	0.43
6:R:223:HIS:ND1	6:R:302:GLU:OE2	2.51	0.43
2:D:63:TRP:CZ3	2:D:321:THR:HG22	2.53	0.42
6:I:135:ILE:HG21	6:I:138:PHE:CD1	2.54	0.42
2:B:331:SER:OG	2:B:332:TRP:N	2.52	0.42
1:C:360:LEU:O	6:I:409:SER:OG	2.28	0.42
6:I:155:GLU:N	6:I:155:GLU:OE1	2.52	0.42
6:I:154:TRP:CD1	6:I:156:LEU:HG	2.54	0.42
4:F:99:CYS:HB3	4:F:107:CYS:HB3	1.88	0.42
5:H:7:LEU:HD22	6:I:445:MET:CE	2.49	0.42
1:A:5:LEU:N	1:A:8:GLU:OE1	2.53	0.42
2:D:311:HIS:HD1	2:D:331:SER:HG	1.60	0.42
2:B:160:SER:HB2	2:B:190:LEU:HD23	2.00	0.42
2:B:173:THR:HG23	2:B:175:GLN:H	1.84	0.42
6:I:232:LEU:HD22	6:I:232:LEU:H	1.85	0.42
2:B:120:ILE:HD12	2:B:140:ALA:HB2	2.02	0.42
4:F:106:ASP:OD1	4:F:106:ASP:C	2.57	0.42
6:R:112:TRP:HE3	6:R:112:TRP:H	1.68	0.42
2:B:318:LEU:HD23	2:B:319:GLY:N	2.35	0.41
6:R:423:VAL:HG23	6:R:424:PHE:CD2	2.54	0.41
3:G:33:ALA:O	3:G:37:LEU:HD12	2.20	0.41
6:I:113:ASP:OD1	6:I:113:ASP:C	2.59	0.41
3:G:59:ASN:OD1	3:G:60:PRO:HD2	2.19	0.41
2:B:318:LEU:HD23	2:B:318:LEU:C	2.40	0.41
1:C:44:SER:HB2	1:C:224:VAL:HG12	2.03	0.41
4:F:20:LEU:HD12	4:F:83:MET:SD	2.61	0.41
4:N:85:SER:O	4:N:85:SER:OG	2.33	0.41
6:R:110:PRO:HB3	6:R:112:TRP:CZ3	2.56	0.41
1:A:299:PRO:HA	1:A:302:THR:HG22	2.03	0.41
6:R:425:MET:C	6:R:425:MET:SD	2.99	0.41
2:D:152:LEU:HD13	2:D:158:VAL:HG23	2.03	0.41
2:D:286:LEU:HD22	2:D:327:VAL:HG21	2.02	0.41
2:D:321:THR:OG1	2:D:324:GLY:N	2.54	0.41
4:F:100:PRO:HD2	4:F:107:CYS:CB	2.50	0.41
4:F:104:THR:HG22	4:F:106:ASP:H	1.85	0.41
6:I:107:PRO:O	6:I:108:CYS:HB2	2.21	0.41
6:R:138:PHE:O	6:R:139:ASN:C	2.59	0.41
2:B:290:ASP:O	2:B:290:ASP:OD1	2.38	0.41
6:I:157:VAL:N	6:I:161:ASN:O	2.54	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:R:441:MET:O	6:R:445:MET:HG2	2.21	0.41
6:R:188:ALA:HA	6:R:191:TYR:CE2	2.56	0.40
1:A:43:ASN:OD1	1:A:44:SER:N	2.54	0.40
6:R:290:TYR:HE2	6:R:333:ALA:HB2	1.86	0.40
6:R:115:ILE:HD12	6:R:115:ILE:N	2.37	0.40
1:C:191:VAL:O	1:C:194:VAL:HG22	2.21	0.40
1:C:31:ARG:HD2	1:C:31:ARG:C	2.42	0.40
6:I:171:VAL:HA	6:I:173:PHE:CE2	2.57	0.40
6:R:381:ILE:O	6:R:384:VAL:HG22	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	231/361 (64%)	226 (98%)	5 (2%)	0	100	100
1	C	231/361 (64%)	227 (98%)	4 (2%)	0	100	100
2	B	339/400 (85%)	333 (98%)	6 (2%)	0	100	100
2	D	339/400 (85%)	333 (98%)	6 (2%)	0	100	100
3	E	55/71 (78%)	55 (100%)	0	0	100	100
3	G	55/71 (78%)	54 (98%)	1 (2%)	0	100	100
4	F	127/140 (91%)	124 (98%)	3 (2%)	0	100	100
4	N	127/140 (91%)	124 (98%)	3 (2%)	0	100	100
5	H	32/35 (91%)	32 (100%)	0	0	100	100
5	P	32/35 (91%)	32 (100%)	0	0	100	100
6	I	352/476 (74%)	333 (95%)	17 (5%)	2 (1%)	25	61
6	R	350/476 (74%)	327 (93%)	21 (6%)	2 (1%)	25	61
All	All	2270/2966 (76%)	2200 (97%)	66 (3%)	4 (0%)	50	78

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	I	150	ARG
6	R	150	ARG
6	I	109	LEU
6	R	109	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	212/315 (67%)	210 (99%)	2 (1%)	78	88
1	C	212/315 (67%)	209 (99%)	3 (1%)	67	82
2	B	282/328 (86%)	274 (97%)	8 (3%)	43	68
2	D	282/328 (86%)	272 (96%)	10 (4%)	36	63
3	E	46/58 (79%)	45 (98%)	1 (2%)	52	73
3	G	46/58 (79%)	46 (100%)	0	100	100
4	F	107/116 (92%)	106 (99%)	1 (1%)	78	88
4	N	107/116 (92%)	105 (98%)	2 (2%)	57	76
5	H	33/33 (100%)	32 (97%)	1 (3%)	41	66
5	P	33/33 (100%)	33 (100%)	0	100	100
6	I	316/407 (78%)	303 (96%)	13 (4%)	30	59
6	R	314/407 (77%)	295 (94%)	19 (6%)	18	51
All	All	1990/2514 (79%)	1930 (97%)	60 (3%)	44	66

All (60) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	ASP
1	A	303	ARG
2	B	22	ARG
2	B	59	TYR
2	B	78	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	103	CYS
2	B	146	LEU
2	B	154	ASP
2	B	214	ARG
2	B	294	CYS
1	C	28	GLN
1	C	303	ARG
1	C	325	TYR
2	D	59	TYR
2	D	78	LYS
2	D	134	ARG
2	D	214	ARG
2	D	234	PHE
2	D	239	ASN
2	D	245	SER
2	D	291	ASP
2	D	294	CYS
2	D	322	ASP
3	E	58	GLU
4	F	57	SER
5	H	17	SER
6	I	112	TRP
6	I	120	LEU
6	I	138	PHE
6	I	154	TRP
6	I	167	TYR
6	I	173	PHE
6	I	185	ASP
6	I	191	TYR
6	I	211	TYR
6	I	288	PHE
6	I	296	TYR
6	I	472	LYS
6	I	475	SER
4	N	21	SER
4	N	85	SER
6	R	32	MET
6	R	48	CYS
6	R	112	TRP
6	R	120	LEU
6	R	138	PHE
6	R	145	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	R	154	TRP
6	R	173	PHE
6	R	179	ARG
6	R	191	TYR
6	R	214	ARG
6	R	236	SER
6	R	288	PHE
6	R	314	PHE
6	R	385	LEU
6	R	404	ARG
6	R	424	PHE
6	R	441	MET
6	R	475	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
5	P	9	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-34598. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256



Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 267




Y Index: 242




Z Index: 184


6.3.2 Raw map



X Index: 266



Y Index: 252




Z Index: 240


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.386. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 98 nm^3 ; this corresponds to an approximate mass of 89 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.266 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.266 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.76	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	6.35	9.56	7.15

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 6.35 differs from the reported value 3.76 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-34598 and PDB model 8HAO. Per-residue inclusion information can be found in section [3](#) on page [6](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.386 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.386).



























9.4 Atom inclusion [i](#)



At the recommended contour level, 59% of all backbone atoms, 42% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.386) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.4160	 0.2060
A	 0.4950	 0.2590
B	 0.4460	 0.2270
C	 0.4650	 0.2180
D	 0.4580	 0.2380
E	 0.3850	 0.1550
F	 0.4430	 0.2330
G	 0.3680	 0.2010
H	 0.3850	 0.1730
I	 0.3150	 0.1410
N	 0.4760	 0.2740
P	 0.3430	 0.1590
R	 0.3640	 0.1640

