



# wwPDB X-ray Structure Validation Summary Report ⓘ

Nov 7, 2023 – 02:11 AM JST

PDB ID : 8HCJ  
Title : Structure of GH43 family enzyme, Xylan 1, 4 Beta- xylosidase from pseudopedobacter saltans  
Authors : Vishwakarma, P.; Sachdeva, E.; Goyal, A.; Ethayathulla, A.S.; Das, U.; Kaur, P.  
Deposited on : 2022-11-01  
Resolution : 2.57 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.57 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1279 (2.58-2.54)
Clashscore	141614	1327 (2.58-2.54)
Ramachandran outliers	138981	1312 (2.58-2.54)
Sidechain outliers	138945	1312 (2.58-2.54)
RSRZ outliers	127900	1269 (2.58-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	453	
1	B	453	
1	C	453	
1	D	453	
1	E	453	
1	F	453	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	G	453	 <p>% 83% 11% • 5%</p>
1	H	453	 <p>85% 9% • •</p>

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 28771 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Xylan 1,4-beta-xylosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	D	433	3433	2210	564	643	16	0	0	0
1	E	433	3433	2210	564	643	16	0	0	0
1	H	433	3433	2210	564	643	16	0	0	0
1	A	433	3430	2208	564	643	15	0	0	0
1	B	433	3430	2208	564	643	15	0	0	0
1	G	432	3421	2203	562	641	15	0	0	0
1	C	432	3425	2205	563	642	15	0	0	0
1	F	432	3425	2205	563	642	15	0	0	0

There are 168 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	1	MET	-	initiating methionine	UNP F0S5E9
D	2	GLY	-	expression tag	UNP F0S5E9
D	3	SER	-	expression tag	UNP F0S5E9
D	4	SER	-	expression tag	UNP F0S5E9
D	5	HIS	-	expression tag	UNP F0S5E9
D	6	HIS	-	expression tag	UNP F0S5E9
D	7	HIS	-	expression tag	UNP F0S5E9
D	8	HIS	-	expression tag	UNP F0S5E9
D	9	HIS	-	expression tag	UNP F0S5E9
D	10	HIS	-	expression tag	UNP F0S5E9
D	11	SER	-	expression tag	UNP F0S5E9
D	12	SER	-	expression tag	UNP F0S5E9
D	13	GLY	-	expression tag	UNP F0S5E9

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	14	LEU	-	expression tag	UNP F0S5E9
D	15	VAL	-	expression tag	UNP F0S5E9
D	16	PRO	-	expression tag	UNP F0S5E9
D	17	ARG	-	expression tag	UNP F0S5E9
D	18	GLY	-	expression tag	UNP F0S5E9
D	19	SER	-	expression tag	UNP F0S5E9
D	20	HIS	-	expression tag	UNP F0S5E9
D	21	MET	-	expression tag	UNP F0S5E9
E	1	MET	-	initiating methionine	UNP F0S5E9
E	2	GLY	-	expression tag	UNP F0S5E9
E	3	SER	-	expression tag	UNP F0S5E9
E	4	SER	-	expression tag	UNP F0S5E9
E	5	HIS	-	expression tag	UNP F0S5E9
E	6	HIS	-	expression tag	UNP F0S5E9
E	7	HIS	-	expression tag	UNP F0S5E9
E	8	HIS	-	expression tag	UNP F0S5E9
E	9	HIS	-	expression tag	UNP F0S5E9
E	10	HIS	-	expression tag	UNP F0S5E9
E	11	SER	-	expression tag	UNP F0S5E9
E	12	SER	-	expression tag	UNP F0S5E9
E	13	GLY	-	expression tag	UNP F0S5E9
E	14	LEU	-	expression tag	UNP F0S5E9
E	15	VAL	-	expression tag	UNP F0S5E9
E	16	PRO	-	expression tag	UNP F0S5E9
E	17	ARG	-	expression tag	UNP F0S5E9
E	18	GLY	-	expression tag	UNP F0S5E9
E	19	SER	-	expression tag	UNP F0S5E9
E	20	HIS	-	expression tag	UNP F0S5E9
E	21	MET	-	expression tag	UNP F0S5E9
H	1	MET	-	initiating methionine	UNP F0S5E9
H	2	GLY	-	expression tag	UNP F0S5E9
H	3	SER	-	expression tag	UNP F0S5E9
H	4	SER	-	expression tag	UNP F0S5E9
H	5	HIS	-	expression tag	UNP F0S5E9
H	6	HIS	-	expression tag	UNP F0S5E9
H	7	HIS	-	expression tag	UNP F0S5E9
H	8	HIS	-	expression tag	UNP F0S5E9
H	9	HIS	-	expression tag	UNP F0S5E9
H	10	HIS	-	expression tag	UNP F0S5E9
H	11	SER	-	expression tag	UNP F0S5E9
H	12	SER	-	expression tag	UNP F0S5E9
H	13	GLY	-	expression tag	UNP F0S5E9

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
H	14	LEU	-	expression tag	UNP F0S5E9
H	15	VAL	-	expression tag	UNP F0S5E9
H	16	PRO	-	expression tag	UNP F0S5E9
H	17	ARG	-	expression tag	UNP F0S5E9
H	18	GLY	-	expression tag	UNP F0S5E9
H	19	SER	-	expression tag	UNP F0S5E9
H	20	HIS	-	expression tag	UNP F0S5E9
H	21	MET	-	expression tag	UNP F0S5E9
A	1	MET	-	initiating methionine	UNP F0S5E9
A	2	GLY	-	expression tag	UNP F0S5E9
A	3	SER	-	expression tag	UNP F0S5E9
A	4	SER	-	expression tag	UNP F0S5E9
A	5	HIS	-	expression tag	UNP F0S5E9
A	6	HIS	-	expression tag	UNP F0S5E9
A	7	HIS	-	expression tag	UNP F0S5E9
A	8	HIS	-	expression tag	UNP F0S5E9
A	9	HIS	-	expression tag	UNP F0S5E9
A	10	HIS	-	expression tag	UNP F0S5E9
A	11	SER	-	expression tag	UNP F0S5E9
A	12	SER	-	expression tag	UNP F0S5E9
A	13	GLY	-	expression tag	UNP F0S5E9
A	14	LEU	-	expression tag	UNP F0S5E9
A	15	VAL	-	expression tag	UNP F0S5E9
A	16	PRO	-	expression tag	UNP F0S5E9
A	17	ARG	-	expression tag	UNP F0S5E9
A	18	GLY	-	expression tag	UNP F0S5E9
A	19	SER	-	expression tag	UNP F0S5E9
A	20	HIS	-	expression tag	UNP F0S5E9
A	21	MET	-	expression tag	UNP F0S5E9
B	1	MET	-	initiating methionine	UNP F0S5E9
B	2	GLY	-	expression tag	UNP F0S5E9
B	3	SER	-	expression tag	UNP F0S5E9
B	4	SER	-	expression tag	UNP F0S5E9
B	5	HIS	-	expression tag	UNP F0S5E9
B	6	HIS	-	expression tag	UNP F0S5E9
B	7	HIS	-	expression tag	UNP F0S5E9
B	8	HIS	-	expression tag	UNP F0S5E9
B	9	HIS	-	expression tag	UNP F0S5E9
B	10	HIS	-	expression tag	UNP F0S5E9
B	11	SER	-	expression tag	UNP F0S5E9
B	12	SER	-	expression tag	UNP F0S5E9
B	13	GLY	-	expression tag	UNP F0S5E9

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	14	LEU	-	expression tag	UNP F0S5E9
B	15	VAL	-	expression tag	UNP F0S5E9
B	16	PRO	-	expression tag	UNP F0S5E9
B	17	ARG	-	expression tag	UNP F0S5E9
B	18	GLY	-	expression tag	UNP F0S5E9
B	19	SER	-	expression tag	UNP F0S5E9
B	20	HIS	-	expression tag	UNP F0S5E9
B	21	MET	-	expression tag	UNP F0S5E9
G	1	MET	-	initiating methionine	UNP F0S5E9
G	2	GLY	-	expression tag	UNP F0S5E9
G	3	SER	-	expression tag	UNP F0S5E9
G	4	SER	-	expression tag	UNP F0S5E9
G	5	HIS	-	expression tag	UNP F0S5E9
G	6	HIS	-	expression tag	UNP F0S5E9
G	7	HIS	-	expression tag	UNP F0S5E9
G	8	HIS	-	expression tag	UNP F0S5E9
G	9	HIS	-	expression tag	UNP F0S5E9
G	10	HIS	-	expression tag	UNP F0S5E9
G	11	SER	-	expression tag	UNP F0S5E9
G	12	SER	-	expression tag	UNP F0S5E9
G	13	GLY	-	expression tag	UNP F0S5E9
G	14	LEU	-	expression tag	UNP F0S5E9
G	15	VAL	-	expression tag	UNP F0S5E9
G	16	PRO	-	expression tag	UNP F0S5E9
G	17	ARG	-	expression tag	UNP F0S5E9
G	18	GLY	-	expression tag	UNP F0S5E9
G	19	SER	-	expression tag	UNP F0S5E9
G	20	HIS	-	expression tag	UNP F0S5E9
G	21	MET	-	expression tag	UNP F0S5E9
C	1	MET	-	initiating methionine	UNP F0S5E9
C	2	GLY	-	expression tag	UNP F0S5E9
C	3	SER	-	expression tag	UNP F0S5E9
C	4	SER	-	expression tag	UNP F0S5E9
C	5	HIS	-	expression tag	UNP F0S5E9
C	6	HIS	-	expression tag	UNP F0S5E9
C	7	HIS	-	expression tag	UNP F0S5E9
C	8	HIS	-	expression tag	UNP F0S5E9
C	9	HIS	-	expression tag	UNP F0S5E9
C	10	HIS	-	expression tag	UNP F0S5E9
C	11	SER	-	expression tag	UNP F0S5E9
C	12	SER	-	expression tag	UNP F0S5E9
C	13	GLY	-	expression tag	UNP F0S5E9

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	14	LEU	-	expression tag	UNP F0S5E9
C	15	VAL	-	expression tag	UNP F0S5E9
C	16	PRO	-	expression tag	UNP F0S5E9
C	17	ARG	-	expression tag	UNP F0S5E9
C	18	GLY	-	expression tag	UNP F0S5E9
C	19	SER	-	expression tag	UNP F0S5E9
C	20	HIS	-	expression tag	UNP F0S5E9
C	21	MET	-	expression tag	UNP F0S5E9
F	1	MET	-	initiating methionine	UNP F0S5E9
F	2	GLY	-	expression tag	UNP F0S5E9
F	3	SER	-	expression tag	UNP F0S5E9
F	4	SER	-	expression tag	UNP F0S5E9
F	5	HIS	-	expression tag	UNP F0S5E9
F	6	HIS	-	expression tag	UNP F0S5E9
F	7	HIS	-	expression tag	UNP F0S5E9
F	8	HIS	-	expression tag	UNP F0S5E9
F	9	HIS	-	expression tag	UNP F0S5E9
F	10	HIS	-	expression tag	UNP F0S5E9
F	11	SER	-	expression tag	UNP F0S5E9
F	12	SER	-	expression tag	UNP F0S5E9
F	13	GLY	-	expression tag	UNP F0S5E9
F	14	LEU	-	expression tag	UNP F0S5E9
F	15	VAL	-	expression tag	UNP F0S5E9
F	16	PRO	-	expression tag	UNP F0S5E9
F	17	ARG	-	expression tag	UNP F0S5E9
F	18	GLY	-	expression tag	UNP F0S5E9
F	19	SER	-	expression tag	UNP F0S5E9
F	20	HIS	-	expression tag	UNP F0S5E9
F	21	MET	-	expression tag	UNP F0S5E9

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	D	2	Total Ca 2 2	0	0
2	E	2	Total Ca 2 2	0	0
2	H	2	Total Ca 2 2	0	0
2	A	2	Total Ca 2 2	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total 2	Ca 2	0	0
2	G	2	Total 2	Ca 2	0	0
2	C	2	Total 2	Ca 2	0	0
2	F	2	Total 2	Ca 2	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	D	145	Total 145	O 145	0	0
3	E	208	Total 208	O 208	0	0
3	H	194	Total 194	O 194	0	0
3	A	157	Total 157	O 157	0	0
3	B	173	Total 173	O 173	0	0
3	G	136	Total 136	O 136	0	0
3	C	179	Total 179	O 179	0	0
3	F	133	Total 133	O 133	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Xylan 1,4-beta-xylosidase




- Molecule 1: Xylan 1,4-beta-xylosidase




- Molecule 1: Xylan 1,4-beta-xylosidase





- Molecule 1: Xylan 1,4-beta-xylosidase









- Molecule 1: Xylan 1,4-beta-xylosidase





- Molecule 1: Xylan 1,4-beta-xylosidase



- Molecule 1: Xylan 1,4-beta-xylosidase



- Molecule 1: Xylan 1,4-beta-xylosidase





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	73.34Å 89.66Å 138.44Å 102.73° 93.98° 98.24°	Depositor
Resolution (Å)	134.29 – 2.57 134.29 – 2.57	Depositor EDS
% Data completeness (in resolution range)	95.4 (134.29-2.57) 95.4 (134.29-2.57)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.11 (at 2.58Å)	Xtrriage
Refinement program	REFMAC 5.8.0352	Depositor
R, $R_{free}$	0.163 , 0.209 0.167 , 0.176	Depositor DCC
$R_{free}$ test set	5112 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	30.2	Xtrriage
Anisotropy	0.566	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 44.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	28771	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	33.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 15.34% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.57	2/3533 (0.1%)	0.76	0/4798
1	B	0.55	0/3533	0.77	1/4798 (0.0%)
1	C	0.59	1/3528 (0.0%)	0.76	0/4791
1	D	0.56	0/3536	0.77	2/4801 (0.0%)
1	E	0.58	0/3536	0.76	1/4801 (0.0%)
1	F	0.55	0/3528	0.76	1/4791 (0.0%)
1	G	0.55	0/3524	0.74	0/4786
1	H	0.59	1/3536 (0.0%)	0.74	0/4801
All	All	0.57	4/28254 (0.0%)	0.76	5/38367 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	176	GLU	CD-OE1	6.99	1.33	1.25
1	A	296	GLU	CD-OE1	5.71	1.31	1.25
1	H	203	GLU	CD-OE1	5.33	1.31	1.25
1	C	396	GLU	CD-OE1	5.11	1.31	1.25

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	52	ASP	CB-CG-OD2	-9.62	109.64	118.30
1	D	377	ARG	NE-CZ-NH2	-6.46	117.07	120.30
1	E	377	ARG	NE-CZ-NH2	-5.61	117.49	120.30
1	D	126	ASP	CB-CG-OD2	-5.28	113.55	118.30
1	F	42	ARG	NE-CZ-NH2	-5.08	117.76	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3430	0	3290	37	0
1	B	3430	0	3290	18	0
1	C	3425	0	3288	30	0
1	D	3433	0	3297	27	0
1	E	3433	0	3297	18	0
1	F	3425	0	3288	31	0
1	G	3421	0	3282	34	0
1	H	3433	0	3297	30	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
2	E	2	0	0	0	0
2	F	2	0	0	0	0
2	G	2	0	0	0	0
2	H	2	0	0	0	0
3	A	157	0	0	5	0
3	B	173	0	0	3	0
3	C	179	0	0	7	0
3	D	145	0	0	1	0
3	E	208	0	0	1	0
3	F	133	0	0	0	0
3	G	136	0	0	3	0
3	H	194	0	0	0	0
All	All	28771	0	26329	221	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 221 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:372:SER:O	1:G:420:LYS:HD3	1.74	0.87
1:G:22:GLN:HA	1:G:293:CYS:HB3	1.55	0.87
1:H:345:LYS:HG2	1:H:346:VAL:HG13	1.65	0.79

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:144:GLU:HG2	1:H:145:TRP:N	2.01	0.74
1:A:178:MET:CE	3:A:693:HOH:O	2.36	0.71

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	431/453 (95%)	410 (95%)	19 (4%)	2 (0%)	29	39
1	B	431/453 (95%)	410 (95%)	20 (5%)	1 (0%)	47	58
1	C	430/453 (95%)	412 (96%)	17 (4%)	1 (0%)	47	58
1	D	431/453 (95%)	409 (95%)	22 (5%)	0	100	100
1	E	431/453 (95%)	415 (96%)	16 (4%)	0	100	100
1	F	430/453 (95%)	407 (95%)	20 (5%)	3 (1%)	22	29
1	G	430/453 (95%)	410 (95%)	20 (5%)	0	100	100
1	H	431/453 (95%)	411 (95%)	20 (5%)	0	100	100
All	All	3445/3624 (95%)	3284 (95%)	154 (4%)	7 (0%)	47	58

5 of 7 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	200	GLY
1	F	202	PRO
1	F	198	ARG
1	F	182	SER
1	A	230	LEU



### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	363/381 (95%)	351 (97%)	12 (3%)	38	50
1	B	363/381 (95%)	352 (97%)	11 (3%)	41	53
1	C	363/381 (95%)	351 (97%)	12 (3%)	38	50
1	D	364/381 (96%)	352 (97%)	12 (3%)	38	50
1	E	364/381 (96%)	355 (98%)	9 (2%)	47	61
1	F	363/381 (95%)	351 (97%)	12 (3%)	38	50
1	G	362/381 (95%)	347 (96%)	15 (4%)	30	41
1	H	364/381 (96%)	354 (97%)	10 (3%)	44	58
All	All	2906/3048 (95%)	2813 (97%)	93 (3%)	39	51

5 of 93 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	197	LYS
1	C	177	ASP
1	G	203	GLU
1	G	420	LYS
1	C	309	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 12 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	159	GLN
1	G	337	HIS
1	F	159	GLN
1	C	159	GLN
1	H	101	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 16 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	433/453 (95%)	-0.40	1 (0%) 95 97	17, 31, 59, 126	0
1	B	433/453 (95%)	-0.36	6 (1%) 75 81	17, 30, 61, 115	0
1	C	432/453 (95%)	-0.43	4 (0%) 84 89	15, 27, 56, 116	0
1	D	433/453 (95%)	-0.37	3 (0%) 87 91	17, 29, 57, 107	0
1	E	433/453 (95%)	-0.43	1 (0%) 95 97	15, 25, 54, 112	0
1	F	432/453 (95%)	-0.39	4 (0%) 84 89	18, 32, 65, 130	0
1	G	432/453 (95%)	-0.31	3 (0%) 87 91	17, 34, 66, 104	0
1	H	433/453 (95%)	-0.52	2 (0%) 91 94	16, 25, 46, 109	0
All	All	3461/3624 (95%)	-0.40	24 (0%) 87 91	15, 29, 59, 130	0

The worst 5 of 24 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	203	GLU	4.9
1	E	145	TRP	4.3
1	B	202	PRO	4.3
1	B	145	TRP	3.6
1	H	145	TRP	3.6

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	CA	F	501	1/1	0.96	0.05	43,43,43,43	0
2	CA	B	501	1/1	0.97	0.05	48,48,48,48	0
2	CA	H	502	1/1	0.97	0.06	24,24,24,24	0
2	CA	F	502	1/1	0.97	0.07	22,22,22,22	0
2	CA	A	501	1/1	0.98	0.05	38,38,38,38	0
2	CA	G	501	1/1	0.98	0.05	56,56,56,56	0
2	CA	B	502	1/1	0.99	0.09	22,22,22,22	0
2	CA	E	501	1/1	0.99	0.04	42,42,42,42	0
2	CA	G	502	1/1	0.99	0.08	22,22,22,22	0
2	CA	C	501	1/1	0.99	0.05	37,37,37,37	0
2	CA	C	502	1/1	0.99	0.05	20,20,20,20	0
2	CA	A	502	1/1	0.99	0.06	28,28,28,28	0
2	CA	D	501	1/1	0.99	0.04	33,33,33,33	0
2	CA	H	501	1/1	1.00	0.08	43,43,43,43	0
2	CA	D	502	1/1	1.00	0.06	23,23,23,23	0
2	CA	E	502	1/1	1.00	0.09	25,25,25,25	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around CA F 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CA B 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CA H 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around CA F 502:**



$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around CA A 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around CA G 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CA B 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CA E 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around CA G 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CA C 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around CA C 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around CA A 502:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around CA D 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CA H 501:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around CA D 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.