



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 11, 2021 – 05:34 PM EDT

PDB ID : 2HEN  
Title : Crystal Structure of the EphB2 Receptor Kinase domain in complex with ADP  
Authors : Wybenga-Groot, L.E.; Sicheri, F.; Pawson, T.  
Deposited on : 2006-06-21  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.23.2  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	286	72% 18% 9%
1	B	286	71% 19% 9%
1	C	286	69% 21% 9%
1	D	286	68% 20% 9%

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8564 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ephrin type-B receptor 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	259	2049	1300	356	375	18	8	0	0
1	B	259	2029	1288	350	373	18	4	0	0
1	C	259	2046	1299	356	373	18	4	0	0
1	D	259	2027	1286	350	373	18	8	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	621	SER	-	cloning artifact	UNP P54763
A	754	ALA	ASP	engineered mutation	UNP P54763
B	621	SER	-	cloning artifact	UNP P54763
B	754	ALA	ASP	engineered mutation	UNP P54763
C	621	SER	-	cloning artifact	UNP P54763
C	754	ALA	ASP	engineered mutation	UNP P54763
D	621	SER	-	cloning artifact	UNP P54763
D	754	ALA	ASP	engineered mutation	UNP P54763

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total 1	Mg 1	0	0
2	B	1	Total 1	Mg 1	0	0
2	C	1	Total 1	Mg 1	0	0
2	D	1	Total 1	Mg 1	0	0

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
4	A	100	Total	O	0	0
			100	100		
4	B	74	Total	O	0	0
			74	74		
4	C	55	Total	O	0	0
			55	55		
4	D	72	Total	O	0	0
			72	72		

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Ephrin type-B receptor 2

Chain A: 




- Molecule 1: Ephrin type-B receptor 2

Chain B: 




- Molecule 1: Ephrin type-B receptor 2

Chain C: 



- Molecule 1: Ephrin type-B receptor 2

Chain D:  68% 20% 9%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	60.80Å 98.30Å 114.17Å 90.00° 90.18° 90.00°	Depositor
Resolution (Å)	23.72 – 2.60 23.72 – 2.60	Depositor EDS
% Data completeness (in resolution range)	97.1 (23.72-2.60) 96.4 (23.72-2.60)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.36 (at 2.60Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.205 , 0.260 0.194 , 0.250	Depositor DCC
$R_{free}$ test set	4156 reflections (10.07%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	32.2	Xtrriage
Anisotropy	0.306	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 11.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.468 for h,-k,-l	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	8564	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	32.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.76% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.42	0/2093	0.57	0/2829
1	B	0.38	0/2073	0.55	0/2808
1	C	0.41	0/2090	0.56	0/2825
1	D	0.38	0/2071	0.55	0/2805
All	All	0.40	0/8327	0.56	0/11267

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2049	0	2029	39	0
1	B	2029	0	1979	43	0
1	C	2046	0	2027	43	0
1	D	2027	0	1981	51	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	27	0	12	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	27	0	12	0	0
3	C	27	0	12	0	0
3	D	27	0	12	0	0
4	A	100	0	0	1	0
4	B	74	0	0	0	0
4	C	55	0	0	0	0
4	D	72	0	0	0	0
All	All	8564	0	8064	176	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (176) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:899:LYS:HD2	1:D:900:ALA:H	1.24	1.02
1:D:687:HIS:HE1	1:D:689:ASN:HD22	1.12	0.96
1:A:668:THR:H	1:A:671:GLN:HE21	1.16	0.88
1:A:682:MET:HE1	1:A:691:ILE:HG22	1.54	0.88
1:D:899:LYS:HD2	1:D:900:ALA:N	1.90	0.86
1:C:668:THR:H	1:C:671:GLN:HE21	1.24	0.85
1:D:632:GLU:HG3	1:D:646:GLY:HA2	1.67	0.77
1:A:668:THR:H	1:A:671:GLN:NE2	1.84	0.75
1:C:682:MET:HE1	1:C:691:ILE:HG22	1.68	0.73
1:C:660:ILE:HG12	1:C:706:ILE:HD12	1.70	0.73
1:C:681:ILE:O	1:C:684:GLN:HG2	1.89	0.73
1:D:687:HIS:CE1	1:D:689:ASN:HD22	2.01	0.72
1:A:687:HIS:HE1	1:A:689:ASN:HD22	1.37	0.72
1:D:691:ILE:HG13	1:D:771:SER:HB3	1.72	0.72
1:D:760:ILE:HD13	1:D:768:CYS:HB3	1.73	0.70
1:D:890:LYS:HA	1:D:893:ARG:HE	1.57	0.69
1:D:681:ILE:O	1:D:684:GLN:HG2	1.93	0.69
1:B:632:GLU:HG3	1:B:646:GLY:HA2	1.76	0.68
1:B:668:THR:H	1:B:671:GLN:NE2	1.93	0.66
1:B:688:PRO:O	1:B:769:LYS:HE2	1.95	0.66
1:C:672:ARG:HH11	1:C:672:ARG:HG3	1.60	0.65
1:B:668:THR:H	1:B:671:GLN:HE21	1.46	0.63
1:B:691:ILE:HD11	1:B:761:LEU:HD12	1.79	0.63
1:D:658:VAL:HG22	1:D:707:THR:O	1.99	0.63
1:A:681:ILE:O	1:A:684:GLN:HG2	1.98	0.62
1:D:688:PRO:O	1:D:769:LYS:HE2	2.00	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:682:MET:HE3	1:B:691:ILE:HG22	1.80	0.62
1:A:697:VAL:HG21	1:A:704:MET:HE3	1.80	0.62
1:D:763:ASN:HD21	1:D:767:VAL:H	1.47	0.61
1:D:668:THR:H	1:D:671:GLN:NE2	1.99	0.60
1:D:682:MET:HE3	1:D:691:ILE:HG22	1.82	0.60
1:A:727:THR:OG1	1:A:730:GLN:HG3	2.02	0.60
1:B:763:ASN:ND2	1:B:767:VAL:HB	2.17	0.60
1:C:738:ILE:HD13	1:C:760:ILE:HD13	1.84	0.59
1:B:763:ASN:HD21	1:B:767:VAL:HB	1.67	0.59
1:C:687:HIS:HE1	1:C:689:ASN:HD22	1.50	0.58
1:A:697:VAL:HG21	1:A:704:MET:CE	2.34	0.58
1:A:890:LYS:HA	1:A:893:ARG:HH11	1.68	0.58
1:C:727:THR:HG23	1:C:730:GLN:HE21	1.67	0.58
1:B:641:GLY:HA2	1:B:664:LYS:HG3	1.85	0.58
1:B:727:THR:OG1	1:B:730:GLN:HG3	2.03	0.58
1:C:668:THR:H	1:C:671:GLN:NE2	1.97	0.58
1:A:822:ILE:HD12	1:A:871:TRP:HE1	1.68	0.57
1:B:835:TYR:HD1	1:B:838:MET:HE3	1.70	0.57
1:C:845:ASN:O	1:C:849:GLN:HG2	2.06	0.56
1:D:668:THR:H	1:D:671:GLN:HE21	1.53	0.56
1:C:672:ARG:HG3	1:C:672:ARG:NH1	2.18	0.56
1:D:763:ASN:ND2	1:D:767:VAL:H	2.03	0.55
1:A:687:HIS:CE1	1:A:689:ASN:HD22	2.23	0.55
1:A:649:LYS:HE3	1:A:653:LYS:O	2.06	0.55
1:C:798:ILE:HG13	1:C:799:ARG:N	2.21	0.55
1:D:629:VAL:HG11	1:D:704:MET:HE1	1.89	0.55
1:C:860:PRO:HD2	1:C:863:LEU:HD12	1.88	0.54
1:B:687:HIS:CG	1:B:688:PRO:HD2	2.41	0.54
1:B:691:ILE:HG13	1:B:771:SER:HB3	1.89	0.54
1:B:691:ILE:CD1	1:B:761:LEU:HD12	2.38	0.54
1:B:758:ARG:HH11	1:B:758:ARG:HB2	1.72	0.54
1:B:758:ARG:HB2	1:B:758:ARG:NH1	2.22	0.54
1:A:771:SER:OG	1:A:772:ASP:N	2.41	0.54
1:B:881:PHE:O	1:B:885:VAL:HG23	2.08	0.53
1:C:660:ILE:HG12	1:C:706:ILE:CD1	2.38	0.53
1:D:631:ILE:H	1:D:631:ILE:HD12	1.74	0.52
1:D:855:PRO:HG3	1:D:864:HIS:ND1	2.25	0.52
1:C:687:HIS:CG	1:C:688:PRO:HD2	2.44	0.52
1:A:706:ILE:HD12	1:A:706:ILE:N	2.24	0.51
1:A:822:ILE:HD12	1:A:871:TRP:NE1	2.25	0.51
1:D:855:PRO:HG3	1:D:864:HIS:CG	2.46	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:687:HIS:HD2	1:B:689:ASN:HB2	1.75	0.51
1:A:893:ARG:O	1:A:895:PRO:HD3	2.11	0.51
1:C:697:VAL:HG21	1:C:704:MET:HE2	1.93	0.51
1:C:844:ILE:O	1:C:848:GLU:HG3	2.11	0.51
1:B:727:THR:H	1:B:730:GLN:HE21	1.58	0.50
1:D:735:LEU:HD21	1:D:827:VAL:HG21	1.94	0.50
1:B:706:ILE:HD12	1:B:706:ILE:N	2.27	0.50
1:D:648:LEU:HD22	1:D:650:LEU:HG	1.91	0.50
1:D:691:ILE:CG1	1:D:771:SER:HB3	2.38	0.50
1:C:701:THR:HG23	1:C:702:PRO:HA	1.93	0.50
1:C:802:ALA:HB1	1:C:804:GLU:OE2	2.11	0.50
1:D:763:ASN:C	1:D:763:ASN:HD22	2.14	0.50
1:B:687:HIS:CD2	1:B:689:ASN:HB2	2.47	0.49
1:D:687:HIS:HE1	1:D:689:ASN:ND2	1.95	0.49
1:C:752:HIS:O	1:C:753:ARG:HB2	2.13	0.49
1:B:804:GLU:H	1:B:804:GLU:CD	2.15	0.49
1:C:821:GLY:HA2	1:C:824:MET:HE3	1.95	0.48
1:D:890:LYS:CB	1:D:893:ARG:HH21	2.25	0.48
1:C:843:VAL:O	1:C:847:ILE:HG12	2.12	0.48
1:D:715:LEU:HD22	1:D:760:ILE:HD11	1.95	0.48
1:B:697:VAL:HG21	1:B:704:MET:HE2	1.94	0.48
1:C:863:LEU:CD2	1:C:891:MET:SD	3.02	0.48
1:B:855:PRO:HG3	1:B:864:HIS:CG	2.48	0.48
1:A:765:ASN:O	1:A:766:LEU:HB2	2.14	0.48
1:B:687:HIS:CD2	1:B:689:ASN:H	2.32	0.48
1:A:801:THR:HG22	1:A:805:ALA:HB3	1.96	0.48
1:A:839:THR:HG22	1:A:841:GLN:H	1.77	0.48
1:C:719:LEU:HD13	1:C:827:VAL:HA	1.97	0.47
1:B:719:LEU:HD13	1:B:827:VAL:HA	1.96	0.47
1:D:727:THR:H	1:D:730:GLN:HE21	1.63	0.47
1:C:893:ARG:C	1:C:895:PRO:HD3	2.35	0.47
1:C:691:ILE:HG13	1:C:761:LEU:HD12	1.96	0.47
1:A:890:LYS:HA	1:A:893:ARG:NH1	2.29	0.47
1:C:863:LEU:HD23	1:C:891:MET:SD	2.55	0.47
1:A:626:ILE:HD13	1:A:704:MET:HE2	1.95	0.46
1:C:890:LYS:HA	1:C:893:ARG:NH1	2.30	0.46
1:D:897:SER:HA	1:D:899:LYS:HE3	1.96	0.46
1:A:691:ILE:HG13	1:A:761:LEU:HD12	1.96	0.46
1:A:829:SER:HB3	1:A:832:GLU:HB3	1.96	0.46
1:C:753:ARG:HG2	1:C:811:PHE:CD2	2.51	0.46
1:D:728:VAL:O	1:D:732:VAL:HG23	2.15	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:801:THR:HG22	1:C:805:ALA:HB3	1.98	0.46
1:C:728:VAL:O	1:C:732:VAL:HG23	2.16	0.46
1:C:849:GLN:O	1:C:850:ASP:HB2	2.16	0.46
1:C:697:VAL:HG21	1:C:704:MET:CE	2.46	0.46
1:A:821:GLY:HA2	1:A:824:MET:HE3	1.98	0.46
1:D:763:ASN:ND2	1:D:763:ASN:C	2.69	0.46
1:C:887:THR:O	1:C:891:MET:HG3	2.16	0.46
1:A:687:HIS:CG	1:A:688:PRO:HD2	2.52	0.45
1:B:890:LYS:HA	1:B:893:ARG:HE	1.81	0.45
1:B:743:LYS:HE3	1:B:747:ASP:OD2	2.15	0.45
1:C:893:ARG:O	1:C:895:PRO:HD3	2.16	0.45
1:B:728:VAL:O	1:B:732:VAL:HG23	2.15	0.45
1:D:753:ARG:HG2	1:D:811:PHE:CD2	2.51	0.45
1:D:803:PRO:O	1:D:807:GLN:HG2	2.16	0.45
1:B:687:HIS:ND1	1:B:688:PRO:HD2	2.32	0.45
1:B:734:MET:HB3	1:B:768:CYS:SG	2.57	0.45
1:C:660:ILE:HG23	1:C:706:ILE:HD13	1.99	0.45
1:C:771:SER:OG	1:C:772:ASP:N	2.50	0.45
1:D:631:ILE:HD12	1:D:631:ILE:N	2.32	0.45
1:D:678:GLU:HA	1:D:773:PHE:O	2.17	0.45
1:A:697:VAL:CG2	1:A:704:MET:HE3	2.47	0.45
1:B:839:THR:O	1:B:843:VAL:HG23	2.17	0.45
1:B:855:PRO:HG3	1:B:864:HIS:ND1	2.32	0.45
1:C:839:THR:HG22	1:C:840:ASN:N	2.32	0.45
1:D:752:HIS:O	1:D:753:ARG:HB2	2.17	0.45
1:A:802:ALA:HB1	1:A:804:GLU:OE2	2.17	0.44
1:D:853:LEU:HA	1:D:854:PRO:HD3	1.80	0.44
1:A:708:GLU:HG2	4:A:129:HOH:O	2.17	0.44
1:B:855:PRO:HG3	1:B:864:HIS:CE1	2.53	0.44
1:D:821:GLY:O	1:D:824:MET:HB2	2.18	0.43
1:C:727:THR:H	1:C:730:GLN:HE21	1.65	0.43
1:D:633:GLN:HE21	1:D:633:GLN:HB2	1.65	0.43
1:D:855:PRO:HG3	1:D:864:HIS:CE1	2.53	0.43
1:A:805:ALA:O	1:A:809:ARG:HA	2.19	0.43
1:A:822:ILE:HD12	1:A:822:ILE:N	2.34	0.43
1:A:824:MET:O	1:A:828:MET:HG2	2.19	0.43
1:D:719:LEU:HD13	1:D:827:VAL:HA	2.01	0.43
1:D:804:GLU:H	1:D:804:GLU:CD	2.22	0.43
1:D:691:ILE:HD11	1:D:761:LEU:HD12	2.00	0.43
1:C:798:ILE:HD13	1:C:844:ILE:HG13	2.01	0.43
1:C:832:GLU:HG3	1:C:833:ARG:N	2.33	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:650:LEU:HD12	1:A:653:LYS:HE2	2.01	0.42
1:B:682:MET:HB3	1:B:773:PHE:CD1	2.54	0.42
1:D:818:TRP:CE3	1:D:871:TRP:HA	2.54	0.42
1:C:839:THR:O	1:C:843:VAL:HG23	2.19	0.42
1:A:839:THR:O	1:A:843:VAL:HG23	2.20	0.42
1:A:839:THR:HG22	1:A:840:ASN:N	2.33	0.42
1:B:724:GLY:HA2	1:B:830:TYR:CE2	2.54	0.42
1:B:821:GLY:O	1:B:824:MET:HB2	2.20	0.42
1:D:799:ARG:HD3	1:D:834:PRO:O	2.19	0.41
1:D:735:LEU:CD2	1:D:827:VAL:HG21	2.49	0.41
1:D:824:MET:HE1	1:D:866:LEU:HD22	2.02	0.41
1:B:641:GLY:CA	1:B:664:LYS:HG3	2.49	0.41
1:B:853:LEU:HA	1:B:854:PRO:HD3	1.78	0.41
1:A:672:ARG:HH11	1:A:672:ARG:HG3	1.85	0.41
1:B:747:ASP:C	1:B:749:ASN:H	2.24	0.41
1:B:835:TYR:CD1	1:B:838:MET:HE3	2.51	0.41
1:D:810:LYS:HE3	1:D:810:LYS:HA	2.02	0.41
1:D:658:VAL:HG21	1:D:706:ILE:HG22	2.03	0.41
1:A:681:ILE:CG2	1:A:773:PHE:HB3	2.51	0.41
1:A:715:LEU:HD13	1:A:762:VAL:HG21	2.03	0.41
1:B:894:ASN:N	1:B:895:PRO:HD3	2.36	0.40
1:C:853:LEU:HA	1:C:854:PRO:HD3	1.87	0.40
1:D:760:ILE:C	1:D:760:ILE:HD12	2.41	0.40
1:B:801:THR:HG22	1:B:805:ALA:HB3	2.03	0.40
1:A:724:GLY:HA2	1:A:830:TYR:CZ	2.56	0.40
1:D:691:ILE:CD1	1:D:761:LEU:HD12	2.51	0.40
1:A:821:GLY:HA2	1:A:824:MET:CE	2.51	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	255/286 (89%)	244 (96%)	11 (4%)	0	100	100
1	B	255/286 (89%)	245 (96%)	9 (4%)	1 (0%)	34	57
1	C	255/286 (89%)	244 (96%)	10 (4%)	1 (0%)	34	57
1	D	255/286 (89%)	237 (93%)	18 (7%)	0	100	100
All	All	1020/1144 (89%)	970 (95%)	48 (5%)	2 (0%)	47	71

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	900	ALA
1	B	699	LYS

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	224/250 (90%)	218 (97%)	6 (3%)	44	71
1	B	218/250 (87%)	215 (99%)	3 (1%)	67	85
1	C	223/250 (89%)	216 (97%)	7 (3%)	40	66
1	D	219/250 (88%)	207 (94%)	12 (6%)	21	43
All	All	884/1000 (88%)	856 (97%)	28 (3%)	39	65

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	765	ASN
1	A	804	GLU
1	A	849	GLN
1	A	850	ASP
1	A	866	LEU
1	A	894	ASN
1	B	717	SER
1	B	758	ARG
1	B	848	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	633	GLN
1	C	672	ARG
1	C	725	GLN
1	C	765	ASN
1	C	798	ILE
1	C	804	GLU
1	C	866	LEU
1	D	633	GLN
1	D	648	LEU
1	D	658	VAL
1	D	760	ILE
1	D	763	ASN
1	D	800	TRP
1	D	804	GLU
1	D	810	LYS
1	D	837	ASP
1	D	849	GLN
1	D	894	ASN
1	D	899	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	671	GLN
1	A	689	ASN
1	A	730	GLN
1	B	671	GLN
1	B	687	HIS
1	B	689	ASN
1	B	692	HIS
1	B	730	GLN
1	B	752	HIS
1	B	840	ASN
1	B	883	GLN
1	C	633	GLN
1	C	671	GLN
1	C	689	ASN
1	C	730	GLN
1	D	633	GLN
1	D	671	GLN
1	D	689	ASN
1	D	730	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	763	ASN
1	D	883	GLN
1	D	896	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	ADP	B	401	2	24,29,29	0.98	1 (4%)	29,45,45	1.51	5 (17%)
3	ADP	A	400	2	24,29,29	1.02	1 (4%)	29,45,45	1.52	5 (17%)
3	ADP	C	402	2	24,29,29	1.03	1 (4%)	29,45,45	1.50	5 (17%)
3	ADP	D	403	2	24,29,29	1.02	1 (4%)	29,45,45	1.51	5 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	B	401	2	-	2/12/32/32	0/3/3/3
3	ADP	A	400	2	-	2/12/32/32	0/3/3/3
3	ADP	C	402	2	-	2/12/32/32	0/3/3/3
3	ADP	D	403	2	-	2/12/32/32	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	402	ADP	C2-N1	3.46	1.40	1.33
3	B	401	ADP	C2-N1	3.41	1.40	1.33
3	D	403	ADP	C2-N1	3.37	1.40	1.33
3	A	400	ADP	C2-N1	3.25	1.39	1.33

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	400	ADP	N3-C2-N1	-3.71	122.88	128.68
3	D	403	ADP	N3-C2-N1	-3.60	123.05	128.68
3	B	401	ADP	C5-C6-N6	3.55	125.75	120.35
3	B	401	ADP	N3-C2-N1	-3.47	123.26	128.68
3	C	402	ADP	N3-C2-N1	-3.42	123.33	128.68
3	C	402	ADP	C5-C6-N6	3.37	125.47	120.35
3	D	403	ADP	C5-C6-N6	3.33	125.42	120.35
3	A	400	ADP	C5-C6-N6	3.32	125.39	120.35
3	B	401	ADP	C5-C6-N1	-2.79	114.03	120.35
3	B	401	ADP	C2-N1-C6	2.73	123.43	118.75
3	C	402	ADP	C5-C6-N1	-2.72	114.18	120.35
3	D	403	ADP	C5-C6-N1	-2.72	114.18	120.35
3	A	400	ADP	C2-N1-C6	2.72	123.41	118.75
3	C	402	ADP	C3'-C2'-C1'	2.70	105.04	100.98
3	A	400	ADP	C5-C6-N1	-2.68	114.27	120.35
3	A	400	ADP	C3'-C2'-C1'	2.67	105.00	100.98
3	D	403	ADP	C2-N1-C6	2.65	123.28	118.75
3	C	402	ADP	C2-N1-C6	2.63	123.25	118.75
3	D	403	ADP	C3'-C2'-C1'	2.15	104.22	100.98
3	B	401	ADP	C3'-C2'-C1'	2.07	104.10	100.98

There are no chirality outliers.


All (8) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	A	400	ADP	PA-O3A-PB-O3B
3	B	401	ADP	PA-O3A-PB-O3B
3	C	402	ADP	PA-O3A-PB-O3B
3	D	403	ADP	PA-O3A-PB-O3B
3	A	400	ADP	PA-O3A-PB-O2B
3	B	401	ADP	PA-O3A-PB-O2B
3	C	402	ADP	PA-O3A-PB-O2B
3	D	403	ADP	PA-O3A-PB-O2B


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	259/286 (90%)	-0.62	0 100 100	13, 27, 49, 80	4 (1%)
1	B	259/286 (90%)	-0.53	0 100 100	17, 34, 52, 61	2 (0%)
1	C	259/286 (90%)	-0.59	0 100 100	11, 27, 51, 76	2 (0%)
1	D	259/286 (90%)	-0.55	0 100 100	15, 34, 50, 65	2 (0%)
All	All	1036/1144 (90%)	-0.57	0 100 100	11, 31, 51, 80	10 (0%)

There are no RSRZ outliers to report.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	MG	C	406	1/1	0.84	0.14	49,49,49,49	0
2	MG	A	404	1/1	0.88	0.11	56,56,56,56	0
2	MG	B	405	1/1	0.94	0.09	39,39,39,39	0
2	MG	D	407	1/1	0.96	0.09	46,46,46,46	0

*Continued on next page...*

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	ADP	B	401	27/27	0.96	0.12	29,36,54,54	0
3	ADP	C	402	27/27	0.96	0.13	24,40,62,63	0
3	ADP	D	403	27/27	0.96	0.12	26,37,55,56	0
3	ADP	A	400	27/27	0.97	0.15	24,37,62,63	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







**Electron density around ADP C 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around ADP D 403:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.