



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 21, 2023 – 10:19 AM JST

PDB ID : 8HGK  
Title : Crystal structure of human ClpP in complex with ZK53  
Authors : Yang, C.-G.; Gan, J.H.; Zhou, L.-L.  
Deposited on : 2022-11-14  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.











Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	222	
1	B	222	
1	C	222	
1	D	222	
1	E	222	
1	F	222	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	222	 <p>3% 75% 20%</p>
1	H	222	 <p>5% 76% 22%</p>
1	I	222	 <p>5% 76% 5% 19%</p>
1	J	222	 <p>5% 75% 21%</p>
1	K	222	 <p>3% 75% 5% 20%</p>
1	L	222	 <p>4% 76% 20%</p>
1	M	222	 <p>4% 76% 5% 19%</p>
1	N	222	 <p>5% 77% 19%</p>

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 19792 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ATP-dependent Clp protease proteolytic subunit, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	181	1371	877	234	248	12	0	0	0
1	B	175	1328	851	225	239	13	0	0	0
1	C	177	1345	861	229	243	12	0	0	0
1	D	177	1346	861	229	243	13	0	0	0
1	E	181	1374	877	233	251	13	0	0	0
1	F	177	1363	873	228	249	13	0	0	0
1	G	177	1353	863	228	250	12	0	0	0
1	H	174	1327	850	224	240	13	0	1	0
1	I	179	1351	864	228	246	13	0	0	0
1	J	176	1341	860	228	240	13	0	0	0
1	K	177	1358	867	228	250	13	0	1	0
1	L	178	1368	874	232	249	13	0	1	0
1	M	180	1361	869	232	247	13	0	0	0
1	N	180	1359	870	234	243	12	0	0	0

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	56	SER	-	expression tag	UNP Q16740
B	56	SER	-	expression tag	UNP Q16740
C	56	SER	-	expression tag	UNP Q16740
D	56	SER	-	expression tag	UNP Q16740
E	56	SER	-	expression tag	UNP Q16740
F	56	SER	-	expression tag	UNP Q16740
G	56	SER	-	expression tag	UNP Q16740
H	56	SER	-	expression tag	UNP Q16740
I	56	SER	-	expression tag	UNP Q16740
J	56	SER	-	expression tag	UNP Q16740
K	56	SER	-	expression tag	UNP Q16740
L	56	SER	-	expression tag	UNP Q16740
M	56	SER	-	expression tag	UNP Q16740
N	56	SER	-	expression tag	UNP Q16740

- Molecule 2 is 4-[[3,5-bis(fluoranyl)phenyl]methyl]-N-[(4-bromophenyl)methyl]piperazine-1-carboxamide (three-letter code: ZLL) (formula: C<sub>19</sub>H<sub>20</sub>BrF<sub>2</sub>N<sub>3</sub>O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	Br	C	F	N	O		
2	A	1	Total 26	Br 1	C 19	F 2	N 3	O 1	0	0
2	A	1	Total 26	Br 1	C 19	F 2	N 3	O 1	0	0
2	C	1	Total 26	Br 1	C 19	F 2	N 3	O 1	0	0
2	D	1	Total 26	Br 1	C 19	F 2	N 3	O 1	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	Br	C	F	N	O		
2	E	1	Total 26	Br 1	C 19	F 2	N 3	O 1	0	0
2	F	1	Total 26	Br 1	C 19	F 2	N 3	O 1	0	0
2	G	1	Total 26	Br 1	C 19	F 2	N 3	O 1	0	0
2	H	1	Total 26	Br 1	C 19	F 2	N 3	O 1	0	0
2	I	1	Total 26	Br 1	C 19	F 2	N 3	O 1	0	0
2	J	1	Total 26	Br 1	C 19	F 2	N 3	O 1	0	0
2	K	1	Total 26	Br 1	C 19	F 2	N 3	O 1	0	0
2	L	1	Total 26	Br 1	C 19	F 2	N 3	O 1	0	0
2	L	1	Total 26	Br 1	C 19	F 2	N 3	O 1	0	0
2	N	1	Total 26	Br 1	C 19	F 2	N 3	O 1	0	0

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total 1	Mg 1	0	0
3	E	1	Total 1	Mg 1	0	0
3	F	1	Total 1	Mg 1	0	0
3	G	1	Total 1	Mg 1	0	0
3	M	1	Total 1	Mg 1	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	24	Total 24	O 24	0	0
4	B	22	Total 22	O 22	0	0

Continued on next page...


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	17	Total 17	O 17	0	0
4	D	31	Total 31	O 31	0	0
4	E	63	Total 63	O 63	0	0
4	F	60	Total 60	O 60	0	0
4	G	22	Total 22	O 22	0	0
4	H	21	Total 21	O 21	0	0
4	I	22	Total 22	O 22	0	0
4	J	41	Total 41	O 41	0	0
4	K	55	Total 55	O 55	0	0
4	L	49	Total 49	O 49	0	0
4	M	29	Total 29	O 29	0	0
4	N	22	Total 22	O 22	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ATP-dependent Clp protease proteolytic subunit, mitochondrial




- Molecule 1: ATP-dependent Clp protease proteolytic subunit, mitochondrial




- Molecule 1: ATP-dependent Clp protease proteolytic subunit, mitochondrial






- Molecule 1: ATP-dependent Clp protease proteolytic subunit, mitochondrial












- Molecule 1: ATP-dependent Clp protease proteolytic subunit, mitochondrial






- Molecule 1: ATP-dependent Clp protease proteolytic subunit, mitochondrial




- Molecule 1: ATP-dependent Clp protease proteolytic subunit, mitochondrial



- Molecule 1: ATP-dependent Clp protease proteolytic subunit, mitochondrial



- Molecule 1: ATP-dependent Clp protease proteolytic subunit, mitochondrial



GLU  
PRO  
THR  
LEU  
VAL  
GLN  
LYS  
GLU  
PRO  
VAL  
GLU  
ALA  
ALA  
PRO  
ALA  
ALA  
GLU  
PRO  
VAL  
VAL  
PRO  
SER  
THR

- Molecule 1: ATP-dependent Clp protease proteolytic subunit, mitochondrial

Chain J: 5% 75% 21%

SER P57 L58 E64 G65 R71 A72 Y73 R81 E82 M88 L98 N120 V148 L157 L170 R174 I177 P180 SER GLY GLY ALA ARG GLN GLN ALA THR ASP ASP ILE A192 L201 L240 H247 P248 P249 GLN ASP GLY GLU ASP

GLU  
PRO  
THR  
LEU  
VAL  
GLN  
LYS  
GLU  
PRO  
VAL  
GLU  
ALA  
ALA  
PRO  
ALA  
ALA  
GLU  
PRO  
VAL  
VAL  
PRO  
SER  
THR

- Molecule 1: ATP-dependent Clp protease proteolytic subunit, mitochondrial

Chain K: 3% 75% 20%

SER PRO L58 G65 THR G69 E70 L79 E82 A131 L170 R174 Q179 SER GLY GLY ALA ARG GLN GLN ALA THR ASP ILE I193 M199 U218 S231 E234 H247 P248 P249 GLN ASP GLY GLU ASP ASP PRO THR LEU VAL GLN LYS

GLU  
PRO  
VAL  
GLU  
ALA  
ALA  
PRO  
ALA  
ALA  
GLU  
PRO  
VAL  
PRO  
ALA  
THR

- Molecule 1: ATP-dependent Clp protease proteolytic subunit, mitochondrial

Chain L: 4% 76% 20%

SER PRO L58 V63 G64 G65 THR G68 E70 R71 A72 R81 D134 V148 L170 R174 P180 SER GLY GLY ALA ARG GLN ALA THR ASP ILE I193 M199 A210 I220 H247 P248 P249 GLN ASP GLY GLU ASP ASP PRO THR LEU VAL GLN

LYS  
GLU  
PRO  
VAL  
GLU  
ALA  
ALA  
PRO  
ALA  
ALA  
GLU  
PRO  
VAL  
PRO  
ALA  
THR

- Molecule 1: ATP-dependent Clp protease proteolytic subunit, mitochondrial

Chain M: 4% 76% 19%

SER PRO L58 R71 A72 Y73 L79 E82 A131 L140 V148 L170 R174 P180 SER GLY GLY ALA ARG GLN ALA THR ASP ILE I193 M199 R200 L201 A210 I220 M233 H247 P248 P249 GLN ASP GLY GLU ASP ASP PRO THR LEU VAL

GLN  
LYS  
GLU  
PRO  
VAL  
GLU  
ALA  
ALA  
PRO  
ALA  
ALA  
GLU  
PRO  
VAL  
PRO  
ALA  
THR

- Molecule 1: ATP-dependent Clp protease proteolytic subunit, mitochondrial

Chain N: 5% 77% 19%

SER PRO L59 V63 E64 G65 T66 G67 R68 G69 E70 E82 M111 D134 L140 V148 S153 R174 I175 Q179 P180 SER GLY GLY ILE ALA ARG GLY GLN ALA THR ASP ILE I193 M199 H247 P248 P249 GLN ASP GLY GLU ASP ASP PRO THR LEU VAL

GLN  
LYS  
GLU  
PRO  
VAL  
GLU  
ALA  
ALA  
PRO  
ALA  
ALA  
GLU  
PRO  
VAL  
PRO  
ALA  
SER  
THR

## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	120.31Å 97.00Å 123.84Å 90.00° 93.98° 90.00°	Depositor
Resolution (Å)	20.53 – 1.90 20.53 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.8 (20.53-1.90) 99.9 (20.53-1.90)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.36 (at 1.90Å)	Xtrriage
Refinement program	REFMAC v5.0	Depositor
R, $R_{free}$	0.186 , 0.221 0.198 , 0.232	Depositor DCC
$R_{free}$ test set	10975 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	33.8	Xtrriage
Anisotropy	0.447	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 36.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	0.024 for l,-k,h	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	19792	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	34.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.43% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZLL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.49	0/1398	0.66	0/1898
1	B	0.43	0/1353	0.63	0/1838
1	C	0.53	0/1370	0.69	0/1860
1	D	0.55	0/1371	0.67	1/1859 (0.1%)
1	E	0.54	0/1400	0.67	0/1899
1	F	0.61	0/1388	0.69	0/1881
1	G	0.48	0/1378	0.64	0/1871
1	H	0.45	0/1355	0.63	0/1839
1	I	0.49	0/1376	0.68	0/1867
1	J	0.49	0/1367	0.70	0/1854
1	K	0.51	0/1386	0.66	0/1879
1	L	0.55	0/1396	0.66	0/1893
1	M	0.48	0/1387	0.68	0/1883
1	N	0.50	0/1385	0.70	0/1880
All	All	0.51	0/19310	0.67	1/26201 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	174	ARG	CG-CD-NE	6.10	124.61	111.80

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1371	0	1382	10	0
1	B	1328	0	1330	8	0
1	C	1345	0	1352	5	0
1	D	1346	0	1352	10	0
1	E	1374	0	1382	8	0
1	F	1363	0	1384	6	0
1	G	1353	0	1348	9	0
1	H	1327	0	1340	6	0
1	I	1351	0	1348	7	0
1	J	1341	0	1356	7	0
1	K	1358	0	1364	7	0
1	L	1368	0	1376	6	0
1	M	1361	0	1363	10	0
1	N	1359	0	1369	8	0
2	A	52	0	0	3	0
2	C	26	0	0	2	0
2	D	26	0	0	0	0
2	E	26	0	0	1	0
2	F	26	0	0	1	0
2	G	26	0	0	1	0
2	H	26	0	0	1	0
2	I	26	0	0	0	0
2	J	26	0	0	1	0
2	K	26	0	0	2	0
2	L	52	0	0	1	0
2	N	26	0	0	0	0
3	A	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	M	1	0	0	0	0
4	A	24	0	0	0	0
4	B	22	0	0	0	0
4	C	17	0	0	0	0
4	D	31	0	0	0	0
4	E	63	0	0	0	0
4	F	60	0	0	0	0
4	G	22	0	0	0	0
4	H	21	0	0	0	0
4	I	22	0	0	1	0
4	J	41	0	0	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	K	55	0	0	0	0
4	L	49	0	0	0	0
4	M	29	0	0	0	0
4	N	22	0	0	0	0
All	All	19792	0	19046	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:88:MET:HG3	1:C:120:ASN:HB3	1.58	0.85
1:D:217:LEU:O	1:D:221:GLU:HG3	1.88	0.72
1:A:131:ALA:HB1	1:B:148:VAL:HG22	1.73	0.69
1:H:148:VAL:HG12	1:H:170:LEU:HD12	1.76	0.68
1:J:148:VAL:HG12	1:J:170:LEU:HD12	1.76	0.68
1:M:131:ALA:HB1	1:N:148:VAL:HG22	1.76	0.67
1:D:148:VAL:HG12	1:D:170:LEU:HD12	1.76	0.67
1:A:148:VAL:HG22	1:G:131:ALA:HB1	1.76	0.67
1:F:148:VAL:HG12	1:F:170:LEU:HD12	1.75	0.67
1:G:148:VAL:HG12	1:G:170:LEU:HD12	1.76	0.67
1:M:148:VAL:HG12	1:M:170:LEU:HD12	1.77	0.67
1:D:131:ALA:HB1	1:E:148:VAL:HG22	1.82	0.62
1:K:131:ALA:HB1	1:L:148:VAL:HG22	1.81	0.62
1:H:131:ALA:HB1	1:I:148:VAL:HG22	1.81	0.61
1:A:98:LEU:HD21	1:B:60:PRO:HD2	1.85	0.58
1:C:79:LEU:HD23	2:C:301:ZLL:BR1	2.60	0.56
1:A:98:LEU:CD2	1:B:60:PRO:HD2	2.36	0.55
1:E:59:ILE:HG13	1:F:58:LEU:HD22	1.89	0.55
1:G:148:VAL:HG12	1:G:170:LEU:CD1	2.38	0.54
1:H:148:VAL:HG12	1:H:170:LEU:CD1	2.38	0.54
1:J:148:VAL:HG12	1:J:170:LEU:CD1	2.38	0.54
1:F:148:VAL:HG12	1:F:170:LEU:CD1	2.38	0.53
1:G:78:ARG:O	1:G:81:ARG:HB3	2.08	0.53
1:A:148:VAL:HG22	1:G:131:ALA:CB	2.40	0.52
1:D:148:VAL:HG12	1:D:170:LEU:CD1	2.38	0.52
1:N:59:ILE:HD12	1:N:59:ILE:N	2.25	0.52
1:M:148:VAL:HG12	1:M:170:LEU:CD1	2.39	0.52
1:M:210:ALA:HA	1:M:220:ILE:CD1	2.40	0.51
1:I:78:ARG:NH1	1:I:82:GLU:OE1	2.37	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:227:ASP:OD2	4:I:401:HOH:O	2.19	0.51
1:J:120:ASN:ND2	4:J:401:HOH:O	2.31	0.50
1:M:131:ALA:CB	1:N:148:VAL:HG22	2.41	0.50
1:A:131:ALA:CB	1:B:148:VAL:HG22	2.40	0.50
1:E:201:LEU:HD11	1:F:174:ARG:NH1	2.27	0.49
1:H:131:ALA:CB	1:I:148:VAL:HG22	2.44	0.48
1:J:201:LEU:HD11	1:K:174:ARG:NH1	2.28	0.48
1:D:199:MET:HG3	1:L:199:MET:HG3	1.96	0.48
2:L:301:ZLL:BR1	1:M:79:LEU:HD23	2.69	0.47
1:E:82:GLU:HG3	2:E:301:ZLL:C7	2.45	0.47
1:G:79:LEU:HD12	2:G:301:ZLL:BR1	2.70	0.47
1:L:210:ALA:HA	1:L:220:ILE:CD1	2.46	0.46
1:D:131:ALA:CB	1:E:148:VAL:HG22	2.44	0.46
1:H:82:GLU:HG2	2:H:301:ZLL:C7	2.46	0.46
1:N:59:ILE:HD12	1:N:59:ILE:H	1.81	0.45
1:J:82:GLU:HG3	2:J:301:ZLL:C7	2.46	0.45
1:D:209:TYR:HB3	1:D:220:ILE:HD12	1.98	0.45
1:E:148:VAL:HG23	1:E:170:LEU:HD12	1.99	0.45
1:A:79:LEU:HD23	2:A:301:ZLL:BR1	2.72	0.45
1:L:134:ASP:HB3	1:M:170:LEU:HD13	1.98	0.45
1:E:199:MET:HG3	1:K:199:MET:HG3	1.99	0.45
1:F:82:GLU:HG2	2:F:301:ZLL:C7	2.47	0.45
1:F:134:ASP:HB3	1:G:170:LEU:HD13	1.99	0.45
1:K:82:GLU:HG3	2:K:301:ZLL:C7	2.48	0.44
1:A:201:LEU:HD11	1:B:174:ARG:NH1	2.33	0.44
1:A:148:VAL:HG23	1:A:170:LEU:HD12	1.99	0.44
1:C:134:ASP:HB3	1:D:170:LEU:HD13	2.00	0.43
1:C:199:MET:HG3	1:M:199:MET:HG3	2.00	0.43
1:G:199:MET:HG3	1:I:199:MET:HG3	2.01	0.43
1:B:148:VAL:HG23	1:B:170:LEU:HD12	1.99	0.43
1:A:82:GLU:HG3	2:A:301:ZLL:C7	2.49	0.42
1:B:199:MET:HG3	1:N:199:MET:HG3	2.01	0.42
1:K:79:LEU:HD12	2:K:301:ZLL:BR1	2.75	0.42
1:K:231:SER:OG	1:K:234:GLU:HG3	2.20	0.42
1:L:148:VAL:HG23	1:L:170:LEU:HD12	2.00	0.42
1:D:80:LEU:HD13	1:D:102:GLN:HE21	1.84	0.42
1:I:134:ASP:HB3	1:J:170:LEU:HD13	2.01	0.42
2:A:302:ZLL:BR1	1:B:79:LEU:HD23	2.75	0.42
1:M:201:LEU:HD11	1:N:174:ARG:NH1	2.35	0.42
1:M:210:ALA:HA	1:M:220:ILE:HD11	2.02	0.42
1:K:131:ALA:CB	1:L:148:VAL:HG22	2.46	0.41

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:N:153:SER:HA	1:N:179:GLN:NE2	2.35	0.41
1:H:170:LEU:HD13	1:N:134:ASP:HB3	2.02	0.41
1:D:98:LEU:HD21	1:E:60:PRO:HD2	2.02	0.41
1:I:97:SER:HB2	1:J:88:MET:HG2	2.00	0.41
1:C:82:GLU:HG2	2:C:301:ZLL:C7	2.51	0.41
1:G:88:MET:HG3	1:G:120:ASN:HB3	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	177/222 (80%)	173 (98%)	4 (2%)	0	100	100
1	B	169/222 (76%)	165 (98%)	4 (2%)	0	100	100
1	C	171/222 (77%)	167 (98%)	4 (2%)	0	100	100
1	D	171/222 (77%)	167 (98%)	4 (2%)	0	100	100
1	E	177/222 (80%)	173 (98%)	4 (2%)	0	100	100
1	F	171/222 (77%)	168 (98%)	3 (2%)	0	100	100
1	G	171/222 (77%)	167 (98%)	4 (2%)	0	100	100
1	H	169/222 (76%)	165 (98%)	4 (2%)	0	100	100
1	I	173/222 (78%)	169 (98%)	4 (2%)	0	100	100
1	J	170/222 (77%)	166 (98%)	4 (2%)	0	100	100
1	K	172/222 (78%)	168 (98%)	4 (2%)	0	100	100
1	L	173/222 (78%)	169 (98%)	4 (2%)	0	100	100
1	M	176/222 (79%)	172 (98%)	4 (2%)	0	100	100
1	N	176/222 (79%)	172 (98%)	4 (2%)	0	100	100
All	All	2416/3108 (78%)	2361 (98%)	55 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	147/186 (79%)	144 (98%)	3 (2%)	55	51
1	B	142/186 (76%)	141 (99%)	1 (1%)	84	84
1	C	144/186 (77%)	139 (96%)	5 (4%)	36	27
1	D	144/186 (77%)	139 (96%)	5 (4%)	36	27
1	E	148/186 (80%)	146 (99%)	2 (1%)	67	65
1	F	150/186 (81%)	148 (99%)	2 (1%)	69	68
1	G	146/186 (78%)	144 (99%)	2 (1%)	67	65
1	H	144/186 (77%)	141 (98%)	3 (2%)	53	48
1	I	144/186 (77%)	140 (97%)	4 (3%)	43	36
1	J	144/186 (77%)	139 (96%)	5 (4%)	36	27
1	K	148/186 (80%)	145 (98%)	3 (2%)	55	51
1	L	148/186 (80%)	145 (98%)	3 (2%)	55	51
1	M	145/186 (78%)	142 (98%)	3 (2%)	53	48
1	N	144/186 (77%)	142 (99%)	2 (1%)	67	65
All	All	2038/2604 (78%)	1995 (98%)	43 (2%)	53	48

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	98	LEU
1	A	174	ARG
1	A	247	HIS
1	B	247	HIS
1	C	81	ARG
1	C	88	MET
1	C	170	LEU
1	C	174	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	247	HIS
1	D	81	ARG
1	D	98	LEU
1	D	174	ARG
1	D	222	SER
1	D	247	HIS
1	E	174	ARG
1	E	247	HIS
1	F	82	GLU
1	F	247	HIS
1	G	88	MET
1	G	247	HIS
1	H	82	GLU
1	H	174	ARG
1	H	247	HIS
1	I	170	LEU
1	I	174	ARG
1	I	217	LEU
1	I	247	HIS
1	J	81	ARG
1	J	88	MET
1	J	98	LEU
1	J	174	ARG
1	J	247	HIS
1	K	170	LEU
1	K	179	GLN
1	K	247	HIS
1	L	81	ARG
1	L	174	ARG
1	L	247	HIS
1	M	82	GLU
1	M	174	ARG
1	M	247	HIS
1	N	82	GLU
1	N	247	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	102	GLN
1	F	204	GLN
1	G	107	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	I	107	GLN
1	I	207	ASN
1	J	107	GLN
1	K	107	GLN
1	N	107	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 5 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	ZLL	H	301	-	28,28,28	3.19	8 (28%)	38,38,38	1.32	5 (13%)
2	ZLL	C	301	-	28,28,28	3.06	7 (25%)	38,38,38	1.39	7 (18%)
2	ZLL	F	301	-	28,28,28	3.06	7 (25%)	38,38,38	1.53	9 (23%)
2	ZLL	A	301	-	28,28,28	2.97	7 (25%)	38,38,38	1.52	5 (13%)
2	ZLL	A	302	-	28,28,28	3.05	7 (25%)	38,38,38	1.24	3 (7%)
2	ZLL	D	301	-	28,28,28	3.05	7 (25%)	38,38,38	1.29	5 (13%)
2	ZLL	J	301	-	28,28,28	3.03	7 (25%)	38,38,38	1.26	6 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	ZLL	L	301	-	28,28,28	2.99	7 (25%)	38,38,38	1.37	6 (15%)
2	ZLL	G	301	-	28,28,28	3.04	6 (21%)	38,38,38	1.37	6 (15%)
2	ZLL	N	301	-	28,28,28	3.05	7 (25%)	38,38,38	1.21	5 (13%)
2	ZLL	E	301	-	28,28,28	3.13	7 (25%)	38,38,38	1.48	5 (13%)
2	ZLL	I	301	-	28,28,28	3.11	7 (25%)	38,38,38	1.30	6 (15%)
2	ZLL	L	302	-	28,28,28	2.97	6 (21%)	38,38,38	1.54	8 (21%)
2	ZLL	K	301	-	28,28,28	3.11	8 (28%)	38,38,38	1.24	4 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ZLL	H	301	-	-	2/13/23/23	0/3/3/3
2	ZLL	C	301	-	-	2/13/23/23	0/3/3/3
2	ZLL	F	301	-	-	2/13/23/23	0/3/3/3
2	ZLL	A	301	-	-	2/13/23/23	0/3/3/3
2	ZLL	A	302	-	-	2/13/23/23	0/3/3/3
2	ZLL	D	301	-	-	2/13/23/23	0/3/3/3
2	ZLL	J	301	-	-	0/13/23/23	0/3/3/3
2	ZLL	L	301	-	-	2/13/23/23	0/3/3/3
2	ZLL	G	301	-	-	2/13/23/23	0/3/3/3
2	ZLL	N	301	-	-	2/13/23/23	0/3/3/3
2	ZLL	E	301	-	-	2/13/23/23	0/3/3/3
2	ZLL	I	301	-	-	2/13/23/23	0/3/3/3
2	ZLL	L	302	-	-	2/13/23/23	0/3/3/3
2	ZLL	K	301	-	-	2/13/23/23	0/3/3/3

All (98) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	K	301	ZLL	C20-C19	-7.44	1.26	1.39
2	H	301	ZLL	C20-C19	-7.23	1.27	1.39
2	A	302	ZLL	C20-C19	-7.14	1.27	1.39
2	C	301	ZLL	C24-C19	-7.10	1.27	1.39
2	E	301	ZLL	C24-C19	-7.07	1.27	1.39
2	N	301	ZLL	C20-C19	-7.06	1.27	1.39

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	L	301	ZLL	C24-C19	-7.03	1.27	1.39
2	C	301	ZLL	C20-C19	-7.03	1.27	1.39
2	G	301	ZLL	C24-C19	-7.00	1.27	1.39
2	D	301	ZLL	C24-C19	-6.99	1.27	1.39
2	A	301	ZLL	C20-C19	-6.96	1.27	1.39
2	L	302	ZLL	C20-C19	-6.94	1.27	1.39
2	H	301	ZLL	C24-C19	-6.93	1.27	1.39
2	I	301	ZLL	C20-C19	-6.92	1.27	1.39
2	F	301	ZLL	C24-C19	-6.91	1.27	1.39
2	E	301	ZLL	C22-C23	-6.89	1.26	1.37
2	J	301	ZLL	C20-C19	-6.86	1.27	1.39
2	J	301	ZLL	C24-C19	-6.81	1.27	1.39
2	A	301	ZLL	C24-C19	-6.79	1.27	1.39
2	E	301	ZLL	C20-C19	-6.78	1.27	1.39
2	I	301	ZLL	C22-C21	-6.77	1.26	1.37
2	F	301	ZLL	C22-C21	-6.72	1.26	1.37
2	G	301	ZLL	C20-C19	-6.70	1.27	1.39
2	I	301	ZLL	C24-C19	-6.69	1.27	1.39
2	D	301	ZLL	C20-C19	-6.68	1.27	1.39
2	H	301	ZLL	C22-C23	-6.68	1.26	1.37
2	H	301	ZLL	C22-C21	-6.67	1.26	1.37
2	A	302	ZLL	C24-C19	-6.67	1.27	1.39
2	K	301	ZLL	C24-C19	-6.66	1.27	1.39
2	G	301	ZLL	C22-C21	-6.63	1.26	1.37
2	E	301	ZLL	C22-C21	-6.61	1.26	1.37
2	I	301	ZLL	C22-C23	-6.61	1.26	1.37
2	K	301	ZLL	C20-C21	-6.57	1.26	1.37
2	L	301	ZLL	C20-C19	-6.50	1.28	1.39
2	F	301	ZLL	C22-C23	-6.49	1.26	1.37
2	N	301	ZLL	C22-C23	-6.48	1.27	1.37
2	L	302	ZLL	C24-C19	-6.45	1.28	1.39
2	D	301	ZLL	C22-C21	-6.44	1.27	1.37
2	N	301	ZLL	C24-C19	-6.40	1.28	1.39
2	F	301	ZLL	C20-C19	-6.39	1.28	1.39
2	G	301	ZLL	C22-C23	-6.33	1.27	1.37
2	D	301	ZLL	C22-C23	-6.28	1.27	1.37
2	J	301	ZLL	C22-C21	-6.25	1.27	1.37
2	A	302	ZLL	C22-C23	-6.24	1.27	1.37
2	A	302	ZLL	C22-C21	-6.23	1.27	1.37
2	A	302	ZLL	C20-C21	-6.21	1.27	1.37
2	N	301	ZLL	C22-C21	-6.20	1.27	1.37
2	L	301	ZLL	C22-C21	-6.17	1.27	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	301	ZLL	C20-C21	-6.16	1.27	1.37
2	J	301	ZLL	C20-C21	-6.15	1.27	1.37
2	H	301	ZLL	C20-C21	-6.15	1.27	1.37
2	C	301	ZLL	C22-C21	-6.14	1.27	1.37
2	A	301	ZLL	C20-C21	-6.14	1.27	1.37
2	L	302	ZLL	C22-C21	-6.14	1.27	1.37
2	J	301	ZLL	C22-C23	-6.13	1.27	1.37
2	N	301	ZLL	C20-C21	-6.12	1.27	1.37
2	H	301	ZLL	C24-C23	-6.10	1.27	1.37
2	E	301	ZLL	C20-C21	-6.07	1.27	1.37
2	D	301	ZLL	C24-C23	-6.07	1.27	1.37
2	K	301	ZLL	C22-C23	-6.06	1.27	1.37
2	L	301	ZLL	C22-C23	-6.05	1.27	1.37
2	K	301	ZLL	C22-C21	-6.04	1.27	1.37
2	I	301	ZLL	C20-C21	-6.00	1.27	1.37
2	L	302	ZLL	C22-C23	-6.00	1.27	1.37
2	C	301	ZLL	C24-C23	-5.94	1.27	1.37
2	L	302	ZLL	C20-C21	-5.88	1.28	1.37
2	N	301	ZLL	C24-C23	-5.85	1.28	1.37
2	C	301	ZLL	C22-C23	-5.80	1.28	1.37
2	A	301	ZLL	C24-C23	-5.79	1.28	1.37
2	G	301	ZLL	C20-C21	-5.78	1.28	1.37
2	F	301	ZLL	C24-C23	-5.77	1.28	1.37
2	I	301	ZLL	C24-C23	-5.76	1.28	1.37
2	A	301	ZLL	C22-C21	-5.72	1.28	1.37
2	D	301	ZLL	C20-C21	-5.71	1.28	1.37
2	A	302	ZLL	C24-C23	-5.69	1.28	1.37
2	L	301	ZLL	C24-C23	-5.68	1.28	1.37
2	G	301	ZLL	C24-C23	-5.61	1.28	1.37
2	E	301	ZLL	C24-C23	-5.60	1.28	1.37
2	L	301	ZLL	C20-C21	-5.60	1.28	1.37
2	K	301	ZLL	C24-C23	-5.58	1.28	1.37
2	F	301	ZLL	C20-C21	-5.58	1.28	1.37
2	L	302	ZLL	C24-C23	-5.55	1.28	1.37
2	J	301	ZLL	C24-C23	-5.54	1.28	1.37
2	A	301	ZLL	C22-C23	-5.22	1.29	1.37
2	L	301	ZLL	BR1-C2	2.83	1.96	1.90
2	K	301	ZLL	BR1-C2	2.67	1.95	1.90
2	F	301	ZLL	BR1-C2	2.43	1.95	1.90
2	A	301	ZLL	BR1-C2	2.41	1.95	1.90
2	E	301	ZLL	F25-C23	-2.38	1.30	1.36
2	H	301	ZLL	BR1-C2	2.33	1.95	1.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	J	301	ZLL	BR1-C2	2.24	1.94	1.90
2	C	301	ZLL	BR1-C2	2.22	1.94	1.90
2	N	301	ZLL	F26-C21	-2.18	1.31	1.36
2	H	301	ZLL	F26-C21	-2.08	1.31	1.36
2	I	301	ZLL	BR1-C2	2.07	1.94	1.90
2	A	302	ZLL	BR1-C2	2.04	1.94	1.90
2	K	301	ZLL	F26-C21	-2.01	1.31	1.36
2	D	301	ZLL	F26-C21	-2.01	1.31	1.36

All (80) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	ZLL	N9-C10-N12	4.66	119.91	117.67
2	E	301	ZLL	N9-C10-N12	-4.11	115.69	117.67
2	A	301	ZLL	C8-N9-C10	-3.87	117.36	120.84
2	E	301	ZLL	BR1-C2-C7	3.72	124.71	119.30
2	C	301	ZLL	C22-C21-C20	-3.57	119.01	123.52
2	E	301	ZLL	BR1-C2-C3	-3.55	114.15	119.30
2	L	302	ZLL	C22-C21-C20	-3.48	119.13	123.52
2	L	302	ZLL	BR1-C2-C7	3.46	124.32	119.30
2	F	301	ZLL	N9-C10-N12	-3.39	116.04	117.67
2	I	301	ZLL	BR1-C2-C7	3.15	123.87	119.30
2	C	301	ZLL	C19-C20-C21	3.09	121.62	118.81
2	D	301	ZLL	C24-C23-C22	-3.09	119.62	123.52
2	F	301	ZLL	F26-C21-C20	3.07	122.64	118.25
2	H	301	ZLL	C24-C23-C22	-3.02	119.70	123.52
2	K	301	ZLL	BR1-C2-C7	2.99	123.65	119.30
2	C	301	ZLL	BR1-C2-C7	2.93	123.56	119.30
2	F	301	ZLL	C22-C21-C20	-2.91	119.84	123.52
2	N	301	ZLL	C24-C23-C22	-2.84	119.93	123.52
2	D	301	ZLL	C8-N9-C10	-2.83	118.29	120.84
2	L	302	ZLL	C24-C23-C22	-2.83	119.94	123.52
2	L	302	ZLL	C23-C22-C21	2.80	120.48	116.13
2	A	302	ZLL	C24-C23-C22	-2.76	120.03	123.52
2	L	302	ZLL	C19-C20-C21	2.73	121.29	118.81
2	G	301	ZLL	BR1-C2-C7	2.72	123.25	119.30
2	F	301	ZLL	BR1-C2-C7	2.71	123.23	119.30
2	D	301	ZLL	C19-C24-C23	2.67	121.24	118.81
2	N	301	ZLL	BR1-C2-C7	2.66	123.16	119.30
2	L	301	ZLL	C22-C21-C20	-2.65	120.17	123.52
2	L	301	ZLL	BR1-C2-C7	2.63	123.12	119.30
2	L	301	ZLL	C24-C23-C22	-2.62	120.21	123.52

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	301	ZLL	C22-C21-C20	-2.61	120.22	123.52
2	J	301	ZLL	C22-C21-C20	-2.61	120.22	123.52
2	L	302	ZLL	BR1-C2-C3	-2.57	115.57	119.30
2	A	301	ZLL	C22-C21-C20	-2.52	120.34	123.52
2	H	301	ZLL	BR1-C2-C7	2.51	122.95	119.30
2	A	302	ZLL	C22-C21-C20	-2.51	120.35	123.52
2	L	301	ZLL	N9-C10-N12	2.46	118.85	117.67
2	C	301	ZLL	C24-C23-C22	-2.45	120.42	123.52
2	G	301	ZLL	C24-C23-C22	-2.45	120.42	123.52
2	I	301	ZLL	C22-C21-C20	-2.45	120.43	123.52
2	I	301	ZLL	C24-C23-C22	-2.45	120.43	123.52
2	I	301	ZLL	F25-C23-C24	2.43	121.72	118.25
2	N	301	ZLL	F25-C23-C24	2.42	121.71	118.25
2	F	301	ZLL	C23-C22-C21	2.41	119.89	116.13
2	J	301	ZLL	C24-C23-C22	-2.40	120.49	123.52
2	J	301	ZLL	BR1-C2-C7	2.39	122.77	119.30
2	C	301	ZLL	C23-C22-C21	2.37	119.82	116.13
2	N	301	ZLL	C23-C22-C21	2.35	119.79	116.13
2	H	301	ZLL	C8-N9-C10	-2.35	118.73	120.84
2	F	301	ZLL	C24-C23-C22	-2.34	120.57	123.52
2	L	301	ZLL	C23-C22-C21	2.33	119.76	116.13
2	J	301	ZLL	C19-C20-C21	2.29	120.89	118.81
2	E	301	ZLL	F25-C23-C24	2.28	121.51	118.25
2	K	301	ZLL	C24-C23-C22	-2.26	120.66	123.52
2	E	301	ZLL	C22-C21-C20	-2.26	120.67	123.52
2	D	301	ZLL	C23-C22-C21	2.26	119.64	116.13
2	G	301	ZLL	C23-C22-C21	2.22	119.59	116.13
2	I	301	ZLL	C23-C22-C21	2.20	119.56	116.13
2	J	301	ZLL	N9-C10-N12	2.20	118.73	117.67
2	A	302	ZLL	C23-C22-C21	2.20	119.55	116.13
2	A	301	ZLL	C19-C20-C21	2.18	120.80	118.81
2	H	301	ZLL	C23-C22-C21	2.18	119.52	116.13
2	A	301	ZLL	C24-C23-C22	-2.18	120.77	123.52
2	D	301	ZLL	C22-C21-C20	-2.16	120.79	123.52
2	H	301	ZLL	C19-C24-C23	2.16	120.77	118.81
2	G	301	ZLL	F25-C23-C24	2.15	121.32	118.25
2	L	302	ZLL	C13-N12-C10	-2.14	114.07	121.94
2	C	301	ZLL	F26-C21-C22	2.13	121.30	118.25
2	K	301	ZLL	F26-C21-C22	2.13	121.29	118.25
2	I	301	ZLL	BR1-C2-C3	-2.13	116.21	119.30
2	N	301	ZLL	C22-C21-C20	-2.13	120.83	123.52
2	F	301	ZLL	C19-C20-C21	2.12	120.74	118.81

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	K	301	ZLL	C19-C20-C21	2.11	120.73	118.81
2	L	302	ZLL	F25-C23-C24	2.11	121.27	118.25
2	F	301	ZLL	C13-N12-C10	-2.10	114.19	121.94
2	G	301	ZLL	F26-C21-C20	2.10	121.26	118.25
2	C	301	ZLL	C13-N12-C10	-2.07	114.32	121.94
2	J	301	ZLL	C23-C22-C21	2.04	119.31	116.13
2	L	301	ZLL	O11-C10-N9	-2.04	118.07	123.53
2	F	301	ZLL	F25-C23-C24	2.00	121.11	118.25

There are no chirality outliers.

All (26) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	301	ZLL	O11-C10-N12-C13
2	A	302	ZLL	O11-C10-N12-C13
2	C	301	ZLL	O11-C10-N12-C13
2	C	301	ZLL	N9-C10-N12-C13
2	E	301	ZLL	O11-C10-N12-C13
2	E	301	ZLL	N9-C10-N12-C13
2	F	301	ZLL	O11-C10-N12-C13
2	G	301	ZLL	O11-C10-N12-C13
2	G	301	ZLL	N9-C10-N12-C13
2	H	301	ZLL	O11-C10-N12-C13
2	I	301	ZLL	O11-C10-N12-C13
2	I	301	ZLL	N9-C10-N12-C13
2	K	301	ZLL	O11-C10-N12-C13
2	L	302	ZLL	O11-C10-N12-C13
2	L	302	ZLL	N9-C10-N12-C13
2	N	301	ZLL	O11-C10-N12-C13
2	N	301	ZLL	N9-C10-N12-C13
2	D	301	ZLL	O11-C10-N12-C13
2	L	301	ZLL	O11-C10-N12-C13
2	A	301	ZLL	N9-C10-N12-C13
2	A	302	ZLL	N9-C10-N12-C13
2	F	301	ZLL	N9-C10-N12-C13
2	H	301	ZLL	N9-C10-N12-C13
2	K	301	ZLL	N9-C10-N12-C13
2	D	301	ZLL	N9-C10-N12-C13
2	L	301	ZLL	N9-C10-N12-C13


There are no ring outliers.




10 monomers are involved in 13 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	H	301	ZLL	1	0
2	C	301	ZLL	2	0
2	F	301	ZLL	1	0
2	A	301	ZLL	2	0
2	A	302	ZLL	1	0
2	J	301	ZLL	1	0
2	L	301	ZLL	1	0
2	G	301	ZLL	1	0
2	E	301	ZLL	1	0
2	K	301	ZLL	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	181/222 (81%)	0.42	18 (9%) 7 8	23, 33, 65, 86	0
1	B	175/222 (78%)	0.24	9 (5%) 28 31	24, 32, 53, 86	0
1	C	177/222 (79%)	0.34	11 (6%) 20 23	21, 32, 60, 89	0
1	D	177/222 (79%)	0.25	8 (4%) 33 36	19, 30, 52, 84	0
1	E	181/222 (81%)	0.17	9 (4%) 28 32	17, 26, 52, 85	0
1	F	177/222 (79%)	0.19	9 (5%) 28 31	16, 25, 52, 83	0
1	G	177/222 (79%)	0.21	6 (3%) 45 48	21, 33, 55, 90	0
1	H	174/222 (78%)	0.40	12 (6%) 16 19	25, 35, 53, 71	0
1	I	179/222 (80%)	0.40	10 (5%) 24 27	25, 35, 63, 74	0
1	J	176/222 (79%)	0.19	10 (5%) 23 26	19, 29, 48, 87	0
1	K	177/222 (79%)	0.10	6 (3%) 45 48	15, 24, 48, 68	0
1	L	178/222 (80%)	0.22	8 (4%) 33 36	16, 24, 54, 87	0
1	M	180/222 (81%)	0.25	8 (4%) 34 37	21, 32, 55, 83	0
1	N	180/222 (81%)	0.53	11 (6%) 21 24	25, 34, 60, 100	0
All	All	2489/3108 (80%)	0.28	135 (5%) 25 29	15, 31, 56, 100	0

All (135) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	N	67	GLY	8.0
1	C	249	PRO	7.3
1	J	192	ALA	7.0
1	D	69	GLY	6.4
1	I	181	SER	6.4
1	M	249	PRO	6.2
1	L	69	GLY	5.8
1	C	65	GLN	5.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	E	66	THR	5.4
1	D	249	PRO	5.3
1	G	69	GLY	5.3
1	H	249	PRO	5.2
1	A	140	LEU	5.2
1	C	192	ALA	5.2
1	A	249	PRO	5.0
1	B	63	VAL	5.0
1	N	63	VAL	4.9
1	H	192	ALA	4.8
1	N	65	GLN	4.5
1	I	69	GLY	4.5
1	E	67	GLY	4.4
1	B	70	GLU	4.3
1	F	70	GLU	4.0
1	A	57	PRO	4.0
1	C	72	ALA	4.0
1	I	249	PRO	4.0
1	H	72	ALA	4.0
1	E	68	ARG	4.0
1	K	249	PRO	3.9
1	C	248	PRO	3.9
1	I	66	THR	3.8
1	A	71	ARG	3.8
1	C	70	GLU	3.8
1	N	66	THR	3.8
1	J	57	PRO	3.8
1	H	157	LEU	3.8
1	A	70	GLU	3.8
1	H	63	VAL	3.7
1	K	69	GLY	3.7
1	J	249	PRO	3.7
1	H	111	ASN	3.6
1	B	72	ALA	3.6
1	N	140	LEU	3.6
1	G	70	GLU	3.6
1	F	249	PRO	3.5
1	L	68	ARG	3.4
1	E	249	PRO	3.3
1	N	249	PRO	3.3
1	K	58	LEU	3.2
1	L	249	PRO	3.2

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	69	GLY	3.2
1	B	249	PRO	3.2
1	L	70	GLU	3.2
1	F	58	LEU	3.1
1	A	247	HIS	3.1
1	F	65	GLN	3.1
1	M	248	PRO	3.1
1	A	63	VAL	3.0
1	L	58	LEU	3.0
1	A	217	LEU	3.0
1	L	72	ALA	3.0
1	J	177	ILE	2.9
1	H	233	MET	2.9
1	C	63	VAL	2.9
1	N	111	ASN	2.9
1	I	65	GLN	2.9
1	L	63	VAL	2.9
1	N	70	GLU	2.9
1	G	140	LEU	2.9
1	A	248	PRO	2.8
1	M	140	LEU	2.8
1	A	157	LEU	2.8
1	N	69	GLY	2.7
1	A	90	PRO	2.7
1	C	71	ARG	2.7
1	G	72	ALA	2.7
1	M	247	HIS	2.7
1	L	65	GLN	2.7
1	M	71	ARG	2.7
1	F	72	ALA	2.6
1	E	65	GLN	2.6
1	H	175	ILE	2.6
1	F	64	GLU	2.6
1	A	66	THR	2.6
1	N	175	ILE	2.6
1	J	71	ARG	2.5
1	K	65	GLN	2.5
1	N	193	ILE	2.5
1	D	70	GLU	2.5
1	E	69	GLY	2.5
1	K	218	GLN	2.5
1	A	58	LEU	2.4

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	E	157	LEU	2.4
1	M	233	MET	2.4
1	F	111	ASN	2.4
1	F	140	LEU	2.4
1	J	64	GLU	2.3
1	I	63	VAL	2.3
1	A	159	LEU	2.3
1	B	140	LEU	2.3
1	H	58	LEU	2.3
1	E	181	SER	2.3
1	J	240	ILE	2.3
1	H	159	LEU	2.3
1	I	177	ILE	2.2
1	K	70	GLU	2.2
1	D	214	LYS	2.2
1	H	158	LEU	2.2
1	I	140	LEU	2.2
1	J	58	LEU	2.2
1	A	73	TYR	2.2
1	D	65	GLN	2.2
1	A	175	ILE	2.2
1	I	70	GLU	2.2
1	G	65	GLN	2.2
1	G	249	PRO	2.1
1	H	248	PRO	2.1
1	B	73	TYR	2.1
1	B	111	ASN	2.1
1	J	73	TYR	2.1
1	M	148	VAL	2.1
1	D	111	ASN	2.1
1	D	233	MET	2.1
1	J	157	LEU	2.1
1	A	68	ARG	2.1
1	C	58	LEU	2.1
1	D	159	LEU	2.1
1	E	248	PRO	2.1
1	I	175	ILE	2.1
1	C	247	HIS	2.0
1	F	247	HIS	2.0
1	B	119	ILE	2.0
1	M	73	TYR	2.0
1	B	193	ILE	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	157	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	ZLL	J	301	26/26	0.77	0.22	47,66,90,160	0
2	ZLL	L	301	26/26	0.80	0.17	44,66,92,145	0
3	MG	E	302	1/1	0.81	0.07	49,49,49,49	0
2	ZLL	H	301	26/26	0.83	0.18	59,83,120,183	0
2	ZLL	A	302	26/26	0.85	0.19	55,73,111,155	0
2	ZLL	K	301	26/26	0.85	0.16	45,60,83,135	0
2	ZLL	C	301	26/26	0.86	0.17	54,74,115,170	0
2	ZLL	A	301	26/26	0.86	0.16	55,73,112,162	0
3	MG	G	302	1/1	0.86	0.10	64,64,64,64	0
2	ZLL	D	301	26/26	0.87	0.17	49,64,86,146	0
2	ZLL	L	302	26/26	0.87	0.16	39,61,96,122	0
2	ZLL	G	301	26/26	0.88	0.17	45,71,109,167	0
2	ZLL	E	301	26/26	0.88	0.17	45,73,105,157	0
2	ZLL	I	301	26/26	0.88	0.17	56,79,112,171	0
2	ZLL	F	301	26/26	0.90	0.15	43,65,106,155	0
2	ZLL	N	301	26/26	0.90	0.14	49,76,113,150	0
3	MG	M	301	1/1	0.90	0.16	62,62,62,62	0
3	MG	A	303	1/1	0.92	0.07	60,60,60,60	0
3	MG	F	302	1/1	0.97	0.07	41,41,41,41	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around ZLL L 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ZLL H 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ZLL A 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around ZLL K 301:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around ZLL C 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ZLL A 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ZLL D 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ZLL L 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ZLL G 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ZLL E 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ZLL I 301:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around ZLL F 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.