



wwPDB X-ray Structure Validation Summary Report ⓘ

Jun 22, 2024 – 08:53 PM EDT

PDB ID : 5HJO
Title : Murine endoplasmic reticulum alpha-glucosidase II with bound substrate analogue
Authors : Caputo, A.T.; Roversi, P.; Alonzi, D.S.; Kiappes, J.L.; Zitzmann, N.
Deposited on : 2016-01-13
Resolution : 2.29 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.37.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	857	 97%
1	C	857	 96%
2	B	83	 98%
2	D	83	 95%
3	E	4	 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	4	 50% 50%
4	G	2	 50% 50%
4	H	2	 50% 50%

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 30426 atoms, of which 14497 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Neutral alpha-glucosidase AB.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	854	13547	4419	6645	1195	1260	28	0	2	0
1	C	854	13554	4422	6647	1195	1262	28	0	3	0

There are 198 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	VAL	deletion	UNP Q8BHN3
A	?	-	PRO	deletion	UNP Q8BHN3
A	?	-	PHE	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	VAL	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	VAL	deletion	UNP Q8BHN3
A	?	-	TRP	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	ILE	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	ASN	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	PHE	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	ARG	deletion	UNP Q8BHN3
A	?	-	GLN	deletion	UNP Q8BHN3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	PRO	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	ASN	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	GLN	deletion	UNP Q8BHN3
A	?	-	PRO	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	THR	deletion	UNP Q8BHN3
A	?	-	PRO	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	PRO	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	THR	deletion	UNP Q8BHN3
A	?	-	GLN	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	THR	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	THR	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	PHE	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	MET	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	TYR	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	GLN	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	945	THR	-	expression tag	UNP Q8BHN3
A	946	SER	-	expression tag	UNP Q8BHN3
A	947	VAL	-	expression tag	UNP Q8BHN3
A	948	LEU	-	expression tag	UNP Q8BHN3
A	949	ILE	-	expression tag	UNP Q8BHN3
A	950	LEU	-	expression tag	UNP Q8BHN3
A	951	ARG	-	expression tag	UNP Q8BHN3
A	952	LYS	-	expression tag	UNP Q8BHN3
A	953	PRO	-	expression tag	UNP Q8BHN3
A	954	GLY	-	expression tag	UNP Q8BHN3
A	955	VAL	-	expression tag	UNP Q8BHN3
A	956	SER	-	expression tag	UNP Q8BHN3
A	957	VAL	-	expression tag	UNP Q8BHN3
A	958	ALA	-	expression tag	UNP Q8BHN3
A	959	SER	-	expression tag	UNP Q8BHN3
A	960	ASP	-	expression tag	UNP Q8BHN3
A	961	TRP	-	expression tag	UNP Q8BHN3
A	962	SER	-	expression tag	UNP Q8BHN3
A	963	ILE	-	expression tag	UNP Q8BHN3
A	964	HIS	-	expression tag	UNP Q8BHN3
A	965	LEU	-	expression tag	UNP Q8BHN3
A	966	ARG	-	expression tag	UNP Q8BHN3
C	?	-	VAL	deletion	UNP Q8BHN3
C	?	-	PRO	deletion	UNP Q8BHN3
C	?	-	PHE	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	VAL	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	VAL	deletion	UNP Q8BHN3
C	?	-	TRP	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	ILE	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	ASN	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	PHE	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	ARG	deletion	UNP Q8BHN3
C	?	-	GLN	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	PRO	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	ASN	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	GLN	deletion	UNP Q8BHN3
C	?	-	PRO	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	THR	deletion	UNP Q8BHN3
C	?	-	PRO	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	PRO	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	THR	deletion	UNP Q8BHN3
C	?	-	GLN	deletion	UNP Q8BHN3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	THR	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	THR	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	PHE	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	MET	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	TYR	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	GLN	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	945	THR	-	expression tag	UNP Q8BHN3
C	946	SER	-	expression tag	UNP Q8BHN3
C	947	VAL	-	expression tag	UNP Q8BHN3
C	948	LEU	-	expression tag	UNP Q8BHN3
C	949	ILE	-	expression tag	UNP Q8BHN3
C	950	LEU	-	expression tag	UNP Q8BHN3
C	951	ARG	-	expression tag	UNP Q8BHN3
C	952	LYS	-	expression tag	UNP Q8BHN3
C	953	PRO	-	expression tag	UNP Q8BHN3
C	954	GLY	-	expression tag	UNP Q8BHN3
C	955	VAL	-	expression tag	UNP Q8BHN3
C	956	SER	-	expression tag	UNP Q8BHN3
C	957	VAL	-	expression tag	UNP Q8BHN3
C	958	ALA	-	expression tag	UNP Q8BHN3
C	959	SER	-	expression tag	UNP Q8BHN3
C	960	ASP	-	expression tag	UNP Q8BHN3
C	961	TRP	-	expression tag	UNP Q8BHN3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	962	SER	-	expression tag	UNP Q8BHN3
C	963	ILE	-	expression tag	UNP Q8BHN3
C	964	HIS	-	expression tag	UNP Q8BHN3
C	965	LEU	-	expression tag	UNP Q8BHN3
C	966	ARG	-	expression tag	UNP Q8BHN3

- Molecule 2 is a protein called Glucosidase 2 subunit beta.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
2	B	83	Total	C	H	N	O	S	0	0	0
			1149	368	533	101	137	10			
2	D	83	Total	C	H	N	O	S	0	0	0
			1149	368	533	101	137	10			

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	H	N	O			
3	E	4	Total	C	H	N	O	0	0	0
			93	28	43	2	20			
3	F	4	Total	C	H	N	O	0	0	0
			93	28	43	2	20			

- Molecule 4 is an oligosaccharide called 2-deoxy-alpha-D-arabino-hexopyranose-(1-3)-D-glucal.




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace	
			Total	O				
4	G	2	Total	C	O	0	0	0
			20	12	8			
4	H	2	Total	C	O	0	0	0
			20	12	8			

- Molecule 5 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	H	O	0	0
			7	2	3	2		
5	C	1	Total	C	H	O	0	0
			7	2	3	2		

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	H	O	0	0
			10	2	6	2		
6	C	1	Total	C	H	O	0	0
			10	2	6	2		

- Molecule 7 is FORMIC ACID (three-letter code: FMT) (formula: CH₂O₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	H	O	0	0
			4	1	1	2		
7	A	1	Total	C	H	O	0	0
			5	1	2	2		
7	A	1	Total	C	H	O	0	0
			5	1	2	2		
7	A	1	Total	C	H	O	0	0
			5	1	2	2		
7	A	1	Total	C	H	O	0	0
			4	1	1	2		
7	A	1	Total	C	H	O	0	0
			4	1	1	2		
7	A	1	Total	C	H	O	0	0
			5	1	2	2		
7	A	1	Total	C	H	O	0	0
			5	1	2	2		
7	A	1	Total	C	H	O	0	0
			5	1	2	2		
7	C	1	Total	C	H	O	0	0
			4	1	1	2		
7	C	1	Total	C	H	O	0	0
			5	1	2	2		
7	C	1	Total	C	H	O	0	0
			5	1	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	C	1	Total	C	H	O	0	0
			5	1	2	2		
7	C	1	Total	C	H	O	0	0
			5	1	2	2		
7	C	1	Total	C	H	O	0	0
			4	1	1	2		
7	C	1	Total	C	H	O	0	0
			5	1	2	2		
7	C	1	Total	C	H	O	0	0
			5	1	2	2		
7	C	1	Total	C	H	O	0	0
			5	1	2	2		

- Molecule 8 is D-glucal (three-letter code: DGO) (formula: C₆H₁₀O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			10	6	4		
8	D	1	Total	C	O	0	0
			10	6	4		

- Molecule 9 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	B	2	Total Ca 2 2	0	0
9	D	2	Total Ca 2 2	0	0


- Molecule 10 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	A	299	Total O 299 299	0	0
10	B	35	Total O 35 35	0	0
10	C	288	Total O 288 288	0	0
10	D	26	Total O 26 26	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Neutral alpha-glucosidase AB




- Molecule 1: Neutral alpha-glucosidase AB



- Molecule 2: Glucosidase 2 subunit beta



- Molecule 2: Glucosidase 2 subunit beta



- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%

MAG1
MAG2
BGA3
MAN4

- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  50% 50%

MAG1
MAG2
BGA3
MAN4

- Molecule 4: 2-deoxy-alpha-D-arabino-hexopyranose-(1-3)-D-glucal

Chain G:  50% 50%

DG01
Z612

- Molecule 4: 2-deoxy-alpha-D-arabino-hexopyranose-(1-3)-D-glucal

Chain H:  50% 50%

DG01
Z612

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	127.05Å 176.44Å 103.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	103.10 – 2.29 103.10 – 2.29	Depositor EDS
% Data completeness (in resolution range)	96.6 (103.10-2.29) 96.6 (103.10-2.29)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.21	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.63 (at 2.29Å)	Xtrriage
Refinement program	BUSTER 2.10.2	Depositor
R, R_{free}	0.204 , 0.236 0.218 , 0.213	Depositor DCC
R_{free} test set	5000 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	36.3	Xtrriage
Anisotropy	0.664	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 43.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	30426	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 18.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, FMT, NAG, BMA, ACT, Z61, DGO, MAN, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.47	0/7118	0.69	3/9686 (0.0%)
1	C	0.51	0/7126	0.70	3/9697 (0.0%)
2	B	0.52	0/628	0.69	0/854
2	D	0.59	0/628	0.74	0/854
All	All	0.50	0/15500	0.70	6/21091 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

There are no bond length outliers.

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	885	ARG	CG-CD-NE	10.21	133.23	111.80
1	A	513	LYS	CD-CE-NZ	-6.41	96.96	111.70
1	C	497	SER	CA-C-N	5.54	127.27	116.20
1	A	467	ARG	CB-CG-CD	5.43	125.73	111.60
1	C	467	ARG	CB-CG-CD	5.19	125.09	111.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	497	SER	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6902	6645	6651	6	0
1	C	6907	6647	6655	8	0
2	B	616	533	533	1	0
2	D	616	533	533	2	0
3	E	50	43	43	0	0
3	F	50	43	43	0	0
4	G	20	0	0	0	0
4	H	20	0	0	0	0
5	A	4	3	3	0	0
5	C	4	3	3	0	0
6	A	4	6	6	0	0
6	C	4	6	6	0	0
7	A	30	17	19	0	0
7	C	30	18	18	0	0
8	B	10	0	0	0	0
8	D	10	0	0	1	0
9	B	2	0	0	0	0
9	D	2	0	0	0	0
10	A	299	0	0	0	0
10	B	35	0	0	0	0
10	C	288	0	0	0	0
10	D	26	0	0	0	0
All	All	15929	14497	14513	17	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

The worst 5 of 17 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:182:ARG:NH1	1:A:263:PRO:HG2	2.27	0.49
1:A:682:LEU:HD23	1:A:711:LEU:HD11	1.93	0.49
1:C:182:ARG:NH1	1:C:263:PRO:HG2	2.27	0.49
1:C:493:ILE:HG23	1:C:499:TYR:CE2	2.49	0.48
1:A:320:SER:O	1:A:627:PHE:HA	2.13	0.47

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	850/857 (99%)	827 (97%)	23 (3%)	0	100	100
1	C	851/857 (99%)	824 (97%)	26 (3%)	1 (0%)	51	64
2	B	81/83 (98%)	80 (99%)	1 (1%)	0	100	100
2	D	81/83 (98%)	79 (98%)	2 (2%)	0	100	100
All	All	1863/1880 (99%)	1810 (97%)	52 (3%)	1 (0%)	51	64

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	576	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	747/748 (100%)	740 (99%)	7 (1%)	78	89
1	C	748/748 (100%)	739 (99%)	9 (1%)	71	84
2	B	72/72 (100%)	72 (100%)	0	100	100
2	D	72/72 (100%)	71 (99%)	1 (1%)	67	81
All	All	1639/1640 (100%)	1622 (99%)	17 (1%)	76	87

5 of 17 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	714	GLN
2	D	53	ASP
1	C	424	ASN
1	C	446	ASP
1	C	552	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	904	HIS
1	C	714	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

12 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	E	1	3,1	14,14,15	0.27	0	17,19,21	0.76	0
3	NAG	E	2	3	14,14,15	0.38	0	17,19,21	0.68	0
3	BMA	E	3	3	11,11,12	0.27	0	15,15,17	0.55	0
3	MAN	E	4	3	11,11,12	0.32	0	15,15,17	0.72	0
3	NAG	F	1	3,1	14,14,15	0.28	0	17,19,21	0.85	1 (5%)
3	NAG	F	2	3	14,14,15	0.38	0	17,19,21	0.68	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	BMA	F	3	3	11,11,12	0.28	0	15,15,17	0.56	0
3	MAN	F	4	3	11,11,12	0.32	0	15,15,17	0.75	1 (6%)
4	DGO	G	1	4	10,10,10	1.42	1 (10%)	12,13,13	2.82	2 (16%)
4	Z61	G	2	4	10,10,11	0.23	0	13,13,15	0.77	0
4	DGO	H	1	4	10,10,10	1.34	1 (10%)	12,13,13	2.74	2 (16%)
4	Z61	H	2	4	10,10,11	0.24	0	13,13,15	0.71	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	E	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	E	2	3	-	0/6/23/26	0/1/1/1
3	BMA	E	3	3	-	0/2/19/22	0/1/1/1
3	MAN	E	4	3	-	0/2/19/22	0/1/1/1
3	NAG	F	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	F	2	3	-	0/6/23/26	0/1/1/1
3	BMA	F	3	3	-	0/2/19/22	0/1/1/1
3	MAN	F	4	3	-	0/2/19/22	0/1/1/1
4	DGO	G	1	4	-	2/2/16/16	0/1/1/1
4	Z61	G	2	4	-	0/2/16/18	0/1/1/1
4	DGO	H	1	4	-	2/2/16/16	0/1/1/1
4	Z61	H	2	4	-	0/2/16/18	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	G	1	DGO	C4-C3	4.40	1.60	1.53
4	H	1	DGO	C4-C3	4.15	1.60	1.53

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	1	DGO	C5-O5-C1	7.50	124.30	114.65
4	H	1	DGO	C5-O5-C1	7.09	123.78	114.65
4	G	1	DGO	O5-C5-C6	-5.63	97.83	106.53
4	H	1	DGO	O5-C5-C6	-5.62	97.84	106.53
3	F	1	NAG	C1-C2-N2	-2.36	106.46	110.49

There are no chirality outliers.


All (4) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
4	G	1	DGO	C4-C5-C6-O6
4	H	1	DGO	C4-C5-C6-O6
4	G	1	DGO	O5-C5-C6-O6
4	H	1	DGO	O5-C5-C6-O6


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







5.6 Ligand geometry [i](#)

Of 30 ligands modelled in this entry, 4 are monoatomic - leaving 26 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
7	FMT	A	1014	-	2,2,2	1.35	0	1,1,1	1.05	0
8	DGO	D	201	-	10,10,10	0.29	0	12,13,13	1.74	2 (16%)
7	FMT	C	1010	-	2,2,2	1.32	0	1,1,1	0.96	0
7	FMT	C	1008	-	2,2,2	2.21	1 (50%)	1,1,1	1.05	0
5	ACT	C	1006	-	3,3,3	1.68	1 (33%)	3,3,3	0.77	0
7	FMT	C	1012	-	2,2,2	1.37	0	1,1,1	1.23	0
7	FMT	C	1011	-	2,2,2	1.54	1 (50%)	1,1,1	0.99	0
7	FMT	A	1010	-	2,2,2	1.60	1 (50%)	1,1,1	0.95	0
7	FMT	C	1016	-	2,2,2	1.37	0	1,1,1	1.03	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	DGO	B	201	-	10,10,10	0.33	0	12,13,13	1.84	4 (33%)
7	FMT	A	1009	-	2,2,2	1.50	1 (50%)	1,1,1	1.01	0
6	EDO	A	1006	-	3,3,3	0.87	0	2,2,2	0.24	0
5	ACT	A	1005	-	3,3,3	1.64	1 (33%)	3,3,3	1.09	0
7	FMT	A	1007	-	2,2,2	1.17	0	1,1,1	1.13	0
7	FMT	A	1013	-	2,2,2	1.63	1 (50%)	1,1,1	0.75	0
7	FMT	A	1012	-	2,2,2	2.00	1 (50%)	1,1,1	1.20	0
7	FMT	C	1013	-	2,2,2	1.17	0	1,1,1	1.12	0
7	FMT	C	1014	-	2,2,2	1.66	1 (50%)	1,1,1	0.76	0
7	FMT	A	1008	-	2,2,2	1.65	1 (50%)	1,1,1	1.06	0
7	FMT	A	1011	-	2,2,2	1.23	0	1,1,1	1.25	0
7	FMT	A	1015	-	2,2,2	1.86	1 (50%)	1,1,1	0.93	0
7	FMT	A	1016	-	2,2,2	1.59	1 (50%)	1,1,1	1.04	0
6	EDO	C	1007	-	3,3,3	0.87	0	2,2,2	0.25	0
7	FMT	C	1015	-	2,2,2	1.17	0	1,1,1	1.09	0
7	FMT	C	1009	-	2,2,2	1.61	1 (50%)	1,1,1	1.04	0
7	FMT	C	1017	-	2,2,2	1.46	0	1,1,1	0.96	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	DGO	B	201	-	-	0/2/16/16	0/1/1/1
8	DGO	D	201	-	-	0/2/16/16	0/1/1/1
6	EDO	C	1007	-	-	0/1/1/1	-
6	EDO	A	1006	-	-	0/1/1/1	-

The worst 5 of 13 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	C	1008	FMT	O1-C	2.86	1.37	1.22
7	A	1012	FMT	O1-C	2.72	1.36	1.22
7	A	1015	FMT	O2-C	2.56	1.41	1.28
5	C	1006	ACT	CH3-C	2.42	1.59	1.49
7	C	1014	FMT	O2-C	2.27	1.40	1.28

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
8	B	201	DGO	C5-O5-C1	4.13	119.97	114.65
8	D	201	DGO	C5-O5-C1	3.95	119.73	114.65
8	D	201	DGO	O5-C5-C6	3.13	111.37	106.53
8	B	201	DGO	O5-C5-C6	2.71	110.72	106.53
8	B	201	DGO	C5-C4-C3	2.71	114.55	110.19

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	D	201	DGO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	854/857 (99%)	0.11	11 (1%) 77 81	28, 43, 73, 104	0
1	C	854/857 (99%)	0.06	5 (0%) 89 92	28, 42, 67, 96	0
2	B	83/83 (100%)	0.50	7 (8%) 11 15	31, 49, 89, 104	0
2	D	83/83 (100%)	0.41	6 (7%) 15 20	31, 47, 93, 106	0
All	All	1874/1880 (99%)	0.12	29 (1%) 73 79	28, 42, 73, 106	0

The worst 5 of 29 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	81	GLY	9.1
2	D	82	TYR	5.0
1	C	814	TYR	4.4
2	B	43	THR	4.3
2	B	82	TYR	4.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MAN	E	4	11/12	0.71	0.23	101,105,106,107	0
3	BMA	F	3	11/12	0.81	0.16	80,87,89,93	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	BMA	E	3	11/12	0.83	0.15	86,96,98,102	0
3	MAN	F	4	11/12	0.86	0.16	97,102,103,103	0
3	NAG	E	2	14/15	0.92	0.12	63,64,72,77	0
3	NAG	F	2	14/15	0.93	0.11	52,56,65,73	0
3	NAG	E	1	14/15	0.95	0.14	43,50,56,58	0
3	NAG	F	1	14/15	0.96	0.12	37,44,48,49	0
4	DGO	G	1	10/10	0.96	0.14	38,44,47,49	0
4	DGO	H	1	10/10	0.96	0.12	42,44,48,50	0
4	Z61	H	2	10/11	0.97	0.15	33,36,39,40	0
4	Z61	G	2	10/11	0.98	0.13	23,33,37,39	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain G:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	ACT	A	1005	4/4	0.81	0.16	42,42,50,51	0
7	FMT	A	1010	3/3	0.81	0.20	60,60,63,65	0
5	ACT	C	1006	4/4	0.83	0.14	38,40,56,56	0
7	FMT	C	1011	3/3	0.84	0.25	59,60,62,64	0
7	FMT	C	1010	3/3	0.86	0.16	54,54,57,59	0
7	FMT	A	1015	3/3	0.87	0.18	48,53,55,56	0
7	FMT	C	1014	3/3	0.87	0.15	55,56,63,65	0
7	FMT	A	1007	3/3	0.88	0.16	55,60,60,63	0
7	FMT	A	1009	3/3	0.90	0.18	63,63,65,65	0
7	FMT	C	1016	3/3	0.90	0.23	69,69,71,73	0
7	FMT	C	1017	3/3	0.90	0.13	68,68,69,69	0
6	EDO	C	1007	4/4	0.91	0.19	39,45,47,47	0
7	FMT	C	1012	3/3	0.91	0.27	56,57,59,59	0
7	FMT	A	1016	3/3	0.91	0.14	53,53,56,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
7	FMT	C	1008	3/3	0.91	0.13	52,56,56,61	0
7	FMT	A	1008	3/3	0.91	0.11	49,51,52,53	0
8	DGO	D	201	10/10	0.91	0.15	40,46,50,53	0
7	FMT	A	1014	3/3	0.92	0.22	62,66,70,70	0
7	FMT	A	1012	3/3	0.93	0.22	50,53,54,57	0
6	EDO	A	1006	4/4	0.93	0.15	35,43,45,46	0
7	FMT	C	1009	3/3	0.94	0.10	51,57,61,61	0
8	DGO	B	201	10/10	0.94	0.12	36,43,46,48	0
7	FMT	A	1013	3/3	0.94	0.11	40,41,44,45	0
7	FMT	C	1015	3/3	0.95	0.09	49,50,54,54	0
7	FMT	A	1011	3/3	0.96	0.16	49,51,52,55	0
7	FMT	C	1013	3/3	0.96	0.12	48,54,54,55	0
9	CA	B	202	1/1	0.97	0.09	39,39,39,39	0
9	CA	B	203	1/1	0.99	0.14	36,36,36,36	0
9	CA	D	202	1/1	0.99	0.10	37,37,37,37	0
9	CA	D	203	1/1	0.99	0.11	36,36,36,36	0

6.5 Other polymers [i](#)

There are no such residues in this entry.