

Full wwPDB X-ray Structure Validation Report (i)

Oct 11, 2021 – 01:04 PM EDT

PDB ID	:	2HKO
Title	:	Crystal structure of LSD1
Authors	:	Chen, Y.; Yang, Y.T.; Wang, F.; Yanane, K.; Zhang, Y.; Lei, M.
Deposited on	:	2006-07-05
Resolution	:	2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.23.2
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.23.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$\begin{array}{c} {\rm Whole \ archive} \\ {\rm (\#Entries)} \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$		
R _{free}	130704	3140 (2.80-2.80)		
Clashscore	141614	3569 (2.80-2.80)		
Ramachandran outliers	138981	3498 (2.80-2.80)		
Sidechain outliers	138945	3500 (2.80-2.80)		
RSRZ outliers	127900	3078 (2.80-2.80)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality	of chain	
_		0.0.1	4%		
1	А	664	51%	40%	5% •



$2 \mathrm{HKO}$

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 5226 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Lysine-specific histone demethylase 1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	А	647	Total 5072	C 3231	N 881	0 941	S 19	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	594	GLN	ARG	engineered mutation	UNP O60341

• Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $\rm C_{27}H_{33}N_9O_{15}P_2).$



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	А	1	Total 53	С 27	N 9	O 15	Р 2	0	0

• Molecule 3 is water.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	101	Total O 101 101	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Lysine-specific histone demethylase 1



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants	187.11Å 187.11Å 106.58Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 120.00°	Depositor
Bosolution (Å)	50.00 - 2.80	Depositor
Resolution (A)	42.83 - 2.80	EDS
% Data completeness	(Not available) (50.00-2.80)	Depositor
(in resolution range)	96.1 (42.83-2.80)	EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$3.69 (at 2.81 \text{\AA})$	Xtriage
Refinement program	CNS 1.1	Depositor
D D .	0.230 , 0.283	Depositor
n, n_{free}	0.221 , 0.273	DCC
R_{free} test set	2622 reflections $(9.90%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	77.9	Xtriage
Anisotropy	0.472	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.32, 68.2	EDS
L-test for $twinning^2$	$ < L >=0.51, < L^2>=0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5226	wwPDB-VP
Average B, all atoms $(Å^2)$	85.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.16% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bo	nd lengths	Bond angles		
	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.49	5/5178~(0.1%)	0.71	9/7019~(0.1%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	1

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	А	640	VAL	CB-CG1	-8.26	1.35	1.52
1	А	640	VAL	CB-CG2	-7.61	1.36	1.52
1	А	640	VAL	CA-CB	-6.73	1.40	1.54
1	А	642	PRO	CB-CG	-6.31	1.18	1.50
1	А	785	SER	CA-CB	5.34	1.60	1.52

All (5) bond length outliers are listed below:

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$\operatorname{Ideal}(^{o})$
1	А	785	SER	N-CA-C	-13.66	74.12	111.00
1	А	785	SER	N-CA-CB	9.79	125.18	110.50
1	А	782	PRO	N-CA-C	6.33	128.55	112.10
1	А	642	PRO	N-CD-CG	-6.03	94.16	103.20
1	А	641	PRO	N-CD-CG	-5.86	94.42	103.20
1	А	634	PRO	N-CA-C	-5.72	97.22	112.10
1	А	784	PRO	C-N-CA	5.70	135.95	121.70
1	А	784	PRO	CA-C-N	-5.40	105.31	117.20



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	369	ALA	N-CA-C	5.37	125.51	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	642	PRO	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	5072	0	5099	320	0
2	А	53	0	31	2	0
3	А	101	0	0	8	0
All	All	5226	0	5130	320	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 31.

All (320) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:672:ASP:HB2	1:A:675:VAL:HG13	1.28	1.15
1:A:732:LYS:HG2	1:A:740:VAL:HG21	1.34	1.08
1:A:566:THR:HG21	1:A:697:LEU:HD11	1.34	1.07
1:A:742:GLN:HG3	1:A:743:PRO:HD2	1.27	1.07
1:A:174:VAL:HG13	1:A:215:ASN:HB3	1.47	0.96
1:A:420:GLU:OE2	1:A:521:LEU:HD21	1.67	0.94
1:A:566:THR:CB	1:A:697:LEU:HD21	1.97	0.94
1:A:204:GLN:HG2	1:A:208:LYS:HE3	1.52	0.89
1:A:672:ASP:O	1:A:675:VAL:HG22	1.76	0.85
1:A:408:LEU:HD23	1:A:544:LEU:HD22	1.59	0.84
1:A:537:GLU:CD	1:A:688:ARG:HH21	1.81	0.84
1:A:649:SER:HB3	1:A:653:ARG:HH12	1.43	0.84



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:566:THR:OG1	1:A:697:LEU:HD21	1.78	0.84
1:A:672:ASP:HB2	1:A:675:VAL:CG1	2.06	0.82
1:A:742:GLN:HG3	1:A:743:PRO:CD	2.09	0.81
1:A:685:THR:O	1:A:688:ARG:HG3	1.79	0.81
1:A:633:GLN:O	1:A:635:PRO:HD3	1.80	0.80
1:A:781:THR:HG22	1:A:792:PRO:HB2	1.64	0.79
1:A:434:ILE:HG22	1:A:438:GLN:NE2	1.97	0.79
1:A:566:THR:HG21	1:A:697:LEU:CD1	2.13	0.79
1:A:585:LYS:HD3	3:A:2793:HOH:O	1.81	0.79
1:A:452:LYS:HE3	1:A:494:TYR:OH	1.84	0.78
1:A:371:PRO:HD2	1:A:374:LYS:HG3	1.67	0.77
1:A:367:GLY:O	1:A:733:GLY:O	2.04	0.76
1:A:354:ALA:O	1:A:566:THR:HG22	1.86	0.75
1:A:553:ASP:HB3	1:A:556:ASP:OD2	1.86	0.74
1:A:781:THR:CG2	1:A:792:PRO:HB2	2.18	0.74
1:A:258:ARG:HH22	1:A:830:LEU:HD12	1.53	0.74
1:A:370:VAL:HG13	1:A:374:LYS:HB2	1.68	0.73
1:A:420:GLU:CD	1:A:521:LEU:HD21	2.09	0.73
1:A:538:PHE:HB2	1:A:708:ALA:HB2	1.71	0.73
1:A:660:ASN:HD21	1:A:751:TRP:H	1.37	0.72
1:A:595:TYR:HD2	1:A:782:PRO:HB3	1.54	0.72
1:A:434:ILE:HG22	1:A:438:GLN:HE21	1.54	0.71
1:A:633:GLN:HA	1:A:633:GLN:OE1	1.90	0.71
1:A:690:GLU:HG3	1:A:715:MET:SD	2.31	0.71
1:A:711:ALA:O	1:A:715:MET:HG3	1.90	0.71
1:A:233:ALA:O	1:A:237:GLN:HG3	1.91	0.70
1:A:276:LYS:N	1:A:276:LYS:HD2	2.06	0.70
1:A:633:GLN:O	1:A:635:PRO:CD	2.39	0.70
1:A:275:THR:C	1:A:276:LYS:HD2	2.12	0.70
1:A:557:ASP:N	1:A:557:ASP:OD1	2.25	0.70
1:A:275:THR:HB	1:A:276:LYS:NZ	2.07	0.69
1:A:677:LEU:O	1:A:678:PHE:HB3	1.91	0.69
1:A:359:LYS:HE2	1:A:361:PRO:HD3	1.73	0.69
1:A:566:THR:CG2	1:A:697:LEU:HD11	2.20	0.69
1:A:632:GLN:HG2	3:A:2840:HOH:O	1.93	0.68
1:A:592:GLN:NE2	1:A:594:GLN:NE2	2.41	0.68
1:A:481:LYS:O	1:A:485:ARG:HB2	1.93	0.68
1:A:700:ALA:HB1	1:A:701:PRO:HD2	1.75	0.68
1:A:278:THR:HG22	1:A:279:GLY:N	2.09	0.68
1:A:380:GLN:O	1:A:384:ARG:HG2	1.92	0.67
1:A:732:LYS:HD3	1:A:737:SER:HA	1.77	0.67



		Interatomic	Clash
Atom-1	Atom-2	distance $(Å)$	overlap (Å)
1:A:441:LEU:O	1:A:445:LEU:HG	1.95	0.67
1:A:698:TYR:O	1:A:700:ALA:N	2.26	0.66
1:A:193:ALA:HB1	1:A:200:ILE:HD12	1.77	0.66
1:A:805:ARG:O	1:A:808:PRO:HD3	1.96	0.66
1:A:696:ASN:O	1:A:698:TYR:N	2.29	0.65
1:A:452:LYS:HE3	1:A:494:TYR:CZ	2.32	0.65
1:A:237:GLN:C	1:A:238:LEU:HD23	2.17	0.65
1:A:456:LYS:O	1:A:460:GLN:HG3	1.97	0.64
1:A:423:VAL:HG21	1:A:520:TYR:HB2	1.79	0.64
1:A:537:GLU:CD	1:A:688:ARG:NH2	2.51	0.63
1:A:438:GLN:O	1:A:442:LYS:HG3	1.98	0.63
1:A:266:ILE:HD13	1:A:577:ALA:HB1	1.81	0.62
1:A:793:ILE:HD11	1:A:795:ARG:NH2	2.14	0.62
1:A:178:ALA:HB2	1:A:215:ASN:OD1	1.99	0.62
1:A:653:ARG:HG3	1:A:653:ARG:HH11	1.64	0.62
1:A:720:ASP:OD1	1:A:750:ARG:NH2	2.32	0.62
1:A:295:ARG:HG3	3:A:2855:HOH:O	2.00	0.61
1:A:444:LEU:HD21	1:A:500:THR:HB	1.82	0.61
1:A:282:ILE:HD11	1:A:616:TYR:HB3	1.82	0.61
1:A:591:ARG:HD2	1:A:605:VAL:CG2	2.30	0.61
1:A:633:GLN:O	1:A:635:PRO:N	2.33	0.61
1:A:595:TYR:CD2	1:A:782:PRO:HB3	2.35	0.61
1:A:684:THR:HG22	1:A:686:ALA:H	1.66	0.61
1:A:695:TRP:HB2	1:A:704:LEU:HB2	1.83	0.61
1:A:671:TRP:NE1	1:A:696:ASN:OD1	2.30	0.60
1:A:342:MET:CE	1:A:815:LEU:HD13	2.32	0.60
1:A:632:GLN:OE1	1:A:636:ALA:HB2	2.00	0.60
1:A:355:LYS:N	1:A:565:LEU:HD23	2.17	0.60
1:A:530:ASP:O	1:A:533:PHE:HB2	2.02	0.60
1:A:434:ILE:O	1:A:438:GLN:HG3	2.03	0.59
1:A:275:THR:HB	1:A:276:LYS:HZ2	1.67	0.59
1:A:273:LEU:HD11	1:A:299:SER:HA	1.85	0.59
1:A:392:LEU:N	1:A:392:LEU:HD23	2.17	0.59
1:A:566:THR:CG2	1:A:697:LEU:HD21	2.32	0.59
1:A:632:GLN:HE22	1:A:758:ARG:HH21	1.51	0.59
1:A:342:MET:HE1	1:A:815:LEU:HD13	1.85	0.59
1:A:270:ILE:CD1	1:A:271:LYS:HG2	2.32	0.58
1:A:205:GLN:O	1:A:209:VAL:HG23	2.04	0.58
1:A:527:GLN:HG2	1:A:682:GLY:O	2.04	0.58
1:A:271:LYS:HG3	1:A:271:LYS:O	2.03	0.58
1:A:537:GLU:OE2	1:A:688:ARG:NH2	2.35	0.58



	A i a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:242:TYR:C	1:A:244:SER:H	2.05	0.58
1:A:680:HIS:HD2	1:A:730:ILE:HG23	1.69	0.58
1:A:209:VAL:HG13	1:A:242:TYR:CE1	2.39	0.57
1:A:270:ILE:HD13	1:A:271:LYS:HG2	1.85	0.57
1:A:319:THR:OG1	1:A:572:SER:HB3	2.05	0.57
1:A:218:LEU:HD23	1:A:262:ILE:HG22	1.87	0.57
1:A:381:GLU:OE1	1:A:520:TYR:OH	2.22	0.57
1:A:235:LEU:HD11	1:A:246:THR:HG22	1.86	0.57
1:A:548:SER:HA	1:A:766:ALA:HA	1.85	0.57
1:A:705:ALA:C	1:A:706:LEU:HD23	2.25	0.57
1:A:269:ARG:HH21	1:A:299:SER:HB3	1.70	0.57
1:A:633:GLN:HB3	1:A:634:PRO:HD3	1.86	0.57
1:A:391:TYR:O	1:A:395:GLN:HB2	2.05	0.56
1:A:270:ILE:HD13	1:A:271:LYS:N	2.20	0.56
1:A:537:GLU:OE2	1:A:543:PRO:HA	2.06	0.56
1:A:592:GLN:NE2	1:A:594:GLN:HE21	2.03	0.56
1:A:374:LYS:O	1:A:378:VAL:HG23	2.05	0.56
1:A:761:TYR:CD1	1:A:809:ALA:HB1	2.39	0.56
1:A:556:ASP:O	1:A:559:GLU:HG2	2.05	0.56
1:A:455:ILE:HD11	1:A:490:LEU:HB3	1.88	0.56
1:A:317:VAL:HG22	1:A:317:VAL:O	2.06	0.56
1:A:663:VAL:HG22	1:A:704:LEU:CD2	2.36	0.56
1:A:650:ALA:O	1:A:654:MET:HG3	2.05	0.55
1:A:194:ALA:O	1:A:197:PRO:HD3	2.07	0.55
1:A:175:GLU:OE1	1:A:175:GLU:HA	2.07	0.55
1:A:197:PRO:O	1:A:200:ILE:HG22	2.06	0.55
1:A:566:THR:HG21	1:A:697:LEU:HD21	1.89	0.55
1:A:591:ARG:HD2	1:A:605:VAL:HG23	1.88	0.55
1:A:355:LYS:HA	1:A:565:LEU:HD23	1.87	0.55
1:A:632:GLN:NE2	1:A:758:ARG:HE	2.04	0.54
1:A:475:THR:O	1:A:475:THR:HG22	2.07	0.54
1:A:422:HIS:O	1:A:426:GLU:HG3	2.08	0.54
1:A:258:ARG:HH12	1:A:830:LEU:CD1	2.21	0.54
1:A:174:VAL:HG13	1:A:215:ASN:CB	2.31	0.54
1:A:355:LYS:CA	1:A:565:LEU:HD23	2.38	0.53
1:A:189:THR:HG22	1:A:190:SER:N	2.23	0.53
1:A:782:PRO:HG3	1:A:795:ARG:HG3	1.90	0.53
1:A:672:ASP:CB	1:A:675:VAL:HG13	2.20	0.53
1:A:444:LEU:O	1:A:448:MET:HG3	2.09	0.53
1:A:623:CYS:SG	1:A:625:LEU:HD12	2.49	0.53
1:A:751:TRP:O	1:A:759:GLY:N	2.42	0.53



	A i a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:312:ARG:NH2	1:A:315:GLY:O	2.42	0.53
1:A:538:PHE:HB2	1:A:708:ALA:CB	2.39	0.52
1:A:340:ASN:HB2	1:A:560:PHE:CD2	2.43	0.52
1:A:475:THR:O	1:A:479:LEU:HB2	2.08	0.52
1:A:680:HIS:CD2	1:A:730:ILE:HG23	2.44	0.52
1:A:336:GLY:C	1:A:337:LEU:HD23	2.30	0.52
1:A:600:CYS:SG	1:A:795:ARG:HB3	2.49	0.52
1:A:270:ILE:HD13	1:A:271:LYS:H	1.75	0.52
1:A:361:PRO:HB2	1:A:363:TYR:HE1	1.73	0.52
1:A:238:LEU:HB2	1:A:243:ASN:HB3	1.92	0.51
1:A:361:PRO:HG2	1:A:678:PHE:HB2	1.91	0.51
1:A:654:MET:SD	1:A:776:MET:HG3	2.50	0.51
1:A:678:PHE:O	1:A:678:PHE:CD1	2.64	0.51
1:A:695:TRP:O	1:A:703:LEU:HD12	2.11	0.51
1:A:740:VAL:HG23	1:A:740:VAL:O	2.10	0.51
1:A:500:THR:HG22	1:A:504:LEU:HG	1.91	0.51
1:A:826:ALA:O	1:A:830:LEU:HG	2.11	0.51
1:A:342:MET:O	1:A:346:SER:HB2	2.11	0.51
1:A:556:ASP:C	1:A:558:PHE:H	2.13	0.51
1:A:487:LEU:O	1:A:487:LEU:HD23	2.10	0.51
1:A:378:VAL:HG11	1:A:528:ILE:HG22	1.93	0.51
1:A:353:LEU:HA	1:A:566:THR:O	2.11	0.50
1:A:420:GLU:OE2	1:A:521:LEU:HD11	2.11	0.50
1:A:574:VAL:O	1:A:578:LEU:HG	2.12	0.50
1:A:807:TYR:N	1:A:808:PRO:CD	2.74	0.50
1:A:382:PHE:CD1	1:A:532:HIS:HB3	2.47	0.50
1:A:180:GLN:NE2	1:A:339:GLY:H	2.09	0.50
1:A:496:GLU:O	1:A:499:GLU:HB3	2.12	0.50
1:A:620:ALA:HB2	1:A:829:PHE:CZ	2.47	0.50
1:A:653:ARG:HG3	1:A:653:ARG:NH1	2.27	0.50
1:A:199:ILE:HD11	1:A:248:LEU:HD11	1.92	0.49
1:A:482:SER:O	1:A:485:ARG:HB3	2.12	0.49
1:A:351:MET:HG2	1:A:353:LEU:HD21	1.93	0.49
1:A:488:THR:O	1:A:492:LYS:HG3	2.11	0.49
1:A:684:THR:HG22	1:A:685:THR:N	2.27	0.49
1:A:371:PRO:O	1:A:372:LYS:HB2	2.11	0.49
1:A:514:ASN:N	1:A:515:PRO:CD	2.75	0.49
1:A:592:GLN:HE21	1:A:594:GLN:NE2	2.07	0.49
1:A:370:VAL:CG1	1:A:374:LYS:HB2	2.41	0.49
1:A:641:PRO:O	1:A:642:PRO:O	2.29	0.49
1:A:648:THR:O	1:A:652:GLN:HG3	2.11	0.49



	lo uo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:420:GLU:OE2	1:A:521:LEU:CD2	2.51	0.49
1:A:591:ARG:HD2	1:A:605:VAL:HG21	1.95	0.49
1:A:566:THR:HB	1:A:697:LEU:HD21	1.88	0.48
1:A:567:VAL:HG12	1:A:570:GLY:H	1.78	0.48
1:A:509:GLN:HA	1:A:512:GLU:OE1	2.13	0.48
1:A:522:SER:H	1:A:525:ASP:HB2	1.78	0.48
1:A:389:THR:HG22	1:A:549:LEU:HD12	1.95	0.48
1:A:751:TRP:HB3	1:A:759:GLY:O	2.14	0.48
1:A:270:ILE:HD13	1:A:270:ILE:H	1.78	0.48
1:A:650:ALA:HB3	1:A:776:MET:HE3	1.96	0.48
1:A:488:THR:O	1:A:488:THR:HG22	2.14	0.48
1:A:675:VAL:O	1:A:675:VAL:HG23	2.14	0.48
1:A:238:LEU:HD23	1:A:238:LEU:N	2.28	0.48
1:A:242:TYR:C	1:A:244:SER:N	2.67	0.47
1:A:189:THR:HG22	1:A:191:GLN:H	1.78	0.47
1:A:207:GLN:O	1:A:210:PHE:HB3	2.15	0.47
1:A:366:ASN:OD1	1:A:366:ASN:C	2.51	0.47
1:A:566:THR:CB	1:A:697:LEU:CD2	2.83	0.47
1:A:333:VAL:HB	1:A:565:LEU:O	2.14	0.47
1:A:370:VAL:HG13	1:A:374:LYS:CB	2.41	0.47
1:A:367:GLY:CA	1:A:733:GLY:O	2.63	0.47
1:A:538:PHE:CE1	1:A:706:LEU:CD1	2.97	0.47
1:A:197:PRO:C	1:A:200:ILE:HG22	2.34	0.47
1:A:258:ARG:HH12	1:A:830:LEU:HD11	1.79	0.47
1:A:363:TYR:O	1:A:681:VAL:HG23	2.14	0.47
1:A:415:VAL:HG12	1:A:416:ILE:N	2.28	0.47
1:A:675:VAL:O	1:A:675:VAL:CG2	2.63	0.47
1:A:728:LEU:O	1:A:732:LYS:HG3	2.14	0.47
1:A:781:THR:HG23	1:A:793:ILE:C	2.35	0.47
1:A:791:GLN:HA	1:A:792:PRO:HD2	1.62	0.47
1:A:734:ILE:HG22	1:A:735:PHE:CE1	2.50	0.47
1:A:363:TYR:CE2	1:A:734:ILE:HG23	2.49	0.47
1:A:389:THR:CG2	1:A:549:LEU:HD12	2.45	0.47
1:A:457:GLU:HA	1:A:460:GLN:OE1	2.15	0.47
1:A:641:PRO:C	1:A:642:PRO:O	$2.\overline{45}$	0.47
1:A:225:PRO:HB2	1:A:344:VAL:HG13	1.97	0.47
1:A:513:ALA:C	1:A:515:PRO:CD	2.84	0.47
1:A:694:PHE:HA	1:A:704:LEU:O	2.14	0.47
1:A:266:ILE:HG23	1:A:295:ARG:NH2	2.30	0.46
1:A:430:HIS:NE2	1:A:434:ILE:HD11	2.30	0.46
1:A:548:SER:CA	1:A:766:ALA:HA	2.45	0.46



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:522:SER:HB2	1:A:525:ASP:H	1.80	0.46
1:A:732:LYS:CG	1:A:740:VAL:HG21	2.24	0.46
1:A:801:GLU:HG2	1:A:809:ALA:H	1.80	0.46
1:A:275:THR:HB	1:A:276:LYS:HZ3	1.79	0.46
1:A:228:GLN:HE21	1:A:269:ARG:HA	1.81	0.46
1:A:363:TYR:CD1	1:A:363:TYR:N	2.84	0.46
1:A:793:ILE:HD11	1:A:795:ARG:CZ	2.45	0.46
1:A:337:LEU:HA	1:A:340:ASN:HB3	1.98	0.46
1:A:538:PHE:CE1	1:A:706:LEU:HD13	2.51	0.46
1:A:676:ASN:C	1:A:677:LEU:HD23	2.36	0.46
1:A:706:LEU:HD23	1:A:706:LEU:N	2.29	0.46
1:A:283:ILE:HG12	1:A:622:LEU:HB3	1.97	0.46
1:A:204:GLN:O	1:A:207:GLN:N	2.50	0.45
1:A:209:VAL:HG13	1:A:242:TYR:HE1	1.80	0.45
1:A:189:THR:CG2	1:A:190:SER:N	2.79	0.45
1:A:256:LEU:HB3	1:A:262:ILE:HG23	1.99	0.45
1:A:512:GLU:C	1:A:515:PRO:HD3	2.36	0.45
1:A:669:VAL:HG13	1:A:671:TRP:CE2	2.51	0.45
1:A:696:ASN:O	1:A:697:LEU:C	2.54	0.45
1:A:455:ILE:CD1	1:A:490:LEU:HB3	2.46	0.45
1:A:734:ILE:HG22	1:A:735:PHE:CD1	2.51	0.45
1:A:533:PHE:O	1:A:537:GLU:HG3	2.16	0.45
1:A:688:ARG:NH1	3:A:2825:HOH:O	2.48	0.45
1:A:732:LYS:NZ	1:A:740:VAL:HG23	2.31	0.45
1:A:457:GLU:HG3	1:A:460:GLN:OE1	2.17	0.45
1:A:698:TYR:C	1:A:700:ALA:N	2.70	0.45
1:A:282:ILE:CD1	1:A:616:TYR:HB3	2.46	0.45
1:A:349:VAL:HG21	1:A:574:VAL:HA	1.99	0.45
1:A:720:ASP:O	1:A:724:VAL:HG23	2.17	0.45
1:A:670:PHE:HD1	1:A:670:PHE:O	1.99	0.45
1:A:696:ASN:C	1:A:698:TYR:N	2.67	0.45
1:A:200:ILE:HG23	1:A:201:SER:N	2.32	0.44
1:A:676:ASN:HD22	1:A:676:ASN:HA	1.48	0.44
1:A:225:PRO:CB	1:A:344:VAL:HG13	2.46	0.44
1:A:515:PRO:HA	1:A:516:PRO:HD3	1.81	0.44
1:A:320:PHE:O	1:A:326:VAL:HA	2.18	0.44
1:A:448:MET:HE2	1:A:497:LEU:HB2	2.00	0.44
1:A:566:THR:HB	1:A:697:LEU:CD2	2.47	0.44
1:A:206:THR:O	1:A:209:VAL:HB	2.18	0.44
1:A:218:LEU:HD23	1:A:262:ILE:CG2	2.48	0.44
1:A:812:HIS:O	1:A:816:LEU:HG	2.17	0.44



	ti a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:526:ARG:NH2	3:A:2825:HOH:O	2.51	0.44
1:A:676:ASN:ND2	1:A:697:LEU:HA	2.32	0.44
1:A:632:GLN:NE2	1:A:758:ARG:HH21	2.12	0.44
1:A:781:THR:HG21	1:A:792:PRO:HB2	1.96	0.44
1:A:462:TYR:HH	1:A:484:HIS:CE1	2.35	0.44
1:A:567:VAL:HG12	1:A:570:GLY:N	2.32	0.43
1:A:269:ARG:NH2	3:A:2855:HOH:O	2.51	0.43
1:A:661:LYS:HG2	1:A:706:LEU:HD22	1.99	0.43
1:A:307:LEU:HD22	1:A:588:THR:HG21	2.01	0.43
1:A:574:VAL:N	1:A:575:PRO:HD2	2.33	0.43
1:A:229:LEU:HA	3:A:2764:HOH:O	2.19	0.43
1:A:320:PHE:CE1	1:A:747:VAL:HG21	2.54	0.43
1:A:377:MET:O	1:A:380:GLN:HB3	2.18	0.43
1:A:556:ASP:OD1	1:A:559:GLU:OE2	2.36	0.43
1:A:530:ASP:HA	1:A:533:PHE:CD2	2.54	0.43
1:A:542:THR:OG1	1:A:543:PRO:HD2	2.19	0.43
1:A:678:PHE:CD1	1:A:678:PHE:C	2.91	0.43
1:A:241:PRO:HG2	1:A:242:TYR:CD2	2.54	0.43
1:A:242:TYR:O	1:A:244:SER:N	2.52	0.43
1:A:273:LEU:HD12	1:A:273:LEU:HA	1.85	0.43
1:A:210:PHE:C	1:A:210:PHE:CD1	2.92	0.42
1:A:675:VAL:HA	3:A:2852:HOH:O	2.19	0.42
1:A:441:LEU:HD11	1:A:505:GLU:HG2	2.00	0.42
1:A:180:GLN:HA	1:A:339:GLY:HA2	2.02	0.42
1:A:266:ILE:CD1	1:A:577:ALA:HB1	2.49	0.42
1:A:389:THR:HG21	1:A:408:LEU:HD12	2.00	0.42
1:A:738:SER:C	1:A:740:VAL:H	2.23	0.42
1:A:434:ILE:C	1:A:438:GLN:HE21	2.22	0.42
1:A:199:ILE:HD11	1:A:248:LEU:CD1	2.49	0.42
1:A:632:GLN:NE2	1:A:758:ARG:NE	2.67	0.42
1:A:504:LEU:O	1:A:507:LYS:N	2.53	0.41
1:A:647:LYS:HE2	1:A:798:PHE:CE1	2.55	0.41
1:A:670:PHE:O	1:A:670:PHE:CD1	2.73	0.41
1:A:260:GLY:O	1:A:264:PHE:CD1	2.74	0.41
1:A:414:VAL:HG12	1:A:415:VAL:N	2.34	0.41
1:A:204:GLN:O	1:A:205:GLN:C	2.58	0.41
1:A:235:LEU:HD23	1:A:235:LEU:HA	1.86	0.41
1:A:406:VAL:CG1	1:A:549:LEU:HD22	2.50	0.41
1:A:677:LEU:O	1:A:678:PHE:CB	2.63	0.41
1:A:677:LEU:HD23	1:A:677:LEU:N	2.36	0.41
1:A:270:ILE:HD11	1:A:271:LYS:HG2	2.01	0.41



A + 1	A + 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:363:TYR:CE2	1:A:734:ILE:CG2	3.03	0.41
1:A:804:ILE:HG23	1:A:804:ILE:O	2.20	0.41
1:A:458:LEU:CB	1:A:487:LEU:HG	2.49	0.41
1:A:804:ILE:HD13	1:A:807:TYR:HB2	2.02	0.41
1:A:670:PHE:CD1	1:A:671:TRP:HE3	2.39	0.41
1:A:482:SER:HA	1:A:485:ARG:HB3	2.03	0.41
1:A:508:LEU:HG	1:A:512:GLU:OE2	2.21	0.41
1:A:542:THR:HG21	1:A:763:TYR:CD2	2.56	0.41
1:A:366:ASN:OD1	1:A:367:GLY:N	2.53	0.41
1:A:373:GLU:O	1:A:374:LYS:C	2.60	0.41
1:A:378:VAL:O	1:A:381:GLU:N	2.54	0.41
1:A:522:SER:C	1:A:524:ARG:N	2.71	0.41
1:A:801:GLU:CG	1:A:809:ALA:HA	2.51	0.41
1:A:258:ARG:NH2	1:A:830:LEU:HD12	2.28	0.40
1:A:337:LEU:HD23	1:A:337:LEU:N	2.36	0.40
1:A:399:ASN:C	1:A:406:VAL:HG23	2.41	0.40
1:A:234:THR:O	1:A:234:THR:HG22	2.20	0.40
1:A:270:ILE:CD1	1:A:270:ILE:H	2.35	0.40
1:A:713:GLY:O	1:A:716:GLU:HB2	2.21	0.40
1:A:331:ALA:HA	2:A:2762:FAD:C4X	2.50	0.40
1:A:801:GLU:HB2	2:A:2762:FAD:H5'2	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed Favoured Allowed		Outliers	Percentiles	
1	А	641/664~(96%)	563~(88%)	62 (10%)	16 (2%)	5 19

All (16) Ramachandran outliers are listed below:



Mol	Chain	Res	Type
1	А	203	PRO
1	А	278	THR
1	А	678	PHE
1	А	697	LEU
1	А	372	LYS
1	А	699	LYS
1	А	243	ASN
1	А	371	PRO
1	А	548	SER
1	А	792	PRO
1	А	642	PRO
1	А	174	VAL
1	А	272	PRO
1	А	415	VAL
1	А	714	ILE
1	А	338	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	А	549/564~(97%)	501 (91%)	48 (9%)	10 30	

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	183	LEU
1	А	203	PRO
1	А	204	GLN
1	А	216	ARG
1	А	224	ASN
1	А	238	LEU
1	А	244	SER
1	А	246	THR
1	А	266	ILE
1	А	270	ILE
1	А	273	LEU



Mol	Chain	Res	Type
1	А	282	ILE
1	А	295	ARG
1	А	312	ARG
1	А	317	VAL
1	А	333	VAL
1	А	351	MET
1	А	368	GLN
1	А	377	MET
1	А	392	LEU
1	А	397	ASP
1	А	399	ASN
1	А	521	LEU
1	А	523	SER
1	А	527	GLN
1	А	538	PHE
1	А	545	SER
1	А	549	LEU
1	А	553	ASP
1	А	554	GLN
1	А	557	ASP
1	А	559	GLU
1	А	563	SER
1	А	571	TYR
1	А	580	GLU
1	А	617	LYS
1	А	648	THR
1	А	659	LEU
1	А	668	ARG
1	А	676	ASN
1	А	696	ASN
1	А	697	LEU
1	А	719	SER
1	А	744	LYS
1	А	746	THR
1	А	778	GLN
1	А	791	GLN
1	А	805	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	224	ASN
	~	-	



Mol	Chain	\mathbf{Res}	Type
1	А	228	GLN
1	А	383	ASN
1	А	399	ASN
1	А	402	ASN
1	А	438	GLN
1	А	501	GLN
1	А	592	GLN
1	А	594	GLN
1	А	612	GLN
1	А	632	GLN
1	А	660	ASN
1	А	676	ASN
1	А	680	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Tuno	Chain	Dog	Link	B	ond leng	gths	B	ond ang	les
Moi Type	Unam	nes	LIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2	
2	FAD	А	2762	-	$51,\!58,\!58$	2.05	10 (19%)	60,89,89	2.00	5 (8%)



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	А	2762	-	-	3/30/50/50	0/6/6/6

Mol	Chain	\mathbf{Res}	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	А	2762	FAD	C4X-N5	6.66	1.42	1.33
2	А	2762	FAD	C4X-C10	5.96	1.44	1.38
2	А	2762	FAD	C9A-N10	5.51	1.46	1.38
2	А	2762	FAD	C4-N3	4.49	1.40	1.33
2	А	2762	FAD	C10-N1	4.06	1.38	1.33
2	А	2762	FAD	C4A-N3A	4.04	1.41	1.35
2	А	2762	FAD	C5X-N5	3.16	1.40	1.35
2	А	2762	FAD	C9-C8	2.40	1.43	1.37
2	А	2762	FAD	C5A-C4A	-2.14	1.35	1.40
2	A	2762	FAD	C2A-N3A	2.08	1.35	1.32

All (10) bond length outliers are listed below:

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	А	2762	FAD	C4-N3-C2	11.52	124.87	115.14
2	А	2762	FAD	C4X-C4-N3	-5.91	115.35	123.43
2	А	2762	FAD	C1'-N10-C10	2.60	120.74	118.41
2	А	2762	FAD	O5B-C5B-C4B	-2.57	100.14	108.99
2	А	2762	FAD	C5'-C4'-C3'	-2.56	107.26	112.20

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	А	2762	FAD	PA-O3P-P-O5'
2	А	2762	FAD	P-O3P-PA-O1A
2	А	2762	FAD	O4B-C4B-C5B-O5B

There are no ring outliers.

1 monomer is involved in 2 short contacts:



Mol	Chain	\mathbf{Res}	Type	Clashes	Symm-Clashes
2	А	2762	FAD	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	647/664~(97%)	0.13	24 (3%) 41 31	41, 79, 135, 166	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	513	ALA	4.9
1	А	477	GLU	4.6
1	А	785	SER	4.2
1	А	832	ALA	4.1
1	А	504	LEU	4.0
1	А	480	VAL	3.8
1	А	511	LEU	3.8
1	А	459	HIS	3.2
1	А	460	GLN	2.9
1	А	461	GLN	2.9
1	А	515	PRO	2.8
1	А	479	LEU	2.6
1	А	506	GLU	2.6
1	А	474	ILE	2.5
1	А	478	PHE	2.4
1	А	791	GLN	2.4
1	А	539	ALA	2.4
1	А	398	PHE	2.3
1	А	437	THR	2.2
1	A	810	THR	2.2
1	A	441	LEU	2.2
1	A	401	LEU	2.2
1	A	456	LYS	2.1
1	А	458	LEU	2.1



6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B}$ -factors(Å ²)	Q<0.9
2	FAD	А	2762	53/53	0.94	0.28	38,60,69,76	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers (i)

There are no such residues in this entry.

