



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 19, 2023 – 11:08 PM EDT

PDB ID : 2HRD  
Title : Crystal structure of the uridine phosphorylase from *Salmonella typhimurium* in complex with thymine and phosphate ion at 1.70Å resolution  
Authors : Timofeev, V.I.; Gabdulkhakov, A.G.; Mikhailov, A.M.  
Deposited on : 2006-07-20  
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4298 (1.70-1.70)
Clashscore	141614	4695 (1.70-1.70)
Ramachandran outliers	138981	4610 (1.70-1.70)
Sidechain outliers	138945	4610 (1.70-1.70)
RSRZ outliers	127900	4222 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	253	 7% 85% 13% ..
1	B	253	 3% 87% 11% .
1	C	253	 7% 88% 8% .
1	D	253	 5% 87% 8% .
1	E	253	 6% 87% 11% .

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	253	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	TDR	A	901[A]	-	X	-	-
3	TDR	A	901[B]	-	X	-	-
3	TDR	B	902	-	X	X	-
3	TDR	C	903[A]	-	X	-	-
3	TDR	C	903[B]	-	X	-	-
3	TDR	D	904[A]	-	X	-	-
3	TDR	D	904[B]	-	X	-	-
3	TDR	E	905[A]	-	X	-	-
3	TDR	E	905[B]	-	X	-	-
3	TDR	F	906[A]	-	X	-	-
3	TDR	F	906[B]	-	X	X	-
5	1PE	B	1001	-	-	X	X

## 2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 12584 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Uridine phosphorylase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	251	Total 1973	C 1244	N 342	O 375	S 12	0	16	0
1	B	246	Total 1939	C 1223	N 337	O 368	S 11	0	18	0
1	C	245	Total 1947	C 1233	N 342	O 361	S 11	0	17	0
1	D	244	Total 1937	C 1219	N 335	O 372	S 11	0	18	0
1	E	252	Total 1991	C 1256	N 343	O 380	S 12	0	18	0
1	F	245	Total 1893	C 1195	N 328	O 359	S 11	0	11	0

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	A	1	Total	O	P	0	1
			10	8	2		
2	B	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		
2	D	1	Total	O	P	0	0
			5	4	1		
2	E	1	Total	O	P	0	0
			5	4	1		
2	F	1	Total	O	P	0	0
			5	4	1		
2	F	1	Total	O	P	0	1
			10	8	2		

- Molecule 3 is THYMINE (three-letter code: TDR) (formula: C<sub>5</sub>H<sub>6</sub>N<sub>2</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
3	A	1	Total	C	N	O	0	1
			18	10	4	4		
3	B	1	Total	C	N	O	0	0
			9	5	2	2		
3	C	1	Total	C	N	O	0	1
			18	10	4	4		
3	D	1	Total	C	N	O	0	1
			18	10	4	4		

*Continued on next page...*

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	E	1	Total	C	N	O	0	1
			18	10	4	4		
3	F	1	Total	C	N	O	0	1
			18	10	4	4		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: C<sub>10</sub>H<sub>22</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	C O	0	0
			16	10 6		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	126	Total	O	0	1
			127	127		
6	B	136	Total	O	0	0
			136	136		
6	C	91	Total	O	0	0
			91	91		
6	D	111	Total	O	0	1
			112	112		
6	E	123	Total	O	0	2
			125	125		
6	F	118	Total	O	0	0
			118	118		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Uridine phosphorylase




- Molecule 1: Uridine phosphorylase




- Molecule 1: Uridine phosphorylase





- Molecule 1: Uridine phosphorylase








- Molecule 1: Uridine phosphorylase



- Molecule 1: Uridine phosphorylase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	88.20Å 123.40Å 133.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.70 19.83 – 1.70	Depositor EDS
% Data completeness (in resolution range)	99.9 (30.00-1.70) 100.0 (19.83-1.70)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	5.17 (at 1.70Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.166 , 0.189 0.165 , 0.188	Depositor DCC
$R_{free}$ test set	7980 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	7.7	Xtrriage
Anisotropy	0.190	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.42 , 45.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	12584	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	8.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.42% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 1PE, TDR, PO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.33	0/2051	0.53	0/2772
1	B	0.33	0/2019	0.52	0/2728
1	C	0.32	0/2023	0.51	0/2736
1	D	0.33	0/2018	0.52	0/2731
1	E	0.33	0/2066	0.53	0/2793
1	F	0.33	0/1953	0.54	0/2644
All	All	0.33	0/12130	0.52	0/16404

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1973	0	2035	37	0
1	B	1939	0	1999	26	0
1	C	1947	0	2014	15	0
1	D	1937	0	1971	11	0
1	E	1991	0	2054	27	0
1	F	1893	0	1926	20	0
2	A	15	0	0	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	5	0	0	1	0
2	C	5	0	0	0	0
2	D	5	0	0	1	0
2	E	5	0	0	0	0
2	F	15	0	0	0	0
3	A	18	0	12	0	0
3	B	9	0	6	5	0
3	C	18	0	12	1	0
3	D	18	0	12	2	0
3	E	18	0	12	3	0
3	F	18	0	12	6	0
4	A	6	0	8	0	0
4	B	6	0	8	1	0
4	C	6	0	8	1	0
4	E	6	0	8	0	0
4	F	6	0	8	1	0
5	B	16	0	22	7	0
6	A	127	0	0	0	0
6	B	136	0	0	0	0
6	C	91	0	0	1	0
6	D	112	0	0	1	0
6	E	125	0	0	2	0
6	F	118	0	0	3	0
All	All	12584	0	12127	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:6185[B]:GLU:HG2	5:B:1001:1PE:C16	1.56	1.32
1:B:6185[B]:GLU:CG	5:B:1001:1PE:H161	1.64	1.28
1:E:5147[A]:ILE:CD1	1:E:5243[A]:LYS:HD2	1.83	1.08
1:E:5147[A]:ILE:HD12	1:E:5243[A]:LYS:HD2	1.36	1.06
1:E:5098[B]:ILE:HG22	1:E:5188[B]:GLN:HG2	1.32	1.06
1:A:1057[A]:LEU:HD21	1:A:1250[A]:ARG:CG	1.86	1.05
1:E:5098[B]:ILE:HG22	1:E:5188[B]:GLN:CG	1.93	0.98
1:E:5057[B]:LEU:HD21	1:E:5250[B]:ARG:HB2	1.47	0.97
1:A:1221[B]:VAL:CG1	1:A:1229:PRO:HA	1.94	0.96
1:A:1057[A]:LEU:CD2	1:A:1250[A]:ARG:HG2	1.98	0.93

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1057[A]:LEU:HD21	1:A:1250[A]:ARG:HG3	1.51	0.92
1:E:5098[B]:ILE:CG2	1:E:5188[B]:GLN:HG3	2.01	0.91
1:A:1057[A]:LEU:HD21	1:A:1250[A]:ARG:HG2	1.51	0.90
1:A:1221[B]:VAL:HG11	1:A:1229:PRO:HA	1.52	0.90
1:E:5098[B]:ILE:CG2	1:E:5188[B]:GLN:CG	2.50	0.90
1:A:1057[A]:LEU:CG	1:A:1250[A]:ARG:HG2	2.01	0.89
1:B:6185[B]:GLU:HG2	5:B:1001:1PE:H161	0.80	0.79
1:E:5057[B]:LEU:HD23	1:E:5250[B]:ARG:HA	1.63	0.78
1:E:5147[A]:ILE:HD13	1:E:5243[A]:LYS:HD2	1.64	0.78
1:A:1057[A]:LEU:HD11	1:A:1250[A]:ARG:NE	1.98	0.77
1:A:1057[A]:LEU:HG	1:A:1250[A]:ARG:HG2	1.68	0.76
1:E:5057[B]:LEU:CD2	1:E:5250[B]:ARG:HB2	2.17	0.75
1:A:1178:ARG:HA	1:A:1181:LYS:HE2	1.71	0.73
1:F:4168:ARG:HH12	3:F:906[B]:TDR:HN3	1.40	0.68
1:F:4166:GLN:NE2	3:F:906[B]:TDR:O4	2.26	0.67
1:A:1221[B]:VAL:HG13	1:A:1229:PRO:HA	1.75	0.67
1:F:4038:MET:HG2	1:F:4057:LEU:HD13	1.76	0.67
1:E:5057[B]:LEU:HD23	1:E:5250[B]:ARG:CA	2.26	0.66
1:A:1221[B]:VAL:HG11	1:A:1229:PRO:CA	2.25	0.64
1:E:5183:SER:O	1:E:5186[B]:GLU:HG2	1.96	0.64
1:F:4057:LEU:HD11	1:F:4250[B]:ARG:HE	1.61	0.64
1:E:5158:SER:HB3	1:E:5200:ALA:HB2	1.79	0.64
1:E:5147[A]:ILE:CD1	1:E:5243[A]:LYS:CD	2.71	0.63
1:F:4038:MET:SD	1:F:4062[B]:VAL:HG21	2.38	0.63
1:A:1057[A]:LEU:HD11	1:A:1250[A]:ARG:HE	1.63	0.63
3:F:906[B]:TDR:H5M1	6:F:197:HOH:O	2.00	0.62
1:A:1158:SER:HB3	1:A:1200:ALA:HB2	1.83	0.61
1:A:1060[A]:LYS:HD2	1:A:1253:LEU:HB3	1.83	0.60
1:E:5147[A]:ILE:HD13	1:E:5243[A]:LYS:CD	2.30	0.60
1:A:1146[A]:SER:OG	1:A:1251:ARG:NH2	2.35	0.59
1:A:1029[B]:GLU:OE2	1:A:1033[B]:LYS:NZ	2.33	0.59
1:B:6158:SER:HB3	1:B:6200:ALA:HB2	1.83	0.59
1:B:6185[B]:GLU:CD	1:B:6188[B]:GLN:OE1	2.41	0.59
1:C:2158:SER:HB3	1:C:2200:ALA:HB2	1.85	0.59
1:B:6185[B]:GLU:HG2	5:B:1001:1PE:OH7	2.01	0.58
1:A:1057[A]:LEU:CD2	1:A:1250[A]:ARG:CG	2.62	0.58
1:F:4158:SER:HB3	1:F:4200:ALA:HB2	1.86	0.57
4:C:1013:GOL:H2	1:D:3111:THR:HB	1.87	0.56
1:A:1226:GLN:HE21	1:A:1228:ILE:HG13	1.70	0.56
1:B:6038:MET:HG2	1:B:6057:LEU:HD13	1.88	0.55
1:D:3042[B]:VAL:HG11	1:D:3054:ARG:NH2	2.22	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:3158:SER:HB3	1:D:3200:ALA:HB2	1.87	0.55
1:B:6168:ARG:HH22	3:B:902:TDR:H5M3	1.71	0.55
1:E:5003:LYS:H	1:E:5003:LYS:HD2	1.72	0.55
1:B:6185[B]:GLU:CD	5:B:1001:1PE:H161	2.23	0.55
1:C:2142:GLU:OE2	1:C:2251[B]:ARG:NH1	2.38	0.54
1:E:5178:ARG:HA	1:E:5181[B]:LYS:HE2	1.89	0.54
1:B:6166:GLN:HE22	3:B:902:TDR:HN3	1.55	0.54
1:E:5148[A]:GLY:O	1:E:5149[A]:ALA:HB2	2.08	0.54
1:C:2166:GLN:HE22	3:C:903[A]:TDR:HN3	1.56	0.54
1:C:2030[B]:ARG:HD2	1:C:2033:LYS:HD2	1.90	0.53
1:A:1049:GLU:HB3	1:F:4049:GLU:HB3	1.90	0.53
1:C:2027:ASP:HB3	1:C:2030[A]:ARG:HG3	1.91	0.53
1:B:6107:VAL:HG21	1:B:6244:ILE:HD12	1.91	0.52
1:C:2185[B]:GLU:HG3	6:C:99:HOH:O	2.09	0.52
1:C:2038:MET:HG2	1:C:2057[A]:LEU:HD13	1.92	0.51
1:F:4220:ILE:HD11	3:F:906[A]:TDR:H5M1	1.93	0.51
1:B:6049:GLU:HB3	1:D:3049:GLU:HB3	1.93	0.50
1:B:6184:MET:HB3	5:B:1001:1PE:H162	1.92	0.50
1:C:2239:SER:HB3	1:C:2243:LYS:HE3	1.94	0.50
1:F:4166:GLN:HE22	3:F:906[A]:TDR:HN3	1.60	0.50
1:C:2092[A]:ILE:HD12	1:C:2242:VAL:HA	1.93	0.50
1:B:6111:THR:HB	4:F:1011:GOL:H2	1.94	0.49
1:E:5166:GLN:HE22	3:E:905[A]:TDR:HN3	1.61	0.49
1:C:2038:MET:SD	1:C:2062[B]:VAL:HG21	2.52	0.49
1:C:2057[B]:LEU:HD22	1:C:2250:ARG:HG3	1.94	0.49
1:B:6185[B]:GLU:HA	1:B:6188[B]:GLN:OE1	2.13	0.48
1:F:4146[B]:SER:OG	1:F:4251:ARG:NH2	2.46	0.48
1:B:6057:LEU:HG	1:B:6250:ARG:HG2	1.95	0.48
1:B:6166:GLN:OE1	3:B:902:TDR:O4	2.31	0.48
1:F:4007[A]:PHE:HD2	1:F:4008:HIS:CE1	2.32	0.47
1:A:1228:ILE:HG13	1:A:1228:ILE:O	2.14	0.47
3:E:905[B]:TDR:H5M3	6:E:243:HOH:O	2.14	0.47
1:B:6030[A]:ARG:HH22	2:B:802:PO4:P	2.38	0.47
3:E:905[B]:TDR:CM5	6:E:243:HOH:O	2.62	0.47
1:C:2092[A]:ILE:CD1	1:C:2242:VAL:HG22	2.45	0.47
1:F:4108:LEU:HD22	1:F:4152:HIS:HB2	1.96	0.47
1:A:1029[B]:GLU:OE2	1:A:1033[B]:LYS:HE3	2.15	0.46
1:A:1027:ASP:CG	1:A:1029[B]:GLU:HG3	2.35	0.46
1:B:6176:VAL:O	1:B:6181[A]:LYS:HE2	2.15	0.46
1:F:4221:VAL:CG2	1:F:4226:GLN:HG3	2.45	0.46
1:E:5108:LEU:HD22	1:E:5152:HIS:HB2	1.98	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:3038:MET:HG2	1:D:3057:LEU:HD13	1.99	0.45
1:A:1219:VAL:O	1:A:1237:THR:HG21	2.16	0.45
3:D:904[B]:TDR:H5M3	6:D:156:HOH:O	2.17	0.45
1:A:1168:ARG:HG2	1:A:1227:GLU:HG2	1.99	0.44
1:E:5146[B]:SER:OG	1:E:5251:ARG:NH2	2.51	0.44
1:A:1029[B]:GLU:OE2	1:A:1033[B]:LYS:CE	2.66	0.44
1:F:4185:GLU:HG3	6:F:33:HOH:O	2.18	0.44
1:A:1003:LYS:HE2	1:A:1012:THR:HG21	1.99	0.44
1:D:3030[A]:ARG:HH22	2:D:804:PO4:P	2.41	0.44
1:F:4108:LEU:CD2	1:F:4152:HIS:HB2	2.48	0.44
1:A:1127[B]:GLU:HG3	1:E:5126:MET:HE3	2.00	0.43
1:D:3114:VAL:HB	1:D:3157:ALA:HA	1.99	0.43
1:B:6057:LEU:HB3	1:B:6253:LEU:HD11	2.01	0.43
1:A:1163:TYR:HB2	1:A:1164:PRO:CD	2.49	0.43
1:A:1226:GLN:NE2	1:A:1228:ILE:O	2.52	0.43
1:B:6185[B]:GLU:OE2	5:B:1001:1PE:H161	2.19	0.43
1:A:1225:GLN:HE21	1:A:1225:GLN:HB2	1.64	0.43
1:A:1228:ILE:HB	1:F:4007[B]:PHE:CE2	2.54	0.43
1:E:5185[B]:GLU:HA	1:E:5188[B]:GLN:OE1	2.19	0.42
1:F:4004:SER:HB2	1:F:4010:GLY:HA2	2.02	0.42
1:E:5057[B]:LEU:CD2	1:E:5250[B]:ARG:CB	2.91	0.42
1:A:1105:GLY:HA2	1:A:1237:THR:HG23	2.01	0.42
1:C:2049:GLU:HB3	1:E:5049:GLU:HB3	2.00	0.42
1:F:4185:GLU:HA	1:F:4188[A]:GLN:OE1	2.19	0.42
1:A:1107:VAL:HG21	1:A:1244:ILE:HD12	2.01	0.41
1:F:4163:TYR:HB2	1:F:4164:PRO:CD	2.49	0.41
1:D:3163:TYR:HB2	1:D:3164:PRO:CD	2.51	0.41
1:E:5138:THR:O	1:E:5142[B]:GLU:HG2	2.20	0.41
1:B:6126:MET:HE3	1:F:4127[A]:GLU:HG3	2.02	0.41
1:C:2030[B]:ARG:CD	1:C:2033:LYS:HD2	2.50	0.41
1:A:1089:PHE:O	1:A:1213:ALA:HA	2.21	0.41
1:B:6173:SER:HA	4:B:1014:GOL:H2	2.01	0.41
3:F:906[B]:TDR:CM5	6:F:197:HOH:O	2.62	0.41
1:B:6168:ARG:NH2	3:B:902:TDR:H5M3	2.34	0.41
1:B:6220:ILE:HD11	3:B:902:TDR:H6	2.02	0.41
1:D:3220:ILE:HD11	3:D:904[A]:TDR:H6	2.03	0.41
1:B:6108:LEU:HD22	1:B:6152:HIS:HB2	2.02	0.41
1:D:3167:GLU:HG2	1:D:3169:TYR:CE1	2.56	0.41
1:D:3185[A]:GLU:HA	1:D:3188[A]:GLN:OE1	2.21	0.41
1:A:1178:ARG:CA	1:A:1181:LYS:HE2	2.47	0.40
1:A:1108:LEU:HD22	1:A:1152:HIS:HB2	2.03	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:5114:VAL:HB	1:E:5157:ALA:HA	2.03	0.40
1:C:2057[B]:LEU:HB3	1:C:2253:LEU:HD11	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	265/253 (105%)	262 (99%)	2 (1%)	1 (0%)	34	18
1	B	259/253 (102%)	256 (99%)	2 (1%)	1 (0%)	34	18
1	C	259/253 (102%)	255 (98%)	3 (1%)	1 (0%)	34	18
1	D	258/253 (102%)	253 (98%)	4 (2%)	1 (0%)	34	18
1	E	268/253 (106%)	263 (98%)	4 (2%)	1 (0%)	34	18
1	F	251/253 (99%)	246 (98%)	4 (2%)	1 (0%)	34	18
All	All	1560/1518 (103%)	1535 (98%)	19 (1%)	6 (0%)	34	18

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1163	TYR
1	E	5163	TYR
1	F	4163	TYR
1	B	6163	TYR
1	C	2163	TYR
1	D	3163	TYR



### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	215/202 (106%)	212 (99%)	3 (1%)	67	53
1	B	212/202 (105%)	208 (98%)	4 (2%)	57	41
1	C	211/202 (104%)	207 (98%)	4 (2%)	57	41
1	D	211/202 (104%)	203 (96%)	8 (4%)	33	14
1	E	217/202 (107%)	211 (97%)	6 (3%)	43	25
1	F	204/202 (101%)	201 (98%)	3 (2%)	65	51
All	All	1270/1212 (105%)	1242 (98%)	28 (2%)	55	34

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1196	GLU
1	A	1225	GLN
1	A	1228	ILE
1	B	6196	GLU
1	B	6230[A]	ASN
1	B	6230[B]	ASN
1	B	6232	GLU
1	C	2003	LYS
1	C	2092[A]	ILE
1	C	2092[B]	ILE
1	C	2196	GLU
1	D	3017[A]	GLN
1	D	3017[B]	GLN
1	D	3181	LYS
1	D	3185[A]	GLU
1	D	3185[B]	GLU
1	D	3196	GLU
1	D	3238	GLU
1	D	3240	HIS
1	E	5003	LYS
1	E	5092	ILE
1	E	5147[A]	ILE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	5147[B]	ILE
1	E	5196	GLU
1	E	5238	GLU
1	F	4196	GLU
1	F	4238	GLU
1	F	4240	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1225	GLN
1	C	2226	GLN
1	E	5225	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

27 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	GOL	B	1014	-	5,5,5	0.40	0	5,5,5	0.25	0
5	1PE	B	1001	-	15,15,15	0.46	0	14,14,14	0.26	0
3	TDR	C	903[B]	-	9,9,9	1.79	3 (33%)	12,12,12	3.21	8 (66%)
3	TDR	D	904[A]	-	9,9,9	1.59	3 (33%)	12,12,12	3.40	6 (50%)
3	TDR	A	901[B]	-	9,9,9	1.75	3 (33%)	12,12,12	3.30	7 (58%)
2	PO4	E	805	-	4,4,4	0.98	0	6,6,6	0.43	0
2	PO4	A	808[A]	-	4,4,4	0.94	0	6,6,6	0.45	0
2	PO4	F	807[A]	-	4,4,4	0.97	0	6,6,6	0.35	0
2	PO4	F	806	-	4,4,4	0.97	0	6,6,6	0.42	0
3	TDR	F	906[B]	-	9,9,9	1.63	3 (33%)	12,12,12	3.28	6 (50%)
4	GOL	F	1011	-	5,5,5	0.37	0	5,5,5	0.19	0
3	TDR	C	903[A]	-	9,9,9	1.70	3 (33%)	12,12,12	3.24	6 (50%)
2	PO4	B	802	-	4,4,4	0.98	0	6,6,6	0.56	0
3	TDR	A	901[A]	-	9,9,9	1.68	3 (33%)	12,12,12	3.29	7 (58%)
3	TDR	E	905[B]	-	9,9,9	1.74	3 (33%)	12,12,12	3.29	8 (66%)
4	GOL	A	1254	-	5,5,5	0.40	0	5,5,5	0.31	0
2	PO4	A	801	-	4,4,4	1.00	0	6,6,6	0.25	0
4	GOL	E	1015	-	5,5,5	0.35	0	5,5,5	0.26	0
2	PO4	D	804	-	4,4,4	1.05	0	6,6,6	0.49	0
3	TDR	F	906[A]	-	9,9,9	1.61	3 (33%)	12,12,12	3.41	6 (50%)
2	PO4	C	803	-	4,4,4	0.97	0	6,6,6	0.53	0
3	TDR	D	904[B]	-	9,9,9	1.75	3 (33%)	12,12,12	3.27	8 (66%)
4	GOL	C	1013	-	5,5,5	0.39	0	5,5,5	0.26	0
3	TDR	B	902	-	9,9,9	1.48	2 (22%)	12,12,12	3.86	7 (58%)
2	PO4	F	807[B]	-	4,4,4	0.92	0	6,6,6	0.41	0
2	PO4	A	808[B]	-	4,4,4	0.98	0	6,6,6	0.42	0
3	TDR	E	905[A]	-	9,9,9	1.60	3 (33%)	12,12,12	3.46	6 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TDR	C	903[A]	-	-	-	0/1/1/1
3	TDR	A	901[A]	-	-	-	0/1/1/1
4	GOL	B	1014	-	-	2/4/4/4	-
4	GOL	C	1013	-	-	2/4/4/4	-
5	1PE	B	1001	-	-	6/13/13/13	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TDR	D	904[B]	-	-	-	0/1/1/1
3	TDR	E	905[B]	-	-	-	0/1/1/1
3	TDR	B	902	-	-	-	0/1/1/1
3	TDR	F	906[B]	-	-	-	0/1/1/1
4	GOL	A	1254	-	-	4/4/4/4	-
4	GOL	E	1015	-	-	2/4/4/4	-
3	TDR	C	903[B]	-	-	-	0/1/1/1
3	TDR	D	904[A]	-	-	-	0/1/1/1
3	TDR	A	901[B]	-	-	-	0/1/1/1
4	GOL	F	1011	-	-	2/4/4/4	-
3	TDR	E	905[A]	-	-	-	0/1/1/1
3	TDR	F	906[A]	-	-	-	0/1/1/1

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	903[A]	TDR	C6-C5	3.14	1.39	1.34
3	E	905[B]	TDR	C6-C5	3.12	1.39	1.34
3	C	903[B]	TDR	C6-C5	3.11	1.39	1.34
3	D	904[B]	TDR	C6-C5	3.11	1.39	1.34
3	A	901[B]	TDR	C6-C5	3.10	1.39	1.34
3	A	901[A]	TDR	C6-C5	3.09	1.39	1.34
3	E	905[A]	TDR	C6-C5	3.05	1.38	1.34
3	F	906[A]	TDR	C6-C5	3.04	1.38	1.34
3	D	904[A]	TDR	C6-C5	2.95	1.38	1.34
3	F	906[B]	TDR	C6-C5	2.93	1.38	1.34
3	C	903[B]	TDR	C4-C5	2.59	1.49	1.44
3	B	902	TDR	C6-C5	2.58	1.38	1.34
3	D	904[B]	TDR	C4-C5	2.45	1.48	1.44
3	A	901[B]	TDR	C4-C5	2.44	1.48	1.44
3	E	905[B]	TDR	C4-C5	2.37	1.48	1.44
3	A	901[B]	TDR	C4-N3	-2.36	1.34	1.38
3	A	901[A]	TDR	C4-C5	2.35	1.48	1.44
3	C	903[A]	TDR	C4-N3	-2.29	1.34	1.38
3	C	903[B]	TDR	C4-N3	-2.28	1.34	1.38
3	C	903[A]	TDR	C4-C5	2.27	1.48	1.44
3	E	905[B]	TDR	C4-N3	-2.27	1.34	1.38
3	D	904[B]	TDR	C4-N3	-2.27	1.34	1.38
3	F	906[B]	TDR	C4-N3	-2.23	1.34	1.38
3	F	906[A]	TDR	C4-C5	2.17	1.48	1.44
3	A	901[A]	TDR	C4-N3	-2.17	1.34	1.38
3	D	904[A]	TDR	C4-C5	2.14	1.48	1.44

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	905[A]	TDR	C4-N3	-2.07	1.35	1.38
3	E	905[A]	TDR	C4-C5	2.07	1.48	1.44
3	D	904[A]	TDR	C4-N3	-2.05	1.35	1.38
3	F	906[A]	TDR	C4-N3	-2.04	1.35	1.38
3	B	902	TDR	C4-C5	2.02	1.48	1.44
3	F	906[B]	TDR	C4-C5	2.01	1.48	1.44

All (75) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	905[B]	TDR	N1-C2-N3	6.44	122.43	115.13
3	A	901[B]	TDR	N1-C2-N3	6.44	122.42	115.13
3	D	904[B]	TDR	N1-C2-N3	6.40	122.38	115.13
3	C	903[B]	TDR	N1-C2-N3	6.32	122.29	115.13
3	E	905[A]	TDR	N1-C2-N3	6.27	122.24	115.13
3	D	904[A]	TDR	N1-C2-N3	6.23	122.19	115.13
3	B	902	TDR	O4-C4-C5	-6.20	117.72	124.90
3	F	906[B]	TDR	N1-C2-N3	6.17	122.12	115.13
3	F	906[A]	TDR	N1-C2-N3	6.16	122.11	115.13
3	C	903[A]	TDR	N1-C2-N3	6.11	122.05	115.13
3	A	901[A]	TDR	N1-C2-N3	6.09	122.03	115.13
3	B	902	TDR	N1-C2-N3	5.97	121.90	115.13
3	B	902	TDR	C5-C4-N3	5.50	120.00	115.31
3	B	902	TDR	C4-N3-C2	-5.36	118.62	126.34
3	F	906[A]	TDR	O4-C4-C5	-5.35	118.70	124.90
3	E	905[A]	TDR	O4-C4-C5	-5.25	118.82	124.90
3	D	904[A]	TDR	O4-C4-C5	-5.08	119.01	124.90
3	B	902	TDR	O2-C2-N1	-5.01	117.27	122.79
3	E	905[A]	TDR	C4-N3-C2	-4.80	119.43	126.34
3	F	906[A]	TDR	C4-N3-C2	-4.71	119.56	126.34
3	D	904[A]	TDR	C4-N3-C2	-4.70	119.57	126.34
3	F	906[B]	TDR	O4-C4-C5	-4.68	119.47	124.90
3	A	901[A]	TDR	O4-C4-C5	-4.59	119.58	124.90
3	C	903[A]	TDR	O4-C4-C5	-4.56	119.62	124.90
3	F	906[B]	TDR	C4-N3-C2	-4.55	119.78	126.34
3	A	901[B]	TDR	C4-N3-C2	-4.53	119.81	126.34
3	E	905[A]	TDR	C5-C4-N3	4.50	119.16	115.31
3	A	901[A]	TDR	C4-N3-C2	-4.50	119.86	126.34
3	F	906[A]	TDR	C5-C4-N3	4.48	119.14	115.31
3	E	905[B]	TDR	C4-N3-C2	-4.47	119.90	126.34
3	C	903[A]	TDR	C4-N3-C2	-4.43	119.96	126.34
3	D	904[B]	TDR	C4-N3-C2	-4.42	119.97	126.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	906[B]	TDR	C5-C4-N3	4.28	118.97	115.31
3	D	904[A]	TDR	O2-C2-N1	-4.28	118.08	122.79
3	C	903[B]	TDR	C4-N3-C2	-4.23	120.24	126.34
3	D	904[A]	TDR	C5-C4-N3	4.23	118.92	115.31
3	E	905[A]	TDR	O2-C2-N1	-4.18	118.19	122.79
3	A	901[A]	TDR	C5-C4-N3	4.16	118.87	115.31
3	A	901[B]	TDR	O4-C4-C5	-4.15	120.09	124.90
3	C	903[A]	TDR	C5-C4-N3	4.11	118.82	115.31
3	E	905[B]	TDR	O2-C2-N1	-4.10	118.27	122.79
3	D	904[B]	TDR	O2-C2-N1	-4.10	118.27	122.79
3	F	906[A]	TDR	O2-C2-N1	-4.05	118.33	122.79
3	E	905[B]	TDR	O4-C4-C5	-4.02	120.24	124.90
3	A	901[A]	TDR	O2-C2-N1	-4.00	118.39	122.79
3	D	904[B]	TDR	O4-C4-C5	-3.99	120.27	124.90
3	A	901[B]	TDR	O2-C2-N1	-3.96	118.43	122.79
3	C	903[B]	TDR	O2-C2-N1	-3.92	118.47	122.79
3	A	901[B]	TDR	C5-C4-N3	3.88	118.63	115.31
3	C	903[A]	TDR	O2-C2-N1	-3.83	118.58	122.79
3	F	906[B]	TDR	O2-C2-N1	-3.73	118.69	122.79
3	E	905[B]	TDR	C5-C4-N3	3.70	118.47	115.31
3	D	904[B]	TDR	C5-C4-N3	3.68	118.45	115.31
3	C	903[B]	TDR	C5-C4-N3	3.53	118.32	115.31
3	C	903[B]	TDR	O4-C4-C5	-3.46	120.89	124.90
3	E	905[B]	TDR	C5-C6-N1	-3.18	118.59	122.43
3	A	901[B]	TDR	C5-C6-N1	-3.18	118.60	122.43
3	B	902	TDR	C5-C6-N1	-3.13	118.65	122.43
3	D	904[B]	TDR	C5-C6-N1	-3.07	118.73	122.43
3	C	903[A]	TDR	C5-C6-N1	-3.06	118.73	122.43
3	D	904[A]	TDR	C5-C6-N1	-3.04	118.77	122.43
3	F	906[A]	TDR	C5-C6-N1	-3.02	118.78	122.43
3	F	906[B]	TDR	C5-C6-N1	-3.02	118.78	122.43
3	E	905[A]	TDR	C5-C6-N1	-3.00	118.80	122.43
3	A	901[A]	TDR	C5-C6-N1	-2.98	118.84	122.43
3	C	903[B]	TDR	CM5-C5-C4	2.94	122.00	118.77
3	C	903[B]	TDR	CM5-C5-C6	-2.79	120.07	123.16
3	C	903[B]	TDR	C5-C6-N1	-2.73	119.14	122.43
3	B	902	TDR	CM5-C5-C4	2.35	121.36	118.77
3	D	904[B]	TDR	CM5-C5-C6	-2.27	120.65	123.16
3	E	905[B]	TDR	CM5-C5-C6	-2.23	120.69	123.16
3	D	904[B]	TDR	CM5-C5-C4	2.15	121.13	118.77
3	A	901[B]	TDR	CM5-C5-C6	-2.03	120.91	123.16
3	E	905[B]	TDR	CM5-C5-C4	2.03	121.00	118.77

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
3	A	901[A]	TDR	CM5-C5-C4	2.01	120.98	118.77

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1254	GOL	O1-C1-C2-O2
4	E	1015	GOL	C1-C2-C3-O3
5	B	1001	1PE	OH4-C13-C23-OH3
5	B	1001	1PE	OH2-C12-C22-OH3
5	B	1001	1PE	OH7-C16-C26-OH6
4	A	1254	GOL	O1-C1-C2-C3
4	A	1254	GOL	C1-C2-C3-O3
4	C	1013	GOL	O1-C1-C2-C3
4	E	1015	GOL	O2-C2-C3-O3
5	B	1001	1PE	C16-C26-OH6-C15
5	B	1001	1PE	C13-C23-OH3-C22
4	C	1013	GOL	O1-C1-C2-O2
4	F	1011	GOL	O2-C2-C3-O3
5	B	1001	1PE	OH6-C15-C25-OH5
4	A	1254	GOL	O2-C2-C3-O3
4	B	1014	GOL	O1-C1-C2-C3
4	F	1011	GOL	C1-C2-C3-O3
4	B	1014	GOL	O1-C1-C2-O2

There are no ring outliers.

14 monomers are involved in 29 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	1014	GOL	1	0
5	B	1001	1PE	7	0
3	D	904[A]	TDR	1	0
3	F	906[B]	TDR	4	0
4	F	1011	GOL	1	0
3	C	903[A]	TDR	1	0
2	B	802	PO4	1	0
3	E	905[B]	TDR	2	0
2	D	804	PO4	1	0
3	F	906[A]	TDR	2	0
3	D	904[B]	TDR	1	0
4	C	1013	GOL	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	902	TDR	5	0
3	E	905[A]	TDR	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	251/253 (99%)	0.12	18 (7%) 15 17	2, 5, 21, 39	4 (1%)
1	B	246/253 (97%)	-0.01	7 (2%) 53 57	2, 5, 17, 31	0
1	C	245/253 (96%)	0.29	18 (7%) 15 17	2, 8, 23, 39	1 (0%)
1	D	244/253 (96%)	0.13	13 (5%) 26 29	2, 7, 19, 33	0
1	E	252/253 (99%)	0.02	15 (5%) 21 24	2, 5, 20, 27	0
1	F	245/253 (96%)	-0.06	10 (4%) 37 41	2, 5, 16, 31	0
All	All	1483/1518 (97%)	0.08	81 (5%) 25 27	2, 6, 20, 39	5 (0%)

All (81) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	2237	THR	14.1
1	A	1228	ILE	11.5
1	D	3004	SER	9.9
1	E	5002	SER	8.9
1	A	1233	THR	7.5
1	B	6002	SER	7.3
1	D	3231	ALA	7.2
1	B	6231	ALA	6.1
1	B	6232	GLU	6.1
1	E	5253	LEU	5.3
1	C	2003	LYS	5.3
1	F	4002	SER	5.2
1	D	3238	GLU	5.2
1	E	5147[A]	ILE	5.1
1	A	1058	ASP	5.0
1	F	4230	ASN	5.0
1	C	2230	ASN	4.8
1	C	2238	GLU	4.8
1	B	6253	LEU	4.8

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	1231	ALA	4.7
1	A	1237	THR	4.7
1	B	6003	LYS	4.6
1	A	1225	GLN	4.5
1	A	1234	MET	4.4
1	A	1230	ASN	4.4
1	E	5235	LYS	4.4
1	E	5236	GLN	4.3
1	A	1235	LYS	4.2
1	E	5003	LYS	4.2
1	A	1253	LEU	4.1
1	F	4253	LEU	4.1
1	F	4238	GLU	4.1
1	A	1226	GLN	3.9
1	A	1236	GLN	3.9
1	D	3005[A]	ASP	3.9
1	C	2239	SER	3.7
1	C	2147	ILE	3.7
1	F	4240	HIS	3.6
1	D	3253	LEU	3.6
1	F	4239	SER	3.5
1	A	1232	GLU	3.4
1	E	5233	THR	3.4
1	D	3148	GLY	3.3
1	E	5231	ALA	3.3
1	D	3147	ILE	3.1
1	F	4101	HIS	3.1
1	C	2148	GLY	3.0
1	D	3230	ASN	3.0
1	B	6147[A]	ILE	3.0
1	E	5148[A]	GLY	3.0
1	C	2253	LEU	3.0
1	A	1003	LYS	2.9
1	C	2225	GLN	2.9
1	D	3101[A]	HIS	2.8
1	C	2145[A]	LYS	2.8
1	C	2101[A]	HIS	2.8
1	C	2240	HIS	2.8
1	A	1239	SER	2.8
1	D	3239	SER	2.8
1	E	5058	ASP	2.8
1	A	1101	HIS	2.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	2058	ASP	2.8
1	E	5232	GLU	2.7
1	A	1240	HIS	2.7
1	A	1229	PRO	2.6
1	F	4059	GLY	2.6
1	E	5145	LYS	2.6
1	C	2030[A]	ARG	2.5
1	E	5238	GLU	2.5
1	C	2104	VAL	2.5
1	F	4250[A]	ARG	2.4
1	C	2005	ASP	2.4
1	E	5250[A]	ARG	2.4
1	D	3240	HIS	2.3
1	D	3225	GLN	2.3
1	C	2250	ARG	2.2
1	E	5146[A]	SER	2.2
1	F	4058	ASP	2.2
1	B	6059	GLY	2.1
1	D	3185[A]	GLU	2.1
1	C	2146	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	1PE	B	1001	16/16	0.51	0.49	9,27,33,33	16
4	GOL	F	1011	6/6	0.67	0.27	33,33,33,34	0
3	TDR	C	903[A]	9/9	0.69	0.32	19,20,20,20	9

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	TDR	C	903[B]	9/9	0.69	0.32	21,21,21,21	9
4	GOL	E	1015	6/6	0.72	0.16	41,42,42,42	0
4	GOL	A	1254	6/6	0.73	0.25	35,35,35,35	0
4	GOL	B	1014	6/6	0.74	0.26	41,42,42,42	0
3	TDR	E	905[A]	9/9	0.74	0.26	10,10,10,10	9
3	TDR	E	905[B]	9/9	0.74	0.26	17,17,17,17	9
3	TDR	B	902	9/9	0.74	0.26	12,12,13,15	0
3	TDR	D	904[B]	9/9	0.80	0.26	17,17,17,17	9
3	TDR	A	901[B]	9/9	0.80	0.27	17,17,17,17	9
3	TDR	A	901[A]	9/9	0.80	0.27	14,15,15,15	9
3	TDR	D	904[A]	9/9	0.80	0.26	8,8,9,9	9
3	TDR	F	906[B]	9/9	0.81	0.26	8,9,9,10	9
3	TDR	F	906[A]	9/9	0.81	0.26	11,11,11,12	9
4	GOL	C	1013	6/6	0.87	0.18	33,33,33,34	0
2	PO4	F	807[B]	5/5	0.90	0.18	17,17,18,18	5
2	PO4	F	807[A]	5/5	0.90	0.18	15,15,16,16	5
2	PO4	A	808[B]	5/5	0.92	0.18	23,23,23,23	5
2	PO4	A	808[A]	5/5	0.92	0.18	15,15,15,15	5
2	PO4	B	802	5/5	0.99	0.05	7,7,8,8	0
2	PO4	C	803	5/5	0.99	0.05	8,8,9,9	0
2	PO4	D	804	5/5	0.99	0.07	7,7,7,7	0
2	PO4	E	805	5/5	0.99	0.05	5,5,6,7	0
2	PO4	F	806	5/5	0.99	0.06	5,6,7,7	0
2	PO4	A	801	5/5	0.99	0.06	4,4,4,5	0

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.