

wwPDB X-ray Structure Validation Summary Report (i)

Nov 26, 2023 – 10:26 PM JST

PDB ID : 8HRP

Title: Crystal structure of glyceraldehyde-3-phosphate dehydrogenase from

Corynebacterium glutamicum ATCC13032 in complex with NAD and G3P

Authors : Son, H.F.; Kim, K.J.

Deposited on : 2022-12-15

Resolution : 1.99 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity: 4.02b-467

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.36

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

 $Refmac \quad : \quad 5.8.0158$

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$

The reported resolution of this entry is 1.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
WIGHT	$(\# {\rm Entries})$	$(\# ext{Entries}, ext{ resolution range}(ext{Å}))$
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	A	342	90%	7%	
1	В	342	91%	7%	-
1	С	342	89%	9%	-
1	D	342	88%	10%	
1	Е	342	90%	7%	-
1	F	342	<u>5%</u> 88%	9%	-

Continued on next page...



 $Continued\ from\ previous\ page...$

Mol	Chain	Length	Quality of chain		
1	G	342	89%	8%	•••
1	Н	342	86%	11%	.

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	G3H	В	402	-	-	X	-
3	G3H	С	402	-	-	X	-
3	G3H	D	402	-	-	X	-
3	G3H	Е	402	-	-	X	-
3	G3H	G	402	-	-	X	-



2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 22219 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Glyceraldehyde-3-phosphate dehydrogenase.

Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf	Trace		
1	A	334	Total	С	N	О	S	0	0	0		
1	A	334	2537	1590	439	502	6	0	0			
1	В	334	Total	С	N	О	S	0	0	0		
1	Б	334	2537	1590	439	502	6	0	0			
1	С	335	Total	С	N	О	S	0	0	0		
1	C	333	2546	1595	440	505	6		0			
1	D	334	Total	С	N	О	S	0	0	0		
1	D	334	2537	1590	439	502	6	U	U			
1	Ŀ	E	F	333	Total	С	N	О	S	0	0	0
1	12	333	2529	1584	438	501	6		0			
1	F	333	Total	С	N	O	S	0	0	0		
1	I.	333	2529	1584	438	501	6		0			
1	G	333	Total	С	N	O	S	0	0	0		
1	ı G	ეეე	2529	1584	438	501	6		0			
1	Н	333	Total	С	N	О	S	0	0	0		
1	11	333	2529	1584	438	501	6		U			

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	335	LEU	-	expression tag	UNP Q01651
A	336	GLU	-	expression tag	UNP Q01651
A	337	HIS	-	expression tag	UNP Q01651
A	338	HIS	-	expression tag	UNP Q01651
A	339	HIS	-	expression tag	UNP Q01651
A	340	HIS	-	expression tag	UNP Q01651
A	341	HIS	-	expression tag	UNP Q01651
A	342	HIS	-	expression tag	UNP Q01651
В	335	LEU	-	expression tag	UNP Q01651
В	336	GLU	-	expression tag	UNP Q01651
В	337	HIS	-	expression tag	UNP Q01651
В	338	HIS	-	expression tag	UNP Q01651
В	339	HIS	-	expression tag	UNP Q01651



Continued from previous page...


Chain	Residue	Modelled Modelled	Actual	Comment	Reference
В	340	HIS	-	expression tag	UNP Q01651
В	341	HIS	-	expression tag	UNP Q01651
В	342	HIS	-	expression tag	UNP Q01651
С	335	LEU	-	expression tag	UNP Q01651
С	336	GLU	-	expression tag	UNP Q01651
С	337	HIS	-	expression tag	UNP Q01651
С	338	HIS	-	expression tag	UNP Q01651
С	339	HIS	-	expression tag	UNP Q01651
С	340	HIS	-	expression tag	UNP Q01651
С	341	HIS	-	expression tag	UNP Q01651
С	342	HIS	_	expression tag	UNP Q01651
D	335	LEU	-	expression tag	UNP Q01651
D	336	GLU	-	expression tag	UNP Q01651
D	337	HIS	-	expression tag	UNP Q01651
D	338	HIS	-	expression tag	UNP Q01651
D	339	HIS	-	expression tag	UNP Q01651
D	340	HIS	-	expression tag	UNP Q01651
D	341	HIS	-	expression tag	UNP Q01651
D	342	HIS	-	expression tag	UNP Q01651
Е	335	LEU	-	expression tag	UNP Q01651
Е	336	GLU	-	expression tag	UNP Q01651
Е	337	HIS	-	expression tag	UNP Q01651
Е	338	HIS	-	expression tag	UNP Q01651
Е	339	HIS	-	expression tag	UNP Q01651
Е	340	HIS	-	expression tag	UNP Q01651
Е	341	HIS	-	expression tag	UNP Q01651
Е	342	HIS	-	expression tag	UNP Q01651
F	335	LEU	-	expression tag	UNP Q01651
F	336	GLU	-	expression tag	UNP Q01651
F	337	HIS	-	expression tag	UNP Q01651
F	338	HIS	-	expression tag	UNP Q01651
F	339	HIS	-	expression tag	UNP Q01651
F	340	HIS	-	expression tag	UNP Q01651
F	341	HIS	-	expression tag	UNP Q01651
F	342	HIS	-	expression tag	UNP Q01651
G	335	LEU	-	expression tag	UNP Q01651
G	336	GLU		expression tag	UNP Q01651
G	337	HIS	-	expression tag	UNP Q01651
G	338	HIS	-	expression tag	UNP Q01651
G	339	HIS	-	expression tag	UNP Q01651
G	340	HIS	-	expression tag	UNP Q01651
G	341	HIS	-	expression tag	UNP Q01651



 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled	Actual	Comment	Reference
G	342	HIS	-	expression tag	UNP Q01651
Н	335	LEU	-	expression tag	UNP Q01651
Н	336	GLU	-	expression tag	UNP Q01651
Н	337	HIS	_	expression tag	UNP Q01651
Н	338	HIS	-	expression tag	UNP Q01651
Н	339	HIS	-	expression tag	UNP Q01651
Н	340	HIS	-	expression tag	UNP Q01651
Н	341	HIS	-	expression tag	UNP Q01651
Н	342	HIS	-	expression tag	UNP Q01651

• Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf
2	A	1	Total	С	N	О	Р	0	0
	Λ	1	44	21	7	14	2		U
2	В	1	Total	С	N	Ο	Р	0	0
	Ъ	1	44	21	7	14	2		0
2	C	1	Total	С	N	О	Р	0	0
		1	44	21	7	14	2		U
2	D	1	Total	С	N	О	Р	0	0
	ט	1	44	21	7	14	2	U	0
2	E	1	Total	С	N	О	Р	0	0
		1	44	21	7	14	2	0	0
2	F	1	Total	С	N	О	Р	0	0
	I'	1	44	21	7	14	2	U	U



Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf		
9	2 G	C	1	Total	С	N	О	Р	0	0
		1	44	21	7	14	2	U		
9	П	1	Total	С	N	О	Р	0	0	
	п	1	44	21	7	14	2			


• Molecule 3 is GLYCERALDEHYDE-3-PHOSPHATE (three-letter code: G3H) (formula: $C_3H_7O_6P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	
3	A	1	Total C O P	0	0	
J		1	10 3 6 1	U		
3	В	1	Total C O P	0	0	
	D	1	10 3 6 1	U		
3	$^{\rm C}$	1	Total C O P	0	0	
		1	10 3 6 1	U	U	
3	D	1	Total C O P	0	0	
	D	1	10 3 6 1	Ů,	J	
3	E	1	Total C O P	0	0	
	L	1	10 3 6 1	U	U	
3	F	1	Total C O P	0	0	
	1	1	10 3 6 1	Ů	0	
3	G	1	Total C O P	0	0	
	G	1	10 3 6 1		U	
3	3 H	Н 1	Total C O P	0	0	
	11	1	10 3 6 1			

• Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).






Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	В	1	Total C O 6 3 3	0	0
4	В	1	Total C O 6 3 3	0	0
4	В	1	Total C O 6 3 3	0	0
4	С	1	Total C O 6 3 3	0	0
4	С	1	Total C O 6 3 3	0	0
4	С	1	Total C O 6 3 3	0	0
4	С	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	E	1	Total C O 6 3 3	0	0
4	E	1	Total C O 6 3 3	0	0
4	Н	1	Total C O 6 3 3	0	0




 \bullet Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $\mathrm{C_2H_6O_2}).$



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	
5	С	1	Total C O	0	0	
			4 2 2			
5	D	1	Total C O	0	0	
	D	1	4 2 2	U	0	
5	Е	1	Total C O	0	0	
5	E	1	4 2 2	U		
5	Е	1	Total C O	0	0	
5	E	1	4 2 2	U	0	
5	F	1	Total C O	0	0	
3	Г	1	4 2 2	0	U	
5	С	1	Total C O	0	0	
3	G	1	4 2 2	U	U	

 \bullet Molecule 6 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: $\mathrm{C_8H_{18}O_5}).$





Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
6	D	1	Total 13	C 8	O 5	0	0

• Molecule 7 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	168	Total O 168 168	0	0
7	В	196	Total O 196 196	0	0
7	С	203	Total O 203 203	0	0
7	D	224	Total O 224 224	0	0
7	E	170	Total O 170 170	0	0
7	F	161	Total O 161 161	0	0
7	G	114	Total O 114 114	0	0
7	Н	157	Total O 157 157	0	0



3 Residue-property plots (i)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Glyceraldehyde-3-phosphate dehydrogenase







• Molecule 1: Glyceraldehyde-3-phosphate dehydrogenase




 \bullet Molecule 1: Glyceraldehyde-3-phosphate dehydrogenase



• Molecule 1: Glyceraldehyde-3-phosphate dehydrogenase



• Molecule 1: Glyceraldehyde-3-phosphate dehydrogenase





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	86.95Å 119.85Å 140.63Å	Donogitor
a, b, c, α , β , γ	90.00° 91.27° 90.00°	Depositor
Resolution (Å)	32.86 - 1.99	Depositor
resolution (A)	32.84 - 1.99	EDS
% Data completeness	94.5 (32.86-1.99)	Depositor
(in resolution range)	94.6 (32.84-1.99)	EDS
R_{merge}	0.99	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	4.16 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.8.0403	Depositor
Ρ. Р.	0.164 , 0.201	Depositor
R, R_{free}	0.175 , 0.208	DCC
R_{free} test set	9120 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	23.6	Xtriage
Anisotropy	0.322	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.38 , 49.3	EDS
L-test for twinning ²	$< L >=0.48, < L^2>=0.31$	Xtriage
Estimated twinning fraction	0.030 for h,-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	22219	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.57% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: G3H, NAD, GOL, EDO, PG4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bo	nd lengths	Bond angles		
MIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z >5	
1	A	0.47	0/2580	0.79	1/3508 (0.0%)	
1	В	0.46	0/2580	0.82	1/3508 (0.0%)	
1	С	0.49	$1/2589 \ (0.0\%)$	0.82	$2/3520 \ (0.1\%)$	
1	D	0.50	0/2580	0.77	0/3508	
1	Е	0.41	0/2572	0.74	0/3497	
1	F	0.43	0/2572	0.74	0/3497	
1	G	0.40	0/2572	0.74	2/3497 (0.1%)	
1	Н	0.41	0/2572	0.73	0/3497	
All	All	0.45	$1/20617 \ (0.0\%)$	0.77	$6/28032 \ (0.0\%)$	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a maintain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	В	0	4
1	С	0	4
1	D	0	4
1	Е	0	5
1	F	0	3
1	G	0	4
1	Н	0	3
All	All	0	30

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(\text{\AA})$	$\operatorname{Ideal}(ext{\AA})$
1	С	278	GLU	CD-OE1	-5.13	1.20	1.25



The worst	5	of	6	bond	angle	outliers	are	listed	below:
I IIC WOIDU	\mathbf{O}	\circ	\circ	Ollia	WII SIC	Odditoid	COL C	IIDUCA	DOIOW.

Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
1	С	19	ARG	NE-CZ-NH2	-10.43	115.09	120.30
1	С	19	ARG	NE-CZ-NH1	10.16	125.38	120.30
1	В	248	ASN	CB-CA-C	-8.86	92.69	110.40
1	G	325	ARG	NE-CZ-NH2	-6.31	117.14	120.30
1	A	198	ARG	NE-CZ-NH2	-5.68	117.46	120.30

There are no chirality outliers.

5 of 30 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	197	ARG	Sidechain
1	A	234	ARG	Sidechain
1	A	325	ARG	Sidechain
1	В	197	ARG	Sidechain
1	В	54	ARG	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2537	0	2505	18	0
1	В	2537	0	2505	18	0
1	С	2546	0	2511	27	0
1	D	2537	0	2505	30	0
1	Ε	2529	0	2494	17	0
1	F	2529	0	2494	22	0
1	G	2529	0	2494	18	0
1	Н	2529	0	2494	24	0
2	A	44	0	26	0	0
2	В	44	0	26	1	0
2	С	44	0	26	6	0
2	D	44	0	26	1	0
2	Ε	44	0	26	3	0
2	F	44	0	26	2	0
2	G	44	0	26	2	0
2	Н	44	0	26	0	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	10	0	5	2	0
3	В	10	0	5	4	0
3	С	10	0	5	8	0
3	D	10	0	5	4	0
3	Ε	10	0	5	4	0
3	F	10	0	5	1	0
3	G	10	0	5	5	0
3	Η	10	0	5	0	0
4	A	12	0	16	2	0
4	В	18	0	24	2	0
4	С	24	0	32	1	0
4	D	12	0	16	1	0
4	Ε	12	0	16	0	0
4	Н	6	0	8	0	0
5	С	4	0	6	1	0
5	D	4	0	6	0	0
5	Ε	8	0	12	0	0
5	F	4	0	6	0	0
5	G	4	0	6	0	0
6	D	13	0	18	3	0
7	A	168	0	0	0	0
7	В	196	0	0	4	0
7	С	203	0	0	2	0
7	D	224	0	0	9	0
7	Ε	170	0	0	1	0
7	F	161	0	0	0	0
7	G	114	0	0	2	0
7	Н	157	0	0	2	0
All	All	22219	0	20416	172	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 172 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	Clash overlap (Å)	
1:C:153:CYS:SG	3:C:402:G3H:H2	1.55	1.44	
1:B:153:CYS:SG	3:B:402:G3H:H2	1.72	1.27	
1:E:153:CYS:SG	3:E:402:G3H:H2	1.91	1.10	
1:G:153:CYS:SG	3:G:402:G3H:H2	1.93	1.08	
1:C:153:CYS:SG	3:C:402:G3H:C2	2.45	1.05	



There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	332/342 (97%)	321 (97%)	11 (3%)	0	100	100
1	В	332/342 (97%)	322 (97%)	10 (3%)	0	100	100
1	С	333/342 (97%)	319 (96%)	14 (4%)	0	100	100
1	D	332/342 (97%)	321 (97%)	11 (3%)	0	100	100
1	E	331/342 (97%)	319 (96%)	12 (4%)	0	100	100
1	F	331/342 (97%)	318 (96%)	13 (4%)	0	100	100
1	G	331/342 (97%)	315 (95%)	15 (4%)	1 (0%)	41	37
1	Н	331/342 (97%)	317 (96%)	13 (4%)	1 (0%)	41	37
All	All	2653/2736 (97%)	2552 (96%)	99 (4%)	2 (0%)	51	49

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	Н	170	GLY
1	G	170	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	272/280 (97%)	271 (100%)	1 (0%)	91 93



Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Perce	\mathbf{ntiles}
1	В	272/280 (97%)	270 (99%)	2 (1%)	84	88
1	\mathbf{C}	273/280 (98%)	272 (100%)	1 (0%)	91	93
1	D	272/280 (97%)	269 (99%)	3 (1%)	73	78
1	E	271/280 (97%)	270 (100%)	1 (0%)	91	93
1	F	271/280 (97%)	269 (99%)	2 (1%)	84	88
1	G	271/280 (97%)	269 (99%)	2 (1%)	84	88
1	Н	271/280 (97%)	270 (100%)	1 (0%)	91	93
All	All	2173/2240 (97%)	2160 (99%)	13 (1%)	86	90

5 of 13 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	Е	288	HIS
1	F	176	MET
1	Н	142	PRO
1	G	26	ASP
1	G	334	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 35 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	189	HIS
1	G	315	ASN
1	Н	173	ASN
1	D	137	HIS
1	С	315	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

37 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

N / L 1	Ф	Cl:	D	T : 1-	Вс	nd leng	ths	Bond angles			
Mol	Type	Chain	Res	Link	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
3	G3H	A	402	-	8,9,9	0.75	0	10,12,12	0.80	0	
2	NAD	Е	401	-	42,48,48	0.78	1 (2%)	50,73,73	0.81	1 (2%)	
5	EDO	F	403	-	3,3,3	0.09	0	2,2,2	0.13	0	
4	GOL	В	405	-	5,5,5	0.19	0	5,5,5	0.35	0	
3	G3H	D	402	_	8,9,9	0.57	0	10,12,12	1.04	1 (10%)	
4	GOL	С	403	-	5,5,5	0.13	0	5,5,5	0.48	0	
4	GOL	A	404	-	5,5,5	0.23	0	5,5,5	0.49	0	
4	GOL	Е	404	-	5,5,5	0.18	0	5,5,5	0.33	0	
3	G3H	G	402	-	8,9,9	0.59	0	10,12,12	1.43	1 (10%)	
2	NAD	D	401	-	42,48,48	0.80	1 (2%)	50,73,73	0.86	2 (4%)	
4	GOL	С	404	-	5,5,5	0.10	0	5,5,5	0.33	0	
4	GOL	D	404	-	5,5,5	0.07	0	5,5,5	0.50	0	
5	EDO	D	405	-	3,3,3	0.15	0	2,2,2	0.66	0	
3	G3H	Е	402	-	8,9,9	0.56	0	10,12,12	1.09	1 (10%)	
4	GOL	Н	403	-	5,5,5	0.20	0	5,5,5	0.34	0	
6	PG4	D	406	-	12,12,12	0.21	0	11,11,11	0.19	0	
3	G3H	С	402	_	8,9,9	0.25	0	10,12,12	1.89	2 (20%)	
3	G3H	F	402	-	8,9,9	0.48	0	10,12,12	0.84	0	
5	EDO	С	407	-	3,3,3	0.57	0	2,2,2	0.40	0	
2	NAD	A	401	-	42,48,48	0.88	1 (2%)	50,73,73	0.79	1 (2%)	
2	NAD	В	401	_	42,48,48	0.75	1 (2%)	50,73,73	0.89	1 (2%)	
4	GOL	D	403	-	5,5,5	0.14	0	5,5,5	0.29	0	
5	EDO	Е	406	-	3,3,3	0.22	0	2,2,2	0.03	0	
3	G3H	В	402	-	8,9,9	0.65	0	10,12,12	2.01	2 (20%)	
2	NAD	С	401	-	42,48,48	0.95	2 (4%)	50,73,73	0.92	2 (4%)	



Mal	Trino	Chain	Dag	Link	Bo	ond leng	ths	Bond angles		
Mol	Type	Chain	Res	S LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAD	F	401	-	42,48,48	0.79	1 (2%)	50,73,73	0.89	3 (6%)
2	NAD	Н	401	-	42,48,48	0.82	1 (2%)	50,73,73	0.86	2 (4%)
5	EDO	G	403	-	3,3,3	0.22	0	2,2,2	0.13	0
3	G3H	Н	402	-	8,9,9	0.62	0	10,12,12	0.96	1 (10%)
5	EDO	Е	405	-	3,3,3	0.25	0	2,2,2	0.64	0
4	GOL	Е	403	-	5,5,5	0.13	0	5,5,5	0.41	0
4	GOL	В	404	_	5,5,5	0.20	0	5,5,5	0.30	0
2	NAD	G	401	-	42,48,48	0.80	1 (2%)	50,73,73	0.83	1 (2%)
4	GOL	С	406	-	5,5,5	0.17	0	5,5,5	0.24	0
4	GOL	С	405	-	5,5,5	0.26	0	5,5,5	0.46	0
4	GOL	В	403	-	5,5,5	0.12	0	5,5,5	0.44	0
4	GOL	A	403	-	5,5,5	0.15	0	5,5,5	0.46	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	G3H	A	402	-	-	3/7/8/8	-
2	NAD	Е	401	-	-	5/26/62/62	0/5/5/5
5	EDO	F	403	-	-	0/1/1/1	-
4	GOL	В	405	-	-	1/4/4/4	-
3	G3H	D	402	-	-	3/7/8/8	-
4	GOL	С	403	-	-	2/4/4/4	_
4	GOL	A	404	-	-	2/4/4/4	-
4	GOL	Е	404	-	-	3/4/4/4	-
3	G3H	G	402	-	-	4/7/8/8	-
2	NAD	D	401	-	-	5/26/62/62	0/5/5/5
4	GOL	С	404	-	-	2/4/4/4	-
4	GOL	D	404	-	-	2/4/4/4	-
5	EDO	D	405	-	-	1/1/1/1	-
3	G3H	Е	402	_	-	3/7/8/8	-
4	GOL	Н	403	-	-	0/4/4/4	-
6	PG4	D	406	-	-	3/10/10/10	-
3	G3H	С	402	-	-	3/7/8/8	
3	G3H	F	402	-	-	3/7/8/8	-
5	EDO	С	407	-	-	1/1/1/1	-



 $Continued\ from\ previous\ page...$

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	A	401	-	-	5/26/62/62	0/5/5/5
2	NAD	В	401	-	-	5/26/62/62	0/5/5/5
4	GOL	D	403	-	-	1/4/4/4	-
5	EDO	Е	406	-	-	0/1/1/1	-
3	G3H	В	402	-	-	3/7/8/8	-
2	NAD	С	401	-	-	5/26/62/62	0/5/5/5
2	NAD	F	401	-	-	5/26/62/62	0/5/5/5
2	NAD	Н	401	-	-	8/26/62/62	0/5/5/5
5	EDO	G	403	-	-	1/1/1/1	-
3	G3H	Н	402	-	-	2/7/8/8	-
5	EDO	Е	405	-	-	1/1/1/1	-
4	GOL	Е	403	-	-	3/4/4/4	-
4	GOL	В	404	-	-	4/4/4/4	-
2	NAD	G	401	-	-	7/26/62/62	0/5/5/5
4	GOL	С	406	-	-	1/4/4/4	-
4	GOL	С	405	-	-	2/4/4/4	-
4	GOL	В	403	-	-	2/4/4/4	-
4	GOL	A	403	-	-	2/4/4/4	-

The worst 5 of 9 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	Observed(A)	$\operatorname{Ideal}(ext{\AA})$
2	G	401	NAD	C2N-N1N	3.69	1.39	1.35
2	С	401	NAD	C2N-N1N	3.63	1.39	1.35
2	F	401	NAD	C2N-N1N	3.51	1.39	1.35
2	Н	401	NAD	C2N-N1N	3.44	1.39	1.35
2	A	401	NAD	C2N-N1N	3.41	1.39	1.35

The worst 5 of 21 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^o)$	$Ideal(^{o})$
3	В	402	G3H	O1P-C3-C2	-4.64	96.02	108.33
3	С	402	G3H	O2-C2-C1	4.21	117.46	109.17
3	В	402	G3H	O2-C2-C1	3.26	115.58	109.17
3	G	402	G3H	O2-C2-C1	3.08	115.23	109.17
3	С	402	G3H	O1P-C3-C2	-2.95	100.49	108.33

There are no chirality outliers.

5 of 103 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	A	401	NAD	O4D-C1D-N1N-C2N
2	A	401	NAD	O4D-C1D-N1N-C6N
2	A	401	NAD	C2D-C1D-N1N-C2N
2	A	401	NAD	C2D-C1D-N1N-C6N
2	В	401	NAD	O4D-C1D-N1N-C2N


There are no ring outliers.


19 monomers are involved in 43 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	402	G3H	2	0
2	Е	401	NAD	3	0
3	D	402	G3H	4	0
4	A	404	GOL	2	0
3	G	402	G3H	5	0
2	D	401	NAD	1	0
4	С	404	GOL	1	0
4	D	404	GOL	1	0
3	Е	402	G3H	4	0
6	D	406	PG4	3	0
3	С	402	G3H	8	0
3	F	402	G3H	1	0
5	С	407	EDO	1	0
2	В	401	NAD	1	0
3	В	402	G3H	4	0
2	С	401	NAD	6	0
2	F	401	NAD	2	0
4	В	404	GOL	2	0
2	G	401	NAD	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

























































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	# RSRZ > 2	2	$\mathbf{OWAB}(\mathbf{\mathring{A}}^2)$	Q < 0.9
1	A	334/342 (97%)	-0.01	4 (1%) 79	78	13, 20, 35, 67	0
1	В	334/342 (97%)	-0.01	4 (1%) 79	78	12, 22, 38, 59	0
1	С	335/342 (97%)	0.01	4 (1%) 79	78	12, 22, 40, 65	0
1	D	334/342 (97%)	0.04	6 (1%) 68	66	11, 21, 40, 61	0
1	E	333/342 (97%)	0.13	8 (2%) 59	57	18, 27, 43, 79	0
1	F	333/342 (97%)	0.23	16 (4%) 30	29	18, 28, 46, 70	0
1	G	333/342 (97%)	0.31	13 (3%) 39	38	18, 32, 54, 68	0
1	Н	333/342 (97%)	0.28	12 (3%) 42	42	18, 29, 49, 67	0
All	All	2669/2736 (97%)	0.12	67 (2%) 57	56	11, 25, 46, 79	0

The worst 5 of 67 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	334	LEU	7.9
1	Н	334	LEU	7.0
1	D	334	LEU	7.0
1	A	334	LEU	6.2
1	Е	334	LEU	5.9

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.




6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\operatorname{B-factors}(\mathring{\mathbf{A}}^2)$	Q < 0.9
4	GOL	В	405	6/6	0.80	0.17	42,49,54,54	0
5	EDO	С	407	4/4	0.80	0.20	43,43,45,51	0
6	PG4	D	406	13/13	0.84	0.24	37,50,68,71	0
5	EDO	Е	406	4/4	0.85	0.14	37,39,41,44	0
4	GOL	Е	404	6/6	0.86	0.20	34,40,43,48	0
3	G3H	Н	402	10/10	0.86	0.26	61,80,85,86	0
5	EDO	F	403	4/4	0.87	0.13	52,52,53,53	0
4	GOL	В	404	6/6	0.87	0.18	44,45,49,54	0
4	GOL	D	403	6/6	0.88	0.14	32,39,41,42	0
4	GOL	A	404	6/6	0.88	0.15	39,42,44,45	0
4	GOL	Е	403	6/6	0.89	0.15	48,49,52,55	0
3	G3H	A	402	10/10	0.89	0.21	46,62,70,73	0
5	EDO	G	403	4/4	0.90	0.12	41,42,46,48	0
4	GOL	С	406	6/6	0.90	0.15	39,47,51,53	0
4	GOL	Н	403	6/6	0.91	0.11	40,43,44,47	0
5	EDO	D	405	4/4	0.92	0.18	29,30,31,32	0
5	EDO	Е	405	4/4	0.92	0.17	41,42,44,47	0
3	G3H	D	402	10/10	0.92	0.19	43,55,64,67	0
3	G3H	Е	402	10/10	0.93	0.15	44,57,62,64	0
3	G3H	G	402	10/10	0.93	0.17	39,55,67,75	0
4	GOL	В	403	6/6	0.94	0.14	27,34,35,41	0
4	GOL	D	404	6/6	0.94	0.23	31,37,42,43	0
4	GOL	С	403	6/6	0.94	0.25	30,36,38,48	0
3	G3H	F	402	10/10	0.94	0.14	35,46,51,67	0
4	GOL	С	405	6/6	0.95	0.14	23,30,33,37	0
4	GOL	С	404	6/6	0.95	0.11	29,39,43,43	0
2	NAD	A	401	44/44	0.96	0.11	12,18,21,22	0
2	NAD	F	401	44/44	0.96	0.10	24,30,37,39	0
2	NAD	G	401	44/44	0.96	0.10	29,34,40,42	0
4	GOL	A	403	6/6	0.96	0.09	31,34,36,37	0
2	NAD	Н	401	44/44	0.97	0.09	20,28,33,35	0
2	NAD	С	401	44/44	0.97	0.09	20,25,28,32	0
3	G3H	В	402	10/10	0.97	0.14	32,38,46,47	0
3	G3H	С	402	10/10	0.97	0.13	34,38,48,49	0
2	NAD	D	401	44/44	0.97	0.09	14,21,25,29	0
2	NAD	В	401	44/44	0.98	0.08	15,20,22,23	0
2	NAD	Е	401	44/44	0.98	0.07	22,25,30,32	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





























Electron density around NAD F 401:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)












Electron density around NAD G 401:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around NAD H 401:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)












Electron density around NAD C 401:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around G3H B 402:

 $2 \mathrm{mF}_o\text{-DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)











Electron density around G3H C 402: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${ m mF}_o{ m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive) Electron density around NAD D 401: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray mF_o -DF_c (at 3 rmsd) in purple (negative) and green (positive)









6.5 Other polymers (i)

There are no such residues in this entry.

