



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 13, 2023 – 05:35 PM JST

PDB ID : 8I09
Title : Crystal structure of serine acetyltransferase from *Salmonella typhimurium* complexed with butyl gallate
Authors : Toyomoto, T.; Ono, K.; Shiba, T.; Momitani, K.; Zhang, T.; Tsutsuki, H.; Ishikawa, T.; Hosono, K.; Hamada, K.; Rahman, A.; Zhong, H.; Akaike, T.; Yamamoto, K.; Matsuoka, M.; Hanaoka, K.; Niidome, T.; Sawa, T.
Deposited on : 2023-01-10
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	280	
1	B	280	
1	C	280	
1	D	280	
1	E	280	
1	F	280	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain	
1	G	280		80% 7% • 12%
1	H	280		81% 6% • 12%
1	I	280		81% 6% • 12%
1	J	280		83% • • 12%
1	K	280		81% 6% • 12%
1	L	280		80% 8% 12%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CYS	J	401	-	X	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 23191 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	246	Total 1852	C 1178	N 328	O 336	S 10	0	1	0
1	B	246	Total 1844	C 1173	N 327	O 335	S 9	0	0	0
1	C	246	Total 1852	C 1178	N 328	O 336	S 10	0	1	0
1	D	246	Total 1842	C 1171	N 327	O 335	S 9	0	0	0
1	E	245	Total 1837	C 1168	N 326	O 334	S 9	0	0	0
1	F	245	Total 1837	C 1168	N 326	O 334	S 9	0	0	0
1	G	246	Total 1850	C 1176	N 328	O 336	S 10	0	1	0
1	H	247	Total 1857	C 1181	N 329	O 337	S 10	0	1	0
1	I	246	Total 1850	C 1176	N 328	O 336	S 10	0	1	0
1	J	246	Total 1844	C 1173	N 327	O 335	S 9	0	0	0
1	K	246	Total 1844	C 1173	N 327	O 335	S 9	0	0	0
1	L	246	Total 1852	C 1178	N 328	O 336	S 10	0	1	0

There are 108 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	initiating methionine	UNP A0A0D6I3Y9
A	-6	HIS	-	expression tag	UNP A0A0D6I3Y9
A	-5	HIS	-	expression tag	UNP A0A0D6I3Y9
A	-4	HIS	-	expression tag	UNP A0A0D6I3Y9
A	-3	HIS	-	expression tag	UNP A0A0D6I3Y9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	HIS	-	expression tag	UNP A0A0D6I3Y9
A	-1	HIS	-	expression tag	UNP A0A0D6I3Y9
A	0	ASP	-	expression tag	UNP A0A0D6I3Y9
A	1	PRO	-	expression tag	UNP A0A0D6I3Y9
B	-7	MET	-	initiating methionine	UNP A0A0D6I3Y9
B	-6	HIS	-	expression tag	UNP A0A0D6I3Y9
B	-5	HIS	-	expression tag	UNP A0A0D6I3Y9
B	-4	HIS	-	expression tag	UNP A0A0D6I3Y9
B	-3	HIS	-	expression tag	UNP A0A0D6I3Y9
B	-2	HIS	-	expression tag	UNP A0A0D6I3Y9
B	-1	HIS	-	expression tag	UNP A0A0D6I3Y9
B	0	ASP	-	expression tag	UNP A0A0D6I3Y9
B	1	PRO	-	expression tag	UNP A0A0D6I3Y9
C	-7	MET	-	initiating methionine	UNP A0A0D6I3Y9
C	-6	HIS	-	expression tag	UNP A0A0D6I3Y9
C	-5	HIS	-	expression tag	UNP A0A0D6I3Y9
C	-4	HIS	-	expression tag	UNP A0A0D6I3Y9
C	-3	HIS	-	expression tag	UNP A0A0D6I3Y9
C	-2	HIS	-	expression tag	UNP A0A0D6I3Y9
C	-1	HIS	-	expression tag	UNP A0A0D6I3Y9
C	0	ASP	-	expression tag	UNP A0A0D6I3Y9
C	1	PRO	-	expression tag	UNP A0A0D6I3Y9
D	-7	MET	-	initiating methionine	UNP A0A0D6I3Y9
D	-6	HIS	-	expression tag	UNP A0A0D6I3Y9
D	-5	HIS	-	expression tag	UNP A0A0D6I3Y9
D	-4	HIS	-	expression tag	UNP A0A0D6I3Y9
D	-3	HIS	-	expression tag	UNP A0A0D6I3Y9
D	-2	HIS	-	expression tag	UNP A0A0D6I3Y9
D	-1	HIS	-	expression tag	UNP A0A0D6I3Y9
D	0	ASP	-	expression tag	UNP A0A0D6I3Y9
D	1	PRO	-	expression tag	UNP A0A0D6I3Y9
E	-7	MET	-	initiating methionine	UNP A0A0D6I3Y9
E	-6	HIS	-	expression tag	UNP A0A0D6I3Y9
E	-5	HIS	-	expression tag	UNP A0A0D6I3Y9
E	-4	HIS	-	expression tag	UNP A0A0D6I3Y9
E	-3	HIS	-	expression tag	UNP A0A0D6I3Y9
E	-2	HIS	-	expression tag	UNP A0A0D6I3Y9
E	-1	HIS	-	expression tag	UNP A0A0D6I3Y9
E	0	ASP	-	expression tag	UNP A0A0D6I3Y9
E	1	PRO	-	expression tag	UNP A0A0D6I3Y9
F	-7	MET	-	initiating methionine	UNP A0A0D6I3Y9
F	-6	HIS	-	expression tag	UNP A0A0D6I3Y9

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	-5	HIS	-	expression tag	UNP A0A0D6I3Y9
F	-4	HIS	-	expression tag	UNP A0A0D6I3Y9
F	-3	HIS	-	expression tag	UNP A0A0D6I3Y9
F	-2	HIS	-	expression tag	UNP A0A0D6I3Y9
F	-1	HIS	-	expression tag	UNP A0A0D6I3Y9
F	0	ASP	-	expression tag	UNP A0A0D6I3Y9
F	1	PRO	-	expression tag	UNP A0A0D6I3Y9
G	-7	MET	-	initiating methionine	UNP A0A0D6I3Y9
G	-6	HIS	-	expression tag	UNP A0A0D6I3Y9
G	-5	HIS	-	expression tag	UNP A0A0D6I3Y9
G	-4	HIS	-	expression tag	UNP A0A0D6I3Y9
G	-3	HIS	-	expression tag	UNP A0A0D6I3Y9
G	-2	HIS	-	expression tag	UNP A0A0D6I3Y9
G	-1	HIS	-	expression tag	UNP A0A0D6I3Y9
G	0	ASP	-	expression tag	UNP A0A0D6I3Y9
G	1	PRO	-	expression tag	UNP A0A0D6I3Y9
H	-7	MET	-	initiating methionine	UNP A0A0D6I3Y9
H	-6	HIS	-	expression tag	UNP A0A0D6I3Y9
H	-5	HIS	-	expression tag	UNP A0A0D6I3Y9
H	-4	HIS	-	expression tag	UNP A0A0D6I3Y9
H	-3	HIS	-	expression tag	UNP A0A0D6I3Y9
H	-2	HIS	-	expression tag	UNP A0A0D6I3Y9
H	-1	HIS	-	expression tag	UNP A0A0D6I3Y9
H	0	ASP	-	expression tag	UNP A0A0D6I3Y9
H	1	PRO	-	expression tag	UNP A0A0D6I3Y9
I	-7	MET	-	initiating methionine	UNP A0A0D6I3Y9
I	-6	HIS	-	expression tag	UNP A0A0D6I3Y9
I	-5	HIS	-	expression tag	UNP A0A0D6I3Y9
I	-4	HIS	-	expression tag	UNP A0A0D6I3Y9
I	-3	HIS	-	expression tag	UNP A0A0D6I3Y9
I	-2	HIS	-	expression tag	UNP A0A0D6I3Y9
I	-1	HIS	-	expression tag	UNP A0A0D6I3Y9
I	0	ASP	-	expression tag	UNP A0A0D6I3Y9
I	1	PRO	-	expression tag	UNP A0A0D6I3Y9
J	-7	MET	-	initiating methionine	UNP A0A0D6I3Y9
J	-6	HIS	-	expression tag	UNP A0A0D6I3Y9
J	-5	HIS	-	expression tag	UNP A0A0D6I3Y9
J	-4	HIS	-	expression tag	UNP A0A0D6I3Y9
J	-3	HIS	-	expression tag	UNP A0A0D6I3Y9
J	-2	HIS	-	expression tag	UNP A0A0D6I3Y9
J	-1	HIS	-	expression tag	UNP A0A0D6I3Y9
J	0	ASP	-	expression tag	UNP A0A0D6I3Y9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	1	PRO	-	expression tag	UNP A0A0D6I3Y9
K	-7	MET	-	initiating methionine	UNP A0A0D6I3Y9
K	-6	HIS	-	expression tag	UNP A0A0D6I3Y9
K	-5	HIS	-	expression tag	UNP A0A0D6I3Y9
K	-4	HIS	-	expression tag	UNP A0A0D6I3Y9
K	-3	HIS	-	expression tag	UNP A0A0D6I3Y9
K	-2	HIS	-	expression tag	UNP A0A0D6I3Y9
K	-1	HIS	-	expression tag	UNP A0A0D6I3Y9
K	0	ASP	-	expression tag	UNP A0A0D6I3Y9
K	1	PRO	-	expression tag	UNP A0A0D6I3Y9
L	-7	MET	-	initiating methionine	UNP A0A0D6I3Y9
L	-6	HIS	-	expression tag	UNP A0A0D6I3Y9
L	-5	HIS	-	expression tag	UNP A0A0D6I3Y9
L	-4	HIS	-	expression tag	UNP A0A0D6I3Y9
L	-3	HIS	-	expression tag	UNP A0A0D6I3Y9
L	-2	HIS	-	expression tag	UNP A0A0D6I3Y9
L	-1	HIS	-	expression tag	UNP A0A0D6I3Y9
L	0	ASP	-	expression tag	UNP A0A0D6I3Y9
L	1	PRO	-	expression tag	UNP A0A0D6I3Y9

- Molecule 2 is CYSTEINE (three-letter code: CYS) (formula: C₃H₇NO₂S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	A	1	7	3	1	2	1	0	0
2	A	1	7	3	1	2	1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	B	1	Total 7	C 3	N 1	O 2	S 1	0	0
2	D	1	Total 7	C 3	N 1	O 2	S 1	0	0
2	E	1	Total 7	C 3	N 1	O 2	S 1	0	0
2	F	1	Total 7	C 3	N 1	O 2	S 1	0	0
2	G	1	Total 7	C 3	N 1	O 2	S 1	0	0
2	H	1	Total 7	C 3	N 1	O 2	S 1	0	0
2	I	1	Total 7	C 3	N 1	O 2	S 1	0	0
2	J	1	Total 7	C 3	N 1	O 2	S 1	0	0
2	J	1	Total 7	C 3	N 1	O 2	S 1	0	0
2	K	1	Total 7	C 3	N 1	O 2	S 1	0	0

- Molecule 3 is butyl 3,4,5-tris(oxidanyl)benzoate (three-letter code: NF0) (formula: C₁₁H₁₄O₅) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
3	A	1	Total 16	C 11	O 5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			16	11	5		
3	C	1	Total	C	O	0	0
			16	11	5		
3	E	1	Total	C	O	0	0
			16	11	5		
3	E	1	Total	C	O	0	0
			16	11	5		
3	F	1	Total	C	O	0	0
			16	11	5		
3	G	1	Total	C	O	0	0
			16	11	5		
3	H	1	Total	C	O	0	0
			16	11	5		
3	I	1	Total	C	O	0	0
			16	11	5		
3	J	1	Total	C	O	0	0
			16	11	5		
3	L	1	Total	C	O	0	0
			16	11	5		
3	L	1	Total	C	O	0	0
			16	11	5		

- Molecule 4 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	P	0	0
			5	4	1		
4	F	1	Total	O	P	0	0
			5	4	1		
4	G	1	Total	O	P	0	0
			5	4	1		
4	K	1	Total	O	P	0	0
			5	4	1		


- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	71	Total	O	0	0
			71	71		
5	B	67	Total	O	0	0
			67	67		
5	C	67	Total	O	0	0
			67	67		
5	D	52	Total	O	0	0
			52	52		
5	E	54	Total	O	0	0
			54	54		
5	F	51	Total	O	0	0
			51	51		
5	G	62	Total	O	0	0
			62	62		
5	H	62	Total	O	0	0
			62	62		
5	I	60	Total	O	0	0
			60	60		
5	J	63	Total	O	0	0
			63	63		
5	K	61	Total	O	0	0
			61	61		
5	L	64	Total	O	0	0
			64	64		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Serine acetyltransferase

Chain A: 





- Molecule 1: Serine acetyltransferase

Chain B: 





- Molecule 1: Serine acetyltransferase

Chain C: 



- Molecule 1: Serine acetyltransferase

Chain D: 



ILE
HIS
HIS
THR
PHE
GLU
TYR
ASP
GLY

Molecule 1: Serine acetyltransferase

Chain E: 79% 8% 12%

MET HIS HIS HIS HIS HIS HIS HIS ASP PRO C2 P2 C3 E4 E5 L6 E7 I8 V9 W10 K11 A33 H38 S43 I57 Q86 T90 R91 D92 L111 Y114 S137 Q141 I150 I154 T160 T185 G186 K187 T188 K219 R242 K246 PRO GLY

SER ASP LYS PRO HIS MET ASP MET ASP GLN HIS PHE ASN GLY ILE HIS THR PHE GLU TYR ASP ASP

Molecule 1: Serine acetyltransferase

Chain F: 79% 7% 12%

MET HIS HIS HIS HIS HIS HIS HIS ASP PRO C3 E4 E5 L6 E7 I8 V9 W10 K11 A33 H38 L53 R91 D92 L111 S137 Q141 I154 T160 T185 G186 K187 T188 S189 R192 T234 I243 V244 P247 GLY SER ASP LYS PRO SER MET

ASP MET ASP GLN HIS PHE ASN ILE HIS THR PHE GLU TYR ASP GLY

Molecule 1: Serine acetyltransferase

Chain G: 80% 7% 12%

MET HIS HIS HIS HIS HIS HIS ASP PRO P2 E5 L6 E7 I8 K11 A17 H32 L36 I57 C83 R91 L111 S137 Q141 R152 G153 I154 T160 G186 K187 T188 T234 R242 I243 P247 GLY SER ASP LYS PRO SER MET ASP

MET ASP GLN HIS PHE GLU TYR ASP GLY

Molecule 1: Serine acetyltransferase

Chain H: 81% 6% 12%

MET HIS HIS HIS HIS HIS HIS ASP PRO P1 E4 E5 I8 K11 I57 D92 K106 L111 Q112 A113 Y114 R115 S137 Q141 I154 T160 K187 R242 K246 P247 GLY SER ASP LYS PRO SER MET ASP

HIS THR PHE GLU TYR ASP GLY


Molecule 1: Serine acetyltransferase

Chain I: 81% 6% 12%

MET HIS HIS HIS HIS HIS HIS ASP PRO P2 C3 E4 E5 E7 I8 V9 W10 K11 A17 L36 L53 A82 C83 R91 L111 Y114 I154 T160 T185 G186 K187 T188 R216 T234 I243 P247 GLY SER ASP LYS PRO SER MET ASP

GLN
HIS
PHE
ASN
GLY
ILE
HIS
THR
PHE
GLU
TYR
GLY
ASP
GLY


• Molecule 1: Serine acetyltransferase



MET
HIS
HIS
HIS
HIS
HIS
HIS
ASP
PRO
P2
K11
M12
C23
I57
V88
K106
L111
I154
M155
T160
T185
T188
T234
R242
I243
K246
P247
GLY
SER
ASP
LYS
PRO
SER
MET
MET
MET
ASP
GLN
HIS
HIS
PHE
ASN
GLY
ILE
HIS
HIS
THR
PHE

GLU
TYR
GLY
ASP
GLY


• Molecule 1: Serine acetyltransferase



MET
HIS
HIS
HIS
HIS
HIS
HIS
ASP
PRO
P2
C3
E4
E5
L6
E7
I8
C23
A33
H38
I57
V88
D92
D96
L111
S137
Q141
I154
M155
T160
T185
T188
S189
K207
K219
K246
P247
GLY
SER
ASP
LYS
PRO
SER
MET

ASP
MET
ASP
GLN
HIS
PHE
ASN
GLY
ILE
HIS
THR
PHE
GLU
TYR
GLY
GLY

• Molecule 1: Serine acetyltransferase



MET
HIS
HIS
HIS
HIS
HIS
HIS
ASP
PRO
P2
E5
L6
E7
I8
V9
C23
A33
H38
L53
I57
Q86
A87
V88
K106
L111
S137
Q141
I154
M155
T160
T181
K187
T188
S189
G190
D191
K195
K207
T234
I243

K246
P247
GLY
SER
LYS
PRO
SER
MET
MET
ASP
GLN
HIS
PHE
ASN
GLY
ILE
HIS
THR
PHE
GLU
TYR
GLY
ASP
GLY

4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	177.36Å 102.65Å 158.72Å 90.00° 111.85° 90.00°	Depositor
Resolution (Å)	19.96 – 1.80 19.96 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.3 (19.96-1.80) 98.8 (19.96-1.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.42 (at 1.80Å)	Xtrriage
Refinement program	REFMAC 5.8.0103	Depositor
R, R_{free}	0.204 , 0.241 0.213 , 0.247	Depositor DCC
R_{free} test set	12032 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	34.1	Xtrriage
Anisotropy	0.088	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 28.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	0.438 for $1/2^*h+3/2^*k, 1/2^*h-1/2^*k, -1/2^*h-1/2^*k-l$ 0.438 for $1/2^*h-3/2^*k, -1/2^*h-1/2^*k, -1/2^*h+1/2^*k-l$	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	23191	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 47.80 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.4291e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, NF0

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.53	0/1889	0.70	1/2564 (0.0%)
1	B	0.55	0/1881	0.73	1/2554 (0.0%)
1	C	0.51	0/1889	0.73	1/2564 (0.0%)
1	D	0.50	0/1878	0.71	1/2550 (0.0%)
1	E	0.53	0/1873	0.71	1/2542 (0.0%)
1	F	0.52	0/1873	0.70	1/2543 (0.0%)
1	G	0.51	0/1886	0.74	2/2560 (0.1%)
1	H	0.52	0/1894	0.73	1/2572 (0.0%)
1	I	0.49	0/1886	0.71	2/2560 (0.1%)
1	J	0.50	0/1881	0.72	0/2554
1	K	0.53	0/1881	0.72	0/2554
1	L	0.51	0/1889	0.75	0/2564
All	All	0.52	0/22600	0.72	11/30681 (0.0%)

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	1	PRO	N-CA-CB	6.49	111.09	103.30
1	G	2	PRO	N-CA-CB	5.97	110.46	103.30
1	D	2	PRO	N-CA-CB	5.89	110.37	103.30
1	C	91	ARG	NE-CZ-NH2	-5.72	117.44	120.30
1	I	91	ARG	NE-CZ-NH2	-5.59	117.50	120.30
1	B	91	ARG	NE-CZ-NH2	-5.50	117.55	120.30
1	A	91	ARG	NE-CZ-NH2	-5.50	117.55	120.30
1	G	91	ARG	NE-CZ-NH2	-5.41	117.60	120.30
1	F	91	ARG	NE-CZ-NH2	-5.11	117.74	120.30
1	I	2	PRO	N-CA-CB	5.09	109.41	103.30
1	E	91	ARG	NE-CZ-NH2	-5.06	117.77	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1852	0	1898	8	0
1	B	1844	0	1890	6	0
1	C	1852	0	1898	12	0
1	D	1842	0	1884	15	0
1	E	1837	0	1883	8	0
1	F	1837	0	1882	12	0
1	G	1850	0	1892	10	0
1	H	1857	0	1899	7	0
1	I	1850	0	1892	10	0
1	J	1844	0	1890	8	0
1	K	1844	0	1890	10	0
1	L	1852	0	1898	11	0
2	A	14	0	8	0	0
2	B	7	0	4	0	0
2	D	7	0	4	0	0
2	E	7	0	4	0	0
2	F	7	0	4	0	0
2	G	7	0	4	0	0
2	H	7	0	4	0	0
2	I	7	0	4	0	0
2	J	14	0	8	1	0
2	K	7	0	4	0	0
3	A	16	0	0	0	0
3	B	16	0	0	0	0
3	C	16	0	0	0	0
3	E	32	0	0	0	0
3	F	16	0	0	1	0
3	G	16	0	0	0	0
3	H	16	0	0	0	0
3	I	16	0	0	0	0
3	J	16	0	0	0	0
3	L	32	0	0	0	0
4	A	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	F	5	0	0	0	0
4	G	5	0	0	0	0
4	K	5	0	0	0	0
5	A	71	0	0	1	0
5	B	67	0	0	2	0
5	C	67	0	0	2	0
5	D	52	0	0	0	0
5	E	54	0	0	2	0
5	F	51	0	0	2	0
5	G	62	0	0	2	0
5	H	62	0	0	2	0
5	I	60	0	0	2	0
5	J	63	0	0	2	0
5	K	61	0	0	2	0
5	L	64	0	0	1	0
All	All	23191	0	22744	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:4:GLU:OE2	1:D:8:ILE:HG12	1.80	0.81
1:J:111:LEU:HD21	1:J:154:ILE:HB	1.70	0.71
1:K:111:LEU:HD21	1:K:154:ILE:HB	1.76	0.67
1:F:3:CYS:SG	1:F:4:GLU:N	2.69	0.66
1:E:92:ASP:O	5:E:601:HOH:O	2.14	0.64
1:B:92:ASP:O	5:B:501:HOH:O	2.16	0.63
1:C:234:THR:HG23	1:C:243:ILE:HG23	1.81	0.63
1:D:111:LEU:HD21	1:D:154:ILE:HB	1.80	0.63
1:E:185:THR:N	1:E:186:GLY:HA2	2.15	0.60
1:K:5:GLU:O	1:K:6:LEU:HB2	2.02	0.60
1:L:234:THR:CG2	1:L:243:ILE:HG23	2.32	0.60
1:I:234:THR:CG2	1:I:243:ILE:HG23	2.32	0.59
1:A:234:THR:HG21	1:A:243:ILE:HD12	1.84	0.59
1:I:111:LEU:HD21	1:I:154:ILE:HB	1.83	0.59
1:A:234:THR:HG23	1:A:243:ILE:HG23	1.85	0.59
1:D:185:THR:N	1:D:186:GLY:HA2	2.18	0.59
1:F:111:LEU:HD21	1:F:154:ILE:HB	1.83	0.59
1:C:111:LEU:HD21	1:C:154:ILE:HB	1.84	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:227:LEU:HD11	3:F:501:NF0:CAK	2.33	0.59
1:H:111:LEU:HD21	1:H:154:ILE:HB	1.84	0.59
1:G:234:THR:CG2	1:G:243:ILE:HG23	2.33	0.58
1:L:111:LEU:HD21	1:L:154:ILE:HB	1.84	0.58
1:C:234:THR:HG21	1:C:243:ILE:HD12	1.87	0.57
1:D:234:THR:HG21	1:D:243:ILE:HD12	1.86	0.57
1:J:234:THR:CG2	1:J:243:ILE:HG23	2.34	0.57
1:A:111:LEU:HD21	1:A:154:ILE:HB	1.85	0.57
1:D:7:GLU:N	1:D:7:GLU:OE2	2.38	0.56
1:G:5:GLU:CD	1:G:8:ILE:HG22	2.26	0.56
1:J:185:THR:HG22	1:J:188:THR:HG21	1.87	0.56
1:A:234:THR:CG2	1:A:243:ILE:HG23	2.36	0.56
1:D:5:GLU:HB3	1:D:8:ILE:HG22	1.88	0.55
1:E:111:LEU:HD21	1:E:154:ILE:HB	1.87	0.55
1:F:234:THR:CG2	1:F:243:ILE:HG23	2.35	0.55
2:J:401:CYS:N	5:J:502:HOH:O	2.39	0.55
1:F:7:GLU:N	1:F:7:GLU:OE2	2.39	0.55
1:I:185:THR:HG22	1:I:188:THR:HG21	1.89	0.55
1:K:92:ASP:O	5:K:501:HOH:O	2.18	0.55
1:F:5:GLU:HB2	1:F:6:LEU:HB2	1.90	0.54
1:B:111:LEU:HD21	1:B:154:ILE:HB	1.89	0.54
1:D:234:THR:CG2	1:D:243:ILE:HG23	2.37	0.54
1:F:6:LEU:HD22	1:F:7:GLU:OE2	2.06	0.54
1:G:83:CYS:SG	1:G:152:ARG:NH2	2.82	0.53
1:C:234:THR:CG2	1:C:243:ILE:HG23	2.40	0.51
1:J:88:VAL:HG22	1:J:155:MET:HG3	1.94	0.50
1:A:160:THR:HG21	5:B:529:HOH:O	2.10	0.50
1:H:5:GLU:O	1:H:8:ILE:HG22	2.12	0.50
1:D:160:THR:HG21	5:E:624:HOH:O	2.12	0.49
1:L:234:THR:HG21	1:L:243:ILE:HD12	1.94	0.49
1:I:234:THR:HG23	1:I:243:ILE:HG23	1.95	0.49
5:J:539:HOH:O	1:L:160:THR:HG21	2.13	0.49
1:G:160:THR:HG21	5:H:631:HOH:O	2.13	0.48
1:K:5:GLU:O	1:K:6:LEU:CB	2.61	0.48
1:K:88:VAL:HG22	1:K:155:MET:HG3	1.95	0.48
1:D:5:GLU:O	1:D:8:ILE:HG23	2.14	0.48
1:I:17:ALA:HB3	1:I:36:LEU:HD21	1.96	0.48
1:A:191:ASP:OD2	1:A:195:LYS:NZ	2.40	0.48
1:F:137:SER:O	1:F:141:GLN:HA	2.14	0.48
1:J:160:THR:HG21	5:K:523:HOH:O	2.14	0.47
1:F:92:ASP:O	5:F:601:HOH:O	2.20	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:532:HOH:O	1:C:160:THR:HG21	2.15	0.47
1:L:88:VAL:HG22	1:L:155:MET:HG3	1.96	0.47
1:D:4:GLU:OE2	1:D:8:ILE:CG1	2.58	0.47
1:D:234:THR:HG23	1:D:243:ILE:HG23	1.97	0.46
1:F:188:THR:HG23	1:F:192:ARG:HD2	1.97	0.46
1:L:137:SER:O	1:L:141:GLN:HA	2.15	0.46
1:E:137:SER:O	1:E:141:GLN:HA	2.15	0.46
1:B:137:SER:O	1:B:141:GLN:HA	2.16	0.46
1:H:160:THR:HG21	5:I:613:HOH:O	2.16	0.46
1:I:187:LYS:O	1:I:188:THR:O	2.34	0.45
1:L:106:LYS:HZ1	1:L:160:THR:HB	1.81	0.45
1:E:86:GLN:O	1:E:90:THR:HG23	2.16	0.45
1:C:17:ALA:HB3	1:C:36:LEU:HD21	1.98	0.45
1:H:92:ASP:O	5:H:601:HOH:O	2.21	0.44
1:C:137:SER:O	1:C:141:GLN:HA	2.17	0.44
1:I:9:VAL:HG21	1:I:82:ALA:HB1	1.98	0.44
1:J:185:THR:HG22	1:J:188:THR:CG2	2.47	0.44
1:K:137:SER:O	1:K:141:GLN:HA	2.17	0.44
1:F:234:THR:HG21	1:F:243:ILE:HD12	2.00	0.44
1:D:191:ASP:OD2	1:D:195:LYS:NZ	2.46	0.44
5:G:503:HOH:O	1:K:38:HIS:HD2	2.00	0.44
1:H:106:LYS:HZ1	1:H:160:THR:HB	1.82	0.44
1:B:160:THR:HG21	5:C:618:HOH:O	2.18	0.44
5:G:529:HOH:O	1:I:160:THR:HG21	2.18	0.44
1:L:191:ASP:OD1	1:L:195:LYS:NZ	2.51	0.44
1:G:32:HIS:HA	1:G:36:LEU:HB2	1.99	0.43
1:C:191:ASP:OD1	1:C:195:LYS:NZ	2.49	0.43
1:D:106:LYS:HZ1	1:D:160:THR:HB	1.84	0.43
1:K:160:THR:HG21	5:L:610:HOH:O	2.17	0.43
1:G:111:LEU:HD21	1:G:154:ILE:HB	2.00	0.43
5:I:641:HOH:O	1:L:38:HIS:HD2	2.00	0.43
1:C:48[B]:MET:HE2	1:C:48[B]:MET:HB2	1.71	0.43
1:I:7:GLU:OE1	1:I:11:LYS:HG2	2.18	0.43
1:B:33:ALA:O	1:B:38:HIS:HE1	2.02	0.43
1:L:181:THR:HB	1:L:207:LYS:HG3	2.01	0.43
1:G:137:SER:O	1:G:141:GLN:HA	2.18	0.42
1:L:33:ALA:O	1:L:38:HIS:HE1	2.02	0.42
1:H:137:SER:O	1:H:141:GLN:HA	2.19	0.42
1:I:234:THR:HG21	1:I:243:ILE:HD12	2.02	0.42
1:A:137:SER:O	1:A:141:GLN:HA	2.20	0.41
1:C:117:GLY:HA3	5:C:642:HOH:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:234:THR:HG23	1:F:243:ILE:HG23	2.02	0.41
1:K:4:GLU:HG3	1:K:8:ILE:HG21	2.02	0.41
1:D:7:GLU:OE2	1:D:7:GLU:CA	2.69	0.41
1:E:33:ALA:O	1:E:38:HIS:HE1	2.04	0.41
1:A:106:LYS:HZ1	1:A:160:THR:HB	1.85	0.41
1:C:33:ALA:O	1:C:38:HIS:HE1	2.03	0.41
1:G:5:GLU:OE1	1:G:8:ILE:HG22	2.21	0.41
1:G:17:ALA:HB3	1:G:36:LEU:HD21	2.03	0.41
1:E:160:THR:HG21	5:F:627:HOH:O	2.20	0.41
1:H:112:GLN:HE22	1:H:115:ARG:HE	1.69	0.41
1:C:48[B]:MET:SD	1:C:102:LEU:O	2.78	0.41
1:E:114:TYR:CE2	1:E:150:ILE:HB	2.55	0.41
1:G:186:GLY:O	1:G:187:LYS:CB	2.69	0.41
1:B:112:GLN:HE22	1:B:115:ARG:HE	1.69	0.40
1:K:33:ALA:O	1:K:38:HIS:HE1	2.04	0.40
1:J:106:LYS:HZ1	1:J:160:THR:HB	1.86	0.40
1:F:33:ALA:O	1:F:38:HIS:HE1	2.04	0.40
1:J:12:ASN:N	1:J:12:ASN:HD22	2.19	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	245/280 (88%)	239 (98%)	6 (2%)	0	100	100
1	B	244/280 (87%)	240 (98%)	4 (2%)	0	100	100
1	C	245/280 (88%)	240 (98%)	5 (2%)	0	100	100
1	D	244/280 (87%)	240 (98%)	4 (2%)	0	100	100
1	E	243/280 (87%)	237 (98%)	3 (1%)	3 (1%)	13	3
1	F	243/280 (87%)	237 (98%)	6 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	G	245/280 (88%)	238 (97%)	5 (2%)	2 (1%)	19	7
1	H	246/280 (88%)	238 (97%)	8 (3%)	0	100	100
1	I	245/280 (88%)	237 (97%)	7 (3%)	1 (0%)	34	21
1	J	244/280 (87%)	238 (98%)	6 (2%)	0	100	100
1	K	244/280 (87%)	235 (96%)	6 (2%)	3 (1%)	13	3
1	L	245/280 (88%)	237 (97%)	8 (3%)	0	100	100
All	All	2933/3360 (87%)	2856 (97%)	68 (2%)	9 (0%)	41	27

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	6	LEU
1	G	188	THR
1	I	188	THR
1	K	5	GLU
1	K	6	LEU
1	K	188	THR
1	E	5	GLU
1	G	187	LYS
1	E	57	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	191/220 (87%)	184 (96%)	7 (4%)	34	19
1	B	190/220 (86%)	185 (97%)	5 (3%)	46	32
1	C	191/220 (87%)	182 (95%)	9 (5%)	26	12
1	D	189/220 (86%)	181 (96%)	8 (4%)	30	15
1	E	189/220 (86%)	180 (95%)	9 (5%)	25	11
1	F	189/220 (86%)	180 (95%)	9 (5%)	25	11

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	190/220 (86%)	184 (97%)	6 (3%)	39	25
1	H	191/220 (87%)	182 (95%)	9 (5%)	26	12
1	I	190/220 (86%)	183 (96%)	7 (4%)	34	19
1	J	190/220 (86%)	185 (97%)	5 (3%)	46	32
1	K	190/220 (86%)	183 (96%)	7 (4%)	34	19
1	L	191/220 (87%)	184 (96%)	7 (4%)	34	19
All	All	2281/2640 (86%)	2193 (96%)	88 (4%)	32	17

All (88) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	ILE
1	A	11	LYS
1	A	58	MET
1	A	96	ASP
1	A	160	THR
1	A	195	LYS
1	A	242	ARG
1	B	3	CYS
1	B	5	GLU
1	B	9	VAL
1	B	160	THR
1	B	189	SER
1	C	8	ILE
1	C	11	LYS
1	C	37	LYS
1	C	53	LEU
1	C	58	MET
1	C	96	ASP
1	C	160	THR
1	C	188	THR
1	C	216	ARG
1	D	7	GLU
1	D	8	ILE
1	D	39	GLU
1	D	160	THR
1	D	185	THR
1	D	188	THR
1	D	242	ARG
1	D	246	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	8	ILE
1	E	9	VAL
1	E	11	LYS
1	E	43	SER
1	E	114	TYR
1	E	160	THR
1	E	188	THR
1	E	219	LYS
1	E	242	ARG
1	F	3	CYS
1	F	4	GLU
1	F	7	GLU
1	F	9	VAL
1	F	11	LYS
1	F	53	LEU
1	F	160	THR
1	F	185	THR
1	F	189	SER
1	G	7	GLU
1	G	11	LYS
1	G	57	ILE
1	G	111	LEU
1	G	160	THR
1	G	242	ARG
1	H	4	GLU
1	H	8	ILE
1	H	11	LYS
1	H	57	ILE
1	H	114	TYR
1	H	160	THR
1	H	187	LYS
1	H	242	ARG
1	H	246	LYS
1	I	11	LYS
1	I	53	LEU
1	I	83	CYS
1	I	114	TYR
1	I	160	THR
1	I	187	LYS
1	I	216	ARG
1	J	11	LYS
1	J	23	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	J	160	THR
1	J	185	THR
1	J	242	ARG
1	K	4	GLU
1	K	23	CYS
1	K	160	THR
1	K	185	THR
1	K	189	SER
1	K	207	LYS
1	K	219	LYS
1	L	5	GLU
1	L	7	GLU
1	L	9	VAL
1	L	23	CYS
1	L	53	LEU
1	L	86	GLN
1	L	160	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	38	HIS
1	B	112	GLN
1	C	38	HIS
1	C	133	GLN
1	C	135	GLN
1	C	228	GLN
1	D	135	GLN
1	E	38	HIS
1	E	112	GLN
1	E	135	GLN
1	E	228	GLN
1	F	38	HIS
1	F	133	GLN
1	F	135	GLN
1	F	228	GLN
1	G	134	ASN
1	G	135	GLN
1	H	38	HIS
1	H	112	GLN
1	H	228	GLN
1	I	38	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	133	GLN
1	I	134	ASN
1	I	135	GLN
1	J	12	ASN
1	J	135	GLN
1	K	38	HIS
1	K	112	GLN
1	K	135	GLN
1	L	38	HIS
1	L	133	GLN
1	L	135	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

28 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	CYS	A	401	-	5,6,6	1.23	0	5,7,7	1.81	2 (40%)
3	NF0	C	501	-	16,16,16	1.38	1 (6%)	21,21,21	1.33	2 (9%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	CYS	J	402	-	5,6,6	1.17	0	5,7,7	1.72	2 (40%)
3	NF0	L	502	-	16,16,16	1.37	1 (6%)	21,21,21	1.74	3 (14%)
2	CYS	I	502	-	5,6,6	1.11	1 (20%)	5,7,7	1.59	2 (40%)
2	CYS	B	401	-	5,6,6	1.28	0	5,7,7	1.57	2 (40%)
2	CYS	G	401	-	5,6,6	1.01	1 (20%)	5,7,7	1.72	2 (40%)
2	CYS	F	502	-	5,6,6	1.05	0	5,7,7	1.65	2 (40%)
2	CYS	A	402	-	5,6,6	1.10	0	5,7,7	1.48	1 (20%)
3	NF0	I	501	-	16,16,16	1.47	2 (12%)	21,21,21	1.51	3 (14%)
3	NF0	H	501	-	16,16,16	1.46	2 (12%)	21,21,21	2.17	5 (23%)
2	CYS	E	502	-	5,6,6	1.05	0	5,7,7	1.57	2 (40%)
4	PO4	F	503	-	4,4,4	0.79	0	6,6,6	0.59	0
3	NF0	J	403	-	16,16,16	1.35	2 (12%)	21,21,21	1.49	2 (9%)
3	NF0	F	501	-	16,16,16	1.32	1 (6%)	21,21,21	1.27	2 (9%)
4	PO4	A	404	-	4,4,4	0.85	0	6,6,6	0.55	0
3	NF0	E	503	-	16,16,16	1.29	1 (6%)	21,21,21	1.08	2 (9%)
3	NF0	A	403	-	16,16,16	1.41	2 (12%)	21,21,21	1.74	3 (14%)
4	PO4	K	402	-	4,4,4	0.83	0	6,6,6	0.46	0
2	CYS	H	502	-	5,6,6	1.00	0	5,7,7	1.48	1 (20%)
4	PO4	G	403	-	4,4,4	0.90	0	6,6,6	0.45	0
3	NF0	E	501	-	16,16,16	1.36	2 (12%)	21,21,21	1.95	4 (19%)
3	NF0	B	402	-	16,16,16	1.33	1 (6%)	21,21,21	2.08	4 (19%)
3	NF0	L	501	-	16,16,16	1.47	3 (18%)	21,21,21	2.19	6 (28%)
2	CYS	J	401	-	5,6,6	1.28	0	5,7,7	2.14	2 (40%)
3	NF0	G	402	-	16,16,16	1.42	1 (6%)	21,21,21	1.41	3 (14%)
2	CYS	D	401	-	5,6,6	1.01	0	5,7,7	1.68	2 (40%)
2	CYS	K	401	-	5,6,6	1.23	0	5,7,7	1.76	2 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CYS	A	401	-	-	5/6/6/6	-
3	NF0	C	501	-	-	5/9/9/9	0/1/1/1
2	CYS	J	402	-	-	1/6/6/6	-
3	NF0	L	502	-	-	5/9/9/9	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CYS	I	502	-	-	0/6/6/6	-
2	CYS	B	401	-	-	0/6/6/6	-
2	CYS	G	401	-	-	4/6/6/6	-
2	CYS	F	502	-	-	1/6/6/6	-
2	CYS	A	402	-	-	0/6/6/6	-
3	NF0	I	501	-	-	5/9/9/9	0/1/1/1
3	NF0	H	501	-	-	4/9/9/9	0/1/1/1
2	CYS	E	502	-	-	1/6/6/6	-
3	NF0	J	403	-	-	5/9/9/9	0/1/1/1
3	NF0	F	501	-	-	5/9/9/9	0/1/1/1
3	NF0	E	503	-	-	5/9/9/9	0/1/1/1
3	NF0	A	403	-	-	5/9/9/9	0/1/1/1
2	CYS	H	502	-	-	0/6/6/6	-
3	NF0	E	501	-	-	4/9/9/9	0/1/1/1
3	NF0	B	402	-	-	4/9/9/9	0/1/1/1
3	NF0	L	501	-	-	4/9/9/9	0/1/1/1
2	CYS	J	401	-	-	6/6/6/6	-
3	NF0	G	402	-	-	6/9/9/9	0/1/1/1
2	CYS	D	401	-	-	0/6/6/6	-
2	CYS	K	401	-	-	2/6/6/6	-

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	501	NF0	CAF-CAG	-4.69	1.39	1.50
3	F	501	NF0	CAF-CAG	-4.56	1.39	1.50
3	I	501	NF0	CAF-CAG	-4.38	1.39	1.50
3	G	402	NF0	CAF-CAG	-4.36	1.39	1.50
3	H	501	NF0	CAF-CAG	-4.28	1.39	1.50
3	B	402	NF0	CAF-CAG	-4.23	1.40	1.50
3	E	501	NF0	CAF-CAG	-4.13	1.40	1.50
3	E	503	NF0	CAF-CAG	-4.10	1.40	1.50
3	L	502	NF0	CAF-CAG	-3.87	1.40	1.50
3	A	403	NF0	CAF-CAG	-3.73	1.41	1.50
3	J	403	NF0	CAF-CAG	-3.60	1.41	1.50
3	L	501	NF0	CAF-CAG	-3.60	1.41	1.50
3	L	501	NF0	OAH-CAG	2.70	1.40	1.33
3	L	501	NF0	CAN-CAO	2.42	1.42	1.38
3	A	403	NF0	OAH-CAG	2.38	1.39	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	501	NF0	OAH-CAG	2.34	1.39	1.33
3	J	403	NF0	OAH-CAG	2.17	1.39	1.33
3	E	501	NF0	OAH-CAG	2.06	1.38	1.33
2	I	502	CYS	OXT-C	-2.02	1.23	1.30
3	I	501	NF0	OAH-CAG	2.01	1.38	1.33
2	G	401	CYS	OXT-C	-2.00	1.24	1.30

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	402	NF0	OAH-CAG-CAF	6.74	123.88	112.14
3	A	403	NF0	OAH-CAG-CAF	6.23	122.98	112.14
3	E	501	NF0	OAH-CAG-CAF	6.20	122.94	112.14
3	L	501	NF0	OAH-CAG-CAF	5.86	122.35	112.14
3	H	501	NF0	OAH-CAG-CAF	5.84	122.32	112.14
3	H	501	NF0	CAI-OAH-CAG	-5.15	105.58	116.43
3	L	502	NF0	OAH-CAG-CAF	4.90	120.68	112.14
3	L	501	NF0	CAI-OAH-CAG	-4.56	106.81	116.43
3	B	402	NF0	CAI-OAH-CAG	-4.55	106.83	116.43
3	J	403	NF0	OAH-CAG-CAF	4.47	119.92	112.14
3	E	501	NF0	CAI-OAH-CAG	-4.42	107.12	116.43
3	I	501	NF0	OAH-CAG-CAF	4.29	119.61	112.14
3	C	501	NF0	OAH-CAG-CAF	4.27	119.57	112.14
3	L	502	NF0	CAE-CAC-CAB	-3.94	117.76	120.47
3	F	501	NF0	OAH-CAG-CAF	3.54	118.31	112.14
2	J	401	CYS	CB-CA-C	3.34	113.22	109.89
2	A	401	CYS	OXT-C-O	-3.24	116.74	124.09
3	G	402	NF0	OAH-CAG-CAF	3.21	117.74	112.14
3	L	501	NF0	OAP-CAO-CAN	2.97	127.42	119.46
2	I	502	CYS	OXT-C-O	-2.92	117.45	124.09
2	J	401	CYS	OXT-C-O	-2.90	117.50	124.09
3	H	501	NF0	CAE-CAC-CAB	-2.86	118.50	120.47
2	D	401	CYS	OXT-C-O	-2.85	117.63	124.09
3	E	503	NF0	OAH-CAG-CAF	2.82	117.06	112.14
2	B	401	CYS	OXT-C-O	-2.77	117.81	124.09
2	K	401	CYS	OXT-C-O	-2.70	117.97	124.09
2	F	502	CYS	OXT-C-O	-2.68	117.99	124.09
2	A	402	CYS	OXT-C-O	-2.66	118.05	124.09
2	H	502	CYS	OXT-C-O	-2.64	118.11	124.09
3	L	502	NF0	CAF-CAE-CAC	2.62	122.31	120.09
2	J	402	CYS	OXT-C-O	-2.61	118.16	124.09
2	G	401	CYS	OXT-C-O	-2.56	118.27	124.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	502	CYS	OXT-C-O	-2.52	118.37	124.09
3	I	501	NF0	CAE-CAC-CAB	-2.52	118.73	120.47
2	J	402	CYS	OXT-C-CA	2.47	121.81	113.38
2	G	401	CYS	OXT-C-CA	2.47	121.79	113.38
3	G	402	NF0	CAE-CAC-CAB	-2.46	118.78	120.47
3	B	402	NF0	OAM-CAG-CAF	-2.45	114.06	122.09
2	F	502	CYS	OXT-C-CA	2.44	121.70	113.38
3	L	501	NF0	CAO-CAB-CAC	2.43	121.06	119.51
2	K	401	CYS	OXT-C-CA	2.42	121.63	113.38
2	D	401	CYS	OXT-C-CA	2.41	121.59	113.38
3	J	403	NF0	CAE-CAC-CAB	-2.40	118.81	120.47
2	E	502	CYS	OXT-C-CA	2.37	121.45	113.38
3	E	501	NF0	OAM-CAG-CAF	-2.28	114.61	122.09
2	A	401	CYS	OXT-C-CA	2.24	121.01	113.38
3	F	501	NF0	CAO-CAB-CAC	2.20	120.91	119.51
3	E	501	NF0	OAP-CAO-CAN	2.19	125.33	119.46
3	L	501	NF0	CAN-CAF-CAG	2.19	124.36	120.10
3	A	403	NF0	OAM-CAG-CAF	-2.18	114.95	122.09
3	H	501	NF0	OAD-CAC-CAE	2.15	125.23	119.46
3	I	501	NF0	OAD-CAC-CAE	2.10	125.08	119.46
3	E	503	NF0	OAP-CAO-CAN	2.09	125.06	119.46
3	A	403	NF0	CAF-CAE-CAC	2.08	121.86	120.09
3	L	501	NF0	OAM-CAG-CAF	-2.08	115.28	122.09
3	G	402	NF0	OAP-CAO-CAN	2.08	125.02	119.46
2	B	401	CYS	OXT-C-CA	2.06	120.40	113.38
3	H	501	NF0	OAM-CAG-CAF	-2.04	115.42	122.09
3	C	501	NF0	CAE-CAC-CAB	-2.03	119.07	120.47
2	I	502	CYS	OXT-C-CA	2.02	120.27	113.38
3	B	402	NF0	OAP-CAO-CAN	2.02	124.87	119.46

There are no chirality outliers.

All (77) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	CYS	O-C-CA-N
2	A	401	CYS	C-CA-CB-SG
2	G	401	CYS	O-C-CA-N
2	G	401	CYS	N-CA-CB-SG
2	G	401	CYS	C-CA-CB-SG
2	J	401	CYS	N-CA-CB-SG
2	J	401	CYS	C-CA-CB-SG
3	L	501	NF0	CAN-CAF-CAG-OAH

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	403	NF0	CAN-CAF-CAG-OAM
3	B	402	NF0	CAN-CAF-CAG-OAM
3	C	501	NF0	CAN-CAF-CAG-OAM
3	E	501	NF0	CAN-CAF-CAG-OAH
3	E	501	NF0	CAE-CAF-CAG-OAM
3	E	501	NF0	CAN-CAF-CAG-OAM
3	E	503	NF0	CAN-CAF-CAG-OAH
3	E	503	NF0	CAE-CAF-CAG-OAM
3	E	503	NF0	CAN-CAF-CAG-OAM
3	F	501	NF0	CAE-CAF-CAG-OAM
3	F	501	NF0	CAN-CAF-CAG-OAM
3	G	402	NF0	CAN-CAF-CAG-OAH
3	G	402	NF0	CAE-CAF-CAG-OAM
3	H	501	NF0	CAN-CAF-CAG-OAH
3	H	501	NF0	CAE-CAF-CAG-OAM
3	H	501	NF0	CAN-CAF-CAG-OAM
3	I	501	NF0	CAE-CAF-CAG-OAM
3	I	501	NF0	CAN-CAF-CAG-OAM
3	J	403	NF0	CAN-CAF-CAG-OAH
3	J	403	NF0	CAN-CAF-CAG-OAM
3	L	501	NF0	CAE-CAF-CAG-OAH
3	L	501	NF0	CAE-CAF-CAG-OAM
3	L	502	NF0	CAN-CAF-CAG-OAH
3	L	502	NF0	CAE-CAF-CAG-OAM
3	A	403	NF0	CAE-CAF-CAG-OAH
3	A	403	NF0	CAN-CAF-CAG-OAH
3	A	403	NF0	CAE-CAF-CAG-OAM
3	B	402	NF0	CAE-CAF-CAG-OAH
3	B	402	NF0	CAN-CAF-CAG-OAH
3	B	402	NF0	CAE-CAF-CAG-OAM
3	C	501	NF0	CAE-CAF-CAG-OAH
3	C	501	NF0	CAN-CAF-CAG-OAH
3	C	501	NF0	CAE-CAF-CAG-OAM
3	E	501	NF0	CAE-CAF-CAG-OAH
3	E	503	NF0	CAE-CAF-CAG-OAH
3	F	501	NF0	CAE-CAF-CAG-OAH
3	F	501	NF0	CAN-CAF-CAG-OAH
3	G	402	NF0	CAE-CAF-CAG-OAH
3	G	402	NF0	CAN-CAF-CAG-OAM
3	H	501	NF0	CAE-CAF-CAG-OAH
3	I	501	NF0	CAE-CAF-CAG-OAH
3	I	501	NF0	CAN-CAF-CAG-OAH

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	J	403	NF0	CAE-CAF-CAG-OAH
3	J	403	NF0	CAE-CAF-CAG-OAM
3	L	501	NF0	CAN-CAF-CAG-OAM
3	L	502	NF0	CAE-CAF-CAG-OAH
3	L	502	NF0	CAN-CAF-CAG-OAM
3	A	403	NF0	CAI-CAJ-CAK-CAL
2	A	401	CYS	OXT-C-CA-N
2	G	401	CYS	OXT-C-CA-N
3	I	501	NF0	CAI-CAJ-CAK-CAL
3	C	501	NF0	CAI-CAJ-CAK-CAL
3	L	502	NF0	CAI-CAJ-CAK-CAL
2	A	401	CYS	O-C-CA-CB
2	J	401	CYS	O-C-CA-CB
2	J	401	CYS	OXT-C-CA-CB
3	G	402	NF0	OAM-CAG-OAH-CAI
3	E	503	NF0	OAM-CAG-OAH-CAI
3	J	403	NF0	CAJ-CAI-OAH-CAG
2	A	401	CYS	OXT-C-CA-CB
2	K	401	CYS	O-C-CA-CB
2	K	401	CYS	OXT-C-CA-CB
2	E	502	CYS	O-C-CA-N
2	F	502	CYS	O-C-CA-N
2	J	401	CYS	O-C-CA-N
2	J	402	CYS	O-C-CA-N
3	F	501	NF0	OAM-CAG-OAH-CAI
3	G	402	NF0	OAH-CAI-CAJ-CAK
2	J	401	CYS	OXT-C-CA-N


There are no ring outliers.


2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	F	501	NF0	1	0
2	J	401	CYS	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring


in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	246/280 (87%)	-0.28	3 (1%) 79 76	23, 33, 59, 83	0
1	B	246/280 (87%)	-0.29	2 (0%) 86 84	22, 32, 58, 79	0
1	C	246/280 (87%)	-0.26	3 (1%) 79 76	22, 33, 60, 85	0
1	D	246/280 (87%)	-0.18	4 (1%) 72 68	26, 39, 68, 100	0
1	E	245/280 (87%)	-0.24	1 (0%) 92 90	25, 39, 65, 84	0
1	F	245/280 (87%)	-0.23	6 (2%) 59 54	25, 39, 65, 92	0
1	G	246/280 (87%)	-0.13	4 (1%) 72 68	25, 35, 62, 86	0
1	H	247/280 (88%)	-0.20	3 (1%) 79 76	24, 34, 64, 81	0
1	I	246/280 (87%)	-0.15	6 (2%) 59 54	25, 35, 64, 81	0
1	J	246/280 (87%)	-0.18	2 (0%) 86 84	24, 35, 61, 82	0
1	K	246/280 (87%)	-0.18	6 (2%) 59 54	24, 35, 62, 82	0
1	L	246/280 (87%)	-0.16	5 (2%) 65 61	24, 35, 61, 86	0
All	All	2951/3360 (87%)	-0.21	45 (1%) 73 70	22, 36, 63, 100	0

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	247	PRO	5.3
1	L	57	ILE	5.0
1	G	187	LYS	4.9
1	J	57	ILE	4.4
1	K	246	LYS	4.1
1	F	3	CYS	4.0
1	I	247	PRO	3.9
1	I	187	LYS	3.7
1	J	246	LYS	3.5
1	K	2	PRO	3.3
1	D	247	PRO	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	247	PRO	3.2
1	A	246	LYS	3.1
1	G	57	ILE	3.0
1	F	187	LYS	3.0
1	K	57	ILE	2.9
1	K	3	CYS	2.8
1	L	187	LYS	2.7
1	D	185	THR	2.7
1	H	8	ILE	2.5
1	I	8	ILE	2.5
1	I	3	CYS	2.4
1	K	247	PRO	2.4
1	K	96	ASP	2.4
1	G	247	PRO	2.4
1	I	9	VAL	2.3
1	F	247	PRO	2.2
1	L	247	PRO	2.2
1	D	188	THR	2.2
1	F	5	GLU	2.2
1	G	8	ILE	2.2
1	C	2	PRO	2.2
1	I	4	GLU	2.2
1	D	186	GLY	2.1
1	A	187	LYS	2.1
1	C	187	LYS	2.1
1	C	244	VAL	2.1
1	E	3	CYS	2.1
1	B	188	THR	2.1
1	F	244	VAL	2.0
1	L	189	SER	2.0
1	L	246	LYS	2.0
1	F	4	GLU	2.0
1	H	246	LYS	2.0
1	B	3	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CYS	J	402	7/7	0.41	0.33	91,95,97,97	0
2	CYS	A	402	7/7	0.45	0.22	70,78,78,80	0
2	CYS	K	401	7/7	0.45	0.31	69,78,82,86	0
2	CYS	A	401	7/7	0.52	0.27	65,71,74,77	0
2	CYS	D	401	7/7	0.52	0.36	87,92,96,97	0
2	CYS	F	502	7/7	0.56	0.33	94,95,96,96	0
3	NF0	E	501	16/16	0.60	0.16	52,55,57,57	0
3	NF0	H	501	16/16	0.60	0.18	41,48,51,51	0
2	CYS	I	502	7/7	0.61	0.34	72,80,82,82	0
2	CYS	B	401	7/7	0.63	0.20	56,64,65,68	0
2	CYS	J	401	7/7	0.63	0.34	77,84,85,85	0
3	NF0	B	402	16/16	0.64	0.14	40,48,53,53	0
3	NF0	L	501	16/16	0.65	0.14	41,47,53,53	0
2	CYS	H	502	7/7	0.66	0.21	69,74,77,77	0
2	CYS	G	401	7/7	0.67	0.30	82,90,95,99	0
4	PO4	F	503	5/5	0.71	0.24	107,107,109,110	0
3	NF0	I	501	16/16	0.72	0.17	40,46,49,50	0
3	NF0	C	501	16/16	0.73	0.14	42,48,54,55	0
3	NF0	L	502	16/16	0.74	0.14	39,46,51,51	0
3	NF0	J	403	16/16	0.74	0.13	41,48,50,53	0
3	NF0	A	403	16/16	0.75	0.14	42,51,55,56	0
2	CYS	E	502	7/7	0.76	0.24	77,83,84,85	0
3	NF0	E	503	16/16	0.78	0.14	50,55,58,58	0
3	NF0	G	402	16/16	0.79	0.15	45,51,54,54	0
4	PO4	A	404	5/5	0.82	0.26	114,116,117,118	0
3	NF0	F	501	16/16	0.83	0.14	52,56,58,59	0
4	PO4	K	402	5/5	0.85	0.26	86,86,86,92	0
4	PO4	G	403	5/5	0.90	0.38	111,113,115,115	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different

orientation to approximate a three-dimensional view.




Electron density around NF0 E 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NF0 H 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NF0 B 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NF0 L 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NF0 I 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NF0 C 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NF0 L 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NF0 J 403:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NF0 A 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NF0 E 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NF0 G 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NF0 F 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.