

Full wwPDB X-ray Structure Validation Report (i)

Oct 15, 2023 – 03:39 PM EDT

PDB ID : 2I1V

Title : Crystal structure of PFKFB3 in complex with ADP and Fructose-2,6-bisphos

phate

Authors: Kim, S.G.; El-Maghrabi, M.R.; Lee, Y.H.

Deposited on : 2006-08-15

Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity: 4.02b-467

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.36

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

 $Refmac \quad : \quad 5.8.0158$

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Metric	$(\# \mathrm{Entries})$	$(\# ext{Entries}, ext{ resolution range}(ext{Å}))$
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

\mathbf{M}	l Chain	Length	Quality of chain						
1	В	520	61%	23%		14%			



2 Entry composition (i)


There are 6 unique types of molecules in this entry. The entry contains 3946 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called 6-phosphofructo-2-kinase/fructose-2,6-biphosphatase 3.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	В	449	Total 3657	C 2307	N 646	O 681	S 23	0	0	0


• Molecule 2 is 2,6-di-O-phosphono-beta-D-fructofuranose (three-letter code: FDP) (formula: $C_6H_{14}O_{12}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	В	1	Total 20	C 6	O 12	P 2	0	0

• Molecule 3 is 6-O-phosphono-beta-D-fructofuranose (three-letter code: F6P) (formula: $C_6H_{13}O_9P$).






Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	В	1	Total 16	C 6	O 9	P 1	0	0

• Molecule 4 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
4	В	1	Total 27		N 5		P 2	0	0

 \bullet Molecule 5 is PHOSPHONIC ACID (three-letter code: PHS) (formula: $\mathrm{H_3O_3P}).$





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	В	1	Total 4	O 3	P 1	0	0

• Molecule 6 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	В	222	Total O 222 222	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 6-phosphofructo-2-kinase/fructose-2,6-biphosphatase 3





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants	102.14Å 102.14Å 259.44Å	Donogitor
a, b, c, α , β , γ	90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.00 - 2.50	Depositor
Resolution (A)	30.00 - 2.50	EDS
% Data completeness	10.0 (30.00-2.50)	Depositor
(in resolution range)	99.9 (30.00-2.50)	EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.62 (at 2.51Å)	Xtriage
Refinement program	CNS 1.1	Depositor
D D	0.214 , 0.262	Depositor
R, R_{free}	0.278 , 0.306	DCC
R_{free} test set	2872 reflections (10.05%)	wwPDB-VP
Wilson B-factor (Å ²)	46.7	Xtriage
Anisotropy	0.167	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.33, 47.8	EDS
L-test for twinning ²	$ < L > = 0.49, < L^2> = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	3946	wwPDB-VP
Average B, all atoms $(Å^2)$	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.93% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: F6P, PHS, ADP, FDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
MIOI		RMSZ	# Z > 5	RMSZ	# Z > 5	
1	В	0.36	0/3731	0.61	1/5042 (0.0%)	

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$\operatorname{Ideal}(^{o})$
1	В	4	LEU	CA-CB-CG	5.03	126.86	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	В	3657	0	3640	115	3
2	В	20	0	9	1	0
3	В	16	0	11	2	0
4	В	27	0	12	1	0
5	В	4	0	0	0	0
6	В	222	0	0	11	1
All	All	3946	0	3672	118	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.



All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

A	A., 0	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:256:ASN:H	1:B:259:ASN:ND2	1.63	0.95	
1:B:24:ARG:HG2	6:B:807:HOH:O	1.71	0.87	
1:B:204:LYS:O	1:B:207:ARG:HG3	1.75	0.86	
1:B:256:ASN:N	1:B:259:ASN:HD22	1.73	0.86	
1:B:256:ASN:H	1:B:259:ASN:HD22	0.89	0.86	
1:B:255:GLU:H	1:B:414:HIS:HE1	1.23	0.85	
1:B:43:PRO:HG2	1:B:190:ILE:HG12	1.61	0.82	
1:B:59:ASN:HD21	1:B:65:THR:H	1.28	0.82	
1:B:19:ARG:HB3	1:B:23:PRO:HB3	1.62	0.81	
1:B:3:GLU:HA	6:B:816:HOH:O	1.83	0.77	
1:B:69:ASN:HD22	1:B:72:GLU:H	1.32	0.75	
1:B:453:ASN:HB2	1:B:454:PRO:HD3	1.70	0.73	
1:B:299:GLN:H	1:B:321:ASN:HD21	1.36	0.72	
1:B:299:GLN:H	1:B:321:ASN:ND2	1.88	0.72	
1:B:298:SER:HB2	1:B:321:ASN:HD22	1.55	0.71	
1:B:227:GLN:NE2	1:B:231:GLN:HE22	1.90	0.70	
1:B:242:HIS:HD2	1:B:244:GLN:H	1.38	0.70	
1:B:59:ASN:ND2	1:B:65:THR:H	1.89	0.69	
1:B:224:ASN:OD1	1:B:225:ARG:HG2	1.92	0.69	
1:B:25:SER:O	1:B:26:CYS:HB2	1.93	0.69	
1:B:255:GLU:H	1:B:414:HIS:CE1	2.07	0.69	
3:B:720:F6P:O3	6:B:773:HOH:O	2.08	0.67	
1:B:4:LEU:HD22	1:B:4:LEU:N	2.12	0.64	
1:B:84:TYR:CE2	1:B:188:LYS:HD2	2.33	0.64	
1:B:227:GLN:HE21	1:B:231:GLN:HE22	1.46	0.63	
1:B:408:TYR:CZ	1:B:444:ARG:HG2	2.34	0.63	
1:B:59:ASN:ND2	1:B:64:PRO:HA	2.15	0.61	
1:B:34:PRO:HG2	1:B:145:PHE:CD2	2.36	0.61	
1:B:422:VAL:HG11	1:B:427:ARG:HB2	1.84	0.60	
1:B:119:GLN:C	1:B:119:GLN:HE21	2.04	0.59	
1:B:277:PHE:CE1	1:B:414:HIS:HA	2.37	0.59	
1:B:347:ARG:HD2	1:B:354:TYR:CE2	2.36	0.59	
1:B:80:GLN:NE2	1:B:80:GLN:HA	2.19	0.58	
1:B:351:LYS:HD3	1:B:407:PRO:HB2	1.86	0.58	
1:B:201:ASP:OD1	1:B:204:LYS:HE2	2.03	0.58	
1:B:4:LEU:HB3	1:B:14:VAL:O	2.04	0.57	
1:B:253:HIS:HE1	1:B:259:ASN:HD21	1.52	0.57	
1:B:242:HIS:HD2	1:B:244:GLN:N	2.02	0.57	
1:B:255:GLU:OE1	1:B:273:ARG:HD3	2.06	0.56	
1:B:228:ASP:OD1	1:B:230:ILE:HG22	2.06	0.55	



 $Continued\ from\ previous\ page...$

Continuea from prev		Interatomic	Clash	
Atom-1	Atom-2	${\rm distance}(\mathring{\rm A})$	$overlap(\AA)$	
1:B:178:ASN:O	1:B:181:GLU:HG2	2.07	0.55	
1:B:420:THR:HG22	1:B:421:PRO:HD2	1.89	0.55	
1:B:21:SER:OG	1:B:22:LEU:HD13	2.07	0.55	
1:B:119:GLN:NE2	1:B:119:GLN:O	2.40	0.55	
1:B:246:ARG:HG2	1:B:380:GLU:HA	1.87	0.55	
1:B:25:SER:O	1:B:26:CYS:CB	2.55	0.54	
1:B:16:VAL:HG23	1:B:16:VAL:O	2.09	0.53	
1:B:242:HIS:HE1	1:B:379:GLN:O	1.91	0.53	
1:B:8:ARG:HD2	6:B:826:HOH:O	2.09	0.53	
1:B:49:TYR:HB2	4:B:700:ADP:H5'2	1.91	0.53	
1:B:459:ASN:O	1:B:460:SER:HB2	2.09	0.52	
1:B:348:GLU:OE1	1:B:445:SER:HB2	2.09	0.52	
1:B:444:ARG:HG3	6:B:862:HOH:O	2.10	0.52	
1:B:231:GLN:O	1:B:235:VAL:HG23	2.10	0.51	
1:B:328:CYS:HA	1:B:331:LEU:HD22	1.93	0.51	
1:B:79:LYS:HD3	1:B:79:LYS:H	1.76	0.50	
1:B:410:LYS:HG3	1:B:441:HIS:CD2	2.47	0.50	
1:B:327:VAL:HG22	1:B:357:PRO:HB2	1.94	0.50	
1:B:402:SER:OG	1:B:405:GLU:HG2	2.12	0.50	
1:B:80:GLN:HA	1:B:80:GLN:HE21	1.78	0.49	
1:B:278:ALA:HB1	1:B:309:ALA:CB	2.43	0.49	
2:B:710:FDP:O4P	2:B:710:FDP:H5	2.12	0.49	
1:B:10:GLN:NE2	1:B:363:GLN:HE22	2.09	0.49	
1:B:19:ARG:HD2	1:B:23:PRO:CB	2.43	0.49	
1:B:325:ALA:HA	1:B:356:TYR:CD1	2.47	0.49	
1:B:69:ASN:ND2	1:B:72:GLU:H	2.04	0.49	
1:B:271:SER:O	1:B:275:LYS:HG3	2.12	0.49	
3:B:720:F6P:H62	6:B:744:HOH:O	2.12	0.48	
1:B:20:PRO:O	1:B:21:SER:C	2.52	0.48	
1:B:328:CYS:O	1:B:331:LEU:HB2	2.13	0.48	
1:B:242:HIS:CD2	1:B:244:GLN:H	2.27	0.47	
1:B:422:VAL:HG13	1:B:422:VAL:O	2.15	0.47	
1:B:19:ARG:HD2	1:B:23:PRO:HB3	1.96	0.46	
1:B:104:ALA:O	1:B:107:ARG:HB3	2.15	0.46	
1:B:69:ASN:HD22	1:B:72:GLU:N	2.06	0.46	
1:B:332:THR:OG1	1:B:335:GLU:HG3	2.16	0.46	
1:B:47:LYS:HE3	1:B:126:THR:HA	1.98	0.45	
1:B:139:PHE:O	1:B:142:GLU:HG2	2.16	0.45	
1:B:256:ASN:O	1:B:259:ASN:HB2	2.16	0.45	
1:B:211:LEU:C	1:B:211:LEU:HD12	2.36	0.45	
1:B:453:ASN:CB	1:B:454:PRO:HD3	2.44	0.45	



 $Continued\ from\ previous\ page...$

Continued from pred		Interatomic	Clash	
Atom-1	Atom-2	$\operatorname{distance}\ (\text{\AA})$	overlap (Å)	
1:B:119:GLN:C	1:B:119:GLN:NE2	2.71	0.45	
1:B:240:ASN:OD1	1:B:378:ARG:HD2	2.17	0.45	
1:B:32:ASN:O	1:B:32:ASN:ND2	2.51	0.44	
1:B:256:ASN:N	1:B:259:ASN:ND2	2.47	0.43	
1:B:17:ASP:O	1:B:17:ASP:CG	2.56	0.43	
1:B:16:VAL:O	1:B:16:VAL:CG2	2.65	0.43	
1:B:222:LEU:C	1:B:222:LEU:HD23	2.38	0.43	
1:B:277:PHE:CE1	1:B:433:LEU:HD12	2.54	0.43	
1:B:24:ARG:CG	6:B:807:HOH:O	2.45	0.43	
1:B:177:CYS:HB3	1:B:181:GLU:HG3	2.01	0.43	
1:B:391:LEU:O	1:B:391:LEU:HD12	2.19	0.43	
1:B:8:ARG:CD	6:B:826:HOH:O	2.66	0.42	
1:B:89:PRO:HG2	6:B:885:HOH:O	2.19	0.42	
1:B:19:ARG:CB	1:B:23:PRO:HB3	2.43	0.42	
1:B:322:GLU:HB2	1:B:387:HIS:CG	2.54	0.42	
1:B:275:LYS:O	1:B:278:ALA:HB3	2.20	0.42	
1:B:4:LEU:N	6:B:816:HOH:O	2.12	0.42	
1:B:414:HIS:CD2	1:B:437:SER:HB3	2.54	0.42	
1:B:277:PHE:CD1	1:B:414:HIS:HA	2.54	0.41	
1:B:219:ARG:HE	1:B:219:ARG:HB2	1.61	0.41	
1:B:204:LYS:HB3	1:B:205:CYS:H	1.53	0.41	
1:B:278:ALA:HB1	1:B:309:ALA:HB2	2.01	0.41	
1:B:22:LEU:CD1	1:B:22:LEU:N	2.83	0.41	
1:B:188:LYS:HE2	6:B:883:HOH:O	2.20	0.41	
1:B:106:LEU:O	1:B:109:VAL:HB	2.20	0.41	
1:B:304:ILE:HG23	1:B:314:TYR:CE1	2.55	0.41	
1:B:422:VAL:CG1	1:B:427:ARG:HB2	2.49	0.41	
1:B:322:GLU:OE1	1:B:322:GLU:HA	2.20	0.41	
1:B:414:HIS:HD2	1:B:435:VAL:O	2.03	0.41	
1:B:79:LYS:H	1:B:79:LYS:CD	2.34	0.41	
1:B:126:THR:HG21	1:B:193:TYR:CE2	2.56	0.41	
1:B:230:ILE:HD12	1:B:230:ILE:HA	1.89	0.41	
1:B:69:ASN:ND2	1:B:72:GLU:HG3	2.36	0.40	
1:B:69:ASN:HD22	1:B:72:GLU:HG3	1.86	0.40	
1:B:253:HIS:CD2	1:B:253:HIS:H	2.40	0.40	
1:B:332:THR:O	1:B:336:ILE:HG13	2.21	0.40	
1:B:340:TYR:HB3	1:B:343:GLU:HB2	2.02	0.40	

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.



Atom-1	Atom-2	$egin{aligned} & ext{Interatomic} \ & ext{distance} \ & ext{(Å)} \end{aligned}$	$egin{array}{c} \operatorname{Clash} \\ \operatorname{overlap}\ (\mbox{\AA}) \end{array}$	
1:B:13:TRP:NE1	1:B:267:ASP:OD2[10_665]	2.09	0.11	
1:B:2:LEU:O	1:B:305:GLN:NE2[10_665]	2.13	0.07	
1:B:299:GLN:O	6:B:732:HOH:O[10_665]	2.18	0.02	

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured Allowed		Outliers	Percentiles	
1	В	443/520 (85%)	412 (93%)	28 (6%)	3 (1%)	22	39

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	В	26	CYS
1	В	21	SER
1	В	204	LYS

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles		
1	В	406/468 (87%)	391 (96%)	15 (4%)	34 60		

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	В	4	LEU



 $Continued\ from\ previous\ page...$

Mol	Chain	Res	Type
1	В	22	LEU
1	В	32	ASN
1	В	119	GLN
1	В	131	GLU
1	В	144	ASP
1	В	204	LYS
1	В	246	ARG
1	В	257	GLU
1	В	258	HIS
1	В	287	GLU
1	В	391	LEU
1	В	399	LEU
1	В	420	THR
1	В	456	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	В	10	GLN
1	В	32	ASN
1	В	59	ASN
1	В	69	ASN
1	В	80	GLN
1	В	119	GLN
1	В	163	ASN
1	В	227	GLN
1	В	242	HIS
1	В	259	ASN
1	В	316	GLN
1	В	321	ASN
1	В	363	GLN
1	В	379	GLN
1	В	414	HIS
1	В	441	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal Trma C		Chain	Chain Dan I		Bond lengths			Bond angles		
MIOI	Mol Type Chain		Res	Link	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ADP	В	700	-	24,29,29	1.48	4 (16%)	29,45,45	1.30	2 (6%)
2	FDP	В	710	-	19,20,20	2.30	5 (26%)	30,32,32	3.73	10 (33%)
3	F6P	В	720	-	15,16,16	0.84	0	17,25,25	1.45	3 (17%)
5	PHS	В	730	-	0,3,3	-	-	0,3,3	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ADP	В	700	-	-	3/12/32/32	0/3/3/3
2	FDP	В	710	-	-	4/12/34/34	0/1/1/1
3	F6P	В	720	-	-	0/9/28/28	0/1/1/1

All (9) bond length outliers are listed below:

	Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
	2	В	710	FDP	P1-O2	-7.58	1.45	1.59
Ī	2	В	710	FDP	O1-C1	3.63	1.54	1.42



 $Continued\ from\ previous\ page...$

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(\text{\AA})$	$\operatorname{Ideal}(ext{\AA})$
2	В	710	FDP	O3-C3	-3.29	1.36	1.42
4	В	700	ADP	C4-N3	3.27	1.40	1.35
4	В	700	ADP	C6-N6	3.23	1.45	1.34
4	В	700	ADP	C2-N3	2.93	1.36	1.32
4	В	700	ADP	C2-N1	2.61	1.38	1.33
2	В	710	FDP	C4-C5	-2.20	1.47	1.53
2	В	710	FDP	C1-C2	2.03	1.63	1.52

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}({}^{o})$
2	В	710	FDP	O5-C2-C1	-12.86	76.74	108.03
2	В	710	FDP	O2-C2-C3	10.22	141.02	108.18
2	В	710	FDP	O2-C2-C1	-6.73	89.38	109.57
2	В	710	FDP	C2-C3-C4	3.99	111.22	102.10
2	В	710	FDP	O5-C2-C3	-3.96	97.31	105.49
4	В	700	ADP	O3B-PB-O3A	3.66	116.90	104.64
3	В	720	F6P	P-O6-C6	-3.64	108.28	118.30
2	В	710	FDP	C1-C2-C3	3.59	125.15	114.56
2	В	710	FDP	P2-O6-C6	3.19	127.09	118.30
2	В	710	FDP	C2-O5-C5	3.17	117.12	108.28
2	В	710	FDP	O1-C1-C2	-3.11	101.16	111.70
4	В	700	ADP	C4-C5-N7	2.94	112.46	109.40
2	В	710	FDP	O5-C5-C6	2.58	115.14	109.45
3	В	720	F6P	O6-P-O1P	2.55	113.64	106.47
3	В	720	F6P	O5-C5-C6	2.54	115.04	109.45

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	В	710	FDP	C2-O2-P1-O1P
2	В	710	FDP	C5-C6-O6-P2
4	В	700	ADP	PA-O3A-PB-O2B
2	В	710	FDP	C4-C5-C6-O6
4	В	700	ADP	PA-O3A-PB-O1B
4	В	700	ADP	C5'-O5'-PA-O2A
2	В	710	FDP	O1-C1-C2-O2


There are no ring outliers.

3 monomers are involved in 4 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	В	700	ADP	1	0
2	В	710	FDP	1	0
3	В	720	F6P	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









Rings

Torsions

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains (i)

Unable to reproduce the depositors R factor - this section is therefore empty.


6.3 Carbohydrates (i)

Unable to reproduce the depositors R factor - this section is therefore empty.


6.4 Ligands (i)

Unable to reproduce the depositors R factor - this section is therefore empty.


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.











6.5 Other polymers (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

