



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 23, 2024 – 02:21 AM EDT

PDB ID : 6I4B  
Title : Plasmodium falciparum dihydroorotate dehydrogenase (DHODH) co-crystallized with 3-Hydroxy-1-methyl-5-((3-(trifluoromethyl)phenoxy)methyl)-1H-pyrazole-4-carboxylic acid  
Authors : Goyal, P.; Sainas, S.; Pippione, A.C.; Boschi, D.; Al-Kadaraghi, S.  
Deposited on : 2018-11-09  
Resolution : 1.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.20.1  
EDS : 2.37.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	11647 (2.00-1.96)
Clashscore	141614	1014 (1.98-1.98)
Ramachandran outliers	138981	1006 (1.98-1.98)
Sidechain outliers	138945	1006 (1.98-1.98)
RSRZ outliers	127900	11410 (2.00-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	405	 2% 83% 11% 6%
1	B	405	 4% 83% 9% 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ORO	A	602	-	X	-	-
3	ORO	B	602	-	X	-	-

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6422 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydroorotate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	381	3029	1936	506	571	16	0	1	0
1	B	374	2973	1903	497	558	15	0	2	0

There are 106 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	135	MET	-	initiating methionine	UNP Q54A96
A	136	HIS	-	expression tag	UNP Q54A96
A	137	HIS	-	expression tag	UNP Q54A96
A	138	HIS	-	expression tag	UNP Q54A96
A	139	HIS	-	expression tag	UNP Q54A96
A	140	HIS	-	expression tag	UNP Q54A96
A	141	HIS	-	expression tag	UNP Q54A96
A	142	SER	-	expression tag	UNP Q54A96
A	143	SER	-	expression tag	UNP Q54A96
A	144	GLY	-	expression tag	UNP Q54A96
A	145	VAL	-	expression tag	UNP Q54A96
A	146	ASP	-	expression tag	UNP Q54A96
A	147	LEU	-	expression tag	UNP Q54A96
A	148	GLY	-	expression tag	UNP Q54A96
A	149	THR	-	expression tag	UNP Q54A96
A	150	GLU	-	expression tag	UNP Q54A96
A	151	ASN	-	expression tag	UNP Q54A96
A	152	LEU	-	expression tag	UNP Q54A96
A	153	TYR	-	expression tag	UNP Q54A96
A	154	PHE	-	expression tag	UNP Q54A96
A	155	GLN	-	expression tag	UNP Q54A96
A	156	SER	-	expression tag	UNP Q54A96
A	157	MET	-	expression tag	UNP Q54A96
A	?	-	SER	deletion	UNP Q54A96
A	?	-	THR	deletion	UNP Q54A96

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	TYR	deletion	UNP Q54A96
A	?	-	ASN	deletion	UNP Q54A96
A	?	-	GLU	deletion	UNP Q54A96
A	?	-	ASP	deletion	UNP Q54A96
A	?	-	ASN	deletion	UNP Q54A96
A	?	-	LYS	deletion	UNP Q54A96
A	?	-	ILE	deletion	UNP Q54A96
A	?	-	VAL	deletion	UNP Q54A96
A	?	-	GLU	deletion	UNP Q54A96
A	?	-	LYS	deletion	UNP Q54A96
A	?	-	LYS	deletion	UNP Q54A96
A	?	-	ASN	deletion	UNP Q54A96
A	?	-	ASN	deletion	UNP Q54A96
A	?	-	PHE	deletion	UNP Q54A96
A	?	-	ASN	deletion	UNP Q54A96
A	?	-	LYS	deletion	UNP Q54A96
A	?	-	ASN	deletion	UNP Q54A96
A	?	-	ASN	deletion	UNP Q54A96
A	?	-	SER	deletion	UNP Q54A96
A	?	-	HIS	deletion	UNP Q54A96
A	?	-	MET	deletion	UNP Q54A96
A	?	-	MET	deletion	UNP Q54A96
A	?	-	LYS	deletion	UNP Q54A96
A	?	-	ASP	deletion	UNP Q54A96
A	?	-	ALA	deletion	UNP Q54A96
A	?	-	LYS	deletion	UNP Q54A96
A	?	-	ASP	deletion	UNP Q54A96
A	?	-	ASN	deletion	UNP Q54A96
B	135	MET	-	initiating methionine	UNP Q54A96
B	136	HIS	-	expression tag	UNP Q54A96
B	137	HIS	-	expression tag	UNP Q54A96
B	138	HIS	-	expression tag	UNP Q54A96
B	139	HIS	-	expression tag	UNP Q54A96
B	140	HIS	-	expression tag	UNP Q54A96
B	141	HIS	-	expression tag	UNP Q54A96
B	142	SER	-	expression tag	UNP Q54A96
B	143	SER	-	expression tag	UNP Q54A96
B	144	GLY	-	expression tag	UNP Q54A96
B	145	VAL	-	expression tag	UNP Q54A96
B	146	ASP	-	expression tag	UNP Q54A96
B	147	LEU	-	expression tag	UNP Q54A96
B	148	GLY	-	expression tag	UNP Q54A96

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	149	THR	-	expression tag	UNP Q54A96
B	150	GLU	-	expression tag	UNP Q54A96
B	151	ASN	-	expression tag	UNP Q54A96
B	152	LEU	-	expression tag	UNP Q54A96
B	153	TYR	-	expression tag	UNP Q54A96
B	154	PHE	-	expression tag	UNP Q54A96
B	155	GLN	-	expression tag	UNP Q54A96
B	156	SER	-	expression tag	UNP Q54A96
B	157	MET	-	expression tag	UNP Q54A96
B	?	-	SER	deletion	UNP Q54A96
B	?	-	THR	deletion	UNP Q54A96
B	?	-	TYR	deletion	UNP Q54A96
B	?	-	ASN	deletion	UNP Q54A96
B	?	-	GLU	deletion	UNP Q54A96
B	?	-	ASP	deletion	UNP Q54A96
B	?	-	ASN	deletion	UNP Q54A96
B	?	-	LYS	deletion	UNP Q54A96
B	?	-	ILE	deletion	UNP Q54A96
B	?	-	VAL	deletion	UNP Q54A96
B	?	-	GLU	deletion	UNP Q54A96
B	?	-	LYS	deletion	UNP Q54A96
B	?	-	LYS	deletion	UNP Q54A96
B	?	-	ASN	deletion	UNP Q54A96
B	?	-	ASN	deletion	UNP Q54A96
B	?	-	PHE	deletion	UNP Q54A96
B	?	-	ASN	deletion	UNP Q54A96
B	?	-	LYS	deletion	UNP Q54A96
B	?	-	ASN	deletion	UNP Q54A96
B	?	-	ASN	deletion	UNP Q54A96
B	?	-	SER	deletion	UNP Q54A96
B	?	-	HIS	deletion	UNP Q54A96
B	?	-	MET	deletion	UNP Q54A96
B	?	-	MET	deletion	UNP Q54A96
B	?	-	LYS	deletion	UNP Q54A96
B	?	-	ASP	deletion	UNP Q54A96
B	?	-	ALA	deletion	UNP Q54A96
B	?	-	LYS	deletion	UNP Q54A96
B	?	-	ASP	deletion	UNP Q54A96
B	?	-	ASN	deletion	UNP Q54A96

- Molecule 2 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: C<sub>17</sub>H<sub>21</sub>N<sub>4</sub>O<sub>9</sub>P).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	B	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 3 is OROTIC ACID (three-letter code: ORO) (formula:  $C_5H_4N_2O_4$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			11	5	2	4		
3	B	1	Total	C	N	O	0	0
			11	5	2	4		

- Molecule 4 is 1-methyl-3-oxidanyl-5-[[3-(trifluoromethyl)phenoxy]methyl]pyrazole-4-carboxylic acid (three-letter code: E2N) (formula:  $C_{13}H_{11}F_3N_2O_4$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	F	N			O
4	A	1	Total	C	F	N	O	0	0
			22	13	3	2	4		
4	B	1	Total	C	F	N	O	0	0
			22	13	3	2	4		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
5	A	147	Total	O	0	0
			147	147		
5	B	145	Total	O	0	0
			145	145		




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Dihydroorotate dehydrogenase



- Molecule 1: Dihydroorotate dehydrogenase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	50.61Å 158.12Å 61.75Å 90.00° 105.67° 90.00°	Depositor
Resolution (Å)	48.73 – 1.98 48.73 – 1.98	Depositor EDS
% Data completeness (in resolution range)	99.2 (48.73-1.98) 99.1 (48.73-1.98)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.11	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.72 (at 1.98Å)	Xtrriage
Refinement program	PHENIX 1.13_2998	Depositor
R, $R_{free}$	0.192 , 0.226 0.194 , 0.227	Depositor DCC
$R_{free}$ test set	3260 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	32.4	Xtrriage
Anisotropy	0.321	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 45.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	6422	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	48.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.79% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FMN, E2N, ORO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.34	0/3084	0.49	0/4152
1	B	0.37	1/3029 (0.0%)	0.49	0/4077
All	All	0.36	1/6113 (0.0%)	0.49	0/8229

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	233	CYS	CB-SG	-8.16	1.68	1.82

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3029	0	3066	34	0
1	B	2973	0	3023	25	0
2	A	31	0	19	1	0
2	B	31	0	19	1	0
3	A	11	0	3	2	0
3	B	11	0	3	2	0
4	A	22	0	0	1	0
4	B	22	0	0	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	147	0	0	1	0
5	B	145	0	0	1	0
All	All	6422	0	6133	58	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (58) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:466:ILE:HD11	1:A:480:LYS:HD3	1.81	0.63
1:A:175:CYS:HA	1:A:179:ILE:HD13	1.85	0.59
1:A:197:LEU:HD22	1:A:536:MET:HE2	1.85	0.56
1:A:512:LEU:HD12	1:A:549:LEU:HD21	1.88	0.56
1:B:345:SER:HB3	1:B:351:LEU:HD23	1.90	0.54
1:A:230:ASN:CG	1:A:281:MET:HG3	2.29	0.53
1:B:230:ASN:CG	1:B:281:MET:HG3	2.29	0.53
1:A:467:LYS:HA	1:A:470:GLU:HB2	1.90	0.52
1:B:224:ALA:HB2	1:B:526:GLN:HB3	1.91	0.52
1:A:278:PHE:CE2	3:A:602:ORO:H5	2.46	0.50
1:A:226:GLY:HA3	2:A:601:FMN:N5	2.26	0.50
1:A:172:LEU:C	1:A:172:LEU:HD13	2.32	0.49
1:A:197:LEU:HD12	1:A:236:SER:HB3	1.94	0.49
1:B:278:PHE:CE1	3:B:602:ORO:H5	2.49	0.48
1:B:197:LEU:HD22	1:B:536:MET:HE2	1.95	0.48
1:A:198:PRO:HD2	1:A:536:MET:HE2	1.96	0.48
1:B:438:GLN:HA	1:B:441:GLU:HG2	1.95	0.48
1:A:433:ASP:HA	1:A:462:GLN:NE2	2.28	0.47
1:B:197:LEU:HD12	1:B:236:SER:HB3	1.96	0.47
1:A:167:LEU:HD12	1:A:167:LEU:HA	1.79	0.46
1:A:549:LEU:HD12	1:A:549:LEU:HA	1.82	0.46
1:B:322:VAL:HG12	1:B:326:LYS:HE3	1.97	0.46
1:B:512:LEU:HD22	1:B:549:LEU:HD21	1.97	0.46
1:A:265:ARG:HD3	4:A:603:E2N:N2	2.32	0.45
1:B:265:ARG:HD3	4:B:603:E2N:N2	2.32	0.45
1:B:186:ASP:OD2	5:B:701:HOH:O	2.21	0.45
1:B:225:ALA:HA	1:B:246:GLU:O	2.17	0.45
1:B:268:GLU:H	1:B:268:GLU:CD	2.20	0.45
1:A:172:LEU:HD13	1:A:176:LEU:HG	1.99	0.45
1:A:536:MET:HB3	1:A:536:MET:HE3	1.84	0.45
1:A:454:MET:HE1	1:A:492:MET:HB3	1.99	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:435:ASN:OD1	1:A:438:GLN:HG3	2.18	0.44
1:B:226:GLY:HA3	2:B:601:FMN:N5	2.32	0.44
1:A:278:PHE:HE2	3:A:602:ORO:H5	1.82	0.44
1:B:167:LEU:HD23	1:B:170:ILE:HD12	2.00	0.44
1:B:198:PRO:HD2	1:B:536:MET:HE2	2.00	0.43
1:A:433:ASP:HA	1:A:462:GLN:HE21	1.83	0.43
1:A:512:LEU:HD12	1:A:549:LEU:CD2	2.49	0.43
1:A:177:LYS:HE2	1:A:267:VAL:HG21	2.01	0.42
1:A:456:ILE:HA	1:A:457:SER:HA	1.79	0.42
1:B:198:PRO:HD2	1:B:536:MET:CE	2.50	0.42
1:A:254:GLY:O	1:B:450:ASN:HB2	2.19	0.42
1:B:226:GLY:HA2	1:B:229:LYS:HG3	2.01	0.42
1:B:222:GLY:HA3	1:B:244:PHE:CE2	2.54	0.42
1:A:252:PRO:HG2	1:A:324:ASP:CG	2.40	0.42
1:A:267:VAL:HG23	1:A:268:GLU:OE1	2.19	0.42
1:B:235:ASP:N	1:B:235:ASP:OD1	2.51	0.42
1:B:278:PHE:HE1	3:B:602:ORO:H5	1.84	0.41
1:B:549:LEU:HA	1:B:549:LEU:HD12	1.79	0.41
1:A:172:LEU:HD13	1:A:172:LEU:O	2.20	0.41
1:A:226:GLY:HA2	1:A:229:LYS:HG3	2.02	0.41
1:B:266:ASP:HB2	1:B:469:PHE:CE2	2.56	0.41
1:A:253:ARG:NH2	5:A:706:HOH:O	2.50	0.41
1:B:230:ASN:OD1	1:B:281:MET:HG3	2.20	0.40
1:A:345:SER:HB3	1:A:351:LEU:HD23	2.03	0.40
1:A:224:ALA:HB2	1:A:526:GLN:HB3	2.01	0.40
1:A:230:ASN:OD1	1:A:281:MET:HG3	2.21	0.40
1:A:230:ASN:HB3	1:A:281:MET:CE	2.51	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	380/405 (94%)	368 (97%)	12 (3%)	0	100	100
1	B	372/405 (92%)	363 (98%)	9 (2%)	0	100	100
All	All	752/810 (93%)	731 (97%)	21 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	339/360 (94%)	336 (99%)	3 (1%)	78	77
1	B	333/360 (92%)	326 (98%)	7 (2%)	53	47
All	All	672/720 (93%)	662 (98%)	10 (2%)	65	59

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	235	ASP
1	A	304	SER
1	A	380	MET
1	B	157	MET
1	B	233	CYS
1	B	235	ASP
1	B	334	ARG
1	B	376	LYS
1	B	462	GLN
1	B	465	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	378	ASN
1	B	289	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	E2N	A	603	-	22,23,23	1.32	4 (18%)	26,34,34	1.52	4 (15%)
3	ORO	B	602	-	10,11,11	6.26	7 (70%)	10,15,15	3.79	5 (50%)
3	ORO	A	602	-	10,11,11	6.30	7 (70%)	10,15,15	3.54	3 (30%)
2	FMN	B	601	-	33,33,33	2.80	10 (30%)	48,50,50	1.76	8 (16%)
4	E2N	B	603	-	22,23,23	1.29	4 (18%)	26,34,34	1.65	6 (23%)
2	FMN	A	601	-	33,33,33	2.76	10 (30%)	48,50,50	1.62	8 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	E2N	A	603	-	-	3/13/15/15	0/2/2/2
3	ORO	B	602	-	-	4/4/4/4	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ORO	A	602	-	-	4/4/4/4	0/1/1/1
2	FMN	B	601	-	-	1/18/18/18	0/3/3/3
4	E2N	B	603	-	-	0/13/15/15	0/2/2/2
2	FMN	A	601	-	-	1/18/18/18	0/3/3/3

All (42) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	602	ORO	C5-C4	15.78	1.53	1.37
3	A	602	ORO	C5-C4	15.51	1.52	1.37
3	A	602	ORO	C6-N1	9.52	1.48	1.34
3	B	602	ORO	C6-N1	9.16	1.48	1.34
2	B	601	FMN	C4A-N5	7.04	1.45	1.30
2	A	601	FMN	C4A-N5	6.94	1.45	1.30
2	A	601	FMN	C10-N1	6.62	1.46	1.33
2	B	601	FMN	C10-N1	6.45	1.46	1.33
2	A	601	FMN	C5A-N5	5.61	1.49	1.39
3	A	602	ORO	C4-N3	5.60	1.42	1.33
2	B	601	FMN	C5A-N5	5.40	1.49	1.39
2	B	601	FMN	C9A-N10	5.25	1.50	1.41
3	B	602	ORO	C4-N3	5.25	1.42	1.33
2	B	601	FMN	C2-N1	5.24	1.48	1.36
2	A	601	FMN	C9A-N10	5.20	1.50	1.41
2	A	601	FMN	C2-N1	5.04	1.48	1.36
2	B	601	FMN	C2-N3	4.28	1.48	1.39
2	A	601	FMN	C2-N3	4.00	1.47	1.39
2	B	601	FMN	C10-N10	3.88	1.45	1.37
3	A	602	ORO	C2-N1	3.75	1.46	1.37
3	B	602	ORO	C2-N1	3.70	1.45	1.37
2	B	601	FMN	C4-N3	3.60	1.45	1.38
2	A	601	FMN	C10-N10	3.48	1.44	1.37
2	A	601	FMN	C4-N3	3.32	1.45	1.38
2	B	601	FMN	O2-C2	-3.05	1.18	1.24
2	A	601	FMN	O2-C2	-3.01	1.18	1.24
3	A	602	ORO	C2-N3	2.54	1.43	1.37
2	B	601	FMN	O4-C4	-2.52	1.18	1.23
2	A	601	FMN	O4-C4	-2.48	1.18	1.23
4	A	603	E2N	C6-C5	2.28	1.53	1.50
4	B	603	E2N	C3-C2	2.19	1.41	1.39
4	A	603	E2N	C2-N2	-2.17	1.31	1.34
3	B	602	ORO	O4-C4	-2.16	1.19	1.24
3	B	602	ORO	C2-N3	2.16	1.42	1.37

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	603	E2N	C6-C5	2.15	1.52	1.50
4	B	603	E2N	O1-C2	2.12	1.40	1.29
4	A	603	E2N	O1-C2	2.12	1.40	1.29
3	A	602	ORO	O4-C4	-2.11	1.19	1.24
4	B	603	E2N	C2-N2	-2.09	1.31	1.34
4	A	603	E2N	C3-C2	2.08	1.41	1.39
3	A	602	ORO	C5-C6	-2.04	1.35	1.40
3	B	602	ORO	C5-C6	-2.02	1.35	1.40

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	602	ORO	C2-N3-C4	9.42	120.75	114.49
3	A	602	ORO	C2-N3-C4	9.16	120.58	114.49
2	B	601	FMN	C7M-C7-C6	-6.58	107.97	119.57
2	A	601	FMN	C7M-C7-C6	-5.86	109.25	119.57
2	B	601	FMN	C7M-C7-C8	5.53	132.05	120.76
2	A	601	FMN	C7M-C7-C8	4.84	130.64	120.76
3	A	602	ORO	C6-C5-C4	4.41	119.58	116.73
3	B	602	ORO	C5-C4-N3	-4.19	119.27	124.16
3	B	602	ORO	C6-C5-C4	4.08	119.36	116.73
3	A	602	ORO	C5-C4-N3	-4.02	119.46	124.16
4	B	603	E2N	C5-N1-N2	-3.62	109.38	112.93
4	A	603	E2N	C1-N1-C5	-3.38	125.38	128.88
2	B	601	FMN	C4-N3-C2	-3.30	119.79	125.64
4	A	603	E2N	C5-N1-N2	-3.27	109.72	112.93
4	A	603	E2N	C3-C5-N1	-3.13	107.27	109.36
4	B	603	E2N	C1-N1-C5	-3.10	125.67	128.88
3	B	602	ORO	O72-C7-C6	2.97	121.75	114.71
2	A	601	FMN	C4A-C10-N10	2.82	120.53	116.48
4	B	603	E2N	C3-C5-N1	-2.80	107.50	109.36
2	B	601	FMN	C4A-C10-N10	2.78	120.46	116.48
2	A	601	FMN	C5A-C9A-N10	2.73	120.44	117.97
4	B	603	E2N	F3-C12-C11	-2.72	107.07	112.90
3	B	602	ORO	O71-C7-C6	-2.72	115.83	121.30
2	B	601	FMN	C4A-C4-N3	2.54	119.72	113.25
2	B	601	FMN	C5A-C9A-N10	2.48	120.21	117.97
2	A	601	FMN	C4-N3-C2	-2.47	121.25	125.64
2	B	601	FMN	C10-C4A-N5	-2.40	119.91	124.81
2	A	601	FMN	C4A-C4-N3	2.34	119.20	113.25
2	A	601	FMN	C10-C4A-N5	-2.26	120.20	124.81
4	B	603	E2N	O2-C4-C3	2.19	120.84	114.67

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	FMN	O4-C4-C4A	-2.17	120.80	126.53
4	B	603	E2N	F2-C12-C11	-2.13	108.34	112.90
2	A	601	FMN	C9A-C5A-N5	-2.06	120.27	122.45
4	A	603	E2N	F3-C12-C11	-2.01	108.59	112.90

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	602	ORO	N1-C6-C7-O71
3	A	602	ORO	N1-C6-C7-O72
3	A	602	ORO	C5-C6-C7-O71
3	A	602	ORO	C5-C6-C7-O72
3	B	602	ORO	N1-C6-C7-O71
3	B	602	ORO	N1-C6-C7-O72
3	B	602	ORO	C5-C6-C7-O71
3	B	602	ORO	C5-C6-C7-O72
4	A	603	E2N	C5-C3-C4-O2
4	A	603	E2N	C5-C3-C4-O3
2	B	601	FMN	C4'-C5'-O5'-P
2	A	601	FMN	C4'-C5'-O5'-P
4	A	603	E2N	C5-C6-O4-C7


There are no ring outliers.


6 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	603	E2N	1	0
3	B	602	ORO	2	0
3	A	602	ORO	2	0
2	B	601	FMN	1	0
4	B	603	E2N	1	0
2	A	601	FMN	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	381/405 (94%)	0.04	10 (2%) 56 58	28, 44, 74, 105	0
1	B	374/405 (92%)	0.09	18 (4%) 30 32	26, 45, 80, 117	0
All	All	755/810 (93%)	0.07	28 (3%) 41 44	26, 45, 77, 117	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	167	LEU	5.8
1	B	158	PHE	5.5
1	B	161	TYR	4.9
1	A	158	PHE	4.6
1	B	157	MET	4.3
1	A	157	MET	4.1
1	B	201	THR	3.5
1	B	376	LYS	3.3
1	B	174	PHE	3.2
1	B	194	TYR	3.2
1	A	194	TYR	2.8
1	A	161	TYR	2.7
1	A	171	PHE	2.6
1	A	201	THR	2.6
1	B	377	ASN	2.6
1	B	415	LEU	2.3
1	A	414	PHE	2.3
1	B	170	ILE	2.3
1	B	166	PHE	2.2
1	B	196	ILE	2.2
1	B	178	TYR	2.2
1	A	178	TYR	2.2
1	B	471	ASN	2.1
1	B	171	PHE	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	165	PHE	2.0
1	B	165	PHE	2.0
1	A	167	LEU	2.0
1	B	195	ASN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	E2N	A	603	22/22	0.81	0.22	58,72,93,94	0
4	E2N	B	603	22/22	0.81	0.23	51,66,86,87	0
3	ORO	B	602	11/11	0.94	0.09	34,37,40,40	0
2	FMN	A	601	31/31	0.95	0.10	27,32,34,34	0
2	FMN	B	601	31/31	0.95	0.11	31,34,37,40	0
3	ORO	A	602	11/11	0.95	0.09	31,35,37,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around E2N A 603:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around E2N B 603:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around FMN A 601:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.