

Full wwPDB X-ray Structure Validation Report (i)

Sep 14, 2023 – 06:00 AM EDT

PDB ID	:	2I5Q
Title	:	Crystal structure of Apo L-rhamnonate dehydratase from Escherichia Coli
Authors	:	Fedorov, A.A.; Fedorov, E.V.; Sauder, J.M.; Burley, S.K.; Gerlt, J.A.; Almo,
		S.C.; New York SGX Research Center for Structural Genomics (NYSGXRC)
Deposited on	:	2006-08-25
Resolution	:	2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution		
wiethc	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
R _{free}	130704	5197 (2.10-2.10)		
Clashscore	141614	5710 (2.10-2.10)		
Ramachandran outliers	138981	5647 (2.10-2.10)		
Sidechain outliers	138945	5648 (2.10-2.10)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain				
1	А	415	72%	18%	•	8%	
1	В	415	74%	17%	•	7%	



2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 6039 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called L-rhamnonate dehydratase.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	А	381	Total 2949	C 1875	N 503	0 545	S 26	0	0	0
1	В	384	Total 2980	C 1895	N 509	Ö 550	S 26	0	0	0

Chain	Residue	Modelled	Actual	Comment	Reference
А	-1	MET	-	initiating methionine	UNP Q8XE07
А	0	SER	-	cloning artifact	UNP Q8XE07
А	1	LEU	-	cloning artifact	UNP Q8XE07
А	406	GLU	-	cloning artifact	UNP Q8XE07
А	407	GLY	-	cloning artifact	UNP Q8XE07
А	408	HIS	-	expression tag	UNP Q8XE07
А	409	HIS	-	expression tag	UNP Q8XE07
А	410	HIS	-	expression tag	UNP Q8XE07
А	411	HIS	-	expression tag	UNP Q8XE07
А	412	HIS	-	expression tag	UNP Q8XE07
А	413	HIS	-	expression tag	UNP Q8XE07
В	-1	MET	-	initiating methionine	UNP Q8XE07
В	0	SER	-	cloning artifact	UNP Q8XE07
В	1	LEU	-	cloning artifact	UNP Q8XE07
В	406	GLU	-	cloning artifact	UNP Q8XE07
В	407	GLY	-	cloning artifact	UNP Q8XE07
В	408	HIS	-	expression tag	UNP Q8XE07
В	409	HIS	-	expression tag	UNP Q8XE07
В	410	HIS	-	expression tag	UNP Q8XE07
В	411	HIS	-	expression tag	UNP Q8XE07
В	412	HIS	-	expression tag	UNP Q8XE07
В	413	HIS	-	expression tag	UNP Q8XE07

There are 22 discrepancies between the modelled and reference sequences:

• Molecule 2 is water.



Mol	Chain	Residues Atoms		ZeroOcc	AltConf
2	А	61	Total O 61 61	0	0
2	В	49	Total O 49 49	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: L-rhamnonate dehydratase



4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 4	Depositor
Cell constants	124.83Å 124.83Å 103.76Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{Posolution} \left(\overset{\circ}{\mathbf{A}} \right)$	24.89 - 2.10	Depositor
Resolution (A)	39.90 - 2.10	EDS
% Data completeness	95.8 (24.89-2.10)	Depositor
(in resolution range)	95.8 (39.90-2.10)	EDS
R_{merge}	(Not available)	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.86 (at 2.10 \text{\AA})$	Xtriage
Refinement program	CNS 1.1	Depositor
P. P.	0.229 , 0.259	Depositor
n, n_{free}	0.230 , 0.259	DCC
R_{free} test set	2309 reflections $(4.97%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	24.0	Xtriage
Anisotropy	0.433	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.37, 24.3	EDS
L-test for $twinning^2$	$< L >=0.41, < L^2>=0.23$	Xtriage
Estimated twinning fraction	0.237 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6039	wwPDB-VP
Average B, all atoms $(Å^2)$	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.71% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
		RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.37	0/3020	0.61	1/4092~(0.0%)	
1	В	0.36	0/3054	0.61	0/4140	
All	All	0.36	0/6074	0.61	1/8232~(0.0%)	

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	171	TYR	N-CA-C	-5.05	97.37	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2949	0	2901	70	0
1	В	2980	0	2917	62	0
2	А	61	0	0	1	0
2	В	49	0	0	2	0
All	All	6039	0	5818	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom_1	Atom_2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:3:ASN:HD22	1:B:3:ASN:N	1.71	0.87	
1:B:303:VAL:HG13	1:B:312:LEU:HD22	1.61	0.82	
1:A:303:VAL:HG13	1:A:312:LEU:HD22	1.61	0.81	
1:B:214:ARG:HD2	1:B:246:TYR:O	1.82	0.80	
1:A:18:THR:HG23	1:A:399:LEU:HD23	1.63	0.80	
1:A:214:ARG:HD2	1:A:246:TYR:O	1.83	0.79	
1:A:169:GLN:HG2	1:A:378:ARG:HH11	1.49	0.76	
1:A:214:ARG:HG2	1:A:223:LEU:HD12	1.68	0.75	
1:B:169:GLN:HG2	1:B:378:ARG:HH11	1.50	0.74	
1:B:364:PHE:O	1:B:367:ILE:HG22	1.88	0.73	
1:A:364:PHE:O	1:A:367:ILE:HG22	1.89	0.73	
1:B:16:TRP:HB2	1:B:71:VAL:HG13	1.71	0.72	
1:B:214:ARG:HG3	1:B:246:TYR:HB3	1.72	0.72	
1:B:214:ARG:HG2	1:B:223:LEU:HD12	1.70	0.71	
1:A:214:ARG:HG3	1:A:246:TYR:HB3	1.73	0.69	
1:B:367:ILE:HG23	1:B:368:LEU:HD13	1.73	0.69	
1:B:39:HIS:ND1	1:B:41:ILE:HG22	2.08	0.69	
1:A:129:SER:HB3	1:B:258:GLN:HE21	1.57	0.69	
1:A:367:ILE:HG23	1:A:368:LEU:HD13	1.75	0.68	
1:A:18:THR:HG22	1:A:398:ASN:O	1.94	0.68	
1:A:8:PRO:HB2	1:A:77:GLU:HG2	1.76	0.67	
1:B:16:TRP:HB2	1:B:71:VAL:CG1	2.25	0.67	
1:A:258:GLN:HE21	1:B:129:SER:HB3	1.63	0.64	
1:B:398:ASN:HD22	1:B:398:ASN:N	1.95	0.62	
1:A:18:THR:CG2	1:A:399:LEU:HD23	2.29	0.62	
1:A:98:LYS:HB3	1:B:21:ALA:HB1	1.81	0.62	
1:A:12:GLN:OE1	1:A:14:ARG:HD2	2.01	0.61	
1:A:16:TRP:HB2	1:A:71:VAL:CG1	2.30	0.61	
1:A:169:GLN:HG2	1:A:378:ARG:NH1	2.16	0.60	
1:A:398:ASN:HD22	1:A:398:ASN:N	1.96	0.60	
1:A:18:THR:HG22	1:A:398:ASN:C	2.21	0.60	
1:B:3:ASN:N	1:B:3:ASN:ND2	2.45	0.60	
1:B:323:GLY:HA2	2:B:448:HOH:O	2.02	0.58	
1:B:169:GLN:HG2	1:B:378:ARG:NH1	2.18	0.58	
1:A:10:ILE:HD13	1:A:74:VAL:HG13	1.86	0.58	
1:B:78:ASN:ND2	1:B:80:GLN:H	2.02	0.57	
1:B:331:SER:HB2	1:B:335:SER:OG	2.04	0.57	
1:A:16:TRP:HB2	1:A:71:VAL:HG13	1.87	0.57	
1:B:10:ILE:HG23	1:B:107:LYS:O	2.05	0.56	
1:B:18:THR:OG1	1:B:399:LEU:HD23	2.06	0.56	
1:A:50:SER:HA	1:A:56:GLU:HA	1.88	0.56	
1:B:40:TRP:CH2	1:B:174:GLY:HA2	2.42	0.55	
		Continue	ed on next page	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:78:ASN:ND2	1:A:80:GLN:H	2.04	0.55	
1:A:155:PRO:HD2	1:A:158:LYS:HD2	1.90	0.54	
1:B:303:VAL:HG22	2:B:430:HOH:O	2.07	0.53	
1:B:364:PHE:HB2	1:B:368:LEU:HD22	1.90	0.53	
1:A:12:GLN:HG2	1:A:13:VAL:N	2.24	0.53	
1:A:78:ASN:HD22	1:A:78:ASN:H	1.57	0.53	
1:A:212:ASP:OD1	1:A:216:LYS:HE3	2.09	0.53	
1:A:331:SER:HB2	1:A:335:SER:OG	2.09	0.52	
1:A:2:GLU:HG3	1:A:3:ASN:N	2.25	0.51	
1:A:364:PHE:HB2	1:A:368:LEU:HD22	1.92	0.51	
1:B:10:ILE:O	1:B:10:ILE:HG13	2.10	0.51	
1:B:155:PRO:HD2	1:B:158:LYS:HD2	1.92	0.51	
1:B:78:ASN:HD22	1:B:78:ASN:H	1.59	0.50	
1:B:178:ASP:O	1:B:182:GLU:HG3	2.12	0.50	
1:A:178:ASP:O	1:A:182:GLU:HG3	2.12	0.49	
1:A:129:SER:HB3	1:B:258:GLN:NE2	2.25	0.49	
1:A:17:PHE:HA	1:A:69:THR:O	2.11	0.49	
1:A:181:LYS:HE3	1:A:217:CYS:O	2.13	0.49	
1:A:257:PRO:HG2	1:A:258:GLN:NE2	2.28	0.49	
1:B:181:LYS:HE3	1:B:217:CYS:O	2.13	0.49	
1:B:17:PHE:HA	1:B:69:THR:O	2.13	0.49	
1:A:78:ASN:HD21	1:A:80:GLN:HB2	1.78	0.48	
1:B:78:ASN:HD22	1:B:78:ASN:N	2.12	0.48	
1:A:78:ASN:HD22	1:A:78:ASN:N	2.12	0.48	
1:B:8:PRO:HB2	1:B:77:GLU:HG2	1.96	0.48	
1:B:212:ASP:OD1	1:B:216:LYS:HE3	2.12	0.47	
1:B:398:ASN:N	1:B:398:ASN:ND2	2.62	0.47	
1:B:171:TYR:CZ	1:B:349:GLU:HB2	2.49	0.47	
1:A:44:HIS:O	1:A:44:HIS:ND1	2.46	0.47	
1:A:171:TYR:CZ	1:A:349:GLU:HB2	2.50	0.47	
1:B:257:PRO:HG2	1:B:258:GLN:NE2	2.29	0.47	
1:B:78:ASN:HD21	1:B:80:GLN:HB2	1.78	0.47	
1:B:362:PRO:HB2	1:B:365:ASP:HB2	1.96	0.47	
1:B:356:ASP:OD1	1:B:356:ASP:O	2.33	0.47	
1:B:289:ARG:C	1:B:289:ARG:HD3	2.36	0.47	
1:A:214:ARG:NH2	1:A:221:PHE:O	2.39	0.47	
1:A:258:GLN:NE2	1:B:129:SER:HB3	2.29	0.47	
1:A:362:PRO:HB2	1:A:365:ASP:HB2	1.97	0.46	
1:A:214:ARG:HG2	1:A:223:LEU:CD1	2.44	0.46	
1:A:398:ASN:N	1:A:398:ASN:ND2	2.63	0.46	
1:A:10:ILE:HA	1:A:76:ALA:HA	1.98	0.45	

Continued from previous page...

Continued on next page...



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:135:ASN:HA	1:B:304:GLY:O	2.16	0.45
1:B:367:ILE:HG23	1:B:368:LEU:CD1	2.44	0.45
1:A:289:ABG:C	1:A:289:ABG:HD3	2.37	0.45
1:B:214:ARG:NH2	1:B:221:PHE:O	2.38	0.45
1:B:10:ILE:CG1	1:B:105:GLU:HA	2.47	0.45
1:A:10:ILE:HG23	1:A:107:LYS:O	2.17	0.45
1:A:76:ALA:HB3	1:A:78:ASN:ND2	2.31	0.45
1:B:76:ALA:HB3	1:B:78:ASN:ND2	2.32	0.45
1:A:356:ASP:O	1:A:356:ASP:OD1	2.35	0.44
1:A:12:GLN:CG	1:A:13:VAL:N	2.80	0.44
1:B:67:LEU:O	1:B:89:GLY:HA3	2.18	0.44
1:A:20:GLY:HA3	2:A:438:HOH:O	2.17	0.44
1:A:125:TYR:O	1:B:305:TRP:HZ3	2.01	0.44
1:A:135:ASN:HA	1:A:304:GLY:O	2.18	0.44
1:A:356:ASP:O	1:A:357:CYS:HB2	2.17	0.44
1:A:53:ARG:HG3	1:A:53:ARG:HH11	1.82	0.44
1:B:356:ASP:O	1:B:357:CYS:HB2	2.18	0.44
1:A:10:ILE:HD12	1:A:12:GLN:N	2.33	0.43
1:B:10:ILE:HA	1:B:76:ALA:HA	1.99	0.43
1:B:150:LYS:HA	1:B:387:PRO:HB3	1.99	0.43
1:A:353:THR:OG1	1:A:361:ARG:HD3	2.18	0.43
1:A:167:GLU:OE1	1:A:378:ARG:HD3	2.18	0.43
1:B:258:GLN:CD	1:B:258:GLN:H	2.22	0.43
1:B:167:GLU:OE1	1:B:378:ARG:HD3	2.19	0.43
1:A:67:LEU:O	1:A:89:GLY:HA3	2.18	0.43
1:A:258:GLN:H	1:A:258:GLN:CD	2.22	0.43
1:B:369:LEU:HG	1:B:394:ASN:HB2	2.01	0.43
1:A:10:ILE:HG13	1:A:105:GLU:HA	2.01	0.42
1:B:353:THR:OG1	1:B:361:ARG:HD3	2.19	0.42
1:A:12:GLN:CD	1:A:14:ARG:HD2	2.40	0.42
1:A:150:LYS:HA	1:A:387:PRO:HB3	2.00	0.42
1:B:170:PHE:O	1:B:186:ILE:HG12	2.20	0.42
1:B:375:VAL:O	1:B:376:ASN:HB2	2.20	0.42
1:A:369:LEU:HG	1:A:394:ASN:HB2	2.02	0.42
1:A:367:ILE:HG23	1:A:368:LEU:CD1	2.46	0.42
1:A:251:ILE:HG12	1:A:254:CYS:SG	2.60	0.42
1:B:39:HIS:CE1	1:B:41:ILE:HG22	2.54	0.42
1:B:289:ARG:NE	1:B:293:GLU:OE2	2.43	0.42
1:A:16:TRP:HA	1:A:400:LYS:O	2.20	0.41
1:A:64:ILE:O	1:A:64:ILE:HG13	2.20	0.41
1:A:297:ASP:C	1:A:298:ILE:HG13	2.41	0.41

Continued from previous page...

Continued on next page...



Atom-1 Atom-2		Interatomic distance (Å)	Clash overlap (Å)
1:B:125:TYR:CZ	1:B:126:TYR:HD2	2.39	0.41
1:A:264:ARG:O	1:A:268:ARG:HG3	2.21	0.40

Continued from previous page...

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	375/415~(90%)	360 (96%)	14 (4%)	1 (0%)	41 41
1	В	378/415~(91%)	362 (96%)	15 (4%)	1 (0%)	41 41
All	All	753/830~(91%)	722 (96%)	29(4%)	2(0%)	41 41

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	88	ALA
1	В	88	ALA

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	318/344~(92%)	308~(97%)	10 (3%)	40 43
1	В	321/344~(93%)	311~(97%)	10 (3%)	40 43

Continued on next page...



Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentil	es
All	All	639/688~(93%)	619~(97%)	20 (3%)	40 43	

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	1	LEU
1	А	10	ILE
1	А	78	ASN
1	А	157	TYR
1	А	214	ARG
1	А	228	TRP
1	А	289	ARG
1	А	303	VAL
1	А	366	PRO
1	А	398	ASN
1	В	3	ASN
1	В	10	ILE
1	В	78	ASN
1	В	157	TYR
1	В	214	ARG
1	В	228	TRP
1	В	289	ARG
1	В	303	VAL
1	В	366	PRO
1	В	398	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	65	ASN
1	А	78	ASN
1	А	258	GLN
1	А	398	ASN
1	В	65	ASN
1	В	78	ASN
1	В	121	ASN
1	В	258	GLN
1	В	398	ASN



5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.5 Other polymers (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

