



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 12, 2024 – 05:07 PM EST

PDB ID : 3I55
Title : Co-crystal structure of Mycalamide A Bound to the Large Ribosomal Subunit
Authors : Gurel, G.; Blaha, G.; Steitz, T.A.; Moore, P.B.
Deposited on : 2009-07-03
Resolution : 3.11 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1292 (3.14-3.10)
Clashscore	141614	1389 (3.14-3.10)
Ramachandran outliers	138981	1337 (3.14-3.10)
Sidechain outliers	138945	1337 (3.14-3.10)
RSRZ outliers	127900	1260 (3.14-3.10)
RNA backbone	3102	1134 (3.44-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	2923	 42% 45% 6% 6%
2	A	240	 2% 49% 44% 6%
3	B	338	 46% 48% 5%
4	C	246	 52% 41% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	D	177	
6	E	178	
7	F	120	
8	G	348	
9	H	174	
10	I	162	
11	J	145	
12	K	132	
13	L	165	
14	M	194	
15	N	187	
16	O	116	
17	P	149	
18	Q	96	
19	R	155	
20	S	85	
21	T	120	
22	U	66	
23	V	71	
24	W	154	
25	X	92	
26	Y	241	
27	Z	116	
28	1	57	
29	2	50	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
30	3	92	<p>98% 30% 63% 7%</p>
31	9	122	<p>33% 56% 11%</p>
32	4	8	<p>12% 62% 25%</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
32	5AA	4	76	-	-	X	-
33	MG	0	8055	-	-	-	X
33	MG	0	8069	-	-	-	X
33	MG	0	8081	-	-	-	X
33	MG	0	8092	-	-	-	X
33	MG	3	8090	-	-	-	X
34	K	0	8402	-	-	-	X
35	NA	0	8506	-	-	-	X
35	NA	0	8508	-	-	-	X
35	NA	0	8509	-	-	-	X
35	NA	0	8513	-	-	-	X
35	NA	0	8521	-	-	-	X
35	NA	0	8528	-	-	-	X
35	NA	0	8530	-	-	-	X
35	NA	0	8544	-	-	-	X
35	NA	0	8551	-	-	-	X
35	NA	0	8554	-	-	-	X
35	NA	0	8556	-	-	-	X
35	NA	0	8558	-	-	-	X
35	NA	0	8560	-	-	-	X
35	NA	0	8563	-	-	-	X
35	NA	0	8567	-	-	-	X
35	NA	0	8568	-	-	-	X
35	NA	0	8574	-	-	-	X
35	NA	H	8518	-	-	-	X
36	CL	3	8804	-	-	-	X
37	SR	0	8922	-	-	-	X
37	SR	0	8949	-	-	-	X
37	SR	0	8953	-	-	-	X
37	SR	0	8962	-	-	-	X
37	SR	0	8986	-	-	-	X
37	SR	0	8997	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
37	SR	0	9000	-	-	-	X
37	SR	3	8999	-	-	-	X
37	SR	B	8987	-	-	-	X
37	SR	L	8969	-	-	-	X
38	MYL	0	2924	-	-	X	-
39	CD	3	8704	-	-	-	X

2 Entry composition [i](#)

There are 40 unique types of molecules in this entry. The entry contains 99287 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	0	2754	59021	26349	10873	19054	2745	0	0	0

- Molecule 2 is a protein called 50S ribosomal protein L2P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	A	237	1753	1072	352	324	5	0	0	0

- Molecule 3 is a protein called 50S ribosomal protein L3P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	B	337	2625	1616	493	511	5	0	0	0

- Molecule 4 is a protein called 50S ribosomal protein L4P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	C	246	1860	1130	345	384	1	0	0	0

- Molecule 5 is a protein called 50S ribosomal protein L5P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	D	140	1094	685	195	210	4	0	0	0

- Molecule 6 is a protein called 50S ribosomal protein L6P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	E	172	1357	840	224	289	4	0	0	0

- Molecule 7 is a protein called 50S ribosomal protein L7Ae.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	F	119	890	551	141	197	1	0	0	0

- Molecule 8 is a protein called 50S ribosomal protein L10E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	G	29	240	149	39	51	1	0	0	0

- Molecule 9 is a protein called 50S ribosomal protein L10e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
9	H	160	1283	798	240	239	6	0	0	0

- Molecule 10 is a protein called 50S ribosomal protein L11P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	I	70	519	323	81	114	1	0	0	0

- Molecule 11 is a protein called 50S ribosomal protein L13P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
11	J	142	1120	696	199	222	3	0	0	0

- Molecule 12 is a protein called 50S ribosomal protein L14P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
12	K	132	994	609	189	192	4	0	0	0

- Molecule 13 is a protein called 50S ribosomal protein L15P.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
13	L	145	1118	670	222	226	0	0	0

- Molecule 14 is a protein called 50S ribosomal protein L15e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
14	M	194	1559	943	333	282	1	0	0	0

- Molecule 15 is a protein called 50S ribosomal protein L18P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
15	N	186	1445	895	262	286	2	0	0	0

- Molecule 16 is a protein called 50S ribosomal protein L18e.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
16	O	115	865	529	161	175	0	0	0

- Molecule 17 is a protein called 50S ribosomal protein L19e.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
17	P	143	1136	683	229	224	0	0	0

- Molecule 18 is a protein called 50S ribosomal protein L21e.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
18	Q	95	735	450	141	144	0	0	0

- Molecule 19 is a protein called 50S ribosomal protein L22P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
19	R	150	1149	713	209	223	4	0	0	0

- Molecule 20 is a protein called 50S ribosomal protein L23P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
20	S	81	641	389	111	138	3	0	0	0

- Molecule 21 is a protein called 50S ribosomal protein L24P.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
21	T	119	Total	C	N	O	0	0	0
			950	568	180	202			

- Molecule 22 is a protein called 50S ribosomal protein L24e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	U	53	Total	C	N	O	S	0	0	0
			410	244	75	86	5			

- Molecule 23 is a protein called 50S ribosomal protein L29P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	V	65	Total	C	N	O	S	0	0	0
			499	304	94	100	1			

- Molecule 24 is a protein called 50S ribosomal protein L30P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	W	154	Total	C	N	O	S	0	0	0
			1196	737	209	244	6			

- Molecule 25 is a protein called 50S ribosomal protein L31e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	X	82	Total	C	N	O	S	0	0	0
			654	402	129	122	1			

- Molecule 26 is a protein called 50S ribosomal protein L32e.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
26	Y	142	Total	C	N	O	0	0	0
			1130	686	228	216			

- Molecule 27 is a protein called 50S ribosomal protein L37Ae.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	Z	73	Total	C	N	O	S	0	0	0
			573	343	113	112	5			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Z	1	MET	-	expression tag	UNP P60619
Z	2	SER	-	expression tag	UNP P60619
Z	3	PRO	-	expression tag	UNP P60619
Z	4	ARG	-	expression tag	UNP P60619
Z	5	ALA	-	expression tag	UNP P60619
Z	6	ARG	-	expression tag	UNP P60619
Z	7	ARG	-	expression tag	UNP P60619
Z	8	GLU	-	expression tag	UNP P60619
Z	9	PRO	-	expression tag	UNP P60619
Z	10	ASN	-	expression tag	UNP P60619
Z	11	LEU	-	expression tag	UNP P60619
Z	12	GLU	-	expression tag	UNP P60619
Z	13	GLY	-	expression tag	UNP P60619
Z	14	LEU	-	expression tag	UNP P60619
Z	15	MET	-	expression tag	UNP P60619
Z	16	TRP	-	expression tag	UNP P60619
Z	17	PRO	-	expression tag	UNP P60619
Z	18	LEU	-	expression tag	UNP P60619
Z	19	GLY	-	expression tag	UNP P60619
Z	20	GLY	-	expression tag	UNP P60619
Z	21	GLN	-	expression tag	UNP P60619
Z	22	GLN	-	expression tag	UNP P60619
Z	23	THR	-	expression tag	UNP P60619
Z	24	THR	-	expression tag	UNP P60619

- Molecule 28 is a protein called 50S ribosomal protein L37e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
28	1	56	431	258	86	83	4	0	0	0

- Molecule 29 is a protein called 50S ribosomal protein L39e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
29	2	46	396	239	89	67	1	0	0	0

- Molecule 30 is a protein called 50S ribosomal protein L44E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
30	3	92	755	458	153	137	7	0	0	0

- Molecule 31 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
31	9	122	2599	1160	471	847	121	0	0	0

- Molecule 32 is DNA/RNA hybrid called DNA/RNA (5'-R(*CP*CP*(5AA)P*(2OP)P*(PO2)P*AP*CP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
32	4	8	127	61	23	38	5	0	0	0

- Molecule 33 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
33	0	83	Total	Mg	0	0
			83	83		
33	A	2	Total	Mg	0	0
			2	2		
33	B	1	Total	Mg	0	0
			1	1		
33	K	1	Total	Mg	0	0
			1	1		
33	T	1	Total	Mg	0	0
			1	1		
33	Y	1	Total	Mg	0	0
			1	1		
33	2	1	Total	Mg	0	0
			1	1		
33	3	1	Total	Mg	0	0
			1	1		
33	9	2	Total	Mg	0	0
			2	2		

- Molecule 34 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
34	0	2	Total	K	0	0
			2	2		

- Molecule 35 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
35	0	63	Total Na 63 63	0	0
35	B	1	Total Na 1 1	0	0
35	C	1	Total Na 1 1	0	0
35	H	1	Total Na 1 1	0	0
35	J	1	Total Na 1 1	0	0
35	M	1	Total Na 1 1	0	0
35	Q	1	Total Na 1 1	0	0
35	R	3	Total Na 3 3	0	0
35	S	1	Total Na 1 1	0	0
35	9	2	Total Na 2 2	0	0

- Molecule 36 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
36	0	10	Total Cl 10 10	0	0
36	A	1	Total Cl 1 1	0	0
36	B	1	Total Cl 1 1	0	0
36	J	3	Total Cl 3 3	0	0
36	L	1	Total Cl 1 1	0	0
36	M	1	Total Cl 1 1	0	0
36	N	1	Total Cl 1 1	0	0
36	O	1	Total Cl 1 1	0	0
36	R	1	Total Cl 1 1	0	0
36	Y	1	Total Cl 1 1	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
36	3	1	Total Cl 1 1	0	0

- Molecule 37 is STRONTIUM ION (three-letter code: SR) (formula: Sr).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
37	0	93	Total Sr 93 93	0	0
37	A	2	Total Sr 2 2	0	0
37	B	2	Total Sr 2 2	0	0
37	F	1	Total Sr 1 1	0	0
37	H	1	Total Sr 1 1	0	0
37	L	1	Total Sr 1 1	0	0
37	R	1	Total Sr 1 1	0	0
37	S	1	Total Sr 1 1	0	0
37	1	1	Total Sr 1 1	0	0
37	3	2	Total Sr 2 2	0	0
37	9	3	Total Sr 3 3	0	0

- Molecule 38 is Mycalamide A (three-letter code: MYL) (formula: C₂₄H₄₁NO₁₀).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
38	0	1	35	24	1	10	0	0

- Molecule 39 is CADMIUM ION (three-letter code: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Cd		
39	O	1	1	1	0	0
39	U	1	1	1	0	0
39	Z	1	1	1	0	0
39	1	1	1	1	0	0
39	3	1	1	1	0	0

- Molecule 40 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
40	0	5841	5841	5841	0	0
40	A	117	117	117	0	0
40	B	151	151	151	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
40	C	175	Total 175	O 175	0	0
40	D	49	Total 49	O 49	0	0
40	E	40	Total 40	O 40	0	0
40	F	29	Total 29	O 29	0	0
40	G	18	Total 18	O 18	0	0
40	H	76	Total 76	O 76	0	0
40	I	10	Total 10	O 10	0	0
40	J	57	Total 57	O 57	0	0
40	K	62	Total 62	O 62	0	0
40	L	91	Total 91	O 91	0	0
40	M	148	Total 148	O 148	0	0
40	N	61	Total 61	O 61	0	0
40	O	41	Total 41	O 41	0	0
40	P	61	Total 61	O 61	0	0
40	Q	49	Total 49	O 49	0	0
40	R	83	Total 83	O 83	0	0
40	S	37	Total 37	O 37	0	0
40	T	36	Total 36	O 36	0	0
40	U	29	Total 29	O 29	0	0
40	V	13	Total 13	O 13	0	0
40	W	67	Total 67	O 67	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
40	X	24	Total O 24 24	0	0
40	Y	98	Total O 98 98	0	0
40	Z	30	Total O 30 30	0	0
40	1	58	Total O 58 58	0	0
40	2	45	Total O 45 45	0	0
40	3	70	Total O 70 70	0	0
40	9	144	Total O 144 144	0	0
40	4	13	Total O 13 13	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 23S ribosomal RNA




G2005	A1930	A1845	G1773	G1694	A1616	G1535	G1441	U1279	C1201	A1132	C1044	G969	A882
C2006	A1931	U1846	G1774	G1695	C1617	G1536	A1442	A1280	A1202	A1133	G1045	U970	G885
A2007	A1947	A1847	A1775	A1701	A1624	C1537	U1446	A1286	G1203	G1136	U1046	G	C890
G2009	C1936	U1850	A1776	U1702	U1625	G1541	U1447	U1287	U1206	G1137	U1047	G	G891
A2010	G1937	G1851	A1777	G1706	A1626	G1542	C1451	U1288	U1205	G1138	G1048	U	G892
A2011	G1938	A1852	A1778	G1706	G1627	G1543	U1456	C1289	A1207	U1139	C	C	C896
A2012	G1939	C1853	A1779	G1706	G1628	G1544	G1456	A1291	C1208	C1140	C1051	G	G897
G2013	U1940	C1854	A1780	A1710	G1629	G1545	U1457	A1294	C1209	U1149	G1052	C	G898
G2014	A1941	G1855	A1781	A1711	A1630	C1546	A1458	A1295	C1210	U1150	G1053	C	G899
U2016	A1942	C1856	G1785	A1712	A1631	G1547	A1458	G1296	G1211	A1151	C1054	C	G900
U2017	C1943	A1857	C1786	G1713	A1632	A1548	U1481	U1297	C1212	A1152	U1055	U	G901
G2026	G1948	A1858	C1787	C1714	C1633	C1549	C1482	U1299	G1213	C1153	A1057	C	G902
U2027	C1864	U1864	C1790	C1715	G1634	A1550	U1482	U1299	G1214	C1154	A1058	C	C905
U2028	A1865	G1635	U1791	U1722	G1636	C1551	U1473	G1299	G1215	A1155	A1059	A	G911
C2029	G1866	A1637	C1792	G1724	A1637	C1552	C1474	G1300	G1216	C1156	A1060	G	A912
G2033	G1868	G1640	C1793	U1724	C1640	C1553	U1477	U1300	U1219	C1157	C1061	G	G918
U2034	U1871	A1641	G1794	G1725	A1642	G1554	U1478	C1303	U1220	G1158	G1062	G	G919
C2035	C1872	A1642	U1796	G1726	G1643	G1555	A1482	C1304	G1221	G1159	A1067	A	C920
C2036	G1873	C1643	C1797	C1730	C1643	G1557	A1483	U1306	G1222	A1161	C1068	G	C921
G2037	A1877	C1644	C1798	G1731	C1644	C1558	C1483	A1307	C1225	G1162	C1069	U	G922
A2038	G1878	U1645	G1799	C1732	U1645	A1559	A1484	U1308	G1228	U1164	A1070	C	A922
A2039	U1879	C1682	A1801	A1733	U1645	U	A1485	G1389	C1229	G1165	G1072	G	A923
C2040	C1735	A1653	G1802	G1734	C1682	U1561	A1486	U1310	A1230	A1166	A1073	C	G924
G2041	C1735	A1654	C1803	A1736	A1654	C1564	A1492	G1311	G1231	G1167	G1074	C	C925
U1964	C1882	U1654	A1804	A1737	G1655	C1565	A1493	C1312	U1234	C1168	A1081	A	A926
U1943	G1884	G1656	C1805	A1738	G1656	C1566	A1494	U1307	G1235	U1169	C1088	C	U932
G2044	A1885	A1657	G1806	G1739	A1657	G1567	C1495	A1306	G1236	U1170	A1090	U	G938
G2045	U1887	C1662	U1807	U1740	C1662	G1571	A1496	U1309	U1237	A1171	U1091	C	G941
A1968	C1888	C1662	C1808	U1741	C1662	A1572	A1497	U1310	C1238	G1172	C1087	C	U942
A1969	U1889	A1663	A1809	A1742	A1663	A1573	G1498	G1319	C1239	A1173	A1088	U	A943
G1971	G1891	G1665	G1743	G1743	G1665	C1574	U1499	U1408	G1240	A1174	A1097	C	G944
A1972	C1894	A1667	A1746	A1746	A1667	C1575	U1500	G1325	G1241	G1175	U1099	U	U945
G1974	A1895	U1668	U1747	U1748	U1668	G1586	A1504	A1328	A1242	C1178	U1095	C	U946
A1978	U1896	G1669	U1749	U1749	G1669	U1587	U1506	G1329	C1243	C1179	U1096	C	U947
G1979	U1897	A1670	C1750	C1750	A1670	G1588	C1507	A1330	C1245	U1180	A1098	U	G948
U1980	G1898	G1674	G1751	G1751	G1674	G1589	C1508	G1331	A1246	A1181	U1009	C	
A1981	C1899	C1675	G1752	C1752	C1675	G1592	A1515	C1332	A1247	C1182	C1010	U	
C1982	A1904	G1676	C1753	C1753	G1676	C1593	U1511	U1333	U1248	C1183	A1013	C	
C1983	U1905	U1677	U1757	U1757	U1677	C1594	G1512	C1334	U1249	C1184	A1014	C	
C1987	G1908	A1678	U1758	U1758	A1678	C1595	C1513	G1339	G1260	U1185	C1103	C	
C1988	A1909	C1679	A1759	A1759	C1679	U1596	A1514	A1426	A1261	C1186	U1109	C	
U1992	A1919	G1681	C1762	C1762	G1681	A1597	A1515	A1427	C1262	A1188	G1110	C	
C1995	C1920	A1682	G1763	G1763	A1682	A1598	U1516	C1428	C1263	C1189	A1114	C	
A1994	G1764	G1683	C1764	C1764	G1683	A1603	C1521	U1429	U1264	A1192	U1115	C	
G1995	U1765	A1684	U1766	U1766	A1684	G1604	A1522	G1426	G1268	A1193	U1116	C	
A2004	A1922	A1685	U1766	U1766	A1685	G1605	A1523	A1427	C1269	A1194	A1117	C	
G2001	G1925	C1687	C1768	C1768	C1687	A1606	U1524	C1342	C1269	A1189	G1118	C	
C2002	G1926	G1688	C1769	C1769	G1688	A1607	G1525	C1343	C1273	A1190	A1118	C	
C2003	A1927	U1770	U1770	U1770	U1770	C1613	A1527	C1428	U1276	A1191	U1119	C	
A2089	G1929	C1692	C1772	C1772	C1692	A1615	A1528	U1429	A1278	A1192	U1120	C	
		A1693	G1529	G1529	A1693		G1529	U1440		A1200	G1121	C	




• Molecule 2: 50S ribosomal protein L2P




• Molecule 3: 50S ribosomal protein L3P



• Molecule 4: 50S ribosomal protein L4P




• Molecule 5: 50S ribosomal protein L5P




• Molecule 6: 50S ribosomal protein L6P







- Molecule 7: 50S ribosomal protein L7Ae




- Molecule 8: 50S ribosomal protein L10E






- Molecule 9: 50S ribosomal protein L10e





• Molecule 10: 50S ribosomal protein L11P




• Molecule 11: 50S ribosomal protein L13P



• Molecule 12: 50S ribosomal protein L14P




• Molecule 13: 50S ribosomal protein L15P




- Molecule 14: 50S ribosomal protein L15e




- Molecule 15: 50S ribosomal protein L18P




- Molecule 16: 50S ribosomal protein L18e




- Molecule 17: 50S ribosomal protein L19e




- Molecule 18: 50S ribosomal protein L21e




- Molecule 19: 50S ribosomal protein L22P




- Molecule 20: 50S ribosomal protein L23P



- Molecule 21: 50S ribosomal protein L24P




- Molecule 22: 50S ribosomal protein L24e



- Molecule 23: 50S ribosomal protein L29P











- Molecule 24: 50S ribosomal protein L30P




- Molecule 25: 50S ribosomal protein L31e




- Molecule 26: 50S ribosomal protein L32e



- Molecule 27: 50S ribosomal protein L37Ae






● Molecule 28: 50S ribosomal protein L37e




● Molecule 29: 50S ribosomal protein L39e





● Molecule 30: 50S ribosomal protein L44E



● Molecule 31: 5S ribosomal RNA



● Molecule 32: DNA/RNA (5'-R>(*CP*CP*(5AA)P*(2OP)P*(PO2)P*AP*CP*C)-3')



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	211.32Å 299.65Å 574.24Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.98 – 3.11 85.39 – 2.40	Depositor EDS
% Data completeness (in resolution range)	93.4 (49.98-3.11) 93.9 (85.39-2.40)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.00 (at 2.40Å)	Xtrriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.210 , 0.260 0.230 , 0.262	Depositor DCC
R_{free} test set	6547 reflections (0.98%)	wwPDB-VP
Wilson B-factor (Å ²)	62.5	Xtrriage
Anisotropy	0.119	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 92.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	99287	wwPDB-VP
Average B, all atoms (Å ²)	71.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MYL, PSU, K, OMG, OMU, CD, PO2, UR3, 1MA, MG, CL, 2OP, NA, 5AA, SR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.42	0/65958	0.68	6/102869 (0.0%)
2	A	0.33	0/1786	0.64	0/2408
3	B	0.36	0/2690	0.64	0/3652
4	C	0.38	0/1885	0.63	0/2552
5	D	0.31	0/1111	0.56	0/1498
6	E	0.35	0/1382	0.59	0/1880
7	F	0.32	0/901	0.59	0/1224
8	G	0.31	0/241	0.49	0/324
9	H	0.31	0/1303	0.63	0/1743
10	I	0.28	0/526	0.54	0/716
11	J	0.38	0/1136	0.62	0/1530
12	K	0.36	0/1004	0.65	0/1351
13	L	0.33	0/1130	0.62	0/1509
14	M	0.36	0/1583	0.59	0/2116
15	N	0.29	0/1474	0.62	0/1999
16	O	0.33	0/874	0.61	0/1181
17	P	0.36	0/1147	0.57	0/1528
18	Q	0.35	0/749	0.65	0/1005
19	R	0.40	0/1172	0.62	0/1578
20	S	0.35	0/648	0.58	0/875
21	T	0.33	0/958	0.63	0/1289
22	U	0.31	0/417	0.55	0/562
23	V	0.30	0/502	0.57	0/675
24	W	0.37	0/1219	0.66	0/1655
25	X	0.37	0/664	0.60	0/895
26	Y	0.38	0/1146	0.65	0/1536
27	Z	0.30	0/584	0.54	0/781
28	1	0.40	0/438	0.58	0/578
29	2	0.33	0/401	0.53	0/529
30	3	0.29	0/771	0.51	0/1024
31	9	0.35	0/2904	0.69	0/4526
32	4	0.46	0/102	0.73	0/149

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
All	All	0.39	0/98806	0.66	6/147737 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	0	0	12
24	W	0	1
31	9	0	1
32	4	0	1
All	All	0	15

There are no bond length outliers.

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	0	1504	A	N9-C1'-C2'	6.22	122.09	114.00
1	0	1819	G	C5'-C4'-C3'	5.93	125.50	116.00
1	0	2726	U	N1-C1'-C2'	5.42	121.04	114.00
1	0	871	G	C5'-C4'-O4'	-5.40	102.62	109.10
1	0	1942	A	C5'-C4'-C3'	5.19	124.30	116.00

There are no chirality outliers.

5 of 15 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	0	1236	A	Sidechain
1	0	1430	G	Sidechain
1	0	1819	G	Sidechain
1	0	1829	A	Sidechain
1	0	24	G	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	59021	0	29812	1595	1
2	A	1753	0	1766	134	0
3	B	2625	0	2533	203	0
4	C	1860	0	1813	134	0
5	D	1094	0	1085	96	0
6	E	1357	0	1266	75	0
7	F	890	0	843	63	0
8	G	240	0	231	26	0
9	H	1283	0	1292	91	0
10	I	519	0	500	56	0
11	J	1120	0	1098	81	0
12	K	994	0	1027	84	0
13	L	1118	0	1076	94	0
14	M	1559	0	1573	155	0
15	N	1445	0	1401	122	0
16	O	865	0	873	59	0
17	P	1136	0	1123	84	0
18	Q	735	0	729	42	0
19	R	1149	0	1122	73	0
20	S	641	0	605	36	0
21	T	950	0	924	73	0
22	U	410	0	368	29	0
23	V	499	0	511	32	0
24	W	1196	0	1137	102	0
25	X	654	0	653	50	0
26	Y	1130	0	1133	62	0
27	Z	573	0	535	61	0
28	1	431	0	426	41	0
29	2	396	0	413	35	0
30	3	755	0	732	117	0
31	9	2599	0	1325	91	0
32	4	127	0	76	37	0
33	0	83	0	0	0	0
33	2	1	0	0	0	0
33	3	1	0	0	0	0
33	9	2	0	0	0	0
33	A	2	0	0	0	0
33	B	1	0	0	0	0
33	K	1	0	0	0	0
33	T	1	0	0	0	0
33	Y	1	0	0	0	0
34	0	2	0	0	0	0
35	0	63	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
35	9	2	0	0	0	0
35	B	1	0	0	0	0
35	C	1	0	0	0	0
35	H	1	0	0	0	0
35	J	1	0	0	0	0
35	M	1	0	0	0	0
35	Q	1	0	0	0	0
35	R	3	0	0	0	0
35	S	1	0	0	0	0
36	0	10	0	0	2	0
36	3	1	0	0	0	0
36	A	1	0	0	0	0
36	B	1	0	0	0	0
36	J	3	0	0	2	0
36	L	1	0	0	0	0
36	M	1	0	0	1	0
36	N	1	0	0	0	0
36	O	1	0	0	0	0
36	R	1	0	0	0	0
36	Y	1	0	0	0	0
37	0	93	0	0	0	0
37	1	1	0	0	0	0
37	3	2	0	0	0	0
37	9	3	0	0	0	0
37	A	2	0	0	0	0
37	B	2	0	0	0	0
37	F	1	0	0	0	0
37	H	1	0	0	0	0
37	L	1	0	0	0	0
37	R	1	0	0	0	0
37	S	1	0	0	0	0
38	0	35	0	41	22	0
39	1	1	0	0	0	0
39	3	1	0	0	0	0
39	O	1	0	0	0	0
39	U	1	0	0	0	0
39	Z	1	0	0	0	0
40	0	5841	0	0	203	0
40	1	58	0	0	4	0
40	2	45	0	0	2	0
40	3	70	0	0	6	0
40	4	13	0	0	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
40	9	144	0	0	7	0
40	A	117	0	0	8	0
40	B	151	0	0	16	0
40	C	175	0	0	21	0
40	D	49	0	0	6	0
40	E	40	0	0	7	0
40	F	29	0	0	5	0
40	G	18	0	0	1	0
40	H	76	0	0	11	0
40	I	10	0	0	3	0
40	J	57	0	0	2	0
40	K	62	0	0	7	0
40	L	91	0	0	12	0
40	M	148	0	0	13	0
40	N	61	0	0	8	0
40	O	41	0	0	2	0
40	P	61	0	0	3	0
40	Q	49	0	0	3	0
40	R	83	0	0	3	0
40	S	37	0	0	1	0
40	T	36	0	0	4	0
40	U	29	0	0	2	0
40	V	13	0	0	3	0
40	W	67	0	0	6	0
40	X	24	0	0	1	0
40	Y	98	0	0	5	0
40	Z	30	0	0	6	0
All	All	99287	0	60042	3609	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

The worst 5 of 3609 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
40:0:4863:HOH:O	32:4:77:2OP:HB3	1.31	1.30
1:0:656:G:H5'	16:O:3:THR:HG22	1.20	1.15
1:0:871:G:C8	1:0:871:G:H5'	1.84	1.12
19:R:8:ALA:HB1	19:R:13:THR:HG21	1.28	1.11
1:0:1160:G:H5'	1:0:1161:A:H5'	1.28	1.10

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:0:1171:A:N3	1:0:1964:U:O5'[3_655]	1.73	0.47

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	235/240 (98%)	193 (82%)	32 (14%)	10 (4%)	2	15
3	B	335/338 (99%)	285 (85%)	38 (11%)	12 (4%)	3	19
4	C	244/246 (99%)	204 (84%)	35 (14%)	5 (2%)	7	30
5	D	134/177 (76%)	91 (68%)	33 (25%)	10 (8%)	1	5
6	E	170/178 (96%)	149 (88%)	20 (12%)	1 (1%)	25	59
7	F	117/120 (98%)	95 (81%)	15 (13%)	7 (6%)	1	9
8	G	25/348 (7%)	18 (72%)	6 (24%)	1 (4%)	3	16
9	H	156/174 (90%)	134 (86%)	15 (10%)	7 (4%)	2	14
10	I	68/162 (42%)	43 (63%)	20 (29%)	5 (7%)	1	6
11	J	140/145 (97%)	120 (86%)	15 (11%)	5 (4%)	3	19
12	K	130/132 (98%)	113 (87%)	15 (12%)	2 (2%)	10	38
13	L	141/165 (86%)	105 (74%)	31 (22%)	5 (4%)	3	19
14	M	192/194 (99%)	153 (80%)	29 (15%)	10 (5%)	2	12
15	N	184/187 (98%)	147 (80%)	27 (15%)	10 (5%)	2	11
16	O	113/116 (97%)	89 (79%)	23 (20%)	1 (1%)	17	51
17	P	141/149 (95%)	118 (84%)	20 (14%)	3 (2%)	7	29
18	Q	93/96 (97%)	78 (84%)	10 (11%)	5 (5%)	2	11
19	R	148/155 (96%)	130 (88%)	16 (11%)	2 (1%)	11	39
20	S	79/85 (93%)	66 (84%)	12 (15%)	1 (1%)	12	41

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
21	T	117/120 (98%)	99 (85%)	15 (13%)	3 (3%)	5	25
22	U	51/66 (77%)	43 (84%)	6 (12%)	2 (4%)	3	17
23	V	63/71 (89%)	52 (82%)	11 (18%)	0	100	100
24	W	152/154 (99%)	121 (80%)	27 (18%)	4 (3%)	5	25
25	X	80/92 (87%)	65 (81%)	13 (16%)	2 (2%)	5	26
26	Y	140/241 (58%)	126 (90%)	13 (9%)	1 (1%)	22	56
27	Z	71/116 (61%)	58 (82%)	10 (14%)	3 (4%)	3	15
28	1	54/57 (95%)	46 (85%)	8 (15%)	0	100	100
29	2	42/50 (84%)	34 (81%)	7 (17%)	1 (2%)	6	26
30	3	90/92 (98%)	64 (71%)	23 (26%)	3 (3%)	4	20
All	All	3705/4466 (83%)	3039 (82%)	545 (15%)	121 (3%)	4	20

5 of 121 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	A	36	ASP
2	A	37	VAL
3	B	184	ASP
3	B	206	THR
4	C	8	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	179/182 (98%)	170 (95%)	9 (5%)	24	56
3	B	282/283 (100%)	264 (94%)	18 (6%)	17	47
4	C	193/193 (100%)	174 (90%)	19 (10%)	8	29
5	D	117/148 (79%)	111 (95%)	6 (5%)	24	55
6	E	152/156 (97%)	145 (95%)	7 (5%)	27	59
7	F	93/94 (99%)	92 (99%)	1 (1%)	73	88

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
8	G	27/282 (10%)	26 (96%)	1 (4%)	34	66
9	H	134/143 (94%)	128 (96%)	6 (4%)	27	59
10	I	58/130 (45%)	56 (97%)	2 (3%)	37	68
11	J	118/121 (98%)	114 (97%)	4 (3%)	37	68
12	K	106/106 (100%)	101 (95%)	5 (5%)	26	58
13	L	113/127 (89%)	103 (91%)	10 (9%)	10	35
14	M	158/158 (100%)	153 (97%)	5 (3%)	39	69
15	N	149/150 (99%)	139 (93%)	10 (7%)	16	45
16	O	93/94 (99%)	90 (97%)	3 (3%)	39	69
17	P	113/117 (97%)	106 (94%)	7 (6%)	18	48
18	Q	79/80 (99%)	78 (99%)	1 (1%)	69	86
19	R	117/122 (96%)	112 (96%)	5 (4%)	29	61
20	S	71/74 (96%)	68 (96%)	3 (4%)	30	62
21	T	105/106 (99%)	98 (93%)	7 (7%)	16	45
22	U	44/52 (85%)	44 (100%)	0	100	100
23	V	51/57 (90%)	51 (100%)	0	100	100
24	W	130/130 (100%)	123 (95%)	7 (5%)	22	53
25	X	66/74 (89%)	60 (91%)	6 (9%)	9	33
26	Y	120/196 (61%)	116 (97%)	4 (3%)	38	68
27	Z	60/94 (64%)	59 (98%)	1 (2%)	60	83
28	1	46/47 (98%)	45 (98%)	1 (2%)	52	77
29	2	42/46 (91%)	40 (95%)	2 (5%)	25	57
30	3	79/79 (100%)	76 (96%)	3 (4%)	33	65
All	All	3095/3641 (85%)	2942 (95%)	153 (5%)	25	57

5 of 153 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
19	R	82	GLU
26	Y	189	ASN
20	S	30	ASP
24	W	38	THR
30	3	17	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 107 such sidechains are listed below:

Mol	Chain	Res	Type
15	N	107	ASN
20	S	25	GLN
29	2	45	ASN
17	P	28	GLN
18	Q	16	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	0	2745/2923 (93%)	248 (9%)	18 (0%)
31	9	121/122 (99%)	18 (14%)	1 (0%)
32	4	1/8 (12%)	0	0
All	All	2867/3053 (93%)	266 (9%)	19 (0%)

5 of 266 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	0	31	C
1	0	67	A
1	0	69	A
1	0	70	A
1	0	71	G

5 of 19 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	0	2541	U
1	0	2791	U
31	9	65	A
1	0	2726	U
1	0	871	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	OMG	0	2588	32,1	18,26,27	1.06	3 (16%)	19,38,41	0.76	1 (5%)
1	1MA	0	628	1	16,25,26	1.40	3 (18%)	18,37,40	1.23	3 (16%)
1	UR3	0	2619	1	19,22,23	0.41	0	26,32,35	0.64	1 (3%)
1	OMU	0	2587	1,35	19,22,23	0.25	0	26,31,34	0.38	0
1	PSU	0	2621	1	18,21,22	1.60	2 (11%)	22,30,33	1.32	3 (13%)
32	5AA	4	76	32,1	18,26,27	0.76	0	15,38,41	0.80	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMG	0	2588	32,1	-	0/5/27/28	0/3/3/3
1	1MA	0	628	1	-	0/3/25/26	0/3/3/3
1	UR3	0	2619	1	-	0/7/25/26	0/2/2/2
1	OMU	0	2587	1,35	-	0/9/27/28	0/2/2/2
1	PSU	0	2621	1	-	0/7/25/26	0/2/2/2
32	5AA	4	76	32,1	-	0/7/29/30	0/3/3/3

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	0	2621	PSU	C2-N1	5.30	1.43	1.36
1	0	628	1MA	C2-N3	3.78	1.33	1.29
1	0	2621	PSU	C6-C5	3.11	1.38	1.35
1	0	2588	OMG	C5-C6	-2.85	1.41	1.47
1	0	628	1MA	C6-N6	2.67	1.34	1.27

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	0	2621	PSU	C6-C5-C4	3.55	120.68	118.20
1	0	628	1MA	N1-C2-N3	2.89	129.39	126.02
1	0	2621	PSU	C6-N1-C2	-2.83	119.79	122.68
1	0	2621	PSU	O2-C2-N1	2.68	125.74	122.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	0	628	1MA	C5-C6-N1	2.44	117.53	113.90

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	0	2588	OMG	5	0
1	0	2619	UR3	1	0
1	0	2587	OMU	2	0
1	0	2621	PSU	1	0
32	4	76	5AA	10	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 306 ligands modelled in this entry, 305 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
38	MYL	0	2924	-	34,37,37	1.19	4 (11%)	38,56,56	1.64	10 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
38	MYL	0	2924	-	-	7/23/77/77	1/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	0	2924	MYL	CBC-NAP	4.80	1.49	1.43
38	0	2924	MYL	CAA-CAV	2.97	1.39	1.32
38	0	2924	MYL	OAR-CAM	2.14	1.44	1.41
38	0	2924	MYL	OAS-CAM	2.14	1.44	1.41

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	0	2924	MYL	OAT-CAV-CAC	4.10	110.94	105.85
38	0	2924	MYL	CAN-CAV-CAZ	3.78	116.96	112.10
38	0	2924	MYL	CBC-NAP-CAW	3.04	126.58	122.69
38	0	2924	MYL	OAR-CBC-NAP	2.71	110.89	107.15
38	0	2924	MYL	OAR-CBC-CBG	-2.68	104.64	109.35

There are no chirality outliers.

5 of 7 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
38	0	2924	MYL	OAG-CAW-NAP-CBC
38	0	2924	MYL	CBB-CAW-NAP-CBC
38	0	2924	MYL	OAR-CBC-NAP-CAW
38	0	2924	MYL	CBG-CBC-NAP-CAW
38	0	2924	MYL	CAN-CBH-OAQ-CAB

All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
38	0	2924	MYL	CAM-CBC-CBF-CBG-OAR-OAS

1 monomer is involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
38	0	2924	MYL	22	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	0	2749/2923 (94%)	-0.36	3 (0%) 95 92	31, 61, 109, 181	0
2	A	237/240 (98%)	-0.02	5 (2%) 63 43	37, 75, 110, 131	0
3	B	337/338 (99%)	-0.41	0 100 100	37, 65, 93, 103	0
4	C	246/246 (100%)	-0.31	0 100 100	34, 60, 84, 96	0
5	D	140/177 (79%)	0.97	25 (17%) 1 0	80, 118, 140, 148	0
6	E	172/178 (96%)	-0.25	0 100 100	54, 81, 102, 112	0
7	F	119/120 (99%)	0.14	2 (1%) 70 50	65, 93, 121, 135	0
8	G	29/348 (8%)	0.36	1 (3%) 45 24	86, 102, 109, 114	0
9	H	160/174 (91%)	0.10	4 (2%) 57 35	58, 79, 111, 121	0
10	I	70/162 (43%)	1.92	32 (45%) 0 0	137, 154, 180, 181	0
11	J	142/145 (97%)	-0.45	0 100 100	48, 63, 82, 98	0
12	K	132/132 (100%)	-0.30	0 100 100	46, 63, 88, 95	0
13	L	145/165 (87%)	0.18	6 (4%) 37 18	38, 86, 124, 133	0
14	M	194/194 (100%)	0.21	19 (9%) 7 2	38, 60, 136, 151	0
15	N	186/187 (99%)	0.21	5 (2%) 54 31	65, 89, 138, 146	0
16	O	115/116 (99%)	-0.35	0 100 100	51, 70, 84, 91	0
17	P	143/149 (95%)	-0.15	1 (0%) 87 77	52, 69, 87, 93	0
18	Q	95/96 (98%)	-0.17	0 100 100	51, 62, 77, 85	0
19	R	150/155 (96%)	-0.41	0 100 100	42, 56, 77, 89	0
20	S	81/85 (95%)	-0.12	1 (1%) 79 63	57, 76, 99, 111	0
21	T	119/120 (99%)	-0.03	2 (1%) 70 50	55, 73, 106, 125	0
22	U	53/66 (80%)	1.58	18 (33%) 0 0	95, 117, 133, 135	0
23	V	65/71 (91%)	0.79	8 (12%) 4 1	65, 90, 140, 144	0
24	W	154/154 (100%)	-0.25	2 (1%) 77 60	46, 62, 79, 95	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
25	X	82/92 (89%)	-0.03	3 (3%) 41 21	52, 70, 88, 105	0
26	Y	142/241 (58%)	-0.43	1 (0%) 87 77	39, 58, 80, 99	0
27	Z	73/116 (62%)	4.94	46 (63%) 0 0	107, 143, 170, 176	0
28	1	56/57 (98%)	-0.23	0 100 100	34, 47, 58, 62	0
29	2	46/50 (92%)	0.14	3 (6%) 18 7	47, 80, 113, 121	0
30	3	92/92 (100%)	7.53	90 (97%) 0 0	164, 175, 184, 189	0
31	9	122/122 (100%)	-0.57	1 (0%) 86 74	52, 86, 113, 166	0
32	4	5/8 (62%)	1.30	0 100 100	41, 43, 47, 47	0
All	All	6651/7519 (88%)	-0.01	278 (4%) 36 18	31, 67, 132, 189	0

The worst 5 of 278 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
27	Z	34	SER	24.2
30	3	82	GLY	23.8
27	Z	35	SER	22.6
27	Z	58	ASN	21.8
27	Z	46	SER	20.6

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
32	5AA	4	76	24/25	0.77	0.29	38,44,48,48	0
1	PSU	0	2621	20/21	0.93	0.19	37,39,44,44	0
1	OMU	0	2587	21/22	0.95	0.14	43,46,50,50	0
1	UR3	0	2619	21/22	0.95	0.17	41,44,49,50	0
1	OMG	0	2588	24/25	0.96	0.16	37,42,44,45	0
1	1MA	0	628	23/24	0.96	0.17	38,41,42,43	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands i

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
37	SR	0	8971	1/1	-0.30	0.33	200,200,200,200	0
37	SR	3	8932	1/1	-0.02	0.28	184,184,184,184	0
33	MG	3	8090	1/1	0.04	2.21	86,86,86,86	0
35	NA	0	8544	1/1	0.07	0.45	75,75,75,75	0
37	SR	0	8962	1/1	0.08	0.43	200,200,200,200	0
36	CL	3	8804	1/1	0.10	0.57	121,121,121,121	0
37	SR	0	8983	1/1	0.16	0.28	199,199,199,199	0
37	SR	0	8965	1/1	0.16	0.19	158,158,158,158	0
37	SR	0	8977	1/1	0.23	0.11	200,200,200,200	0
37	SR	0	8974	1/1	0.28	0.20	163,163,163,163	0
33	MG	0	8075	1/1	0.30	0.14	64,64,64,64	0
37	SR	0	8993	1/1	0.36	0.23	186,186,186,186	0
37	SR	0	8941	1/1	0.38	0.30	152,152,152,152	0
35	NA	0	8568	1/1	0.39	0.61	35,35,35,35	0
37	SR	9	8980	1/1	0.39	0.37	192,192,192,192	0
37	SR	0	8959	1/1	0.40	0.36	194,194,194,194	0
35	NA	0	8548	1/1	0.40	0.33	67,67,67,67	0
37	SR	0	9002	1/1	0.42	0.12	169,169,169,169	0
37	SR	0	8949	1/1	0.44	0.43	157,157,157,157	0
35	NA	0	8506	1/1	0.46	0.78	65,65,65,65	0
35	NA	0	8551	1/1	0.48	0.79	86,86,86,86	0
37	SR	A	8930	1/1	0.49	0.15	168,168,168,168	0
39	CD	Z	8703	1/1	0.51	0.38	200,200,200,200	0
37	SR	0	9000	1/1	0.53	1.07	200,200,200,200	0
37	SR	0	8986	1/1	0.53	0.84	200,200,200,200	0
33	MG	0	8088	1/1	0.53	0.18	37,37,37,37	0
37	SR	L	8969	1/1	0.55	1.29	200,200,200,200	0
35	NA	0	8574	1/1	0.56	0.62	72,72,72,72	0
39	CD	3	8704	1/1	0.56	0.62	200,200,200,200	0
37	SR	0	8908	1/1	0.57	0.22	116,116,116,116	0
37	SR	0	8938	1/1	0.57	0.32	200,200,200,200	0
35	NA	0	8522	1/1	0.57	0.27	71,71,71,71	0
35	NA	0	8557	1/1	0.57	0.15	72,72,72,72	0
35	NA	0	8528	1/1	0.57	0.68	91,91,91,91	0
33	MG	0	8010	1/1	0.57	0.14	25,25,25,25	0
33	MG	0	8066	1/1	0.57	0.25	75,75,75,75	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
35	NA	0	8536	1/1	0.58	0.20	72,72,72,72	0
33	MG	0	8093	1/1	0.59	0.11	29,29,29,29	0
35	NA	0	8521	1/1	0.60	0.47	59,59,59,59	0
33	MG	0	8044	1/1	0.60	0.16	51,51,51,51	0
37	SR	F	9005	1/1	0.61	0.07	153,153,153,153	0
37	SR	0	8968	1/1	0.61	0.15	180,180,180,180	0
35	NA	0	8509	1/1	0.62	0.58	90,90,90,90	0
33	MG	0	8081	1/1	0.63	0.58	80,80,80,80	0
33	MG	0	8055	1/1	0.63	0.53	87,87,87,87	0
36	CL	0	8803	1/1	0.63	0.12	68,68,68,68	0
33	MG	0	8069	1/1	0.64	0.43	63,63,63,63	0
37	SR	9	9003	1/1	0.64	0.06	195,195,195,195	0
35	NA	H	8518	1/1	0.65	0.77	92,92,92,92	0
37	SR	0	8944	1/1	0.66	0.17	169,169,169,169	0
37	SR	3	8999	1/1	0.66	0.69	200,200,200,200	0
36	CL	O	8808	1/1	0.67	0.14	109,109,109,109	0
37	SR	0	8991	1/1	0.67	0.14	197,197,197,197	0
37	SR	0	8989	1/1	0.68	0.16	129,129,129,129	0
33	MG	0	8038	1/1	0.68	0.20	92,92,92,92	0
35	NA	J	8538	1/1	0.69	0.14	56,56,56,56	0
35	NA	0	8571	1/1	0.69	0.36	101,101,101,101	0
35	NA	0	8559	1/1	0.69	0.32	99,99,99,99	0
33	MG	0	8092	1/1	0.69	0.47	133,133,133,133	0
35	NA	0	8570	1/1	0.70	0.26	61,61,61,61	0
35	NA	0	8502	1/1	0.70	0.39	53,53,53,53	0
35	NA	0	8558	1/1	0.71	0.58	60,60,60,60	0
35	NA	0	8508	1/1	0.71	0.42	68,68,68,68	0
35	NA	0	8561	1/1	0.71	0.26	66,66,66,66	0
35	NA	0	8554	1/1	0.71	0.46	106,106,106,106	0
34	K	0	8402	1/1	0.71	0.48	88,88,88,88	0
35	NA	0	8556	1/1	0.72	0.46	49,49,49,49	0
33	MG	K	8054	1/1	0.72	0.19	29,29,29,29	0
35	NA	0	8563	1/1	0.72	1.01	85,85,85,85	0
33	MG	2	8060	1/1	0.72	0.11	62,62,62,62	0
37	SR	0	8915	1/1	0.73	0.14	131,131,131,131	0
33	MG	0	8073	1/1	0.73	0.09	70,70,70,70	0
37	SR	0	8992	1/1	0.73	0.29	164,164,164,164	0
35	NA	9	8543	1/1	0.74	0.18	68,68,68,68	0
35	NA	0	8531	1/1	0.74	0.18	45,45,45,45	0
37	SR	0	8916	1/1	0.74	0.17	126,126,126,126	0
37	SR	0	8979	1/1	0.74	0.24	111,111,111,111	0
37	SR	0	8922	1/1	0.74	0.65	182,182,182,182	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
33	MG	0	8071	1/1	0.74	0.30	67,67,67,67	0
33	MG	0	8065	1/1	0.74	0.12	33,33,33,33	0
37	SR	0	8975	1/1	0.75	0.08	158,158,158,158	0
37	SR	0	8960	1/1	0.75	0.09	175,175,175,175	0
35	NA	Q	8540	1/1	0.75	0.30	84,84,84,84	0
37	SR	0	8911	1/1	0.75	0.10	99,99,99,99	0
37	SR	0	8966	1/1	0.76	0.13	117,117,117,117	0
37	SR	0	8957	1/1	0.76	0.29	200,200,200,200	0
33	MG	0	8053	1/1	0.76	0.10	61,61,61,61	0
35	NA	0	8549	1/1	0.76	0.34	124,124,124,124	0
35	NA	0	8513	1/1	0.76	0.67	62,62,62,62	0
37	SR	0	8953	1/1	0.76	1.09	200,200,200,200	0
37	SR	0	8945	1/1	0.77	0.13	131,131,131,131	0
37	SR	0	8976	1/1	0.77	0.38	200,200,200,200	0
37	SR	0	8927	1/1	0.77	0.16	176,176,176,176	0
33	MG	0	8091	1/1	0.78	0.10	111,111,111,111	0
37	SR	0	8988	1/1	0.78	0.17	183,183,183,183	0
33	MG	0	8029	1/1	0.78	0.18	79,79,79,79	0
37	SR	0	9007	1/1	0.78	0.37	200,200,200,200	0
35	NA	0	8567	1/1	0.78	0.82	57,57,57,57	0
37	SR	B	8987	1/1	0.78	0.99	200,200,200,200	0
35	NA	0	8560	1/1	0.78	0.78	61,61,61,61	0
35	NA	0	8530	1/1	0.79	0.68	68,68,68,68	0
37	SR	0	8926	1/1	0.79	0.16	127,127,127,127	0
36	CL	L	8810	1/1	0.79	0.16	76,76,76,76	0
33	MG	0	8036	1/1	0.79	0.16	59,59,59,59	0
33	MG	0	8024	1/1	0.79	0.24	55,55,55,55	0
37	SR	0	9001	1/1	0.79	0.18	200,200,200,200	0
33	MG	T	8057	1/1	0.80	0.07	68,68,68,68	0
37	SR	0	8964	1/1	0.80	0.08	160,160,160,160	0
33	MG	0	8064	1/1	0.80	0.29	53,53,53,53	0
37	SR	0	9006	1/1	0.80	0.12	190,190,190,190	0
37	SR	0	8997	1/1	0.80	0.73	200,200,200,200	0
35	NA	0	8507	1/1	0.81	0.17	27,27,27,27	0
35	NA	0	8517	1/1	0.81	0.35	62,62,62,62	0
33	MG	0	8031	1/1	0.81	0.63	77,77,77,77	0
35	NA	0	8534	1/1	0.81	0.38	53,53,53,53	0
39	CD	U	8701	1/1	0.81	0.40	200,200,200,200	0
35	NA	0	8569	1/1	0.81	0.36	63,63,63,63	0
33	MG	0	8076	1/1	0.81	0.24	52,52,52,52	0
33	MG	0	8056	1/1	0.82	0.13	44,44,44,44	0
37	SR	0	8924	1/1	0.82	0.20	140,140,140,140	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
33	MG	0	8004	1/1	0.82	0.18	25,25,25,25	0
33	MG	0	8017	1/1	0.82	0.17	26,26,26,26	0
36	CL	0	8813	1/1	0.82	0.10	77,77,77,77	0
36	CL	A	8809	1/1	0.82	0.76	128,128,128,128	0
37	SR	A	8929	1/1	0.82	0.07	124,124,124,124	0
37	SR	0	8943	1/1	0.82	0.14	105,105,105,105	0
35	NA	0	8541	1/1	0.82	0.38	65,65,65,65	0
34	K	0	8401	1/1	0.83	0.36	132,132,132,132	0
37	SR	0	8933	1/1	0.83	0.06	122,122,122,122	0
37	SR	0	8917	1/1	0.83	0.23	157,157,157,157	0
33	MG	0	8039	1/1	0.83	0.19	55,55,55,55	0
33	MG	0	8020	1/1	0.83	0.15	56,56,56,56	0
33	MG	9	8074	1/1	0.83	0.11	87,87,87,87	0
35	NA	R	8533	1/1	0.84	0.20	62,62,62,62	0
37	SR	0	8951	1/1	0.84	0.06	144,144,144,144	0
35	NA	S	8510	1/1	0.84	0.12	56,56,56,56	0
35	NA	0	8564	1/1	0.84	0.21	94,94,94,94	0
35	NA	0	8529	1/1	0.84	0.09	45,45,45,45	0
35	NA	0	8523	1/1	0.84	0.20	52,52,52,52	0
35	NA	0	8537	1/1	0.84	0.09	40,40,40,40	0
35	NA	M	8539	1/1	0.84	0.26	51,51,51,51	0
38	MYL	0	2924	35/35	0.84	0.26	80,83,86,87	0
37	SR	0	8984	1/1	0.84	0.07	118,118,118,118	0
33	MG	0	8083	1/1	0.84	0.18	50,50,50,50	0
37	SR	0	8947	1/1	0.84	0.76	200,200,200,200	0
35	NA	0	8525	1/1	0.85	0.25	67,67,67,67	0
35	NA	0	8546	1/1	0.85	0.62	65,65,65,65	0
37	SR	0	8918	1/1	0.85	0.14	92,92,92,92	0
33	MG	0	8046	1/1	0.85	0.13	46,46,46,46	0
37	SR	0	8995	1/1	0.85	0.45	191,191,191,191	0
37	SR	0	8973	1/1	0.85	0.12	162,162,162,162	0
33	MG	0	8047	1/1	0.85	0.55	68,68,68,68	0
37	SR	0	8942	1/1	0.85	0.21	139,139,139,139	0
35	NA	0	8550	1/1	0.87	0.27	76,76,76,76	0
36	CL	Y	8820	1/1	0.87	0.21	58,58,58,58	0
33	MG	0	8045	1/1	0.87	0.10	64,64,64,64	0
35	NA	0	8520	1/1	0.87	0.18	63,63,63,63	0
33	MG	0	8019	1/1	0.87	0.16	11,11,11,11	0
33	MG	0	8079	1/1	0.87	0.41	76,76,76,76	0
33	MG	Y	8086	1/1	0.87	0.25	53,53,53,53	0
37	SR	0	8982	1/1	0.87	1.35	200,200,200,200	0
33	MG	0	8026	1/1	0.87	0.20	39,39,39,39	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
33	MG	0	8018	1/1	0.88	0.15	32,32,32,32	0
36	CL	0	8805	1/1	0.88	0.24	101,101,101,101	0
33	MG	0	8070	1/1	0.88	0.09	58,58,58,58	0
37	SR	0	8914	1/1	0.88	0.15	109,109,109,109	0
36	CL	0	8822	1/1	0.88	0.88	123,123,123,123	0
33	MG	0	8089	1/1	0.88	0.21	42,42,42,42	0
36	CL	B	8819	1/1	0.88	0.23	80,80,80,80	0
36	CL	J	8802	1/1	0.88	0.25	84,84,84,84	0
37	SR	0	8919	1/1	0.88	0.09	81,81,81,81	0
35	NA	0	8505	1/1	0.88	0.49	58,58,58,58	0
36	CL	N	8807	1/1	0.88	0.29	98,98,98,98	0
37	SR	0	8956	1/1	0.88	0.09	154,154,154,154	0
35	NA	C	8503	1/1	0.88	0.17	32,32,32,32	0
33	MG	0	8082	1/1	0.88	0.23	61,61,61,61	0
37	SR	0	8931	1/1	0.89	0.09	147,147,147,147	0
33	MG	0	8077	1/1	0.89	0.63	60,60,60,60	0
37	SR	0	8934	1/1	0.89	0.31	168,168,168,168	0
37	SR	0	8910	1/1	0.89	0.13	107,107,107,107	0
37	SR	0	8955	1/1	0.89	0.13	200,200,200,200	0
35	NA	0	8516	1/1	0.89	0.20	39,39,39,39	0
37	SR	0	8913	1/1	0.89	0.78	181,181,181,181	0
33	MG	0	8063	1/1	0.89	0.16	62,62,62,62	0
35	NA	0	8565	1/1	0.89	1.65	80,80,80,80	0
35	NA	0	8501	1/1	0.89	0.24	41,41,41,41	0
37	SR	B	8950	1/1	0.90	0.15	125,125,125,125	0
35	NA	0	8553	1/1	0.90	0.36	98,98,98,98	0
35	NA	0	8545	1/1	0.90	0.26	25,25,25,25	0
35	NA	0	8555	1/1	0.90	0.76	61,61,61,61	0
33	MG	0	8011	1/1	0.90	0.16	14,14,14,14	0
33	MG	0	8013	1/1	0.90	0.08	24,24,24,24	0
35	NA	0	8512	1/1	0.90	0.44	54,54,54,54	0
37	SR	0	8985	1/1	0.90	0.12	150,150,150,150	0
37	SR	0	8939	1/1	0.90	0.15	166,166,166,166	0
33	MG	0	8059	1/1	0.90	0.15	56,56,56,56	0
33	MG	0	8005	1/1	0.90	0.31	46,46,46,46	0
36	CL	J	8801	1/1	0.90	0.33	88,88,88,88	0
37	SR	0	8901	1/1	0.91	0.15	78,78,78,78	0
37	SR	S	8961	1/1	0.91	0.12	150,150,150,150	0
35	NA	0	8511	1/1	0.91	0.26	54,54,54,54	0
33	MG	A	8050	1/1	0.91	0.18	68,68,68,68	0
35	NA	0	8566	1/1	0.91	0.37	64,64,64,64	0
37	SR	0	8921	1/1	0.91	0.16	98,98,98,98	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
33	MG	0	8080	1/1	0.91	2.93	126,126,126,126	0
37	SR	0	8923	1/1	0.91	0.17	108,108,108,108	0
33	MG	0	8025	1/1	0.91	0.14	30,30,30,30	0
33	MG	0	8048	1/1	0.91	0.29	41,41,41,41	0
37	SR	0	8963	1/1	0.92	0.12	146,146,146,146	0
35	NA	0	8535	1/1	0.92	0.76	72,72,72,72	0
33	MG	B	8042	1/1	0.92	0.47	121,121,121,121	0
37	SR	0	8946	1/1	0.92	0.14	127,127,127,127	0
37	SR	0	8967	1/1	0.92	0.07	164,164,164,164	0
33	MG	0	8028	1/1	0.92	0.15	13,13,13,13	0
37	SR	0	8928	1/1	0.92	0.11	148,148,148,148	0
33	MG	0	8058	1/1	0.92	0.12	22,22,22,22	0
35	NA	0	8562	1/1	0.92	0.21	49,49,49,49	0
35	NA	0	8573	1/1	0.92	0.15	78,78,78,78	0
35	NA	0	8519	1/1	0.92	0.35	69,69,69,69	0
36	CL	0	8811	1/1	0.92	0.21	87,87,87,87	0
33	MG	0	8052	1/1	0.92	0.13	60,60,60,60	0
33	MG	0	8043	1/1	0.92	0.21	48,48,48,48	0
33	MG	0	8032	1/1	0.92	0.15	66,66,66,66	0
33	MG	0	8003	1/1	0.93	0.17	32,32,32,32	0
37	SR	0	9008	1/1	0.93	0.16	107,107,107,107	0
35	NA	B	8552	1/1	0.93	0.23	111,111,111,111	0
36	CL	J	8821	1/1	0.93	0.19	90,90,90,90	0
35	NA	9	8572	1/1	0.93	0.04	78,78,78,78	0
33	MG	0	8008	1/1	0.93	0.15	23,23,23,23	0
37	SR	0	8948	1/1	0.93	0.12	113,113,113,113	0
33	MG	9	8040	1/1	0.93	0.23	89,89,89,89	0
33	MG	0	8034	1/1	0.93	0.19	57,57,57,57	0
37	SR	0	8935	1/1	0.93	0.09	91,91,91,91	0
37	SR	0	8954	1/1	0.93	0.15	108,108,108,108	0
37	SR	0	8937	1/1	0.93	0.10	116,116,116,116	0
35	NA	0	8515	1/1	0.93	0.17	39,39,39,39	0
33	MG	0	8061	1/1	0.93	0.41	48,48,48,48	0
35	NA	R	8532	1/1	0.93	0.08	52,52,52,52	0
37	SR	0	9004	1/1	0.93	0.25	172,172,172,172	0
33	MG	0	8085	1/1	0.93	0.13	73,73,73,73	0
36	CL	M	8818	1/1	0.94	0.18	62,62,62,62	0
33	MG	0	8041	1/1	0.94	0.21	29,29,29,29	0
37	SR	0	8970	1/1	0.94	0.13	148,148,148,148	0
33	MG	0	8049	1/1	0.94	0.35	82,82,82,82	0
35	NA	0	8547	1/1	0.94	0.60	82,82,82,82	0
36	CL	0	8815	1/1	0.94	0.21	83,83,83,83	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
36	CL	0	8816	1/1	0.94	0.80	89,89,89,89	0
37	SR	1	8952	1/1	0.94	0.16	81,81,81,81	0
33	MG	0	8022	1/1	0.94	0.07	56,56,56,56	0
33	MG	0	8035	1/1	0.94	0.25	52,52,52,52	0
33	MG	0	8030	1/1	0.94	0.39	88,88,88,88	0
37	SR	0	8981	1/1	0.94	0.28	198,198,198,198	0
35	NA	0	8526	1/1	0.94	0.12	40,40,40,40	0
33	MG	0	8023	1/1	0.94	0.18	41,41,41,41	0
35	NA	0	8542	1/1	0.94	0.34	51,51,51,51	0
39	CD	1	8702	1/1	0.94	0.11	78,78,78,78	0
33	MG	0	8014	1/1	0.94	0.20	24,24,24,24	0
33	MG	0	8087	1/1	0.95	0.11	29,29,29,29	0
36	CL	R	8806	1/1	0.95	0.08	56,56,56,56	0
33	MG	0	8072	1/1	0.95	0.40	60,60,60,60	0
37	SR	9	8978	1/1	0.95	0.10	154,154,154,154	0
36	CL	0	8817	1/1	0.95	0.34	80,80,80,80	0
33	MG	0	8078	1/1	0.95	0.84	91,91,91,91	0
37	SR	0	8998	1/1	0.95	0.20	196,196,196,196	0
39	CD	O	8705	1/1	0.95	0.07	117,117,117,117	0
37	SR	0	8906	1/1	0.95	0.21	64,64,64,64	0
36	CL	0	8812	1/1	0.95	0.12	66,66,66,66	0
35	NA	0	8514	1/1	0.95	0.56	38,38,38,38	0
37	SR	0	8920	1/1	0.95	0.14	130,130,130,130	0
37	SR	0	8907	1/1	0.96	0.14	59,59,59,59	0
35	NA	0	8524	1/1	0.96	0.12	67,67,67,67	0
37	SR	0	8936	1/1	0.96	0.13	125,125,125,125	0
33	MG	0	8007	1/1	0.96	0.12	27,27,27,27	0
37	SR	0	8996	1/1	0.96	0.22	200,200,200,200	0
37	SR	0	8958	1/1	0.96	0.16	120,120,120,120	0
33	MG	0	8012	1/1	0.96	0.17	23,23,23,23	0
37	SR	0	8903	1/1	0.96	0.15	62,62,62,62	0
37	SR	0	8940	1/1	0.96	0.16	110,110,110,110	0
37	SR	0	8905	1/1	0.96	0.27	78,78,78,78	0
33	MG	0	8033	1/1	0.96	0.20	79,79,79,79	0
37	SR	R	8912	1/1	0.97	0.16	93,93,93,93	0
33	MG	0	8067	1/1	0.97	0.17	33,33,33,33	0
33	MG	0	8021	1/1	0.97	0.10	53,53,53,53	0
33	MG	0	8015	1/1	0.97	0.17	26,26,26,26	0
35	NA	R	8575	1/1	0.97	0.18	92,92,92,92	0
37	SR	0	8925	1/1	0.97	0.10	99,99,99,99	0
36	CL	0	8814	1/1	0.97	0.17	55,55,55,55	0
37	SR	0	8994	1/1	0.97	0.61	200,200,200,200	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
33	MG	0	8016	1/1	0.97	0.19	34,34,34,34	0
35	NA	0	8527	1/1	0.97	0.34	75,75,75,75	0
33	MG	0	8002	1/1	0.97	0.17	40,40,40,40	0
33	MG	0	8084	1/1	0.97	0.11	31,31,31,31	0
37	SR	H	8972	1/1	0.97	0.11	139,139,139,139	0
37	SR	0	8909	1/1	0.97	0.18	105,105,105,105	0
33	MG	0	8062	1/1	0.98	0.20	53,53,53,53	0
33	MG	0	8006	1/1	0.98	0.16	44,44,44,44	0
33	MG	0	8027	1/1	0.98	0.08	47,47,47,47	0
33	MG	0	8009	1/1	0.98	0.13	22,22,22,22	0
33	MG	0	8001	1/1	0.98	0.17	24,24,24,24	0
37	SR	0	8990	1/1	0.98	0.19	108,108,108,108	0
33	MG	A	8051	1/1	0.99	0.20	81,81,81,81	0
37	SR	0	8902	1/1	0.99	0.20	44,44,44,44	0
35	NA	0	8504	1/1	0.99	0.13	32,32,32,32	0
37	SR	0	8904	1/1	0.99	0.23	65,65,65,65	0
33	MG	0	8068	1/1	0.99	0.12	64,64,64,64	0
33	MG	0	8037	1/1	0.99	0.10	67,67,67,67	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.