



Full wwPDB EM Validation Report ⓘ

Nov 20, 2022 – 03:42 pm GMT

PDB ID : 6I7O
EMDB ID : EMD-4427
Title : The structure of a di-ribosome (disome) as a unit for RQC and NGD quality control pathways recognition.
Authors : Tesina, P.; Cheng, J.; Becker, T.; Beckmann, R.
Deposited on : 2018-11-16
Resolution : 5.30 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 5.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	BQ	3396	
1	YQ	3396	
2	BR	121	
2	YR	121	
3	BS	157	
3	YS	157	
4	AW	252	
4	XW	252	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	BA	386	 98%
5	YA	386	 98%
6	BE	361	 97%
6	YE	361	 97%
7	BI	294	 98%
7	YI	294	 98%
8	BM	176	 87% 11%
8	YM	176	 88% 11%
9	BO	223	 99%
9	YO	223	 100%
10	AA	231	 99% 6%
10	XA	231	 100%
11	AD	190	 100%
11	XD	190	 100%
12	BD	221	 94% 5%
12	YD	221	 92% 5%
13	AG	169	 96%
13	XG	169	 96%
14	AJ	194	 94% 5%
14	XJ	194	 94% 5%
15	AM	137	 100%
15	XM	137	 99%
16	AQ	203	 99%
16	XQ	203	 99%
17	AU	197	 99%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
17	XU	197	 99%
18	2	1800	 68% 28%
18	2b	1800	 68% 28%
19	P	206	 98%
19	Pb	206	 97%
20	Q	216	 7% 99%
20	Qb	216	 99%
21	R	217	 99%
21	Rb	217	 99%
22	A	223	 96%
22	Ab	223	 97%
23	S	260	 98%
23	Sb	260	 8% 98%
24	B	206	 97%
24	Bb	206	 96%
25	T	218	 96%
25	Tb	218	 97%
26	U	185	 95%
26	Ub	185	 95%
27	V	200	 94% 6%
27	Vb	200	 93% 6%
28	W	185	 98%
28	Wb	185	 10% 98%
29	C	92	 96%
29	Cb	92	 96%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
30	X	146	8% 97%
30	Xb	146	8% 99%
31	D	124	11% 94%
31	Db	124	12% 94%
32	Y	150	99%
32	Yb	150	99%
33	Z	128	5% 99%
33	Zb	128	98%
34	E	119	96%
34	Eb	119	93% 5%
35	F	141	98%
35	Fb	141	97%
36	G	125	6% 98%
36	Gb	125	98%
37	H	145	97%
37	Hb	145	94% 6%
38	I	143	100%
38	Ib	143	99%
39	J	101	97%
39	Jb	101	96%
40	a	87	98%
40	ab	87	5% 97%
41	b	129	98%
41	bb	129	96%
42	c	144	94% 6%


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
42	cb	144	5% 97%
43	d	134	96%
43	db	134	7% 92% 6%
44	K	69	100%
44	Kb	69	99%
45	e	97	93% 7%
45	eb	97	92% 7%
46	f	81	98%
46	fb	81	99%
47	L	63	8% 100%
47	Lb	63	100%
48	M	53	92% 6%
48	Mb	53	85% 13%
49	g	60	8% 97%
49	gb	60	20% 93% 5%
50	N	73	12% 93% 7%
50	Nb	73	7% 95%
51	O	313	8% 100%
51	Ob	313	100%
52	AX	184	95% 5%
52	XX	184	95% 5%
53	BB	185	99%
53	YB	185	98%
54	BF	188	96%
54	YF	188	100%


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
55	BH	172	 100%
55	YH	172	 100%
56	BJ	159	 97%
56	YJ	159	 97%
57	BL	98	 99%
57	YL	98	 100%
58	AB	134	 99%
58	XB	134	 100%
59	AE	135	 43% 95%
59	XE	135	 26% 98%
60	AH	120	 100%
60	XH	120	 100%
61	AK	124	 100%
61	XK	124	 100%
62	AN	135	 99%
62	XN	135	 99%
63	AR	148	 98%
63	XR	148	 99%
64	AV	58	 10% 93% 7%
64	XV	58	 9% 95% 5%
65	AY	100	 6% 100%
65	XY	100	 7% 99%
66	BC	109	 98%
66	YC	109	 96%
67	BG	127	 5% 97%






Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
67	YG	127	 98%
68	BK	106	 100%
68	YK	106	 100%
69	BN	112	 99%
69	YN	112	 96%
70	BP	119	 97%
70	YP	119	 98%
71	AC	99	 99%
71	XC	99	 98%
72	AF	82	 100%
72	XF	82	 95% 5%
73	AI	77	 97%
73	XI	77	 97%
74	AL	50	 100%
74	XL	50	 100%
75	AO	52	 96%
75	XO	52	 19% 100%
76	AS	25	 100%
76	XS	25	 16% 96%
77	AP	105	 99%
77	XP	105	 99%
78	AT	91	 99%
78	XT	91	 98%
79	BU	312	 13% 44% 56%
79	YU	312	 16% 44% 56%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
80	n	76	 76% 22%
81	m	75	 41% 73% 25%
82	nb	76	 43% 53%
83	mb	77	 83% 16%
84	l	57	 33% 60% 7%

2 Entry composition [i](#)

There are 85 unique types of molecules in this entry. The entry contains 405889 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 25S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	BQ	3127	66891	29878	12066	21820	3127	0	0
1	YQ	3127	66891	29878	12066	21820	3127	0	0

- Molecule 2 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	BR	121	2579	1152	461	845	121	0	0
2	YR	121	2579	1152	461	845	121	0	0

- Molecule 3 is a RNA chain called 5.8S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	BS	157	3333	1491	584	1101	157	0	0
3	YS	157	3333	1491	584	1101	157	0	0

- Molecule 4 is a protein called 60S ribosomal protein L2-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	AW	252	1912	1190	388	333	1	0	0
4	XW	252	1912	1190	388	333	1	0	0

- Molecule 5 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	BA	386	Total	C	N	O	S	0	0
			3075	1950	584	533	8		
5	YA	386	Total	C	N	O	S	0	0
			3075	1950	584	533	8		

- Molecule 6 is a protein called 60S ribosomal protein L4-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	BE	361	Total	C	N	O	S	0	0
			2748	1729	522	494	3		
6	YE	361	Total	C	N	O	S	0	0
			2748	1729	522	494	3		

- Molecule 7 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	BI	294	Total	C	N	O	S	0	0
			2359	1489	412	456	2		
7	YI	294	Total	C	N	O	S	0	0
			2359	1489	412	456	2		

- Molecule 8 is a protein called 60S ribosomal protein L6-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	BM	157	Total	C	N	O	S	0	0
			1248	806	224	217	1		
8	YM	157	Total	C	N	O	S	0	0
			1248	806	224	217	1		

- Molecule 9 is a protein called 60S ribosomal protein L7-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	BO	223	Total	C	N	O	S	0	0
			1791	1155	325	310	1		
9	YO	223	Total	C	N	O	S	0	0
			1791	1155	325	310	1		

- Molecule 10 is a protein called 60S ribosomal protein L8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	AA	231	Total	C	N	O	S	0	0
			1763	1130	316	314	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
10	XA	231	Total	C	N	O	S	0	0
			1763	1130	316	314	3		

- Molecule 11 is a protein called 60S ribosomal protein L9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AD	190	Total	C	N	O	S	0	0
			1510	957	273	276	4		
11	XD	190	Total	C	N	O	S	0	0
			1510	957	273	276	4		

- Molecule 12 is a protein called 60S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	BD	209	Total	C	N	O	S	0	0
			1696	1077	321	293	5		
12	YD	209	Total	C	N	O	S	0	0
			1696	1077	321	293	5		

- Molecule 13 is a protein called 60S ribosomal protein L11-B.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AG	169	Total	C	N	O	S	0	0
			1353	847	253	249	4		
13	XG	169	Total	C	N	O	S	0	0
			1353	847	253	249	4		

- Molecule 14 is a protein called 60S ribosomal protein L13-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	AJ	194	Total	C	N	O	0	0
			1548	965	316	267		
14	XJ	194	Total	C	N	O	0	0
			1548	965	316	267		

- Molecule 15 is a protein called 60S ribosomal protein L14-A.

Mol	Chain	Residues	Atoms				AltConf	Trace	
15	AM	137	Total	C	N	O	S	0	0
			1059	678	200	179	2		
15	XM	137	Total	C	N	O	S	0	0
			1059	678	200	179	2		

- Molecule 16 is a protein called 60S ribosomal protein L15-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AQ	203	Total	C	N	O	S	0	0
			1720	1077	361	281	1		
16	XQ	203	Total	C	N	O	S	0	0
			1720	1077	361	281	1		

- Molecule 17 is a protein called 60S ribosomal protein L16-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	AU	197	Total	C	N	O	S	0	0
			1555	1003	289	262	1		
17	XU	197	Total	C	N	O	S	0	0
			1555	1003	289	262	1		

- Molecule 18 is a RNA chain called 18S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	2	1758	Total	C	N	O	P	0	0
			37455	16745	6624	12328	1758		
18	2b	1758	Total	C	N	O	P	0	0
			37455	16745	6624	12328	1758		

- Molecule 19 is a protein called 40S ribosomal protein S0-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	P	206	Total	C	N	O	S	0	0
			1583	1017	281	283	2		
19	Pb	206	Total	C	N	O	S	0	0
			1583	1017	281	283	2		

- Molecule 20 is a protein called 40S ribosomal protein S1-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	Q	216	Total	C	N	O	S	0	0
			1722	1091	312	315	4		
20	Qb	216	Total	C	N	O	S	0	0
			1722	1091	312	315	4		

- Molecule 21 is a protein called 40S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	R	217	Total	C	N	O	S	0	0
			1635	1047	289	297	2		
21	Rb	217	Total	C	N	O	S	0	0
			1635	1047	289	297	2		

- Molecule 22 is a protein called 40S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	A	223	Total	C	N	O	S	0	0
			1734	1101	313	314	6		
22	Ab	223	Total	C	N	O	S	0	0
			1734	1101	313	314	6		

- Molecule 23 is a protein called 40S ribosomal protein S4-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	S	260	Total	C	N	O	S	0	0
			2068	1316	389	360	3		
23	Sb	260	Total	C	N	O	S	0	0
			2068	1316	389	360	3		

- Molecule 24 is a protein called 40S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	B	206	Total	C	N	O	S	0	0
			1609	1007	300	299	3		
24	Bb	206	Total	C	N	O	S	0	0
			1609	1007	300	299	3		

- Molecule 25 is a protein called 40S ribosomal protein S6-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	T	218	Total	C	N	O	S	0	0
			1755	1102	337	313	3		
25	Tb	218	Total	C	N	O	S	0	0
			1755	1102	337	313	3		

- Molecule 26 is a protein called 40S ribosomal protein S7-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
26	U	185	Total	C	N	O	0	0
			1486	954	266	266		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
26	Ub	185	1486	954	266	266	0	0

- Molecule 27 is a protein called 40S ribosomal protein S8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	V	188	1489	925	298	264	2	0	0
27	Vb	188	1489	925	298	264	2	0	0

- Molecule 28 is a protein called 40S ribosomal protein S9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	W	185	1494	943	289	261	1	0	0
28	Wb	185	1494	943	289	261	1	0	0

- Molecule 29 is a protein called 40S ribosomal protein S10-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	C	92	741	478	121	140	2	0	0
29	Cb	92	741	478	121	140	2	0	0

- Molecule 30 is a protein called 40S ribosomal protein S11-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	X	146	1168	747	221	197	3	0	0
30	Xb	146	1168	747	221	197	3	0	0

- Molecule 31 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	D	124	890	560	156	172	2	0	0
31	Db	124	890	560	156	172	2	0	0

- Molecule 32 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Y	150	Total	C	N	O	S	0	0
			1192	759	224	207	2		
32	Yb	150	Total	C	N	O	S	0	0
			1192	759	224	207	2		

- Molecule 33 is a protein called 40S ribosomal protein S14-B.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	Z	128	Total	C	N	O	S	0	0
			949	582	188	176	3		
33	Zb	128	Total	C	N	O	S	0	0
			949	582	188	176	3		

- Molecule 34 is a protein called 40S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	E	119	Total	C	N	O	S	0	0
			939	595	176	161	7		
34	Eb	119	Total	C	N	O	S	0	0
			939	595	176	161	7		

- Molecule 35 is a protein called 40S ribosomal protein S16-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
35	F	141	Total	C	N	O	0	0
			1105	708	203	194		
35	Fb	141	Total	C	N	O	0	0
			1105	708	203	194		

- Molecule 36 is a protein called 40S ribosomal protein S17-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	G	125	Total	C	N	O	S	0	0
			1001	625	188	186	2		
36	Gb	125	Total	C	N	O	S	0	0
			1001	625	188	186	2		

- Molecule 37 is a protein called 40S ribosomal protein S18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	H	145	Total	C	N	O	S	0	0
			1192	743	237	210	2		
37	Hb	145	Total	C	N	O	S	0	0
			1192	743	237	210	2		

- Molecule 38 is a protein called 40S ribosomal protein S19-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	I	143	Total	C	N	O	S	0	0
			1112	694	208	208	2		
38	Ib	143	Total	C	N	O	S	0	0
			1112	694	208	208	2		

- Molecule 39 is a protein called 40S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	J	101	Total	C	N	O	S	0	0
			805	512	145	147	1		
39	Jb	101	Total	C	N	O	S	0	0
			805	512	145	147	1		

- Molecule 40 is a protein called 40S ribosomal protein S21-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	a	87	Total	C	N	O	S	0	0
			684	420	125	137	2		
40	ab	87	Total	C	N	O	S	0	0
			684	420	125	137	2		

- Molecule 41 is a protein called 40S ribosomal protein S22-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	b	129	Total	C	N	O	S	0	0
			1021	650	188	180	3		
41	bb	129	Total	C	N	O	S	0	0
			1021	650	188	180	3		

- Molecule 42 is a protein called 40S ribosomal protein S23-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	c	144	Total	C	N	O	S	0	0
			1121	708	220	191	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
42	cb	144	Total	C	N	O	S	0	0
			1121	708	220	191	2		

- Molecule 43 is a protein called 40S ribosomal protein S24-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
43	d	134	Total	C	N	O	0	0
			1073	676	208	189		
43	db	134	Total	C	N	O	0	0
			1073	676	208	189		

- Molecule 44 is a protein called 40S ribosomal protein S25-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
44	K	69	Total	C	N	O	0	0
			558	357	103	98		
44	Kb	69	Total	C	N	O	0	0
			558	357	103	98		

- Molecule 45 is a protein called 40S ribosomal protein S26-B.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	e	97	Total	C	N	O	S	0	0
			769	475	160	129	5		
45	eb	97	Total	C	N	O	S	0	0
			769	475	160	129	5		

- Molecule 46 is a protein called 40S ribosomal protein S27-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	f	81	Total	C	N	O	S	0	0
			610	382	110	113	5		
46	fb	81	Total	C	N	O	S	0	0
			610	382	110	113	5		

- Molecule 47 is a protein called 40S ribosomal protein S28-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	L	63	Total	C	N	O	S	0	0
			497	306	99	91	1		
47	Lb	63	Total	C	N	O	S	0	0
			497	306	99	91	1		

- Molecule 48 is a protein called 40S ribosomal protein S29-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	M	53	Total	C	N	O	S	0	0
			442	274	92	72	4		
48	Mb	53	Total	C	N	O	S	0	0
			442	274	92	72	4		

- Molecule 49 is a protein called 40S ribosomal protein S30-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	g	60	Total	C	N	O	S	0	0
			475	299	98	77	1		
49	gb	60	Total	C	N	O	S	0	0
			475	299	98	77	1		

- Molecule 50 is a protein called Ubiquitin-40S ribosomal protein S31.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	N	73	Total	C	N	O	S	0	0
			556	352	105	95	4		
50	Nb	73	Total	C	N	O	S	0	0
			556	352	105	95	4		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
N	97	ALA	LYS	conflict	UNP P05759
Nb	97	ALA	LYS	conflict	UNP P05759

- Molecule 51 is a protein called Guanine nucleotide-binding protein subunit beta-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	O	313	Total	C	N	O	S	0	0
			2403	1521	411	463	8		
51	Ob	313	Total	C	N	O	S	0	0
			2403	1521	411	463	8		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
O	161	ALA	LYS	conflict	UNP P38011
Ob	161	ALA	LYS	conflict	UNP P38011

- Molecule 52 is a protein called 60S ribosomal protein L17-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
52	AX	175	Total	C	N	O	0	0
			1378	856	273	249		
52	XX	175	Total	C	N	O	0	0
			1378	856	273	249		

- Molecule 53 is a protein called 60S ribosomal protein L18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
53	BB	185	Total	C	N	O	S	0	0
			1441	908	290	241	2		
53	YB	185	Total	C	N	O	S	0	0
			1441	908	290	241	2		

- Molecule 54 is a protein called 60S ribosomal protein L19-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
54	BF	183	Total	C	N	O	0	0
			1482	911	320	251		
54	YF	188	Total	C	N	O	0	0
			1522	935	326	261		

- Molecule 55 is a protein called 60S ribosomal protein L20-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
55	BH	172	Total	C	N	O	S	0	0
			1445	930	267	244	4		
55	YH	172	Total	C	N	O	S	0	0
			1445	930	267	244	4		

- Molecule 56 is a protein called 60S ribosomal protein L21-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
56	BJ	159	Total	C	N	O	S	0	0
			1276	805	246	221	4		
56	YJ	159	Total	C	N	O	S	0	0
			1276	805	246	221	4		

- Molecule 57 is a protein called 60S ribosomal protein L22-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
57	BL	98	Total	C	N	O	0	0
			778	505	127	146		
57	YL	98	Total	C	N	O	0	0
			778	505	127	146		

- Molecule 58 is a protein called 60S ribosomal protein L23-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	AB	134	Total	C	N	O	S	0	0
			993	623	187	176	7		
58	XB	134	Total	C	N	O	S	0	0
			993	623	187	176	7		

- Molecule 59 is a protein called 60S ribosomal protein L24-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	AE	135	Total	C	N	O	S	0	0
			1089	682	219	187	1		
59	XE	135	Total	C	N	O	S	0	0
			1089	682	219	187	1		

- Molecule 60 is a protein called 60S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	AH	120	Total	C	N	O	S	0	0
			959	617	168	172	2		
60	XH	120	Total	C	N	O	S	0	0
			959	617	168	172	2		

- Molecule 61 is a protein called 60S ribosomal protein L26-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
61	AK	124	Total	C	N	O	0	0
			976	614	190	172		
61	XK	124	Total	C	N	O	0	0
			976	614	190	172		

- Molecule 62 is a protein called 60S ribosomal protein L27-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
62	AN	135	Total	C	N	O	0	0
			1092	710	202	180		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
62	XN	135	1092	710	202	180	0	0

- Molecule 63 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
63	AR	148	1173	749	231	190	3	0	0
63	XR	148	1173	749	231	190	3	0	0

- Molecule 64 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
64	AV	58	462	289	100	73	0	0
64	XV	58	462	289	100	73	0	0

- Molecule 65 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
65	AY	100	767	492	128	146	1	0	0
65	XY	100	767	492	128	146	1	0	0

- Molecule 66 is a protein called 60S ribosomal protein L31-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
66	BC	109	883	559	167	156	1	0	0
66	YC	109	883	559	167	156	1	0	0

- Molecule 67 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
67	BG	127	1020	647	205	167	1	0	0
67	YG	127	1020	647	205	167	1	0	0

- Molecule 68 is a protein called 60S ribosomal protein L33-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
68	BK	106	Total	C	N	O	S	0	0
			850	540	165	144	1		
68	YK	106	Total	C	N	O	S	0	0
			850	540	165	144	1		

- Molecule 69 is a protein called 60S ribosomal protein L34-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
69	BN	112	Total	C	N	O	S	0	0
			880	545	179	152	4		
69	YN	112	Total	C	N	O	S	0	0
			880	545	179	152	4		

- Molecule 70 is a protein called 60S ribosomal protein L35-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
70	BP	119	Total	C	N	O	S	0	0
			965	612	185	167	1		
70	YP	119	Total	C	N	O	S	0	0
			965	612	185	167	1		

- Molecule 71 is a protein called 60S ribosomal protein L36-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
71	AC	99	Total	C	N	O	S	0	0
			770	481	156	131	2		
71	XC	99	Total	C	N	O	S	0	0
			770	481	156	131	2		

- Molecule 72 is a protein called 60S ribosomal protein L37-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
72	AF	82	Total	C	N	O	S	0	0
			650	396	142	107	5		
72	XF	82	Total	C	N	O	S	0	0
			650	396	142	107	5		

- Molecule 73 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms				AltConf	Trace
73	AI	77	Total	C	N	O	0	0
			608	388	114	106		
73	XI	77	Total	C	N	O	0	0
			608	388	114	106		

- Molecule 74 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	AL	50	Total	C	N	O	S	0	0
			436	272	97	65	2		
74	XL	50	Total	C	N	O	S	0	0
			436	272	97	65	2		

- Molecule 75 is a protein called Ubiquitin-60S ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	AO	52	Total	C	N	O	S	0	0
			417	259	86	67	5		
75	XO	52	Total	C	N	O	S	0	0
			417	259	86	67	5		

- Molecule 76 is a protein called 60S ribosomal protein L41-B.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	AS	25	Total	C	N	O	S	0	0
			233	142	63	27	1		
76	XS	25	Total	C	N	O	S	0	0
			233	142	63	27	1		

- Molecule 77 is a protein called 60S ribosomal protein L42-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	AP	105	Total	C	N	O	S	0	0
			847	534	170	138	5		
77	XP	105	Total	C	N	O	S	0	0
			847	534	170	138	5		

- Molecule 78 is a protein called 60S ribosomal protein L43-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	AT	91	Total	C	N	O	S	0	0
			694	429	138	121	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
78	XT	91	Total	C	N	O	S	0	0
			694	429	138	121	6		

- Molecule 79 is a protein called 60S acidic ribosomal protein P0.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	BU	138	Total	C	N	O	S	0	0
			1052	672	187	190	3		
79	YU	138	Total	C	N	O	S	0	0
			1052	672	187	190	3		

- Molecule 80 is a RNA chain called P-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	n	76	Total	C	N	O	P	0	0
			1621	723	291	531	76		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
n	74	C	-	insertion	GB 1329886529
n	75	C	-	insertion	GB 1329886529
n	76	A	-	insertion	GB 1329886529

- Molecule 81 is a RNA chain called E-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	m	75	Total	C	N	O	P	0	0
			1589	710	279	525	75		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
m	11	C	U	conflict	GB 176418

- Molecule 82 is a RNA chain called A/P hybrid tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
82	nb	76	Total	C	N	O	P	0	0
			1620	723	290	532	75		

- Molecule 83 is a RNA chain called P/E hybrid tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
83	mb	77	1644	732	297	538	77	0	0

- Molecule 84 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
84	l	57	1182	530	171	424	57	0	0


- Molecule 85 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
85	e	1	Total 1	Zn 1	0
85	f	1	Total 1	Zn 1	0
85	M	1	Total 1	Zn 1	0
85	N	1	Total 1	Zn 1	0
85	AO	1	Total 1	Zn 1	0
85	AP	1	Total 1	Zn 1	0
85	AT	1	Total 1	Zn 1	0
85	eb	1	Total 1	Zn 1	0
85	fb	1	Total 1	Zn 1	0
85	Mb	1	Total 1	Zn 1	0
85	YN	1	Total 1	Zn 1	0
85	XF	1	Total 1	Zn 1	0
85	XO	1	Total 1	Zn 1	0
85	XP	1	Total 1	Zn 1	0
85	XT	1	Total 1	Zn 1	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 25S ribosomal RNA




G3353	G3354	G3355	G3356	G3357	G3358	G3246	U3251	U3259	G3263	A3267	A3268	U3269	U3270	G3271	G3272	U3275	G3276	G3277	G3278	A3279	U3280	U3281	G3286	G3289	G3290	A3294	A3295	U3304	G3309	U3313	A3316	U3317	G3318	U3319	U3320	U3334	U3341	A3342	G3345	G3348	G3349	C3350	U3351	U3352				
A3113	G3116	U3121	A3122	A3123	A3130	U3131	A3142	C3143	G3144	A3150	U3151	U3152	U3153	C	U	U3157	G3158	C3161	A3165	A3170	U3171	A3172	G3173	A3174	U3175	G3176	U3179	A3180	C3181	G3182	A3187	U3185	U3186	U3189	U3207	A3210	U3214	A3215	G3216	C3217	A3218	G3219	A3227	C3228				
G2728	U2729	C2737	A2740	C2741	U2835	A2836	G2837	G2838	A2841	C2842	G2843	A2847	G2851	U2855	A2856	A2857	A2858	A2859	A2860	A2862	C2867	A2868	A2869	A2870	A2871	A2872	A2873	A2874	U2877	U2878	U2879	A2883	U2884	U2885	U2886	U2887	U2888	C2889	C2894	C2899	A2900							
A2910	U2923	C2928	U2935	A2936	G2937	G2938	A2941	C2942	G2943	A2947	U2949	U2955	A2971	C2972	U2978	U2979	C2983	G2989	U2996	G2997	A3012	U3023	G3030	A3049	U3058	G3059	U3068	U3078	U3079	G3080	A3086	U3092	G3101	G3109														
A3113	G3116	U3121	A3122	A3123	A3130	U3131	A3142	C3143	G3144	A3150	U3151	U3152	U3153	C	U	U3157	G3158	C3161	A3165	A3170	U3171	A3172	G3173	A3174	U3175	G3176	U3179	A3180	C3181	G3182	A3187	U3185	U3186	U3189	U3207	A3210	U3214	A3215	G3216	C3217	A3218	G3219	A3227	C3228				
G2574	C2583	G2584	G2585	G2586	U2587	A2593	C2594	C2600	G2606	G2607	U2612	U2613	G2614	G2619	A2626	C2627	A2628	U2629	C2644	A2652	A2656	G2662	G2663	G2672	A2673	A2674	U2677	A2678	U2683	A2689	G2690	A2691	A2694	A2695	A2696	A2704	U2713	G2714	G2720									
C2574	C2583	G2584	G2585	G2586	U2587	A2593	C2594	C2600	G2606	G2607	U2612	U2613	G2614	G2619	A2626	C2627	A2628	U2629	C2644	A2652	A2656	G2662	G2663	G2672	A2673	A2674	U2677	A2678	U2683	A2689	G2690	A2691	A2694	A2695	A2696	A2704	U2713	G2714	G2720									
G2412	A2413	G2418	A2419	U2434	U2435	G2436	G2437	A2438	A2441	G2442	U2504	U2505	U2506	U2510	A2511	C2512	U2513	U2514	A2515	G2522	A2523	A2524	G2525	G2528	A2529	G2530	G2534	U2537	U2538	C2539	A2540	U2541	U2542	U2543	U2544	C2545	C2552	U2553	A2554	G2555	C2566	C2567	C2568	A2569	U2570	U2571	C2572	G2573
G2412	A2413	G2418	A2419	U2434	U2435	G2436	G2437	A2438	A2441	G2442	U2504	U2505	U2506	U2510	A2511	C2512	U2513	U2514	A2515	G2522	A2523	A2524	G2525	G2528	A2529	G2530	G2534	U2537	U2538	C2539	A2540	U2541	U2542	U2543	U2544	C2545	C2552	U2553	A2554	G2555	C2566	C2567	C2568	A2569	U2570	U2571	C2572	G2573
C2257	U2260	G2261	A2262	C2263	U2266	U2269	G2272	G2273	G2276	A2279	A2280	A2281	G2288	C2304	U2307	C2308	U2310	A2313	U2314	G2315	U2320	A2323	U2326	C2335	U2336	C2350	C2362	G2369	A2373	C2374	G2375	G2376	U2388	G2393	A2397	A2401	G2403	A2404	C2405	U2411								
C2257	U2260	G2261	A2262	C2263	U2266	U2269	G2272	G2273	G2276	A2279	A2280	A2281	G2288	C2304	U2307	C2308	U2310	A2313	U2314	G2315	U2320	A2323	U2326	C2335	U2336	C2350	C2362	G2369	A2373	C2374	G2375	G2376	U2388	G2393	A2397	A2401	G2403	A2404	C2405	U2411								
G1642	A1643	C1644	U1645	A1655	G1658	U1659	C1660	G1661	G1662	A1683	U1692	C1693	U1694	U1695	U1716	G1717	G1718	U1724	G1743	A1750	G1751	A1760	C1761	U1762	U1763	U1764	U1765	G1766	G1770	A1780	G1796	A1797	G1808	A1814	U1815	A1816	G1817	U1818	U1821	A1839	U1840							
A1642	A1643	C1644	U1645	A1655	G1658	U1659	C1660	G1661	G1662	A1683	U1692	C1693	U1694	U1695	U1716	G1717	G1718	U1724	G1743	A1750	G1751	A1760	C1761	U1762	U1763	U1764	U1765	G1766	G1770	A1780	G1796	A1797	G1808	A1814	U1815	A1816	G1817	U1818	U1821	A1839	U1840							
A1841	A1842	C1846	G1847	C1849	A1850	G1851	A1858	G1863	C1866	U1692	C1875	U1694	U1695	A1879	U1880	A1883	A1884	A1889	G1897	A1750	G1751	A1760	C1761	U1762	U1763	U1764	U1765	G1766	G1770	A1780	G1796	A1797	G1808	A1814	U1815	A1816	G1817	U1818	U1821	A1839	U1840							
A1841	A1842	C1846	G1847	C1849	A1850	G1851	A1858	G1863	C1866	U1692	C1875	U1694	U1695	A1879	U1880	A1883	A1884	A1889	G1897	A1750	G1751	A1760	C1761	U1762	U1763	U1764	U1765	G1766	G1770	A1780	G1796	A1797	G1808	A1814	U1815	A1816	G1817	U1818	U1821	A1839	U1840							
U1511	U1523	A1524	G1525	G1528	G1536	G1542	U1554	U1555	A1557	U1558	U1559	G1560	C1562	C1563	U1564	G	A	U	U	U	U	U	U	G1573	A1574	G1576	G1577	C1578	C1579	A1580	C1581	C1582	A1583	A1588	A1589	C1597	G1604	A1605	U1606	U1607	U1620	U1629	C1639					
U1511	U1523	A1524	G1525	G1528	G1536	G1542	U1554	U1555	A1557	U1558	U1559	G1560	C1562	C1563	U1564	G	A	U	U	U	U	U	U	G1573	A1574	G1576	G1577	C1578	C1579	A1580	C1581	C1582	A1583	A1588	A1589	C1597	G1604	A1605	U1606	U1607	U1620	U1629	C1639					
A1642	A1643	C1644	U1645	A1655	G1658	U1659	C1660	G1661	G1662	A1683	U1692	C1693	U1694	U1695	U1716	G1717	G1718	U1724	G1743	A1750	G1751	A1760	C1761	U1762	U1763	U1764	U1765	G1766	G1770	A1780	G1796	A1797	G1808	A1814	U1815	A1816	G1817	U1818	U1821	A1839	U1840							
A1642	A1643	C1644	U1645	A1655	G1658	U1659	C1660	G1661	G1662	A1683	U1692	C1693	U1694	U1695	U1716	G1717	G1718	U1724	G1743	A1750	G1751	A1760	C1761	U1762	U1763	U1764	U1765	G1766	G1770	A1780	G1796	A1797	G1808	A1814	U1815	A1816	G1817	U1818	U1821	A1839	U1840							
A1841	A1842	C1846	G1847	C1849	A1850	G1851	A1858	G1863	C1866	U1692	C1875	U1694	U1695	A1879	U1880	A1883	A1884	A1889	G1897	A1750	G1751	A1760	C1761	U1762	U1763	U1764	U1765	G1766	G1770	A1780	G1796	A1797	G1808	A1814	U1815	A1816	G1817	U1818	U1821	A1839	U1840							
A1841	A1842	C1846	G1847	C1849	A1850	G1851	A1858	G1863	C1866	U1692	C1875	U1694	U1695	A1879	U1880	A1883	A1884	A1889	G1897	A1750	G1751	A1760	C1761	U1762	U1763	U1764	U1765	G1766	G1770	A1780	G1796	A1797	G1808	A1814	U1815	A1816	G1817	U1818	U1821	A1839	U1840							
U	G	C	A	C	U	C	U	A	C	A	C	U	C	U	U	C	U	A	G	G	U	C	U	U	U	U	U	A	C	C	C	C	C	U	U	C	C	U	C	C	C	U	A	C	C	G		


● Molecule 1: 25S ribosomal RNA








• Molecule 2: 5S ribosomal RNA





• Molecule 2: 5S ribosomal RNA

Chain YR:  83% 17%




• Molecule 3: 5.8S ribosomal RNA

Chain BS:  80% 18%




• Molecule 3: 5.8S ribosomal RNA

Chain YS:  75% 22%




• Molecule 4: 60S ribosomal protein L2-A

Chain AW:  99%



• Molecule 4: 60S ribosomal protein L2-A

Chain XW:  99%




• Molecule 5: 60S ribosomal protein L3

Chain BA:  98%




• Molecule 5: 60S ribosomal protein L3


Chain YA:  98%




• Molecule 6: 60S ribosomal protein L4-A




• Molecule 6: 60S ribosomal protein L4-A





• Molecule 7: 60S ribosomal protein L5





• Molecule 7: 60S ribosomal protein L5



• Molecule 8: 60S ribosomal protein L6-A



• Molecule 8: 60S ribosomal protein L6-A



• Molecule 9: 60S ribosomal protein L7-A

Chain BO:  99%




- Molecule 9: 60S ribosomal protein L7-A

Chain YO:  100%




- Molecule 10: 60S ribosomal protein L8-A

Chain AA:  99%



- Molecule 10: 60S ribosomal protein L8-A

Chain XA:  100%




- Molecule 11: 60S ribosomal protein L9-A

Chain AD:  100%




- Molecule 11: 60S ribosomal protein L9-A

Chain XD:  100%




- Molecule 12: 60S ribosomal protein L10

Chain BD:  94% 5%



- Molecule 12: 60S ribosomal protein L10

Chain YD:  92% 5%



- Molecule 13: 60S ribosomal protein L11-B

Chain AG:  96%




- Molecule 13: 60S ribosomal protein L11-B

Chain XG:  96%



- Molecule 14: 60S ribosomal protein L13-A

Chain AJ:  94% 5%



- Molecule 14: 60S ribosomal protein L13-A

Chain XJ:  94% 5%




- Molecule 15: 60S ribosomal protein L14-A

Chain AM:  100%


There are no outlier residues recorded for this chain.

- Molecule 15: 60S ribosomal protein L14-A

Chain XM:  99%




• Molecule 16: 60S ribosomal protein L15-A




• Molecule 16: 60S ribosomal protein L15-A




• Molecule 17: 60S ribosomal protein L16-A




• Molecule 17: 60S ribosomal protein L16-A





• Molecule 18: 18S ribosomal RNA






• Molecule 18: 18S ribosomal RNA






• Molecule 19: 40S ribosomal protein S0-A




• Molecule 19: 40S ribosomal protein S0-A

Chain Pb:  97%




- Molecule 20: 40S ribosomal protein S1-A

Chain Q:  99%




- Molecule 20: 40S ribosomal protein S1-A

Chain Qb:  99%




- Molecule 21: 40S ribosomal protein S2

Chain R:  99%




- Molecule 21: 40S ribosomal protein S2

Chain Rb:  99%




- Molecule 22: 40S ribosomal protein S3

Chain A:  96%




- Molecule 22: 40S ribosomal protein S3


Chain Ab:  97%



- Molecule 23: 40S ribosomal protein S4-A




- Molecule 23: 40S ribosomal protein S4-A




- Molecule 24: 40S ribosomal protein S5



- Molecule 24: 40S ribosomal protein S5



- Molecule 25: 40S ribosomal protein S6-A




- Molecule 25: 40S ribosomal protein S6-A




- Molecule 26: 40S ribosomal protein S7-A

Chain U:  95%




- Molecule 26: 40S ribosomal protein S7-A

Chain Ub:  95%




- Molecule 27: 40S ribosomal protein S8-A

Chain V:  94% 6%




- Molecule 27: 40S ribosomal protein S8-A

Chain Vb:  93% 6%




- Molecule 28: 40S ribosomal protein S9-A

Chain W:  98%



- Molecule 28: 40S ribosomal protein S9-A

Chain Wb:  10% 98%




- Molecule 29: 40S ribosomal protein S10-A


Chain C:  96%




- Molecule 29: 40S ribosomal protein S10-A




- Molecule 30: 40S ribosomal protein S11-A




- Molecule 30: 40S ribosomal protein S11-A




- Molecule 31: 40S ribosomal protein S12



- Molecule 31: 40S ribosomal protein S12




- Molecule 32: 40S ribosomal protein S13




- Molecule 32: 40S ribosomal protein S13





- Molecule 33: 40S ribosomal protein S14-B



- Molecule 33: 40S ribosomal protein S14-B



- Molecule 34: 40S ribosomal protein S15




- Molecule 34: 40S ribosomal protein S15




- Molecule 35: 40S ribosomal protein S16-A




- Molecule 35: 40S ribosomal protein S16-A



- Molecule 36: 40S ribosomal protein S17-A



- Molecule 36: 40S ribosomal protein S17-A



- Molecule 37: 40S ribosomal protein S18-A



- Molecule 37: 40S ribosomal protein S18-A




- Molecule 38: 40S ribosomal protein S19-A




- Molecule 38: 40S ribosomal protein S19-A




- Molecule 39: 40S ribosomal protein S20




- Molecule 39: 40S ribosomal protein S20




- Molecule 40: 40S ribosomal protein S21-A




- Molecule 40: 40S ribosomal protein S21-A




- Molecule 41: 40S ribosomal protein S22-A



- Molecule 41: 40S ribosomal protein S22-A




- Molecule 42: 40S ribosomal protein S23-A




- Molecule 42: 40S ribosomal protein S23-A





- Molecule 43: 40S ribosomal protein S24-A



- Molecule 43: 40S ribosomal protein S24-A



- Molecule 44: 40S ribosomal protein S25-A




- Molecule 44: 40S ribosomal protein S25-A




- Molecule 45: 40S ribosomal protein S26-B



- Molecule 45: 40S ribosomal protein S26-B




- Molecule 46: 40S ribosomal protein S27-A



- Molecule 46: 40S ribosomal protein S27-A




- Molecule 47: 40S ribosomal protein S28-A





- Molecule 47: 40S ribosomal protein S28-A




- Molecule 48: 40S ribosomal protein S29-A




- Molecule 48: 40S ribosomal protein S29-A




- Molecule 49: 40S ribosomal protein S30-A




- Molecule 49: 40S ribosomal protein S30-A




- Molecule 50: Ubiquitin-40S ribosomal protein S31




- Molecule 50: Ubiquitin-40S ribosomal protein S31




- Molecule 51: Guanine nucleotide-binding protein subunit beta-like protein



- Molecule 51: Guanine nucleotide-binding protein subunit beta-like protein




- Molecule 52: 60S ribosomal protein L17-A




- Molecule 52: 60S ribosomal protein L17-A






- Molecule 53: 60S ribosomal protein L18-A




- Molecule 53: 60S ribosomal protein L18-A




- Molecule 54: 60S ribosomal protein L19-A




- Molecule 54: 60S ribosomal protein L19-A




- Molecule 55: 60S ribosomal protein L20-A




- Molecule 55: 60S ribosomal protein L20-A




- Molecule 56: 60S ribosomal protein L21-A




• Molecule 56: 60S ribosomal protein L21-A




• Molecule 57: 60S ribosomal protein L22-A




• Molecule 57: 60S ribosomal protein L22-A




• Molecule 58: 60S ribosomal protein L23-A




• Molecule 58: 60S ribosomal protein L23-A




• Molecule 59: 60S ribosomal protein L24-A






- Molecule 59: 60S ribosomal protein L24-A




- Molecule 60: 60S ribosomal protein L25



- Molecule 60: 60S ribosomal protein L25



- Molecule 61: 60S ribosomal protein L26-A




- Molecule 61: 60S ribosomal protein L26-A




There are no outlier residues recorded for this chain.

- Molecule 62: 60S ribosomal protein L27-A




- Molecule 62: 60S ribosomal protein L27-A






- Molecule 63: 60S ribosomal protein L28




- Molecule 63: 60S ribosomal protein L28




- Molecule 64: 60S ribosomal protein L29




- Molecule 64: 60S ribosomal protein L29



- Molecule 65: 60S ribosomal protein L30




- Molecule 65: 60S ribosomal protein L30



- Molecule 66: 60S ribosomal protein L31-A

Chain BC:  98%




- Molecule 66: 60S ribosomal protein L31-A

Chain YC:  96%




- Molecule 67: 60S ribosomal protein L32

Chain BG:  97%



- Molecule 67: 60S ribosomal protein L32

Chain YG:  98%



- Molecule 68: 60S ribosomal protein L33-A

Chain BK:  100%

There are no outlier residues recorded for this chain.


- Molecule 68: 60S ribosomal protein L33-A

Chain YK:  100%

There are no outlier residues recorded for this chain.

- Molecule 69: 60S ribosomal protein L34-A

Chain BN:  99%




- Molecule 69: 60S ribosomal protein L34-A


Chain YN:  96%




- Molecule 70: 60S ribosomal protein L35-A




- Molecule 70: 60S ribosomal protein L35-A



- Molecule 71: 60S ribosomal protein L36-A



- Molecule 71: 60S ribosomal protein L36-A



- Molecule 72: 60S ribosomal protein L37-A




There are no outlier residues recorded for this chain.

- Molecule 72: 60S ribosomal protein L37-A




- Molecule 73: 60S ribosomal protein L38





- Molecule 73: 60S ribosomal protein L38



- Molecule 74: 60S ribosomal protein L39



- Molecule 74: 60S ribosomal protein L39




There are no outlier residues recorded for this chain.

- Molecule 75: Ubiquitin-60S ribosomal protein L40



- Molecule 75: Ubiquitin-60S ribosomal protein L40



- Molecule 76: 60S ribosomal protein L41-B




There are no outlier residues recorded for this chain.


- Molecule 76: 60S ribosomal protein L41-B




• Molecule 79: 60S acidic ribosomal protein P0




• Molecule 80: P-site tRNA




• Molecule 81: E-site tRNA




• Molecule 82: A/P hybrid tRNA



• Molecule 83: P/E hybrid tRNA



• Molecule 84: mRNA





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	15739	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	2.5	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	0.160	Depositor
Minimum map value	-0.067	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.006	Depositor
Recommended contour level	0.013	Depositor
Map size (Å)	758.7976, 758.7976, 758.7976	wwPDB
Map dimensions	506, 506, 506	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.4996, 1.4996, 1.4996	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section:
ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	BQ	1.05	1/74873 (0.0%)	1.11	138/116727 (0.1%)
1	YQ	1.24	39/74873 (0.1%)	1.21	228/116727 (0.2%)
2	BR	0.92	0/2883	1.03	2/4491 (0.0%)
2	YR	1.05	0/2883	1.12	6/4491 (0.1%)
3	BS	1.04	1/3724 (0.0%)	1.10	5/5798 (0.1%)
3	YS	1.25	3/3724 (0.1%)	1.20	15/5798 (0.3%)
4	AW	0.63	0/1946	0.71	0/2614
4	XW	0.78	1/1946 (0.1%)	0.78	0/2614
5	BA	0.62	0/3146	0.78	4/4228 (0.1%)
5	YA	0.71	1/3146 (0.0%)	0.83	3/4228 (0.1%)
6	BE	0.62	0/2800	0.79	5/3790 (0.1%)
6	YE	0.73	0/2800	0.82	3/3790 (0.1%)
7	BI	0.50	0/2408	0.72	3/3248 (0.1%)
7	YI	0.56	0/2408	0.72	2/3248 (0.1%)
8	BM	0.50	0/1269	0.81	2/1705 (0.1%)
8	YM	0.52	0/1269	0.79	0/1705
9	BO	0.65	0/1828	0.78	1/2461 (0.0%)
9	YO	0.73	0/1828	0.76	0/2461
10	AA	0.48	0/1795	0.58	0/2429
10	XA	0.53	0/1795	0.61	0/2429
11	AD	0.48	0/1531	0.60	0/2062
11	XD	0.54	0/1531	0.62	0/2062
12	BD	0.53	0/1732	0.73	0/2323
12	YD	0.65	0/1732	0.80	1/2323 (0.0%)
13	AG	0.43	0/1374	0.70	0/1842
13	XG	0.48	0/1374	0.69	0/1842
14	AJ	0.55	0/1573	0.73	1/2113 (0.0%)
14	XJ	0.63	0/1573	0.78	1/2113 (0.0%)
15	AM	0.47	0/1074	0.68	0/1446
15	XM	0.50	0/1074	0.68	1/1446 (0.1%)
16	AQ	0.67	0/1757	0.74	0/2354
16	XQ	0.83	0/1757	0.81	0/2354

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
17	AU	0.63	0/1585	0.61	0/2128
17	XU	0.73	0/1585	0.63	1/2128 (0.0%)
18	2	1.65	14/41891 (0.0%)	1.20	147/65273 (0.2%)
18	2b	1.68	14/41891 (0.0%)	1.27	200/65273 (0.3%)
19	P	0.45	0/1623	0.67	1/2222 (0.0%)
19	Pb	0.56	0/1623	0.72	1/2222 (0.0%)
20	Q	0.46	0/1748	0.65	1/2352 (0.0%)
20	Qb	0.54	0/1748	0.66	0/2352
21	R	0.52	0/1665	0.62	0/2263
21	Rb	0.63	0/1665	0.70	0/2263
22	A	0.47	0/1759	0.79	1/2368 (0.0%)
22	Ab	0.58	0/1759	0.85	0/2368
23	S	0.48	0/2109	0.65	0/2839
23	Sb	0.50	0/2109	0.69	0/2839
24	B	0.47	0/1629	0.82	0/2202
24	Bb	0.51	0/1629	0.88	1/2202 (0.0%)
25	T	0.42	0/1779	0.73	3/2379 (0.1%)
25	Tb	0.44	0/1779	0.71	3/2379 (0.1%)
26	U	0.44	0/1511	0.83	1/2036 (0.0%)
26	Ub	0.52	0/1511	0.84	2/2036 (0.1%)
27	V	0.49	0/1514	0.65	0/2021
27	Vb	0.48	0/1514	0.65	0/2021
28	W	0.48	0/1519	0.65	0/2035
28	Wb	0.53	0/1519	0.70	1/2035 (0.0%)
29	C	0.43	0/757	0.57	0/1022
29	Cb	0.49	0/757	0.61	0/1022
30	X	0.61	0/1194	0.67	0/1610
30	Xb	0.61	0/1194	0.65	0/1610
31	D	0.32	0/898	0.67	0/1220
31	Db	0.35	0/898	0.69	2/1220 (0.2%)
32	Y	0.56	0/1215	0.66	0/1638
32	Yb	0.58	0/1215	0.66	0/1638
33	Z	0.46	0/960	0.71	1/1290 (0.1%)
33	Zb	0.56	0/960	0.71	0/1290
34	E	0.38	0/959	0.68	0/1288
34	Eb	0.47	0/959	0.73	1/1288 (0.1%)
35	F	0.45	0/1125	0.66	0/1510
35	Fb	0.55	0/1125	0.70	0/1510
36	G	0.43	0/1011	0.73	0/1355
36	Gb	0.49	0/1011	0.72	0/1355
37	H	0.37	0/1211	0.67	0/1628
37	Hb	0.45	0/1211	0.71	1/1628 (0.1%)
38	I	0.42	0/1130	0.60	0/1517

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
38	Ib	0.54	1/1130 (0.1%)	0.65	0/1517
39	J	0.43	0/815	0.63	0/1102
39	Jb	0.50	0/815	0.64	0/1102
40	a	0.52	0/693	0.83	0/935
40	ab	0.66	0/693	0.92	2/935 (0.2%)
41	b	0.60	0/1038	0.79	1/1395 (0.1%)
41	bb	0.68	0/1038	0.81	2/1395 (0.1%)
42	c	0.58	0/1139	0.84	3/1518 (0.2%)
42	cb	0.68	0/1139	0.91	2/1518 (0.1%)
43	d	0.50	0/1087	0.79	0/1449
43	db	0.48	0/1087	0.88	1/1449 (0.1%)
44	K	0.43	0/566	0.61	0/761
44	Kb	0.43	0/566	0.63	0/761
45	e	0.63	0/782	0.92	0/1047
45	eb	0.68	0/782	0.90	2/1047 (0.2%)
46	f	0.52	0/620	0.79	0/838
46	fb	0.57	0/620	0.80	0/838
47	L	0.40	0/499	0.73	0/670
47	Lb	0.48	0/499	0.80	0/670
48	M	1.35	2/452 (0.4%)	1.21	3/600 (0.5%)
48	Mb	1.44	3/452 (0.7%)	1.27	3/600 (0.5%)
49	g	0.48	0/483	0.92	0/643
49	gb	0.52	0/483	0.92	1/643 (0.2%)
50	N	0.37	0/567	0.72	2/764 (0.3%)
50	Nb	0.50	0/567	0.78	1/764 (0.1%)
51	O	0.34	0/2456	0.60	0/3343
51	Ob	0.43	0/2456	0.63	0/3343
52	AX	0.61	0/1400	0.67	0/1882
52	XX	0.72	0/1400	0.69	0/1882
53	BB	0.55	0/1465	0.78	0/1965
53	YB	0.68	0/1465	0.84	1/1965 (0.1%)
54	BF	0.57	0/1499	0.88	1/1998 (0.1%)
54	YF	0.68	0/1539	0.78	0/2050
55	BH	0.57	0/1481	0.74	0/1990
55	YH	0.71	0/1481	0.77	0/1990
56	BJ	0.61	0/1300	0.78	2/1743 (0.1%)
56	YJ	0.71	0/1300	0.84	1/1743 (0.1%)
57	BL	0.47	0/794	0.68	0/1076
57	YL	0.50	0/794	0.70	0/1076
58	AB	0.58	0/1008	0.64	0/1356
58	XB	0.70	0/1008	0.69	0/1356
59	AE	3.10	1/1103 (0.1%)	0.72	1/1458 (0.1%)
59	XE	0.54	0/1103	0.67	0/1458

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
60	AH	0.59	0/974	0.61	0/1314
60	XH	0.68	0/974	0.66	0/1314
61	AK	0.52	0/987	0.64	0/1318
61	XK	0.59	0/987	0.68	0/1318
62	AN	0.50	0/1118	0.61	0/1497
62	XN	0.56	0/1118	0.63	0/1497
63	AR	0.57	0/1204	0.68	0/1612
63	XR	0.71	0/1204	0.71	0/1612
64	AV	0.45	0/473	0.65	1/629 (0.2%)
64	XV	0.57	0/473	0.75	0/629
65	AY	0.59	0/775	0.68	0/1040
65	XY	0.63	0/775	0.71	0/1040
66	BC	0.58	0/897	0.78	1/1205 (0.1%)
66	YC	0.65	0/897	0.82	2/1205 (0.2%)
67	BG	0.59	0/1041	0.76	0/1394
67	YG	0.70	0/1041	0.77	0/1394
68	BK	0.68	0/868	0.78	0/1168
68	YK	0.82	0/868	0.78	0/1168
69	BN	0.65	0/890	0.77	1/1189 (0.1%)
69	YN	0.78	1/890 (0.1%)	0.87	1/1189 (0.1%)
70	BP	0.52	0/974	0.79	0/1297
70	YP	0.59	0/974	0.76	0/1297
71	AC	0.45	0/777	0.65	0/1033
71	XC	0.51	0/777	0.72	0/1033
72	AF	0.69	0/665	0.69	0/882
72	XF	0.78	0/665	0.83	1/882 (0.1%)
73	AI	0.42	0/614	0.63	0/822
73	XI	0.48	0/614	0.66	0/822
74	AL	0.61	0/443	0.71	0/588
74	XL	0.73	0/443	0.79	0/588
75	AO	0.48	0/423	0.68	1/562 (0.2%)
75	XO	0.53	0/423	0.62	0/562
76	AS	0.49	0/234	0.85	0/300
76	XS	0.60	0/234	0.90	0/300
77	AP	0.55	0/860	0.66	0/1136
77	XP	0.66	0/860	0.66	0/1136
78	AT	0.66	0/701	0.71	0/934
78	XT	0.77	0/701	0.76	0/934
79	BU	0.32	0/1067	0.58	0/1439
79	YU	0.33	0/1067	0.61	0/1439
80	n	0.76	0/1811	1.10	5/2821 (0.2%)
81	m	0.33	0/1773	0.95	3/2759 (0.1%)
82	nb	0.72	0/1810	1.23	13/2821 (0.5%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
83	mb	0.93	2/1836 (0.1%)	1.13	3/2859 (0.1%)
84	l	0.74	1/1312 (0.1%)	1.18	4/2033 (0.2%)
All	All	1.09	85/436056 (0.0%)	1.04	854/640783 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
4	AW	0	1
4	XW	0	1
5	BA	0	1
5	YA	0	1
6	BE	0	2
6	YE	0	2
7	BI	0	1
9	BO	0	1
9	YO	0	1
10	AA	0	1
12	YD	0	1
13	AG	0	6
13	XG	0	3
14	AJ	0	5
14	XJ	0	4
15	XM	0	1
16	AQ	0	1
16	XQ	0	1
19	P	0	3
19	Pb	0	5
20	Q	0	1
20	Qb	0	2
21	R	0	2
21	Rb	0	2
22	A	0	2
22	Ab	0	1
23	S	0	4
23	Sb	0	3
24	B	0	2
24	Bb	0	2
25	T	0	3
25	Tb	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
26	U	0	5
26	Ub	0	4
27	V	0	1
27	Vb	0	1
29	C	0	2
29	Cb	0	2
30	X	0	3
31	D	0	4
31	Db	0	4
32	Y	0	1
32	Yb	0	1
33	Zb	0	2
34	E	0	2
34	Eb	0	4
35	F	0	2
35	Fb	0	2
37	H	0	2
37	Hb	0	3
39	J	0	2
39	Jb	0	4
40	a	0	1
41	b	0	1
41	bb	0	1
42	c	0	1
42	cb	0	1
43	d	0	3
43	db	0	5
44	Kb	0	1
45	e	0	5
45	eb	0	5
48	M	0	1
48	Mb	0	2
49	g	0	1
49	gb	0	2
50	N	0	3
50	Nb	0	3
53	BB	0	1
53	YB	0	2
58	AB	0	1
59	AE	0	4
59	XE	0	2
62	AN	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
62	XN	0	1
63	AR	0	1
63	XR	0	1
64	AV	0	3
64	XV	0	3
70	BP	0	1
70	YP	0	1
71	AC	0	1
71	XC	0	1
78	XT	0	1
All	All	0	180

All (85) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	2	1597	A	N3-C4	141.25	2.19	1.34
18	2b	1597	A	C6-N1	140.80	2.34	1.35
18	2b	1597	A	N3-C4	137.01	2.17	1.34
18	2	1597	A	C6-N1	136.31	2.31	1.35
18	2b	1597	A	N1-C2	105.93	2.29	1.34
18	2	1597	A	N1-C2	103.34	2.27	1.34
59	AE	116	LYS	CB-CG	101.62	4.26	1.52
18	2	1597	A	C2-N3	91.43	2.15	1.33
18	2	1597	A	C5-C4	91.26	2.02	1.38
18	2b	1597	A	C2-N3	89.40	2.14	1.33
18	2b	1597	A	C5-C4	89.35	2.01	1.38
18	2	1597	A	C5-C6	79.22	2.12	1.41
18	2b	1597	A	C5-C6	78.20	2.11	1.41
18	2	74	U	C2-N3	44.94	1.69	1.37
18	2	74	U	N1-C2	35.78	1.70	1.38
18	2	74	U	N3-C4	35.05	1.70	1.38
18	2	74	U	N1-C6	33.79	1.68	1.38
18	2	74	U	C4-C5	30.02	1.70	1.43
18	2	74	U	C5-C6	28.61	1.59	1.34
48	Mb	13	ARG	C-N	18.70	1.77	1.34
48	M	13	ARG	C-N	18.42	1.76	1.34
48	M	14	TYR	N-CA	17.95	1.82	1.46
48	Mb	14	TYR	N-CA	17.85	1.82	1.46
83	mb	1	C	OP3-P	-10.67	1.48	1.61
84	l	4	U	OP3-P	-10.55	1.48	1.61
18	2b	1555	A	N7-C5	-7.92	1.34	1.39
4	XW	204	MET	C-N	-6.95	1.18	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	Ib	116	ILE	C-N	-6.52	1.19	1.34
1	YQ	77	A	N9-C4	-6.39	1.34	1.37
1	YQ	641	C	N1-C6	-6.38	1.33	1.37
83	mb	36	A	N9-C4	-6.34	1.34	1.37
69	YN	44	CYS	CB-SG	-6.30	1.71	1.82
48	Mb	14	TYR	CD2-CE2	-6.08	1.30	1.39
1	YQ	1129	A	N9-C4	-6.05	1.34	1.37
1	YQ	346	C	N1-C6	-6.02	1.33	1.37
5	YA	233	TRP	CB-CG	-6.00	1.39	1.50
1	YQ	109	A	N9-C4	-5.98	1.34	1.37
18	2b	1555	A	C8-N7	-5.94	1.27	1.31
1	YQ	1327	C	N1-C6	-5.83	1.33	1.37
1	YQ	1452	A	N9-C4	-5.81	1.34	1.37
1	YQ	656	A	C5-C6	-5.68	1.35	1.41
1	YQ	1112	A	N9-C4	-5.66	1.34	1.37
1	YQ	327	A	N9-C4	-5.63	1.34	1.37
1	YQ	1799	A	N9-C4	-5.62	1.34	1.37
18	2b	992	A	N9-C4	-5.58	1.34	1.37
1	YQ	348	A	N9-C4	-5.53	1.34	1.37
1	YQ	2813	A	N9-C4	-5.50	1.34	1.37
1	YQ	2878	G	C6-N1	-5.49	1.35	1.39
1	YQ	57	A	N9-C4	-5.48	1.34	1.37
18	2	1597	A	C8-N7	5.46	1.35	1.31
3	YS	97	A	N9-C4	-5.44	1.34	1.37
1	YQ	1509	A	N9-C4	-5.42	1.34	1.37
18	2b	1555	A	N9-C4	5.40	1.41	1.37
1	YQ	2407	C	N1-C6	-5.39	1.33	1.37
1	YQ	2192	C	N1-C6	-5.35	1.33	1.37
3	YS	138	A	N9-C4	-5.32	1.34	1.37
1	YQ	3067	C	N1-C6	-5.32	1.33	1.37
1	YQ	2812	C	N1-C6	-5.31	1.33	1.37
1	YQ	1143	A	N9-C4	-5.29	1.34	1.37
3	BS	97	A	N9-C4	-5.26	1.34	1.37
3	YS	43	A	N9-C4	-5.26	1.34	1.37
1	YQ	837	A	N9-C4	-5.24	1.34	1.37
1	YQ	1165	A	N9-C4	-5.24	1.34	1.37
1	YQ	2149	A	N9-C4	-5.23	1.34	1.37
1	YQ	808	A	N9-C4	-5.20	1.34	1.37
1	BQ	920	A	N9-C4	-5.19	1.34	1.37
1	YQ	2804	A	N9-C4	-5.18	1.34	1.37
18	2b	1205	C	C2-N3	-5.18	1.31	1.35
1	YQ	1596	C	N3-C4	-5.18	1.30	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	2	1555	A	N3-C4	-5.16	1.31	1.34
1	YQ	803	C	C4-C5	-5.15	1.38	1.43
1	YQ	1333	C	C4-C5	-5.14	1.38	1.43
1	YQ	2982	A	N9-C4	-5.13	1.34	1.37
1	YQ	1287	A	N3-C4	-5.13	1.31	1.34
18	2b	1754	A	N9-C4	-5.09	1.34	1.37
1	YQ	2146	C	C4-C5	-5.09	1.38	1.43
18	2b	1772	C	N1-C6	-5.09	1.34	1.37
1	YQ	47	C	N1-C6	-5.06	1.34	1.37
1	YQ	352	A	N9-C4	-5.05	1.34	1.37
18	2b	1026	A	C6-N6	-5.04	1.29	1.33
1	YQ	2406	C	N3-C4	-5.03	1.30	1.33
1	YQ	2407	C	N3-C4	-5.03	1.30	1.33
1	YQ	656	A	N7-C5	-5.03	1.36	1.39
1	YQ	2405	C	C4-C5	-5.02	1.39	1.43
1	YQ	2967	A	N9-C4	-5.01	1.34	1.37

All (854) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	2b	1597	A	N1-C2-N3	-62.65	97.98	129.30
18	2	1597	A	N1-C2-N3	-62.26	98.17	129.30
18	2b	1597	A	C2-N3-C4	52.83	137.02	110.60
18	2	1597	A	C2-N3-C4	51.08	136.14	110.60
18	2	1597	A	C4-C5-N7	-30.07	95.67	110.70
18	2b	1597	A	C4-C5-N7	-29.76	95.82	110.70
18	2	1597	A	C6-N1-C2	23.79	132.87	118.60
18	2b	1597	A	C6-N1-C2	21.96	131.78	118.60
18	2	1597	A	N7-C8-N9	20.53	124.06	113.80
18	2	1555	A	C2-N3-C4	19.63	120.41	110.60
18	2b	1597	A	N7-C8-N9	19.08	123.34	113.80
48	M	13	ARG	C-N-CA	17.22	164.76	121.70
48	Mb	13	ARG	C-N-CA	17.07	164.38	121.70
18	2	1597	A	N3-C4-N9	16.77	140.82	127.40
18	2b	1597	A	N3-C4-N9	16.27	140.42	127.40
18	2b	1555	A	C2-N3-C4	16.10	118.65	110.60
18	2b	1597	A	C5-N7-C8	15.79	111.80	103.90
18	2	1597	A	C5-N7-C8	15.08	111.44	103.90
18	2	1597	A	C6-C5-N7	13.76	141.93	132.30
18	2	1597	A	N3-C4-C5	-13.46	117.38	126.80
18	2b	1597	A	C6-C5-N7	13.37	141.66	132.30
18	2	74	U	N1-C2-N3	-12.75	107.25	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	2b	1597	A	N3-C4-C5	-12.54	118.02	126.80
18	2	74	U	C6-N1-C2	12.51	128.51	121.00
18	2b	1555	A	N3-C4-C5	-11.40	118.82	126.80
18	2	1555	A	N1-C6-N6	-11.24	111.86	118.60
18	2b	1597	A	N1-C6-N6	11.04	125.22	118.60
18	2b	1597	A	C4-C5-C6	11.02	122.51	117.00
18	2	74	U	C2-N1-C1'	-10.88	104.64	117.70
18	2b	1597	A	N9-C4-C5	-10.79	101.48	105.80
18	2	1597	A	C4-C5-C6	10.77	122.39	117.00
18	2b	543	C	N1-C2-O2	10.25	125.05	118.90
42	cb	109	ARG	NE-CZ-NH2	-10.14	115.23	120.30
18	2b	1553	G	C2-N3-C4	10.11	116.95	111.90
18	2b	1555	A	C8-N9-C4	-10.11	101.76	105.80
18	2b	1597	A	C5-C6-N1	-10.07	112.67	117.70
18	2	1555	A	N3-C4-C5	-10.06	119.76	126.80
18	2	1597	A	N9-C4-C5	-10.00	101.80	105.80
1	BQ	2572	C	N1-C2-O2	9.96	124.87	118.90
18	2	1555	A	C8-N9-C4	-9.74	101.90	105.80
18	2b	728	U	C2-N1-C1'	9.58	129.20	117.70
1	YQ	1495	U	C2-N1-C1'	9.55	129.16	117.70
18	2	1082	C	C6-N1-C2	-9.53	116.49	120.30
1	YQ	1857	C	N1-C2-O2	9.49	124.59	118.90
18	2	1597	A	C5-C6-N1	-9.45	112.97	117.70
18	2b	75	U	C2-N1-C1'	9.19	128.73	117.70
18	2	75	U	C2-N1-C1'	9.14	128.67	117.70
18	2	74	U	N3-C2-O2	9.10	128.57	122.20
1	YQ	2572	C	N1-C2-O2	9.00	124.30	118.90
82	nb	40	C	C2-N1-C1'	8.93	128.63	118.80
18	2b	965	U	C2-N1-C1'	8.85	128.32	117.70
18	2b	1205	C	C2-N3-C4	8.82	124.31	119.90
18	2b	934	C	C2-N1-C1'	8.77	128.45	118.80
18	2	1274	C	C2-N1-C1'	8.76	128.44	118.80
1	BQ	1063	G	C4-N9-C1'	8.71	137.82	126.50
18	2	453	U	C2-N1-C1'	8.66	128.09	117.70
18	2b	1274	C	C2-N1-C1'	8.61	128.27	118.80
18	2b	558	U	C2-N1-C1'	8.42	127.80	117.70
18	2	1596	C	C5'-C4'-O4'	8.41	119.19	109.10
18	2	74	U	O4'-C1'-N1	8.39	114.91	108.20
18	2b	543	C	N3-C2-O2	-8.37	116.04	121.90
1	BQ	1495	U	C2-N1-C1'	8.35	127.72	117.70
18	2b	1274	C	N1-C2-O2	8.33	123.90	118.90
18	2b	685	A	O4'-C1'-N9	8.33	114.86	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	BQ	1063	G	C8-N9-C1'	-8.31	116.19	127.00
82	nb	30	G	C4-N9-C1'	8.31	137.31	126.50
1	YQ	2572	C	C2-N1-C1'	8.24	127.87	118.80
18	2b	1555	A	N3-C4-N9	8.22	133.98	127.40
18	2b	1390	U	C2-N1-C1'	8.22	127.56	117.70
82	nb	30	G	C8-N9-C1'	-8.21	116.33	127.00
25	T	121	LEU	CA-CB-CG	8.17	134.10	115.30
18	2b	694	U	C2-N1-C1'	8.17	127.50	117.70
18	2b	1096	C	N1-C2-O2	8.14	123.79	118.90
18	2	1451	C	C6-N1-C2	-8.10	117.06	120.30
18	2b	1096	C	C2-N1-C1'	8.08	127.69	118.80
18	2	74	U	C5-C6-N1	-8.04	118.68	122.70
18	2b	1555	A	C4-N9-C1'	8.02	140.74	126.30
82	nb	30	G	N3-C4-N9	8.02	130.81	126.00
1	BQ	2572	C	C2-N1-C1'	8.01	127.61	118.80
82	nb	30	G	N1-C6-O6	-7.99	115.11	119.90
82	nb	40	C	C6-N1-C2	-7.98	117.11	120.30
82	nb	75	C	C6-N1-C2	-7.95	117.12	120.30
18	2	728	U	C2-N1-C1'	7.85	127.12	117.70
18	2	1473	U	C2-N1-C1'	7.85	127.12	117.70
1	BQ	3278	C	N1-C2-O2	7.80	123.58	118.90
80	n	39	C	C2-N1-C1'	7.79	127.37	118.80
1	BQ	1328	C	N1-C2-O2	7.75	123.55	118.90
18	2	75	U	N1-C2-O2	7.74	128.22	122.80
18	2b	1473	U	C2-N1-C1'	7.71	126.95	117.70
18	2b	71	A	N1-C2-N3	7.70	133.15	129.30
1	YQ	1596	C	N3-C4-N4	-7.65	112.65	118.00
1	YQ	1196	C	C6-N1-C2	-7.64	117.24	120.30
18	2b	1204	A	N7-C8-N9	7.52	117.56	113.80
18	2b	1389	C	C2-N1-C1'	7.52	127.07	118.80
5	BA	275	ARG	NE-CZ-NH2	-7.44	116.58	120.30
18	2	1451	C	C2-N1-C1'	7.42	126.96	118.80
1	YQ	1213	G	C5'-C4'-O4'	7.41	117.99	109.10
18	2b	75	U	N3-C2-O2	-7.38	117.03	122.20
18	2	1568	C	C6-N1-C2	-7.37	117.35	120.30
1	YQ	656	A	C5-N7-C8	-7.36	100.22	103.90
1	YQ	3278	C	N1-C2-O2	7.36	123.31	118.90
18	2b	75	U	N1-C2-O2	7.35	127.95	122.80
18	2b	453	U	C2-N1-C1'	7.34	126.51	117.70
18	2b	543	C	C2-N1-C1'	7.33	126.86	118.80
18	2b	962	C	N1-C2-O2	7.31	123.29	118.90
18	2b	1596	C	N1-C2-O2	7.31	123.29	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	YQ	2406	C	N1-C2-O2	7.28	123.27	118.90
1	YQ	2330	C	N1-C2-O2	7.25	123.25	118.90
1	YQ	656	A	C4-C5-N7	7.20	114.30	110.70
18	2b	1096	C	N3-C2-O2	-7.19	116.86	121.90
1	YQ	1155	C	N1-C2-O2	7.18	123.21	118.90
18	2	75	U	N3-C2-O2	-7.17	117.18	122.20
18	2b	730	G	C4-N9-C1'	7.15	135.80	126.50
18	2	1555	A	N1-C2-N3	-7.14	125.73	129.30
1	YQ	1596	C	C5-C4-N4	7.12	125.18	120.20
1	YQ	2267	C	C6-N1-C2	-7.11	117.45	120.30
18	2b	652	G	C5'-C4'-O4'	7.09	117.60	109.10
18	2	1274	C	C6-N1-C1'	-7.07	112.32	120.80
84	1	60	U	C2-N1-C1'	7.05	126.16	117.70
5	BA	46	PHE	CB-CG-CD2	-7.05	115.87	120.80
18	2	1274	C	N1-C2-O2	7.04	123.12	118.90
48	M	10	HIS	C-N-CD	-7.03	105.13	120.60
18	2b	1796	C	N1-C2-O2	7.02	123.11	118.90
50	Nb	103	LEU	CB-CG-CD2	7.01	122.91	111.00
1	YQ	315	C	N1-C2-O2	7.00	123.10	118.90
1	YQ	2537	U	C2-N1-C1'	6.99	126.09	117.70
1	YQ	1904	C	C5-C4-N4	-6.96	115.33	120.20
1	BQ	914	A	N1-C6-N6	6.95	122.77	118.60
18	2	558	U	C2-N1-C1'	6.94	126.03	117.70
1	BQ	1063	G	O4'-C1'-N9	6.93	113.74	108.20
18	2	351	C	C6-N1-C2	6.93	123.07	120.30
18	2b	1458	G	C4-N9-C1'	6.92	135.49	126.50
1	BQ	2572	C	N3-C2-O2	-6.92	117.06	121.90
19	P	111	ILE	CG1-CB-CG2	6.91	126.61	111.40
18	2	1458	G	C4-N9-C1'	6.90	135.47	126.50
18	2	1555	A	N9-C4-C5	6.89	108.56	105.80
18	2b	71	A	N7-C8-N9	6.89	117.25	113.80
18	2	166	C	C6-N1-C2	-6.88	117.55	120.30
18	2b	728	U	C6-N1-C1'	-6.87	111.58	121.20
18	2b	1596	C	C2-N1-C1'	6.87	126.36	118.80
1	BQ	3356	G	C4-C5-N7	6.87	113.55	110.80
1	YQ	933	A	C5-C6-N6	-6.86	118.21	123.70
1	YQ	1555	U	C5-C6-N1	6.86	126.13	122.70
18	2b	686	C	N3-C4-N4	6.86	122.80	118.00
18	2	1555	A	C4-N9-C1'	6.86	138.64	126.30
1	YQ	915	A	N1-C6-N6	-6.85	114.49	118.60
48	Mb	14	TYR	N-CA-CB	6.83	122.89	110.60
1	YQ	2570	U	N3-C2-O2	-6.83	117.42	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	2b	1458	G	C8-N9-C1'	-6.82	118.13	127.00
1	BQ	3058	U	C2-N1-C1'	6.82	125.88	117.70
18	2b	1274	C	N3-C2-O2	-6.82	117.13	121.90
1	YQ	406	G	O4'-C1'-N9	6.80	113.64	108.20
1	YQ	2145	A	C4-C5-N7	6.77	114.09	110.70
1	BQ	3214	U	N3-C2-O2	-6.76	117.47	122.20
5	YA	19	ARG	NE-CZ-NH2	-6.76	116.92	120.30
3	BS	113	U	C2-N1-C1'	6.75	125.80	117.70
18	2	1451	C	N1-C2-O2	6.75	122.95	118.90
1	YQ	1495	U	C6-N1-C1'	-6.74	111.77	121.20
18	2b	581	U	C2-N1-C1'	6.72	125.76	117.70
3	YS	82	U	P-O3'-C3'	6.72	127.76	119.70
18	2	1451	C	N3-C2-O2	-6.72	117.20	121.90
18	2b	697	C	C6-N1-C2	-6.72	117.61	120.30
42	cb	109	ARG	NE-CZ-NH1	6.72	123.66	120.30
1	YQ	36	C	N3-C4-C5	6.71	124.58	121.90
18	2b	722	G	C4-N9-C1'	6.70	135.21	126.50
18	2	278	U	N1-C2-O2	6.68	127.47	122.80
18	2	1428	G	O5'-P-OP1	-6.68	99.69	105.70
1	YQ	2572	C	C6-N1-C1'	-6.67	112.79	120.80
1	YQ	2205	U	C6-N1-C2	-6.66	117.00	121.00
18	2b	934	C	C6-N1-C1'	-6.66	112.81	120.80
1	YQ	315	C	C2-N3-C4	6.64	123.22	119.90
18	2b	959	U	C2-N1-C1'	6.63	125.65	117.70
18	2b	330	G	C4-C5-N7	6.62	113.45	110.80
18	2b	965	U	C6-N1-C1'	-6.60	111.96	121.20
1	YQ	2572	C	N3-C2-O2	-6.60	117.28	121.90
1	YQ	1878	G	C4-N9-C1'	6.59	135.07	126.50
48	M	14	TYR	N-CA-CB	6.59	122.46	110.60
18	2b	1274	C	C6-N1-C1'	-6.58	112.90	120.80
7	BI	110	LEU	CA-CB-CG	6.58	130.43	115.30
1	YQ	656	A	C5-C6-N6	-6.57	118.44	123.70
18	2b	723	G	N3-C2-N2	-6.55	115.31	119.90
1	BQ	2572	C	C6-N1-C1'	-6.54	112.96	120.80
3	YS	8	C	N1-C2-O2	6.54	122.82	118.90
18	2b	686	C	C5-C4-N4	-6.53	115.63	120.20
18	2	166	C	N1-C2-O2	6.53	122.82	118.90
5	BA	275	ARG	NE-CZ-NH1	6.51	123.56	120.30
1	BQ	315	C	N1-C2-O2	6.50	122.80	118.90
18	2b	694	U	N3-C2-O2	-6.49	117.65	122.20
1	YQ	2612	U	N3-C4-O4	6.49	123.94	119.40
1	BQ	767	U	O4'-C1'-N1	6.48	113.38	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	YQ	1857	C	N3-C2-O2	-6.48	117.37	121.90
1	BQ	1328	C	N3-C2-O2	-6.47	117.37	121.90
18	2	1796	C	N1-C2-O2	6.47	122.78	118.90
1	YQ	3278	C	C2-N1-C1'	6.45	125.89	118.80
18	2b	487	G	N3-C4-N9	-6.44	122.13	126.00
1	YQ	2263	C	N1-C2-O2	6.44	122.77	118.90
1	BQ	1597	C	N1-C2-O2	6.44	122.76	118.90
18	2	1458	G	C8-N9-C1'	-6.43	118.65	127.00
1	BQ	665	A	N7-C8-N9	6.42	117.01	113.80
1	YQ	2553	U	C2-N1-C1'	6.41	125.39	117.70
1	YQ	753	C	N1-C2-O2	6.41	122.75	118.90
1	YQ	1364	C	N3-C2-O2	-6.40	117.42	121.90
1	YQ	1461	A	C4-C5-N7	6.40	113.90	110.70
18	2	1784	C	N1-C2-O2	6.40	122.74	118.90
18	2	730	G	C4-N9-C1'	6.38	134.79	126.50
18	2b	1555	A	O5'-P-OP2	-6.37	99.97	105.70
18	2	75	U	C6-N1-C1'	-6.37	112.29	121.20
18	2b	1052	U	C2-N1-C1'	6.36	125.34	117.70
18	2	278	U	N3-C2-O2	-6.35	117.75	122.20
1	YQ	1461	A	N9-C4-C5	-6.35	103.26	105.80
1	YQ	418	A	N9-C4-C5	-6.34	103.26	105.80
1	BQ	1495	U	C6-N1-C1'	-6.33	112.33	121.20
18	2b	1389	C	N1-C2-O2	6.33	122.70	118.90
1	BQ	2207	A	OP1-P-O3'	6.32	119.11	105.20
1	BQ	3278	C	N3-C2-O2	-6.32	117.47	121.90
1	YQ	2570	U	C6-N1-C2	-6.32	117.21	121.00
1	YQ	2255	A	C8-N9-C4	-6.32	103.27	105.80
18	2b	1553	G	C2'-C3'-O3'	6.31	123.80	113.70
56	YJ	88	ARG	CA-CB-CG	6.31	127.27	113.40
1	BQ	1563	C	C6-N1-C2	-6.30	117.78	120.30
18	2	1553	G	C4'-C3'-O3'	6.29	125.58	113.00
25	T	37	ASP	C-N-CA	-6.29	109.08	122.30
18	2	70	C	N3-C2-O2	-6.29	117.50	121.90
8	BM	67	GLY	C-N-CD	-6.27	106.81	120.60
1	BQ	2537	U	N3-C2-O2	-6.27	117.81	122.20
18	2	453	U	C6-N1-C1'	-6.26	112.44	121.20
1	YQ	803	C	C5-C4-N4	-6.25	115.82	120.20
1	BQ	1878	G	C4-N9-C1'	6.25	134.63	126.50
18	2	1332	C	N1-C2-O2	6.25	122.65	118.90
80	n	39	C	C6-N1-C2	-6.25	117.80	120.30
7	YI	110	LEU	CA-CB-CG	6.25	129.67	115.30
18	2	70	C	N1-C2-O2	6.25	122.65	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	YS	35	C	N1-C2-O2	6.25	122.65	118.90
1	BQ	2570	U	C6-N1-C2	-6.24	117.25	121.00
18	2b	724	C	O4'-C1'-N1	6.24	113.19	108.20
18	2b	70	C	N3-C4-N4	-6.23	113.64	118.00
5	YA	386	ASP	N-CA-CB	6.23	121.81	110.60
1	BQ	1028	U	C2-N1-C1'	6.22	125.17	117.70
18	2	1235	C	C6-N1-C2	-6.22	117.81	120.30
18	2b	730	G	C8-N9-C1'	-6.22	118.91	127.00
18	2	1473	U	N1-C2-O2	6.21	127.15	122.80
18	2b	1203	A	N1-C6-N6	-6.21	114.88	118.60
18	2b	75	U	C6-N1-C1'	-6.21	112.51	121.20
1	BQ	665	A	C5-N7-C8	-6.21	100.80	103.90
1	YQ	2867	C	N1-C2-O2	6.20	122.62	118.90
45	eb	5	ARG	NE-CZ-NH2	-6.20	117.20	120.30
1	YQ	2867	C	N3-C2-O2	-6.20	117.56	121.90
18	2	1390	U	C2-N1-C1'	6.19	125.13	117.70
18	2b	1332	C	N1-C2-O2	6.19	122.61	118.90
84	1	30	U	C2-N1-C1'	6.19	125.12	117.70
18	2	696	C	C2-N1-C1'	6.18	125.60	118.80
5	BA	46	PHE	CB-CG-CD1	6.18	125.13	120.80
18	2	351	C	N3-C4-C5	6.17	124.37	121.90
1	YQ	1597	C	C2-N3-C4	6.17	122.98	119.90
18	2b	191	C	C6-N1-C2	-6.16	117.83	120.30
18	2b	962	C	N3-C2-O2	-6.16	117.59	121.90
1	YQ	912	G	C2-N3-C4	-6.14	108.83	111.90
1	BQ	3341	U	P-O3'-C3'	6.14	127.06	119.70
18	2	1389	C	C2-N1-C1'	6.13	125.55	118.80
1	YQ	2612	U	C5-C4-O4	-6.13	122.22	125.90
18	2	1082	C	N3-C2-O2	-6.13	117.61	121.90
18	2	166	C	N3-C2-O2	-6.13	117.61	121.90
1	YQ	3132	C	N1-C2-O2	6.13	122.58	118.90
18	2b	1553	G	N1-C2-N3	-6.12	120.23	123.90
1	YQ	1597	C	N1-C2-O2	6.12	122.57	118.90
18	2b	1596	C	N3-C2-O2	-6.11	117.62	121.90
1	YQ	3048	A	O4'-C1'-N9	6.11	113.09	108.20
1	YQ	1525	G	C4-N9-C1'	6.11	134.44	126.50
18	2b	1204	A	C8-N9-C4	-6.11	103.36	105.80
18	2	1739	C	N1-C2-O2	6.10	122.56	118.90
1	YQ	2405	C	C6-N1-C2	-6.10	117.86	120.30
1	BQ	3317	U	C2-N1-C1'	6.10	125.02	117.70
18	2b	71	A	C8-N9-C4	-6.09	103.36	105.80
18	2b	1235	C	C6-N1-C2	-6.09	117.86	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	YQ	2728	G	C4-C5-N7	6.08	113.23	110.80
18	2	936	G	N9-C4-C5	-6.07	102.97	105.40
7	BI	50	ARG	NE-CZ-NH2	-6.07	117.27	120.30
1	YQ	1278	A	N1-C6-N6	6.07	122.24	118.60
66	YC	90	PHE	CB-CA-C	-6.07	98.27	110.40
1	BQ	1815	U	P-O3'-C3'	6.06	126.97	119.70
18	2b	1185	U	C2-N1-C1'	6.06	124.97	117.70
3	YS	82	U	N3-C2-O2	-6.06	117.96	122.20
1	YQ	2145	A	C5-C6-N6	-6.06	118.85	123.70
1	BQ	1155	C	N1-C2-O2	6.06	122.53	118.90
18	2	1553	G	N9-C1'-C2'	-6.06	105.34	112.00
18	2	1555	A	N7-C8-N9	6.05	116.83	113.80
1	BQ	1187	C	N1-C2-O2	6.05	122.53	118.90
1	YQ	1461	A	C5-C6-N6	-6.05	118.86	123.70
83	mb	76	C	C6-N1-C2	-6.04	117.88	120.30
18	2b	1387	G	N3-C4-C5	6.03	131.62	128.60
18	2b	1246	C	C6-N1-C2	-6.02	117.89	120.30
1	YQ	1561	G	O4'-C1'-N9	6.02	113.02	108.20
12	YD	139	ARG	NE-CZ-NH2	-6.00	117.30	120.30
24	Bb	152	GLY	N-CA-C	-5.99	98.11	113.10
1	YQ	418	A	C4-C5-N7	5.99	113.70	110.70
18	2	1553	G	O4'-C1'-N9	5.99	112.99	108.20
1	YQ	1187	C	N1-C2-O2	5.99	122.49	118.90
1	YQ	729	C	C5-C6-N1	5.99	123.99	121.00
18	2b	610	G	C4-N9-C1'	5.98	134.28	126.50
18	2b	1455	G	C2-N3-C4	-5.98	108.91	111.90
1	BQ	3356	G	C6-C5-N7	-5.98	126.81	130.40
1	YQ	418	A	C5-C6-N6	-5.96	118.93	123.70
18	2	1258	U	N1-C2-O2	5.96	126.97	122.80
1	BQ	406	G	O4'-C1'-N9	5.95	112.96	108.20
1	YQ	1505	C	N1-C2-O2	5.95	122.47	118.90
1	YQ	2405	C	C5-C4-N4	-5.95	116.04	120.20
18	2b	1426	C	C2-N1-C1'	5.94	125.33	118.80
18	2b	1059	U	C2-N1-C1'	5.93	124.82	117.70
34	Eb	40	ARG	NE-CZ-NH2	-5.93	117.34	120.30
18	2b	1796	C	N3-C2-O2	-5.92	117.75	121.90
1	YQ	2970	C	N3-C4-C5	5.92	124.27	121.90
18	2b	287	G	O4'-C1'-N9	5.92	112.94	108.20
1	BQ	1661	G	N7-C8-N9	5.92	116.06	113.10
18	2b	558	U	C6-N1-C1'	-5.91	112.93	121.20
1	BQ	918	C	N3-C4-C5	5.91	124.26	121.90
18	2b	488	G	C5-C6-O6	-5.91	125.05	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	YI	270	LYS	CD-CE-NZ	5.91	125.29	111.70
1	BQ	3356	G	N9-C4-C5	-5.91	103.04	105.40
18	2	1555	A	C5-C6-N1	5.90	120.65	117.70
1	YQ	3214	U	N1-C2-O2	5.90	126.93	122.80
18	2b	1568	C	C6-N1-C2	-5.89	117.94	120.30
1	BQ	2885	C	N1-C2-O2	5.89	122.44	118.90
18	2	1332	C	N3-C2-O2	-5.89	117.78	121.90
18	2b	782	U	P-O3'-C3'	5.89	126.77	119.70
1	YQ	2403	G	C4-N9-C1'	5.89	134.16	126.50
18	2b	70	C	N3-C4-C5	5.89	124.25	121.90
1	YQ	656	A	N9-C4-C5	-5.88	103.45	105.80
1	BQ	1283	C	N3-C2-O2	-5.88	117.78	121.90
1	YQ	2267	C	C5-C6-N1	5.88	123.94	121.00
18	2	543	C	C2-N1-C1'	5.87	125.26	118.80
1	YQ	3367	C	N1-C2-O2	5.87	122.42	118.90
50	N	103	LEU	CB-CG-CD2	5.87	120.98	111.00
18	2b	1553	G	N1-C2-N2	5.86	121.48	116.20
1	YQ	1934	G	N3-C4-N9	-5.86	122.49	126.00
18	2b	330	G	N9-C4-C5	-5.85	103.06	105.40
18	2	1606	C	N1-C2-O2	5.85	122.41	118.90
18	2b	1796	C	C2-N1-C1'	5.85	125.24	118.80
18	2	1246	C	C2-N1-C1'	5.85	125.23	118.80
1	YQ	907	G	O4'-C1'-N9	5.84	112.88	108.20
18	2	610	G	C4-N9-C1'	5.84	134.10	126.50
18	2b	687	G	N3-C4-N9	-5.84	122.50	126.00
18	2b	728	U	N1-C2-O2	5.84	126.89	122.80
1	BQ	1875	G	N9-C4-C5	-5.84	103.06	105.40
18	2	1632	C	N1-C2-O2	5.84	122.40	118.90
3	YS	82	U	N1-C2-O2	5.84	126.89	122.80
2	BR	73	C	C6-N1-C2	-5.83	117.97	120.30
1	YQ	656	A	N7-C8-N9	5.83	116.72	113.80
1	YQ	2970	C	C5-C4-N4	-5.83	116.12	120.20
1	YQ	656	A	C6-C5-N7	-5.83	128.22	132.30
1	BQ	637	C	N1-C2-O2	5.83	122.40	118.90
1	BQ	40	A	O4'-C1'-N9	5.82	112.86	108.20
18	2	1796	C	C2-N1-C1'	5.81	125.19	118.80
66	BC	90	PHE	CB-CA-C	-5.81	98.79	110.40
18	2b	1596	C	C5'-C4'-O4'	5.81	116.07	109.10
1	BQ	1555	U	C2-N1-C1'	5.81	124.67	117.70
18	2b	1389	C	N3-C2-O2	-5.80	117.84	121.90
18	2	71	A	C8-N9-C4	-5.80	103.48	105.80
69	BN	8	ARG	NE-CZ-NH2	-5.80	117.40	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	BQ	1863	G	C2-N3-C4	-5.80	109.00	111.90
18	2b	1096	C	C6-N1-C1'	-5.80	113.84	120.80
18	2b	1555	A	C8-N9-C1'	-5.79	117.27	127.70
1	BQ	3278	C	C2-N1-C1'	5.79	125.17	118.80
1	YQ	2434	U	C2-N1-C1'	5.79	124.65	117.70
18	2b	704	C	C2-N1-C1'	5.79	125.17	118.80
81	m	34	U	N3-C2-O2	-5.79	118.15	122.20
18	2b	720	G	P-O3'-C3'	5.79	126.64	119.70
1	YQ	315	C	C5-C6-N1	5.78	123.89	121.00
49	gb	39	LEU	CB-CG-CD2	5.78	120.82	111.00
1	YQ	1206	G	N3-C4-C5	5.77	131.49	128.60
1	BQ	2145	A	C4-C5-N7	5.77	113.59	110.70
1	BQ	2510	U	C5-C6-N1	5.77	125.59	122.70
18	2b	514	G	N3-C2-N2	5.77	123.94	119.90
2	YR	11	A	C8-N9-C4	5.77	108.11	105.80
1	YQ	1364	C	N1-C2-O2	5.76	122.35	118.90
1	BQ	1278	A	N1-C6-N6	5.75	122.05	118.60
18	2b	722	G	C8-N9-C1'	-5.75	119.53	127.00
1	YQ	2872	A	P-O3'-C3'	5.75	126.60	119.70
41	b	93	LEU	CA-CB-CG	5.75	128.52	115.30
3	YS	5	U	C5-C4-O4	-5.75	122.45	125.90
18	2b	63	G	N3-C4-C5	5.74	131.47	128.60
1	YQ	2256	A	P-O3'-C3'	5.74	126.59	119.70
18	2b	1204	A	C4-N9-C1'	5.74	136.63	126.30
18	2b	864	U	C5-C6-N1	5.73	125.56	122.70
3	YS	125	U	N1-C2-O2	5.72	126.80	122.80
18	2	1419	G	N3-C2-N2	5.72	123.90	119.90
37	Hb	123	ARG	NE-CZ-NH1	5.71	123.16	120.30
1	YQ	2145	A	C5-N7-C8	-5.71	101.04	103.90
1	YQ	2510	U	C5-C6-N1	5.71	125.55	122.70
1	YQ	2870	C	N3-C2-O2	-5.71	117.90	121.90
1	BQ	1695	U	O4'-C1'-N1	5.70	112.76	108.20
1	BQ	3341	U	OP1-P-O3'	5.70	117.73	105.20
18	2b	581	U	N3-C2-O2	-5.70	118.21	122.20
1	YQ	3367	C	N3-C2-O2	-5.70	117.91	121.90
18	2	1082	C	C5-C6-N1	5.69	123.84	121.00
18	2b	992	A	N1-C2-N3	5.69	132.14	129.30
18	2b	1228	G	C4-N9-C1'	5.69	133.89	126.50
28	Wb	174	ARG	NE-CZ-NH1	5.69	123.14	120.30
1	BQ	3214	U	N1-C2-O2	5.69	126.78	122.80
18	2b	610	G	C8-N9-C1'	-5.68	119.61	127.00
18	2	1473	U	C6-N1-C1'	-5.68	113.24	121.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	BQ	2145	A	N9-C4-C5	-5.67	103.53	105.80
1	YQ	1590	G	C4-N9-C1'	5.67	133.87	126.50
1	YQ	3317	U	N1-C2-O2	5.67	126.77	122.80
18	2b	1685	G	C4-C5-N7	5.67	113.07	110.80
1	BQ	1120	A	N9-C4-C5	-5.67	103.53	105.80
1	YQ	1934	G	N3-C2-N2	-5.67	115.93	119.90
1	YQ	2728	G	C5-C6-O6	-5.66	125.20	128.60
82	nb	30	G	C6-C5-N7	-5.66	127.00	130.40
1	YQ	656	A	N1-C6-N6	5.66	122.00	118.60
1	YQ	1796	G	N3-C4-N9	-5.66	122.61	126.00
1	BQ	1578	C	C6-N1-C2	-5.66	118.04	120.30
1	BQ	2304	C	N1-C2-O2	5.66	122.29	118.90
80	n	39	C	N1-C2-O2	5.65	122.29	118.90
1	YQ	767	U	O4'-C1'-N1	5.64	112.72	108.20
1	YQ	3317	U	C2-N1-C1'	5.64	124.47	117.70
1	YQ	2537	U	N3-C2-O2	-5.64	118.25	122.20
1	BQ	2362	C	N1-C2-O2	5.63	122.28	118.90
3	BS	8	C	N1-C2-O2	5.63	122.28	118.90
1	BQ	1479	U	C5-C4-O4	-5.63	122.52	125.90
18	2b	558	U	N1-C2-O2	5.63	126.74	122.80
6	YE	341	SER	N-CA-C	-5.62	95.82	111.00
1	BQ	1063	G	C6-C5-N7	-5.62	127.03	130.40
18	2b	1390	U	C6-N1-C1'	-5.62	113.33	121.20
18	2	166	C	C2-N1-C1'	5.62	124.98	118.80
19	Pb	111	ILE	CG1-CB-CG2	5.61	123.74	111.40
1	YQ	1555	U	C6-N1-C2	-5.61	117.63	121.00
43	db	108	ARG	NE-CZ-NH2	-5.61	117.50	120.30
1	BQ	2132	C	N3-C2-O2	-5.60	117.98	121.90
18	2	913	G	P-O3'-C3'	5.60	126.42	119.70
1	YQ	3348	G	C4-N9-C1'	5.60	133.78	126.50
3	YS	140	G	C2-N3-C4	-5.60	109.10	111.90
69	YN	8	ARG	NE-CZ-NH2	-5.59	117.51	120.30
1	YQ	1590	G	C6-C5-N7	-5.59	127.05	130.40
18	2b	641	G	OP1-P-O3'	5.59	117.49	105.20
1	YQ	2413	A	N9-C4-C5	-5.59	103.56	105.80
1	YQ	3058	U	C2-N1-C1'	5.59	124.40	117.70
1	YQ	1194	G	C6-C5-N7	-5.58	127.05	130.40
1	YQ	3110	C	N3-C2-O2	-5.58	117.99	121.90
18	2	501	U	P-O3'-C3'	5.58	126.40	119.70
18	2b	488	G	C4-C5-N7	5.58	113.03	110.80
6	YE	90	PHE	CB-CG-CD2	-5.58	116.89	120.80
83	mb	36	A	N3-C4-C5	5.58	130.70	126.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	2b	1553	G	C5-C6-N1	5.58	114.29	111.50
18	2b	1389	C	C6-N1-C1'	-5.57	114.11	120.80
18	2	1596	C	C2-N1-C1'	5.57	124.93	118.80
1	BQ	1314	C	N1-C2-O2	5.56	122.24	118.90
6	BE	73	ARG	NE-CZ-NH1	5.56	123.08	120.30
1	BQ	2207	A	P-O3'-C3'	5.56	126.37	119.70
18	2	1185	U	C2-N1-C1'	5.56	124.37	117.70
1	YQ	857	G	C2-N3-C4	-5.56	109.12	111.90
18	2b	330	G	C6-C5-N7	-5.56	127.07	130.40
1	YQ	1525	G	C8-N9-C1'	-5.56	119.78	127.00
1	YQ	3110	C	N1-C2-O2	5.55	122.23	118.90
18	2	728	U	N1-C2-O2	5.55	126.69	122.80
18	2	1258	U	N3-C2-O2	-5.55	118.32	122.20
1	YQ	1563	C	C6-N1-C2	-5.55	118.08	120.30
1	YQ	1581	C	N1-C2-O2	5.55	122.23	118.90
1	YQ	3166	C	N1-C2-O2	5.55	122.23	118.90
1	YQ	3318	G	N3-C4-N9	-5.54	122.67	126.00
1	BQ	656	A	N7-C8-N9	5.54	116.57	113.80
18	2	696	C	N1-C2-O2	5.54	122.22	118.90
1	YQ	3278	C	N3-C2-O2	-5.54	118.03	121.90
2	YR	9	C	N1-C2-O2	5.54	122.22	118.90
82	nb	30	G	N3-C4-C5	-5.53	125.83	128.60
1	BQ	1555	U	N1-C2-O2	5.53	126.67	122.80
18	2b	543	C	C6-N1-C1'	-5.52	114.17	120.80
18	2b	1467	C	N1-C2-O2	5.52	122.21	118.90
40	ab	44	ARG	NE-CZ-NH1	5.52	123.06	120.30
18	2b	224	C	C6-N1-C2	-5.52	118.09	120.30
1	BQ	2418	G	P-O3'-C3'	5.51	126.32	119.70
1	BQ	2612	U	C5-C4-O4	-5.51	122.59	125.90
50	N	103	LEU	CB-CG-CD1	5.51	120.37	111.00
1	YQ	2194	G	C4-N9-C1'	5.51	133.66	126.50
18	2	1650	U	C5-C6-N1	5.50	125.45	122.70
18	2	1185	U	N1-C2-O2	5.50	126.65	122.80
2	YR	116	C	N1-C2-O2	5.50	122.20	118.90
18	2b	411	C	N1-C2-O2	5.50	122.20	118.90
1	YQ	1872	C	C5-C4-N4	-5.50	116.35	120.20
1	YQ	2304	C	N1-C2-O2	5.50	122.20	118.90
18	2b	1736	G	C2-N3-C4	-5.50	109.15	111.90
18	2	224	C	C6-N1-C2	-5.50	118.10	120.30
1	YQ	912	G	N3-C4-C5	5.50	131.35	128.60
18	2b	1736	G	N3-C4-C5	5.50	131.35	128.60
59	AE	116	LYS	CA-CB-CG	5.49	125.49	113.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	BQ	3131	U	C5-C4-O4	-5.49	122.61	125.90
18	2	1554	U	C5-C6-N1	5.49	125.45	122.70
18	2b	1555	A	N1-C6-N6	-5.49	115.31	118.60
1	BQ	1660	C	N1-C2-O2	5.49	122.19	118.90
18	2b	694	U	N1-C2-O2	5.49	126.64	122.80
1	BQ	2194	G	C4-N9-C1'	5.49	133.63	126.50
1	BQ	2434	U	C2-N1-C1'	5.49	124.28	117.70
18	2b	1026	A	C5-C6-N1	5.49	120.44	117.70
1	YQ	1332	A	C5-C6-N6	-5.49	119.31	123.70
1	YQ	2227	C	N1-C2-O2	5.49	122.19	118.90
1	YQ	820	A	C5-C6-N1	5.48	120.44	117.70
82	nb	75	C	C5-C6-N1	5.48	123.74	121.00
18	2b	103	A	P-O3'-C3'	5.48	126.28	119.70
1	YQ	2537	U	N1-C2-O2	5.48	126.64	122.80
1	YQ	3214	U	N3-C2-O2	-5.48	118.36	122.20
1	YQ	2262	A	N1-C6-N6	-5.48	115.31	118.60
18	2b	487	G	N3-C4-C5	5.47	131.34	128.60
1	YQ	2616	C	N1-C2-O2	5.47	122.18	118.90
84	l	31	U	C2-N1-C1'	5.46	124.26	117.70
18	2b	641	G	P-O3'-C3'	5.46	126.25	119.70
82	nb	40	C	C6-N1-C1'	-5.46	114.25	120.80
1	YQ	1562	C	N1-C2-O2	5.46	122.17	118.90
1	BQ	1878	G	C8-N9-C1'	-5.45	119.91	127.00
3	YS	82	U	OP2-P-O3'	5.45	117.19	105.20
1	YQ	2418	G	P-O3'-C3'	5.45	126.24	119.70
18	2	440	U	N3-C2-O2	-5.45	118.39	122.20
18	2b	132	U	OP2-P-O3'	5.44	117.18	105.20
18	2b	1060	U	N3-C2-O2	-5.44	118.39	122.20
18	2b	1473	U	C6-N1-C1'	-5.44	113.58	121.20
1	YQ	3145	C	N1-C2-O2	5.44	122.16	118.90
1	YQ	788	C	N1-C2-O2	5.43	122.16	118.90
1	BQ	1364	C	N1-C2-O2	5.43	122.16	118.90
18	2b	1107	G	C4-C5-N7	5.43	112.97	110.80
18	2b	1246	C	C2-N1-C1'	5.43	124.77	118.80
18	2b	1473	U	N1-C2-O2	5.43	126.60	122.80
18	2	728	U	C6-N1-C1'	-5.42	113.61	121.20
6	BE	182	LEU	CB-CG-CD2	5.42	120.22	111.00
18	2b	685	A	C8-N9-C1'	5.42	137.46	127.70
18	2b	892	A	C5-C6-N6	-5.42	119.36	123.70
18	2	1246	C	N1-C2-O2	5.42	122.15	118.90
18	2	453	U	N1-C2-O2	5.41	126.59	122.80
1	YQ	886	C	N1-C2-O2	5.41	122.15	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	2b	1332	C	N3-C2-O2	-5.41	118.11	121.90
18	2	1228	G	C4-N9-C1'	5.41	133.53	126.50
18	2b	694	U	C6-N1-C1'	-5.41	113.62	121.20
1	YQ	1461	A	C5-N7-C8	-5.41	101.19	103.90
1	YQ	1597	C	C5-C4-N4	5.41	123.99	120.20
1	YQ	2403	G	C8-N9-C1'	-5.41	119.97	127.00
18	2	1458	G	N3-C4-N9	5.40	129.24	126.00
1	BQ	650	C	N1-C2-O2	5.40	122.14	118.90
1	YQ	2390	A	C5-N7-C8	-5.40	101.20	103.90
18	2	1614	A	N1-C6-N6	5.39	121.84	118.60
1	BQ	1581	C	N1-C2-O2	5.39	122.14	118.90
1	YQ	2267	C	C2-N1-C1'	5.39	124.73	118.80
1	YQ	1478	C	N1-C2-O2	5.39	122.14	118.90
18	2	1082	C	N1-C2-O2	5.39	122.13	118.90
18	2b	1258	U	N1-C2-O2	5.39	126.57	122.80
18	2	1274	C	N3-C2-O2	-5.39	118.13	121.90
18	2	1452	U	N3-C4-O4	5.39	123.17	119.40
22	A	157	LEU	CA-CB-CG	5.38	127.68	115.30
1	YQ	3317	U	N3-C2-O2	-5.38	118.43	122.20
1	BQ	1283	C	N1-C2-O2	5.38	122.13	118.90
1	YQ	2118	C	C5-C4-N4	-5.38	116.43	120.20
18	2	581	U	C2-N1-C1'	5.38	124.15	117.70
1	YQ	1815	U	P-O3'-C3'	5.37	126.14	119.70
18	2b	687	G	N3-C4-C5	5.37	131.28	128.60
1	BQ	2741	C	C5-C6-N1	-5.36	118.32	121.00
1	YQ	2913	C	N3-C4-C5	5.36	124.05	121.90
1	BQ	1761	C	OP1-P-O3'	5.36	116.99	105.20
1	YQ	1665	C	N1-C2-O2	5.36	122.12	118.90
25	Tb	94	ARG	NE-CZ-NH2	-5.36	117.62	120.30
18	2b	453	U	N3-C2-O2	-5.35	118.45	122.20
40	ab	10	GLU	CA-CB-CG	5.35	125.17	113.40
1	YQ	1884	A	C5-C6-N6	-5.35	119.42	123.70
1	YQ	2210	G	C4-N9-C1'	5.35	133.46	126.50
6	YE	98	ARG	NE-CZ-NH1	5.35	122.98	120.30
18	2	730	G	C8-N9-C1'	-5.35	120.04	127.00
26	Ub	111	LYS	N-CA-CB	-5.35	100.97	110.60
1	BQ	3367	C	N1-C2-O2	5.35	122.11	118.90
18	2b	934	C	N1-C2-O2	5.35	122.11	118.90
1	YQ	817	A	C5-C6-N1	5.35	120.38	117.70
1	YQ	2406	C	N3-C2-O2	-5.35	118.16	121.90
1	BQ	2537	U	C6-N1-C2	-5.34	117.79	121.00
18	2	720	G	P-O3'-C3'	5.34	126.11	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
33	Z	133	ARG	NE-CZ-NH2	-5.34	117.63	120.30
3	YS	8	C	N3-C2-O2	-5.34	118.16	121.90
1	YQ	2263	C	C2-N1-C1'	5.34	124.68	118.80
6	BE	90	PHE	CB-CA-C	-5.34	99.72	110.40
1	YQ	1404	G	N3-C4-C5	5.34	131.27	128.60
1	YQ	2259	A	N7-C8-N9	5.34	116.47	113.80
18	2b	1185	U	N1-C2-O2	5.34	126.54	122.80
1	YQ	2359	C	C5-C4-N4	-5.34	116.46	120.20
18	2	1077	C	N1-C2-O2	5.34	122.10	118.90
66	YC	90	PHE	CB-CG-CD1	-5.33	117.07	120.80
1	BQ	1761	C	P-O3'-C3'	5.33	126.10	119.70
18	2	1555	A	N3-C4-N9	5.33	131.66	127.40
18	2b	1674	C	N1-C2-O2	5.33	122.10	118.90
18	2b	728	U	N3-C2-O2	-5.33	118.47	122.20
1	BQ	1875	G	C6-C5-N7	-5.33	127.20	130.40
18	2	1596	C	C5'-C4'-C3'	5.32	124.52	116.00
82	nb	30	G	N9-C4-C5	-5.32	103.27	105.40
1	BQ	1525	G	C4-N9-C1'	5.32	133.42	126.50
18	2	1332	C	C2-N1-C1'	5.32	124.65	118.80
26	U	111	LYS	N-CA-CB	-5.32	101.02	110.60
18	2b	1059	U	N3-C2-O2	-5.32	118.47	122.20
1	YQ	2135	U	C5-C4-O4	-5.32	122.71	125.90
18	2	7	G	C6-C5-N7	-5.32	127.21	130.40
18	2b	278	U	N1-C2-O2	5.32	126.52	122.80
82	nb	47	U	N1-C2-O2	5.31	126.52	122.80
1	BQ	2537	U	C2-N1-C1'	5.31	124.08	117.70
18	2b	183	U	C5-C6-N1	5.31	125.36	122.70
1	BQ	1491	A	C4-C5-N7	5.31	113.36	110.70
1	BQ	2304	C	N3-C2-O2	-5.31	118.18	121.90
2	YR	113	C	N1-C2-O2	5.31	122.08	118.90
1	YQ	1590	G	C8-N9-C1'	-5.31	120.10	127.00
18	2	1663	G	C4-N9-C1'	5.31	133.40	126.50
18	2	639	U	C2-N1-C1'	5.30	124.07	117.70
18	2b	1685	G	C6-C5-N7	-5.30	127.22	130.40
1	BQ	1563	C	N3-C2-O2	-5.30	118.19	121.90
1	BQ	1661	G	C6-C5-N7	-5.30	127.22	130.40
1	BQ	3161	C	N1-C2-O2	5.30	122.08	118.90
18	2b	1196	A	P-O3'-C3'	5.30	126.06	119.70
31	Db	45	LEU	CA-CB-CG	5.30	127.49	115.30
3	YS	19	C	N1-C2-O2	5.30	122.08	118.90
18	2	1235	C	N3-C2-O2	-5.30	118.19	121.90
1	BQ	3367	C	N3-C2-O2	-5.30	118.19	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	2b	1112	G	C2-N3-C4	-5.29	109.25	111.90
1	YQ	1590	G	C4-C5-N7	5.29	112.92	110.80
3	YS	125	U	C2-N1-C1'	5.29	124.05	117.70
41	bb	11	LEU	CB-CG-CD1	5.29	119.99	111.00
1	YQ	1563	C	N3-C2-O2	-5.29	118.20	121.90
56	BJ	130	ARG	NE-CZ-NH1	5.29	122.94	120.30
18	2b	63	G	N3-C4-N9	-5.28	122.83	126.00
6	BE	187	LEU	CA-CB-CG	5.28	127.44	115.30
18	2	1246	C	N3-C2-O2	-5.28	118.20	121.90
1	YQ	1846	C	N1-C2-O2	5.28	122.07	118.90
18	2b	687	G	C8-N9-C1'	5.28	133.86	127.00
1	YQ	315	C	C6-N1-C2	-5.28	118.19	120.30
18	2b	1258	U	N3-C2-O2	-5.28	118.51	122.20
18	2	1568	C	C5-C6-N1	5.27	123.64	121.00
18	2b	1596	C	C6-N1-C1'	-5.27	114.47	120.80
1	YQ	39	A	N1-C6-N6	5.27	121.76	118.60
1	YQ	3269	U	P-O3'-C3'	5.27	126.03	119.70
1	YQ	579	G	N3-C4-C5	5.27	131.24	128.60
18	2	287	G	O4'-C1'-N9	5.27	112.42	108.20
1	YQ	1495	U	C5-C6-N1	5.27	125.33	122.70
1	YQ	1878	G	C8-N9-C1'	-5.27	120.15	127.00
3	YS	11	C	N1-C2-O2	5.27	122.06	118.90
1	YQ	708	G	C2-N3-C4	-5.26	109.27	111.90
1	BQ	2248	C	N1-C2-O2	5.26	122.06	118.90
1	BQ	1222	G	N7-C8-N9	5.26	115.73	113.10
1	BQ	1655	G	C8-N9-C4	-5.25	104.30	106.40
9	BO	33	ARG	NE-CZ-NH1	5.25	122.93	120.30
1	BQ	283	G	C4-N9-C1'	5.25	133.33	126.50
18	2	1560	U	N3-C2-O2	-5.25	118.52	122.20
18	2b	685	A	C4-N9-C1'	-5.25	116.85	126.30
1	YQ	2349	U	C5-C4-O4	-5.25	122.75	125.90
1	BQ	1561	G	O4'-C1'-N9	5.24	112.39	108.20
1	YQ	1185	C	N3-C4-C5	5.24	124.00	121.90
1	BQ	1661	G	C4-N9-C1'	5.24	133.31	126.50
1	BQ	2978	U	N3-C2-O2	-5.24	118.53	122.20
18	2b	868	G	C2-N3-C4	-5.24	109.28	111.90
20	Q	41	ARG	NE-CZ-NH1	5.23	122.92	120.30
1	YQ	1919	G	C2-N3-C4	-5.23	109.28	111.90
1	YQ	2553	U	N1-C2-O2	5.23	126.46	122.80
18	2	864	U	C5-C6-N1	5.23	125.31	122.70
1	BQ	2644	C	N1-C2-O2	5.22	122.03	118.90
18	2b	1426	C	N1-C2-O2	5.22	122.03	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	BQ	329	U	N1-C2-O2	5.22	126.45	122.80
3	BS	8	C	N3-C2-O2	-5.22	118.24	121.90
1	BQ	833	G	N1-C2-N2	-5.22	111.50	116.20
14	AJ	67	ARG	NE-CZ-NH1	5.22	122.91	120.30
18	2	722	G	C4-N9-C1'	5.21	133.28	126.50
18	2b	581	U	N1-C2-O2	5.21	126.45	122.80
1	YQ	3102	G	C4-C5-N7	5.21	112.89	110.80
1	YQ	1119	C	N1-C2-O2	5.21	122.03	118.90
1	YQ	3245	A	N1-C6-N6	5.21	121.73	118.60
18	2b	453	U	N1-C2-O2	5.21	126.45	122.80
2	YR	82	G	C4-N9-C1'	5.21	133.27	126.50
1	YQ	2710	C	N1-C2-O2	5.21	122.02	118.90
1	BQ	1063	G	N7-C8-N9	5.20	115.70	113.10
1	YQ	1287	A	N9-C4-C5	5.20	107.88	105.80
5	YA	334	ARG	NE-CZ-NH1	5.20	122.90	120.30
1	BQ	2612	U	N3-C4-O4	5.20	123.04	119.40
1	BQ	1883	A	C5-C6-N1	5.20	120.30	117.70
18	2	1685	G	C4-C5-N7	5.20	112.88	110.80
18	2	1796	C	N3-C2-O2	-5.20	118.26	121.90
18	2b	1455	G	N1-C2-N3	5.20	127.02	123.90
1	YQ	2145	A	N1-C6-N6	5.19	121.72	118.60
1	YQ	2971	A	OP2-P-O3'	5.19	116.63	105.20
18	2b	614	C	N1-C2-O2	5.19	122.02	118.90
54	BF	42	ARG	NE-CZ-NH1	5.19	122.89	120.30
18	2	1592	A	C5-N7-C8	-5.18	101.31	103.90
1	YQ	2374	C	C6-N1-C2	-5.18	118.23	120.30
18	2b	695	U	C2-N1-C1'	5.18	123.92	117.70
1	YQ	2405	C	N3-C4-N4	5.18	121.63	118.00
1	YQ	3308	C	C5-C4-N4	-5.18	116.57	120.20
18	2	728	U	N3-C2-O2	-5.18	118.57	122.20
2	BR	19	C	C6-N1-C2	-5.18	118.23	120.30
1	YQ	1155	C	N3-C2-O2	-5.18	118.28	121.90
1	BQ	1491	A	N9-C4-C5	-5.18	103.73	105.80
1	YQ	2145	A	N9-C4-C5	-5.17	103.73	105.80
3	YS	14	C	C5-C4-N4	-5.17	116.58	120.20
18	2	864	U	N3-C2-O2	-5.17	118.58	122.20
18	2b	1185	U	N3-C2-O2	-5.17	118.58	122.20
1	YQ	3214	U	C2-N1-C1'	5.17	123.90	117.70
1	BQ	1858	A	O4'-C1'-N9	5.17	112.33	108.20
8	BM	67	GLY	C-N-CA	5.16	143.69	122.00
18	2b	1273	G	O4'-C1'-N9	5.16	112.33	108.20
1	YQ	2971	A	P-O3'-C3'	5.16	125.90	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	2	864	U	N1-C2-O2	5.16	126.41	122.80
1	BQ	1563	C	N1-C2-N3	5.16	122.81	119.20
1	BQ	2263	C	N1-C2-O2	5.16	122.00	118.90
18	2	512	A	P-O3'-C3'	5.16	125.89	119.70
18	2b	1456	C	C2-N1-C1'	5.15	124.47	118.80
1	YQ	1451	C	N3-C4-C5	5.15	123.96	121.90
1	YQ	1761	C	P-O3'-C3'	5.15	125.88	119.70
84	1	28	U	C2-N1-C1'	5.15	123.88	117.70
18	2b	553	G	C4-N9-C1'	5.15	133.20	126.50
1	YQ	2978	U	O4'-C1'-N1	5.15	112.32	108.20
3	YS	125	U	N3-C2-O2	-5.15	118.59	122.20
18	2	455	C	C6-N1-C2	-5.15	118.24	120.30
6	BE	98	ARG	NE-CZ-NH1	5.15	122.87	120.30
18	2	1796	C	C6-N1-C1'	-5.15	114.62	120.80
1	YQ	1112	A	C5-C6-N6	-5.15	119.58	123.70
80	n	67	G	N3-C4-C5	5.15	131.17	128.60
48	Mb	56	ARG	NE-CZ-NH1	5.15	122.87	120.30
1	BQ	1481	A	C4-N9-C1'	5.14	135.56	126.30
1	BQ	1582	C	C6-N1-C2	-5.14	118.24	120.30
18	2	1285	U	C2-N1-C1'	5.14	123.87	117.70
18	2	1058	U	C2-N1-C1'	5.14	123.87	117.70
1	BQ	914	A	C5-C6-N6	-5.14	119.59	123.70
18	2b	794	U	P-O3'-C3'	5.14	125.87	119.70
45	eb	10	ARG	NE-CZ-NH1	-5.14	117.73	120.30
1	BQ	329	U	N3-C2-O2	-5.14	118.60	122.20
15	XM	55	ARG	NE-CZ-NH1	5.14	122.87	120.30
1	BQ	2872	A	P-O3'-C3'	5.13	125.86	119.70
18	2	1716	C	C5-C6-N1	5.13	123.57	121.00
18	2b	874	C	N1-C2-O2	5.13	121.98	118.90
18	2	610	G	C8-N9-C1'	-5.13	120.33	127.00
18	2	1058	U	P-O3'-C3'	5.13	125.86	119.70
18	2	1419	G	N1-C2-N2	-5.13	111.58	116.20
64	AV	40	ARG	NE-CZ-NH1	5.13	122.87	120.30
1	BQ	2570	U	N3-C2-O2	-5.13	118.61	122.20
3	BS	82	U	C2-N1-C1'	5.13	123.85	117.70
18	2b	1235	C	C2-N1-C1'	5.13	124.44	118.80
18	2b	723	G	N3-C4-N9	-5.12	122.92	126.00
1	YQ	2194	G	C8-N9-C1'	-5.12	120.34	127.00
53	YB	179	ARG	NE-CZ-NH1	5.12	122.86	120.30
1	YQ	1884	A	N1-C6-N6	5.12	121.67	118.60
1	BQ	665	A	C4-C5-N7	5.12	113.26	110.70
18	2b	1560	U	N3-C2-O2	-5.12	118.62	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	BQ	1067	U	C5-C6-N1	5.12	125.26	122.70
18	2	1473	U	N3-C2-O2	-5.12	118.62	122.20
18	2b	892	A	C5-N7-C8	-5.12	101.34	103.90
41	bb	93	LEU	CA-CB-CG	5.12	127.06	115.30
1	YQ	2537	U	C5-C6-N1	5.12	125.26	122.70
1	BQ	2978	U	O4'-C1'-N1	5.11	112.29	108.20
42	c	13	ARG	NE-CZ-NH1	5.11	122.86	120.30
1	YQ	345	G	C2-N3-C4	-5.11	109.34	111.90
18	2	1438	G	C4-N9-C1'	5.11	133.14	126.50
1	YQ	1563	C	C6-N1-C1'	5.11	126.93	120.80
1	BQ	1335	C	N1-C2-O2	5.11	121.96	118.90
1	BQ	2374	C	C6-N1-C2	-5.11	118.26	120.30
1	BQ	2870	C	N1-C2-O2	5.11	121.96	118.90
18	2b	1390	U	N1-C2-O2	5.11	126.37	122.80
1	YQ	16	A	N9-C4-C5	-5.11	103.76	105.80
1	YQ	2876	C	N1-C2-O2	5.10	121.96	118.90
1	BQ	2133	U	C5-C4-O4	-5.10	122.84	125.90
25	T	38	GLY	N-CA-C	5.10	125.85	113.10
1	YQ	1377	G	C2-N3-C4	-5.10	109.35	111.90
3	BS	38	U	C2-N1-C1'	5.09	123.81	117.70
18	2b	1554	U	OP2-P-O3'	5.09	116.41	105.20
18	2b	1572	G	C4-N9-C1'	5.09	133.12	126.50
1	YQ	873	C	P-O3'-C3'	5.09	125.81	119.70
1	YQ	1332	A	N9-C4-C5	-5.09	103.76	105.80
18	2b	70	C	N1-C2-O2	5.09	121.95	118.90
18	2b	1060	U	N1-C2-O2	5.09	126.36	122.80
1	BQ	1604	G	C4-N9-C1'	5.09	133.12	126.50
18	2b	25	C	P-O3'-C3'	5.09	125.81	119.70
1	YQ	663	C	C5-C4-N4	-5.09	116.64	120.20
1	YQ	3348	G	C8-N9-C1'	-5.09	120.39	127.00
18	2b	874	C	C2-N1-C1'	5.09	124.39	118.80
1	BQ	1875	G	N3-C4-N9	5.08	129.05	126.00
1	YQ	364	G	C2-N3-C4	-5.08	109.36	111.90
18	2	73	U	O4'-C1'-N1	5.08	112.27	108.20
1	YQ	806	A	C5-C6-N6	-5.08	119.64	123.70
18	2	1658	G	N3-C4-C5	5.08	131.14	128.60
1	BQ	2553	U	C2-N1-C1'	5.08	123.80	117.70
1	BQ	1307	G	P-O3'-C3'	5.08	125.79	119.70
1	BQ	1235	U	N3-C4-O4	5.08	122.95	119.40
1	YQ	1146	C	C6-N1-C2	-5.08	118.27	120.30
1	YQ	1373	A	N9-C4-C5	-5.08	103.77	105.80
18	2	1246	C	C6-N1-C2	-5.07	118.27	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	Ub	81	LEU	CB-CG-CD2	5.07	119.62	111.00
1	YQ	2954	U	N1-C2-O2	5.07	126.35	122.80
1	YQ	1284	C	N3-C4-N4	5.07	121.55	118.00
1	YQ	1196	C	C5-C6-N1	5.07	123.53	121.00
1	YQ	2255	A	N7-C8-N9	5.07	116.33	113.80
18	2b	892	A	N1-C6-N6	5.07	121.64	118.60
1	YQ	1063	G	C4-N9-C1'	5.06	133.08	126.50
1	YQ	2756	C	N1-C2-O2	5.06	121.94	118.90
80	n	39	C	C6-N1-C1'	-5.06	114.72	120.80
18	2b	488	G	N1-C6-O6	5.06	122.94	119.90
1	BQ	1863	G	N3-C4-C5	5.06	131.13	128.60
42	c	16	ARG	NE-CZ-NH2	5.06	122.83	120.30
18	2b	704	C	N1-C2-O2	5.06	121.94	118.90
18	2b	1322	A	N9-C4-C5	-5.06	103.78	105.80
17	XU	113	ASP	CB-CG-OD1	5.06	122.85	118.30
1	BQ	1235	U	C5-C4-O4	-5.06	122.87	125.90
1	BQ	1027	A	P-O3'-C3'	5.05	125.77	119.70
18	2b	1771	U	C5-C4-O4	-5.05	122.87	125.90
81	m	34	U	N1-C2-O2	5.05	126.34	122.80
18	2b	1426	C	C6-N1-C1'	-5.05	114.74	120.80
18	2b	1246	C	O4'-C1'-N1	5.05	112.24	108.20
1	YQ	3085	G	N3-C4-C5	5.05	131.12	128.60
1	YQ	1857	C	C2-N1-C1'	5.04	124.35	118.80
72	XF	73	ARG	NE-CZ-NH1	5.04	122.82	120.30
1	BQ	1222	G	C8-N9-C4	-5.04	104.38	106.40
42	c	7	ARG	NE-CZ-NH1	5.04	122.82	120.30
31	Db	129	GLU	C-N-CA	5.04	134.30	121.70
1	YQ	933	A	N1-C6-N6	5.04	121.62	118.60
1	YQ	1927	G	C4-N9-C1'	5.04	133.05	126.50
1	YQ	2256	A	OP2-P-O3'	5.04	116.29	105.20
1	BQ	2369	G	C4-N9-C1'	5.04	133.05	126.50
18	2b	1560	U	C2-N1-C1'	5.04	123.75	117.70
25	Tb	132	ARG	NE-CZ-NH1	5.04	122.82	120.30
1	YQ	1283	C	N3-C2-O2	-5.04	118.37	121.90
1	YQ	2190	U	C5-C4-O4	-5.04	122.88	125.90
14	XJ	15	ARG	NE-CZ-NH1	5.04	122.82	120.30
1	BQ	1555	U	N3-C2-O2	-5.04	118.67	122.20
1	BQ	1563	C	C6-N1-C1'	5.04	126.84	120.80
56	BJ	92	ARG	NE-CZ-NH1	5.04	122.82	120.30
83	mb	36	A	C4-C5-C6	-5.04	114.48	117.00
75	AO	113	ARG	NE-CZ-NH1	5.03	122.82	120.30
1	YQ	1918	C	C2-N3-C4	-5.03	117.38	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	YQ	2769	A	N9-C4-C5	-5.03	103.79	105.80
1	YQ	2870	C	N1-C2-O2	5.03	121.92	118.90
1	BQ	674	G	C4-N9-C1'	5.03	133.04	126.50
1	BQ	2413	A	C4-C5-N7	5.03	113.22	110.70
7	BI	218	ARG	NE-CZ-NH1	5.03	122.81	120.30
18	2	7	G	N3-C4-N9	5.03	129.02	126.00
18	2	1592	A	C4-C5-N7	5.03	113.22	110.70
18	2	1461	C	N3-C2-O2	-5.03	118.38	121.90
81	m	34	U	C6-N1-C2	-5.03	117.98	121.00
1	YQ	2954	U	C2-N1-C1'	5.03	123.73	117.70
18	2b	142	G	N3-C4-C5	5.02	131.11	128.60
1	YQ	3362	A	O4'-C1'-N9	5.02	112.22	108.20
18	2b	453	U	C6-N1-C1'	-5.02	114.17	121.20
25	Tb	191	ARG	NE-CZ-NH2	5.02	122.81	120.30
1	YQ	1038	C	N1-C2-O2	5.02	121.91	118.90
1	YQ	418	A	C5-N7-C8	-5.02	101.39	103.90
1	YQ	2330	C	N3-C2-O2	-5.02	118.39	121.90
1	BQ	1277	C	N3-C2-O2	-5.02	118.39	121.90
1	YQ	425	G	N3-C4-N9	-5.02	122.99	126.00
1	BQ	1313	G	N3-C4-C5	5.02	131.11	128.60
1	YQ	1655	G	C8-N9-C4	-5.02	104.39	106.40
1	BQ	2194	G	C8-N9-C1'	-5.01	120.48	127.00
1	BQ	3195	U	P-O3'-C3'	5.01	125.72	119.70
1	YQ	2146	C	N3-C4-N4	5.01	121.51	118.00
1	YQ	2304	C	N3-C2-O2	-5.01	118.39	121.90
2	YR	46	A	N9-C4-C5	-5.01	103.79	105.80
1	BQ	1228	C	N1-C2-O2	-5.01	115.89	118.90
1	YQ	770	G	O4'-C1'-N9	5.01	112.21	108.20
1	YQ	1437	C	C5-C4-N4	-5.01	116.69	120.20
1	YQ	1159	A	N1-C6-N6	5.01	121.60	118.60
1	YQ	2413	A	C4-C5-N7	5.01	113.20	110.70
1	YQ	2602	G	N3-C4-C5	5.00	131.10	128.60
1	YQ	208	C	N1-C2-O2	5.00	121.90	118.90
1	YQ	2346	C	C5-C4-N4	-5.00	116.70	120.20

There are no chirality outliers.

All (180) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
22	A	195	SER	Peptide
22	A	219	ALA	Peptide
10	AA	202	GLU	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
58	AB	41	GLY	Peptide
71	AC	63	ASN	Peptide
59	AE	73	ARG	Peptide
59	AE	74	LYS	Peptide
59	AE	75	THR	Peptide
59	AE	76	VAL	Peptide
13	AG	10	ARG	Peptide
13	AG	11	ASP	Peptide
13	AG	152	HIS	Peptide
13	AG	172	LEU	Peptide
13	AG	94	ARG	Peptide
13	AG	95	ASN	Peptide
14	AJ	135	ALA	Peptide
14	AJ	140	SER	Peptide
14	AJ	47	ALA	Peptide
14	AJ	61	PRO	Peptide
14	AJ	74	GLY	Peptide
62	AN	102	GLU	Peptide
16	AQ	146	ALA	Peptide
63	AR	66	ALA	Peptide
64	AV	19	ASN	Peptide
64	AV	20	GLY	Peptide
64	AV	21	ILE	Peptide
4	AW	214	GLY	Peptide
22	Ab	219	ALA	Peptide
24	B	100	ASN	Peptide
24	B	150	GLY	Peptide
5	BA	112	ASP	Mainchain
53	BB	98	LYS	Peptide
6	BE	318	LEU	Peptide
6	BE	89	ALA	Peptide
7	BI	269	SER	Peptide
9	BO	232	ARG	Peptide
70	BP	83	LYS	Peptide
24	Bb	100	ASN	Peptide
24	Bb	44	ASN	Peptide
29	C	31	LYS	Peptide
29	C	34	GLU	Peptide
29	Cb	23	ALA	Peptide
29	Cb	34	GLU	Peptide
31	D	109	GLU	Peptide
31	D	110	GLY	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
31	D	129	GLU	Peptide
31	D	130	THR	Peptide
31	Db	109	GLU	Peptide
31	Db	110	GLY	Peptide
31	Db	129	GLU	Peptide
31	Db	130	THR	Peptide
34	E	124	THR	Peptide
34	E	125	PRO	Peptide
34	Eb	124	THR	Peptide
34	Eb	125	PRO	Peptide
34	Eb	127	ARG	Peptide
34	Eb	70	ASN	Peptide
35	F	115	THR	Peptide
35	F	40	GLU	Peptide
35	Fb	115	THR	Peptide
35	Fb	40	GLU	Peptide
37	H	101	LEU	Peptide
37	H	90	ASN	Peptide
37	Hb	101	LEU	Peptide
37	Hb	13	HIS	Peptide
37	Hb	90	ASN	Peptide
39	J	51	VAL	Peptide
39	J	71	PRO	Peptide
39	Jb	50	LEU	Peptide
39	Jb	51	VAL	Peptide
39	Jb	71	PRO	Peptide
39	Jb	72	ASN	Peptide
44	Kb	87	GLY	Peptide
48	M	10	HIS	Peptide
48	Mb	10	HIS	Peptide
48	Mb	18	SER	Peptide
50	N	106	TYR	Peptide
50	N	139	LEU	Peptide
50	N	147	VAL	Peptide
50	Nb	103	LEU	Peptide
50	Nb	106	TYR	Peptide
50	Nb	147	VAL	Peptide
19	P	166	GLY	Peptide
19	P	184	LEU	Peptide
19	P	186	GLY	Peptide
19	Pb	107	PHE	Peptide
19	Pb	166	GLY	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
19	Pb	184	LEU	Peptide
19	Pb	186	GLY	Peptide
19	Pb	94	GLY	Peptide
20	Q	146	GLN	Peptide
20	Qb	146	GLN	Peptide
20	Qb	151	LYS	Peptide
21	R	106	ASP	Peptide
21	R	236	PRO	Peptide
21	Rb	106	ASP	Peptide
21	Rb	236	PRO	Peptide
23	S	118	GLU	Peptide
23	S	195	ILE	Peptide
23	S	88	ASP	Peptide
23	S	89	VAL	Peptide
23	Sb	118	GLU	Peptide
23	Sb	195	ILE	Peptide
23	Sb	28	ALA	Peptide
25	T	124	LEU	Peptide
25	T	37	ASP	Peptide
25	T	49	VAL	Peptide
25	Tb	164	LYS	Peptide
25	Tb	67	VAL	Peptide
26	U	130	VAL	Peptide
26	U	30	SER	Peptide
26	U	31	SER	Peptide
26	U	64	VAL	Peptide
26	U	9	LEU	Peptide
26	Ub	130	VAL	Peptide
26	Ub	31	SER	Peptide
26	Ub	64	VAL	Peptide
26	Ub	9	LEU	Peptide
27	V	60	ILE	Peptide
27	Vb	60	ILE	Peptide
30	X	122	ILE	Peptide
30	X	129	ARG	Peptide
30	X	6	THR	Peptide
71	XC	63	ASN	Peptide
59	XE	74	LYS	Peptide
59	XE	75	THR	Peptide
13	XG	11	ASP	Peptide
13	XG	172	LEU	Peptide
13	XG	94	ARG	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
14	XJ	135	ALA	Peptide
14	XJ	47	ALA	Peptide
14	XJ	61	PRO	Peptide
14	XJ	74	GLY	Peptide
15	XM	62	GLN	Peptide
62	XN	102	GLU	Peptide
16	XQ	146	ALA	Peptide
63	XR	17	ALA	Peptide
78	XT	49	ARG	Peptide
64	XV	19	ASN	Peptide
64	XV	20	GLY	Peptide
64	XV	21	ILE	Peptide
4	XW	211	HIS	Peptide
32	Y	22	ALA	Peptide
5	YA	112	ASP	Mainchain
53	YB	41	ASP	Peptide
53	YB	98	LYS	Peptide
12	YD	48	LEU	Mainchain
6	YE	318	LEU	Peptide
6	YE	89	ALA	Peptide
9	YO	232	ARG	Peptide
70	YP	83	LYS	Peptide
32	Yb	22	ALA	Peptide
33	Zb	122	PRO	Peptide
33	Zb	79	VAL	Peptide
40	a	81	ASN	Peptide
41	b	89	TRP	Mainchain
41	bb	89	TRP	Mainchain
42	c	88	PRO	Peptide
42	cb	88	PRO	Peptide
43	d	33	ALA	Peptide
43	d	51	GLU	Peptide
43	d	52	LYS	Peptide
43	db	119	PHE	Peptide
43	db	29	HIS	Peptide
43	db	33	ALA	Peptide
43	db	51	GLU	Peptide
43	db	52	LYS	Peptide
45	e	10	ARG	Peptide
45	e	34	LYS	Peptide
45	e	61	GLU	Peptide
45	e	62	TYR	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
45	e	7	SER	Peptide
45	eb	10	ARG	Peptide
45	eb	34	LYS	Peptide
45	eb	61	GLU	Peptide
45	eb	62	TYR	Peptide
45	eb	7	SER	Peptide
49	g	3	LYS	Peptide
49	gb	3	LYS	Peptide
49	gb	46	ASN	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	AW	250/252 (99%)	217 (87%)	33 (13%)	0	100	100
4	XW	250/252 (99%)	218 (87%)	32 (13%)	0	100	100
5	BA	384/386 (100%)	357 (93%)	27 (7%)	0	100	100
5	YA	384/386 (100%)	358 (93%)	25 (6%)	1 (0%)	41	76
6	BE	359/361 (99%)	321 (89%)	33 (9%)	5 (1%)	11	46
6	YE	359/361 (99%)	321 (89%)	33 (9%)	5 (1%)	11	46
7	BI	292/294 (99%)	266 (91%)	25 (9%)	1 (0%)	41	76
7	YI	292/294 (99%)	265 (91%)	27 (9%)	0	100	100
8	BM	153/176 (87%)	146 (95%)	6 (4%)	1 (1%)	22	62
8	YM	153/176 (87%)	146 (95%)	6 (4%)	1 (1%)	22	62
9	BO	221/223 (99%)	206 (93%)	14 (6%)	1 (0%)	29	69

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
9	YO	221/223 (99%)	207 (94%)	14 (6%)	0	100	100
10	AA	229/231 (99%)	202 (88%)	27 (12%)	0	100	100
10	XA	229/231 (99%)	197 (86%)	32 (14%)	0	100	100
11	AD	188/190 (99%)	177 (94%)	11 (6%)	0	100	100
11	XD	188/190 (99%)	175 (93%)	13 (7%)	0	100	100
12	BD	205/221 (93%)	187 (91%)	17 (8%)	1 (0%)	29	69
12	YD	205/221 (93%)	187 (91%)	17 (8%)	1 (0%)	29	69
13	AG	167/169 (99%)	139 (83%)	26 (16%)	2 (1%)	13	50
13	XG	167/169 (99%)	139 (83%)	24 (14%)	4 (2%)	6	35
14	AJ	192/194 (99%)	159 (83%)	25 (13%)	8 (4%)	3	24
14	XJ	192/194 (99%)	155 (81%)	30 (16%)	7 (4%)	3	27
15	AM	135/137 (98%)	129 (96%)	6 (4%)	0	100	100
15	XM	135/137 (98%)	123 (91%)	12 (9%)	0	100	100
16	AQ	201/203 (99%)	185 (92%)	14 (7%)	2 (1%)	15	54
16	XQ	201/203 (99%)	180 (90%)	20 (10%)	1 (0%)	29	69
17	AU	195/197 (99%)	191 (98%)	4 (2%)	0	100	100
17	XU	195/197 (99%)	186 (95%)	9 (5%)	0	100	100
19	P	204/206 (99%)	171 (84%)	32 (16%)	1 (0%)	29	69
19	Pb	204/206 (99%)	171 (84%)	31 (15%)	2 (1%)	15	54
20	Q	214/216 (99%)	193 (90%)	21 (10%)	0	100	100
20	Qb	214/216 (99%)	189 (88%)	25 (12%)	0	100	100
21	R	215/217 (99%)	190 (88%)	25 (12%)	0	100	100
21	Rb	215/217 (99%)	187 (87%)	27 (13%)	1 (0%)	29	69
22	A	221/223 (99%)	196 (89%)	21 (10%)	4 (2%)	8	41
22	Ab	221/223 (99%)	199 (90%)	18 (8%)	4 (2%)	8	41
23	S	258/260 (99%)	226 (88%)	31 (12%)	1 (0%)	34	72
23	Sb	258/260 (99%)	219 (85%)	38 (15%)	1 (0%)	34	72
24	B	204/206 (99%)	170 (83%)	31 (15%)	3 (2%)	10	46
24	Bb	204/206 (99%)	173 (85%)	28 (14%)	3 (2%)	10	46
25	T	216/218 (99%)	194 (90%)	20 (9%)	2 (1%)	17	56
25	Tb	216/218 (99%)	202 (94%)	13 (6%)	1 (0%)	29	69

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
26	U	183/185 (99%)	156 (85%)	23 (13%)	4 (2%)	6	37
26	Ub	183/185 (99%)	157 (86%)	22 (12%)	4 (2%)	6	37
27	V	184/200 (92%)	167 (91%)	17 (9%)	0	100	100
27	Vb	184/200 (92%)	168 (91%)	16 (9%)	0	100	100
28	W	183/185 (99%)	164 (90%)	18 (10%)	1 (0%)	29	69
28	Wb	183/185 (99%)	149 (81%)	32 (18%)	2 (1%)	14	52
29	C	90/92 (98%)	67 (74%)	21 (23%)	2 (2%)	6	37
29	Cb	90/92 (98%)	70 (78%)	18 (20%)	2 (2%)	6	37
30	X	144/146 (99%)	123 (85%)	20 (14%)	1 (1%)	22	62
30	Xb	144/146 (99%)	125 (87%)	19 (13%)	0	100	100
31	D	122/124 (98%)	86 (70%)	31 (25%)	5 (4%)	3	25
31	Db	122/124 (98%)	87 (71%)	30 (25%)	5 (4%)	3	25
32	Y	148/150 (99%)	131 (88%)	15 (10%)	2 (1%)	11	46
32	Yb	148/150 (99%)	132 (89%)	14 (10%)	2 (1%)	11	46
33	Z	126/128 (98%)	110 (87%)	16 (13%)	0	100	100
33	Zb	126/128 (98%)	112 (89%)	14 (11%)	0	100	100
34	E	117/119 (98%)	101 (86%)	12 (10%)	4 (3%)	3	28
34	Eb	117/119 (98%)	102 (87%)	10 (8%)	5 (4%)	2	24
35	F	139/141 (99%)	124 (89%)	14 (10%)	1 (1%)	22	62
35	Fb	139/141 (99%)	123 (88%)	15 (11%)	1 (1%)	22	62
36	G	123/125 (98%)	106 (86%)	16 (13%)	1 (1%)	19	60
36	Gb	123/125 (98%)	103 (84%)	19 (15%)	1 (1%)	19	60
37	H	143/145 (99%)	122 (85%)	19 (13%)	2 (1%)	11	46
37	Hb	143/145 (99%)	128 (90%)	11 (8%)	4 (3%)	5	32
38	I	141/143 (99%)	131 (93%)	10 (7%)	0	100	100
38	Ib	141/143 (99%)	130 (92%)	11 (8%)	0	100	100
39	J	99/101 (98%)	86 (87%)	11 (11%)	2 (2%)	7	39
39	Jb	99/101 (98%)	84 (85%)	13 (13%)	2 (2%)	7	39
40	a	85/87 (98%)	72 (85%)	12 (14%)	1 (1%)	13	50
40	ab	85/87 (98%)	74 (87%)	10 (12%)	1 (1%)	13	50
41	b	127/129 (98%)	122 (96%)	5 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
41	bb	127/129 (98%)	122 (96%)	4 (3%)	1 (1%)	19	60
42	c	142/144 (99%)	129 (91%)	10 (7%)	3 (2%)	7	38
42	cb	142/144 (99%)	128 (90%)	11 (8%)	3 (2%)	7	38
43	d	132/134 (98%)	117 (89%)	10 (8%)	5 (4%)	3	26
43	db	132/134 (98%)	114 (86%)	12 (9%)	6 (4%)	2	23
44	K	67/69 (97%)	61 (91%)	6 (9%)	0	100	100
44	Kb	67/69 (97%)	61 (91%)	6 (9%)	0	100	100
45	e	95/97 (98%)	77 (81%)	17 (18%)	1 (1%)	14	52
45	eb	95/97 (98%)	80 (84%)	14 (15%)	1 (1%)	14	52
46	f	79/81 (98%)	68 (86%)	10 (13%)	1 (1%)	12	48
46	fb	79/81 (98%)	68 (86%)	10 (13%)	1 (1%)	12	48
47	L	61/63 (97%)	51 (84%)	10 (16%)	0	100	100
47	Lb	61/63 (97%)	52 (85%)	9 (15%)	0	100	100
48	M	51/53 (96%)	37 (72%)	14 (28%)	0	100	100
48	Mb	51/53 (96%)	38 (74%)	11 (22%)	2 (4%)	3	25
49	g	58/60 (97%)	47 (81%)	10 (17%)	1 (2%)	9	43
49	gb	58/60 (97%)	46 (79%)	11 (19%)	1 (2%)	9	43
50	N	71/73 (97%)	45 (63%)	25 (35%)	1 (1%)	11	46
50	Nb	71/73 (97%)	47 (66%)	24 (34%)	0	100	100
51	O	311/313 (99%)	292 (94%)	19 (6%)	0	100	100
51	Ob	311/313 (99%)	280 (90%)	31 (10%)	0	100	100
52	AX	171/184 (93%)	163 (95%)	8 (5%)	0	100	100
52	XX	171/184 (93%)	161 (94%)	10 (6%)	0	100	100
53	BB	183/185 (99%)	171 (93%)	11 (6%)	1 (0%)	29	69
53	YB	183/185 (99%)	168 (92%)	15 (8%)	0	100	100
54	BF	181/188 (96%)	173 (96%)	7 (4%)	1 (1%)	25	65
54	YF	186/188 (99%)	178 (96%)	8 (4%)	0	100	100
55	BH	170/172 (99%)	160 (94%)	10 (6%)	0	100	100
55	YH	170/172 (99%)	161 (95%)	9 (5%)	0	100	100
56	BJ	157/159 (99%)	142 (90%)	13 (8%)	2 (1%)	12	48
56	YJ	157/159 (99%)	140 (89%)	14 (9%)	3 (2%)	8	40

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
57	BL	96/98 (98%)	88 (92%)	7 (7%)	1 (1%)	15	54
57	YL	96/98 (98%)	87 (91%)	9 (9%)	0	100	100
58	AB	132/134 (98%)	124 (94%)	8 (6%)	0	100	100
58	XB	132/134 (98%)	122 (92%)	10 (8%)	0	100	100
59	AE	133/135 (98%)	114 (86%)	17 (13%)	2 (2%)	10	46
59	XE	133/135 (98%)	113 (85%)	20 (15%)	0	100	100
60	AH	118/120 (98%)	107 (91%)	11 (9%)	0	100	100
60	XH	118/120 (98%)	109 (92%)	9 (8%)	0	100	100
61	AK	122/124 (98%)	111 (91%)	11 (9%)	0	100	100
61	XK	122/124 (98%)	116 (95%)	6 (5%)	0	100	100
62	AN	133/135 (98%)	119 (90%)	12 (9%)	2 (2%)	10	46
62	XN	133/135 (98%)	118 (89%)	13 (10%)	2 (2%)	10	46
63	AR	146/148 (99%)	122 (84%)	22 (15%)	2 (1%)	11	46
63	XR	146/148 (99%)	119 (82%)	26 (18%)	1 (1%)	22	62
64	AV	56/58 (97%)	45 (80%)	11 (20%)	0	100	100
64	XV	56/58 (97%)	44 (79%)	12 (21%)	0	100	100
65	AY	98/100 (98%)	97 (99%)	1 (1%)	0	100	100
65	XY	98/100 (98%)	94 (96%)	3 (3%)	1 (1%)	15	54
66	BC	107/109 (98%)	94 (88%)	12 (11%)	1 (1%)	17	56
66	YC	107/109 (98%)	94 (88%)	11 (10%)	2 (2%)	8	40
67	BG	125/127 (98%)	116 (93%)	7 (6%)	2 (2%)	9	44
67	YG	125/127 (98%)	116 (93%)	7 (6%)	2 (2%)	9	44
68	BK	104/106 (98%)	97 (93%)	7 (7%)	0	100	100
68	YK	104/106 (98%)	96 (92%)	8 (8%)	0	100	100
69	BN	110/112 (98%)	105 (96%)	5 (4%)	0	100	100
69	YN	110/112 (98%)	106 (96%)	4 (4%)	0	100	100
70	BP	117/119 (98%)	108 (92%)	8 (7%)	1 (1%)	17	56
70	YP	117/119 (98%)	108 (92%)	8 (7%)	1 (1%)	17	56
71	AC	97/99 (98%)	83 (86%)	14 (14%)	0	100	100
71	XC	97/99 (98%)	91 (94%)	6 (6%)	0	100	100
72	AF	80/82 (98%)	72 (90%)	8 (10%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
72	XF	80/82 (98%)	71 (89%)	9 (11%)	0	100	100
73	AI	75/77 (97%)	70 (93%)	4 (5%)	1 (1%)	12	48
73	XI	75/77 (97%)	69 (92%)	5 (7%)	1 (1%)	12	48
74	AL	48/50 (96%)	46 (96%)	2 (4%)	0	100	100
74	XL	48/50 (96%)	43 (90%)	5 (10%)	0	100	100
75	AO	50/52 (96%)	47 (94%)	3 (6%)	0	100	100
75	XO	50/52 (96%)	49 (98%)	1 (2%)	0	100	100
76	AS	23/25 (92%)	23 (100%)	0	0	100	100
76	XS	23/25 (92%)	22 (96%)	1 (4%)	0	100	100
77	AP	103/105 (98%)	94 (91%)	9 (9%)	0	100	100
77	XP	103/105 (98%)	95 (92%)	8 (8%)	0	100	100
78	AT	89/91 (98%)	82 (92%)	7 (8%)	0	100	100
78	XT	89/91 (98%)	82 (92%)	7 (8%)	0	100	100
79	BU	134/312 (43%)	128 (96%)	6 (4%)	0	100	100
79	YU	134/312 (43%)	127 (95%)	7 (5%)	0	100	100
All	All	22169/22946 (97%)	19791 (89%)	2203 (10%)	175 (1%)	24	60

All (175) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	BE	90	PHE
6	BE	339	LEU
13	AG	95	ASN
14	AJ	48	PRO
14	AJ	62	THR
16	AQ	147	ARG
22	A	196	ARG
24	B	101	GLY
26	U	74	GLN
26	U	111	LYS
31	D	130	THR
35	F	116	LEU
36	G	82	ASP
43	d	52	LYS
24	Bb	101	GLY
26	Ub	74	GLN
26	Ub	111	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
31	Db	130	THR
35	Fb	116	LEU
36	Gb	82	ASP
39	Jb	72	ASN
43	db	52	LYS
5	YA	386	ASP
6	YE	339	LEU
13	XG	95	ASN
14	XJ	48	PRO
14	XJ	62	THR
16	XQ	147	ARG
62	XN	102	GLU
63	XR	78	LEU
67	YG	6	HIS
22	A	45	LYS
22	A	90	ARG
24	B	126	ASP
29	C	35	ILE
31	D	109	GLU
37	H	91	ASP
39	J	72	ASN
40	a	6	GLY
42	c	89	ASN
43	d	49	LYS
49	g	4	VAL
56	BJ	135	PRO
59	AE	76	VAL
62	AN	102	GLU
63	AR	18	GLY
63	AR	78	LEU
22	Ab	90	ARG
25	Tb	68	LEU
34	Eb	71	GLU
37	Hb	91	ASP
40	ab	11	LEU
41	bb	68	ARG
42	cb	89	ASN
43	db	33	ALA
43	db	49	LYS
6	YE	343	LYS
14	XJ	77	LEU
56	YJ	135	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
67	YG	17	PHE
73	XI	17	ARG
6	BE	301	PRO
6	BE	342	LYS
14	AJ	61	PRO
14	AJ	77	LEU
22	A	218	LEU
23	S	163	ASP
34	E	71	GLU
45	e	9	GLY
54	BF	36	ASN
59	AE	75	THR
67	BG	6	HIS
67	BG	17	PHE
70	BP	91	ALA
73	AI	17	ARG
22	Ab	45	LYS
22	Ab	218	LEU
23	Sb	163	ASP
24	Bb	126	ASP
31	Db	109	GLU
34	Eb	127	ARG
45	eb	35	ALA
49	gb	4	VAL
6	YE	301	PRO
65	XY	103	THR
66	YC	82	GLU
7	BI	6	ASP
13	AG	115	LYS
14	AJ	47	ALA
25	T	48	TYR
29	C	24	LYS
31	D	131	ASP
42	c	101	GLU
43	d	33	ALA
43	d	58	PHE
43	d	78	SER
46	f	62	ILE
50	N	107	LYS
31	Db	131	ASP
43	db	78	SER
48	Mb	13	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	YE	342	LYS
13	XG	94	ARG
14	XJ	61	PRO
56	YJ	22	HIS
56	YJ	136	ARG
70	YP	91	ALA
8	BM	10	TYR
9	BO	229	PHE
14	AJ	140	SER
16	AQ	146	ALA
24	B	29	ILE
25	T	68	LEU
31	D	119	SER
32	Y	29	SER
34	E	125	PRO
56	BJ	136	ARG
57	BL	49	ASN
24	Bb	29	ILE
31	Db	90	LYS
32	Yb	29	SER
34	Eb	125	PRO
37	Hb	60	GLU
42	cb	101	GLU
43	db	58	PHE
46	fb	62	ILE
8	YM	10	TYR
12	YD	219	ALA
13	XG	152	HIS
14	XJ	47	ALA
14	XJ	140	SER
62	XN	101	PHE
6	BE	145	ILE
12	BD	219	ALA
14	AJ	141	ALA
19	P	31	VAL
26	U	131	PHE
32	Y	22	ALA
39	J	51	VAL
42	c	41	SER
53	BB	99	THR
62	AN	101	PHE
26	Ub	131	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
29	Cb	24	LYS
29	Cb	35	ILE
42	cb	41	SER
28	W	163	PRO
30	X	129	ARG
34	E	68	PRO
66	BC	7	VAL
34	Eb	68	PRO
37	Hb	92	ILE
39	Jb	51	VAL
6	YE	145	ILE
14	XJ	60	ALA
26	U	65	PRO
37	H	92	ILE
19	Pb	186	GLY
28	Wb	162	SER
34	Eb	126	VAL
43	db	35	VAL
66	YC	7	VAL
14	AJ	60	ALA
31	D	89	ILE
22	Ab	180	GLY
26	Ub	65	PRO
37	Hb	14	ILE
48	Mb	11	PRO
34	E	126	VAL
19	Pb	31	VAL
21	Rb	236	PRO
28	Wb	163	PRO
31	Db	89	ILE
32	Yb	22	ALA
13	XG	8	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	AW	192/194 (99%)	191 (100%)	1 (0%)	88	93
4	XW	192/194 (99%)	192 (100%)	0	100	100
5	BA	318/322 (99%)	312 (98%)	6 (2%)	57	75
5	YA	318/322 (99%)	314 (99%)	4 (1%)	69	82
6	BE	288/288 (100%)	286 (99%)	2 (1%)	84	90
6	YE	288/288 (100%)	286 (99%)	2 (1%)	84	90
7	BI	243/243 (100%)	241 (99%)	2 (1%)	81	89
7	YI	243/243 (100%)	240 (99%)	3 (1%)	71	84
8	BM	135/153 (88%)	133 (98%)	2 (2%)	65	80
8	YM	135/153 (88%)	134 (99%)	1 (1%)	84	90
9	BO	187/187 (100%)	187 (100%)	0	100	100
9	YO	187/187 (100%)	187 (100%)	0	100	100
10	AA	177/190 (93%)	176 (99%)	1 (1%)	86	91
10	XA	177/190 (93%)	176 (99%)	1 (1%)	86	91
11	AD	170/170 (100%)	170 (100%)	0	100	100
11	XD	170/170 (100%)	170 (100%)	0	100	100
12	BD	177/187 (95%)	176 (99%)	1 (1%)	86	91
12	YD	177/187 (95%)	174 (98%)	3 (2%)	60	78
13	AG	147/147 (100%)	147 (100%)	0	100	100
13	XG	147/147 (100%)	146 (99%)	1 (1%)	84	90
14	AJ	154/154 (100%)	153 (99%)	1 (1%)	86	91
14	XJ	154/154 (100%)	153 (99%)	1 (1%)	86	91
15	AM	108/108 (100%)	108 (100%)	0	100	100
15	XM	108/108 (100%)	108 (100%)	0	100	100
16	AQ	175/175 (100%)	175 (100%)	0	100	100
16	XQ	175/175 (100%)	175 (100%)	0	100	100
17	AU	160/160 (100%)	159 (99%)	1 (1%)	86	91
17	XU	160/160 (100%)	160 (100%)	0	100	100
19	P	165/173 (95%)	165 (100%)	0	100	100
19	Pb	165/173 (95%)	165 (100%)	0	100	100
20	Q	192/192 (100%)	192 (100%)	0	100	100
20	Qb	192/192 (100%)	191 (100%)	1 (0%)	88	93

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
21	R	176/176 (100%)	175 (99%)	1 (1%)	86	91
21	Rb	176/176 (100%)	176 (100%)	0	100	100
22	A	182/182 (100%)	180 (99%)	2 (1%)	73	84
22	Ab	182/182 (100%)	181 (100%)	1 (0%)	88	93
23	S	221/221 (100%)	221 (100%)	0	100	100
23	Sb	221/221 (100%)	221 (100%)	0	100	100
24	B	173/173 (100%)	171 (99%)	2 (1%)	71	84
24	Bb	173/173 (100%)	171 (99%)	2 (1%)	71	84
25	T	187/187 (100%)	186 (100%)	1 (0%)	88	93
25	Tb	187/187 (100%)	186 (100%)	1 (0%)	88	93
26	U	165/165 (100%)	165 (100%)	0	100	100
26	Ub	165/165 (100%)	164 (99%)	1 (1%)	86	91
27	V	150/161 (93%)	150 (100%)	0	100	100
27	Vb	150/161 (93%)	149 (99%)	1 (1%)	84	90
28	W	158/158 (100%)	156 (99%)	2 (1%)	69	82
28	Wb	158/158 (100%)	157 (99%)	1 (1%)	86	91
29	C	73/85 (86%)	73 (100%)	0	100	100
29	Cb	73/85 (86%)	73 (100%)	0	100	100
30	X	129/129 (100%)	127 (98%)	2 (2%)	62	79
30	Xb	129/129 (100%)	127 (98%)	2 (2%)	62	79
31	D	88/100 (88%)	88 (100%)	0	100	100
31	Db	88/100 (88%)	88 (100%)	0	100	100
32	Y	127/127 (100%)	127 (100%)	0	100	100
32	Yb	127/127 (100%)	127 (100%)	0	100	100
33	Z	97/97 (100%)	97 (100%)	0	100	100
33	Zb	97/97 (100%)	97 (100%)	0	100	100
34	E	98/98 (100%)	98 (100%)	0	100	100
34	Eb	98/98 (100%)	98 (100%)	0	100	100
35	F	117/117 (100%)	117 (100%)	0	100	100
35	Fb	117/117 (100%)	116 (99%)	1 (1%)	78	88
36	G	113/113 (100%)	112 (99%)	1 (1%)	78	88

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
36	Gb	113/113 (100%)	112 (99%)	1 (1%)	78	88
37	H	128/128 (100%)	128 (100%)	0	100	100
37	Hb	128/128 (100%)	128 (100%)	0	100	100
38	I	115/115 (100%)	115 (100%)	0	100	100
38	Ib	115/115 (100%)	115 (100%)	0	100	100
39	J	94/94 (100%)	94 (100%)	0	100	100
39	Jb	94/94 (100%)	94 (100%)	0	100	100
40	a	74/74 (100%)	74 (100%)	0	100	100
40	ab	74/74 (100%)	74 (100%)	0	100	100
41	b	110/110 (100%)	109 (99%)	1 (1%)	78	88
41	bb	110/110 (100%)	108 (98%)	2 (2%)	59	77
42	c	119/119 (100%)	118 (99%)	1 (1%)	81	89
42	cb	119/119 (100%)	118 (99%)	1 (1%)	81	89
43	d	112/112 (100%)	112 (100%)	0	100	100
43	db	112/112 (100%)	110 (98%)	2 (2%)	59	77
44	K	61/61 (100%)	61 (100%)	0	100	100
44	Kb	61/61 (100%)	61 (100%)	0	100	100
45	e	83/83 (100%)	82 (99%)	1 (1%)	71	84
45	eb	83/83 (100%)	82 (99%)	1 (1%)	71	84
46	f	70/70 (100%)	69 (99%)	1 (1%)	67	81
46	fb	70/70 (100%)	70 (100%)	0	100	100
47	L	56/56 (100%)	56 (100%)	0	100	100
47	Lb	56/56 (100%)	56 (100%)	0	100	100
48	M	47/47 (100%)	46 (98%)	1 (2%)	53	72
48	Mb	47/47 (100%)	45 (96%)	2 (4%)	29	54
49	g	51/51 (100%)	51 (100%)	0	100	100
49	gb	51/51 (100%)	48 (94%)	3 (6%)	19	46
50	N	56/63 (89%)	56 (100%)	0	100	100
50	Nb	56/63 (89%)	55 (98%)	1 (2%)	59	77
51	O	255/256 (100%)	255 (100%)	0	100	100
51	Ob	255/256 (100%)	254 (100%)	1 (0%)	91	94

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
52	AX	139/146 (95%)	139 (100%)	0	100	100
52	XX	139/146 (95%)	139 (100%)	0	100	100
53	BB	150/150 (100%)	150 (100%)	0	100	100
53	YB	150/150 (100%)	150 (100%)	0	100	100
54	BF	149/153 (97%)	148 (99%)	1 (1%)	84	90
54	YF	153/153 (100%)	153 (100%)	0	100	100
55	BH	156/156 (100%)	156 (100%)	0	100	100
55	YH	156/156 (100%)	156 (100%)	0	100	100
56	BJ	136/136 (100%)	135 (99%)	1 (1%)	84	90
56	YJ	136/136 (100%)	136 (100%)	0	100	100
57	BL	85/85 (100%)	85 (100%)	0	100	100
57	YL	85/85 (100%)	85 (100%)	0	100	100
58	AB	103/103 (100%)	103 (100%)	0	100	100
58	XB	103/103 (100%)	103 (100%)	0	100	100
59	AE	114/114 (100%)	111 (97%)	3 (3%)	46	67
59	XE	114/114 (100%)	113 (99%)	1 (1%)	78	88
60	AH	104/104 (100%)	104 (100%)	0	100	100
60	XH	104/104 (100%)	104 (100%)	0	100	100
61	AK	107/107 (100%)	107 (100%)	0	100	100
61	XK	107/107 (100%)	107 (100%)	0	100	100
62	AN	115/115 (100%)	115 (100%)	0	100	100
62	XN	115/115 (100%)	115 (100%)	0	100	100
63	AR	118/118 (100%)	118 (100%)	0	100	100
63	XR	118/118 (100%)	118 (100%)	0	100	100
64	AV	46/46 (100%)	46 (100%)	0	100	100
64	XV	46/46 (100%)	46 (100%)	0	100	100
65	AY	84/84 (100%)	84 (100%)	0	100	100
65	XY	84/84 (100%)	84 (100%)	0	100	100
66	BC	94/96 (98%)	94 (100%)	0	100	100
66	YC	94/96 (98%)	93 (99%)	1 (1%)	73	84
67	BG	109/109 (100%)	107 (98%)	2 (2%)	59	77

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
67	YG	109/109 (100%)	109 (100%)	0	100	100
68	BK	90/90 (100%)	90 (100%)	0	100	100
68	YK	90/90 (100%)	90 (100%)	0	100	100
69	BN	95/95 (100%)	95 (100%)	0	100	100
69	YN	95/95 (100%)	93 (98%)	2 (2%)	53	72
70	BP	103/104 (99%)	102 (99%)	1 (1%)	76	86
70	YP	103/104 (99%)	103 (100%)	0	100	100
71	AC	80/81 (99%)	80 (100%)	0	100	100
71	XC	80/81 (99%)	79 (99%)	1 (1%)	69	82
72	AF	67/67 (100%)	67 (100%)	0	100	100
72	XF	67/67 (100%)	64 (96%)	3 (4%)	27	53
73	AI	67/68 (98%)	66 (98%)	1 (2%)	65	80
73	XI	67/68 (98%)	66 (98%)	1 (2%)	65	80
74	AL	45/45 (100%)	45 (100%)	0	100	100
74	XL	45/45 (100%)	45 (100%)	0	100	100
75	AO	47/47 (100%)	46 (98%)	1 (2%)	53	72
75	XO	47/47 (100%)	47 (100%)	0	100	100
76	AS	23/23 (100%)	23 (100%)	0	100	100
76	XS	23/23 (100%)	22 (96%)	1 (4%)	29	54
77	AP	90/90 (100%)	89 (99%)	1 (1%)	73	84
77	XP	90/90 (100%)	89 (99%)	1 (1%)	73	84
78	AT	71/71 (100%)	70 (99%)	1 (1%)	67	81
78	XT	71/71 (100%)	70 (99%)	1 (1%)	67	81
79	BU	105/254 (41%)	105 (100%)	0	100	100
79	YU	105/254 (41%)	103 (98%)	2 (2%)	57	75
All	All	18734/19256 (97%)	18634 (100%)	100 (0%)	89	93

All (100) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	AW	247	ARG
5	BA	10	ARG
5	BA	81	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	BA	104	THR
5	BA	116	ARG
5	BA	241	LYS
5	BA	332	ARG
6	BE	177	ASP
6	BE	182	LEU
7	BI	196	ARG
7	BI	282	ARG
8	BM	46	ARG
8	BM	51	ARG
10	AA	245	LYS
12	BD	153	ARG
14	AJ	190	LYS
17	AU	117	ARG
21	R	91	ARG
22	A	51	ARG
22	A	164	VAL
24	B	25	LEU
24	B	157	ARG
25	T	98	ARG
28	W	3	ARG
28	W	180	LYS
30	X	46	LYS
30	X	67	ARG
36	G	5	ARG
41	b	93	LEU
42	c	3	LYS
45	e	74	CYS
46	f	82	LYS
48	M	28	THR
54	BF	181	ARG
56	BJ	139	ARG
59	AE	25	ASP
59	AE	73	ARG
59	AE	77	LYS
67	BG	34	LYS
67	BG	125	ARG
70	BP	20	GLN
73	AI	33	LYS
75	AO	99	CYS
77	AP	74	CYS
78	AT	59	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
20	Qb	202	LYS
22	Ab	143	ARG
24	Bb	25	LEU
24	Bb	93	LEU
25	Tb	98	ARG
26	Ub	64	VAL
27	Vb	77	ARG
28	Wb	3	ARG
30	Xb	67	ARG
30	Xb	116	ARG
35	Fb	102	LYS
36	Gb	5	ARG
41	bb	93	LEU
41	bb	104	LEU
42	cb	109	ARG
43	db	35	VAL
43	db	123	LYS
45	eb	74	CYS
48	Mb	12	ARG
48	Mb	28	THR
49	gb	4	VAL
49	gb	39	LEU
49	gb	46	ASN
50	Nb	92	LYS
51	Ob	229	LYS
5	YA	10	ARG
5	YA	19	ARG
5	YA	104	THR
5	YA	332	ARG
6	YE	177	ASP
6	YE	186	LYS
7	YI	79	TYR
7	YI	196	ARG
7	YI	254	LYS
8	YM	34	LEU
10	XA	245	LYS
12	YD	153	ARG
12	YD	186	GLU
12	YD	211	ARG
13	XG	12	LEU
14	XJ	153	ASP
59	XE	30	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
66	YC	28	ARG
69	YN	16	ARG
69	YN	37	LYS
71	XC	68	ARG
72	XF	22	CYS
72	XF	37	CYS
72	XF	75	LYS
73	XI	33	LYS
76	XS	9	ARG
77	XP	7	THR
78	XT	57	CYS
79	YU	23	LYS
79	YU	81	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (158) such sidechains are listed below:

Mol	Chain	Res	Type
4	AW	97	ASN
4	AW	205	ASN
6	BE	48	GLN
6	BE	116	ASN
6	BE	175	HIS
8	BM	97	ASN
9	BO	93	ASN
9	BO	172	ASN
11	AD	5	GLN
11	AD	51	GLN
11	AD	102	ASN
12	BD	59	GLN
13	AG	20	ASN
13	AG	109	HIS
14	AJ	137	GLN
15	AM	119	GLN
16	AQ	11	GLN
16	AQ	175	ASN
19	P	28	ASN
19	P	46	HIS
19	P	168	HIS
20	Q	95	ASN
20	Q	118	GLN
20	Q	183	GLN
20	Q	199	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
20	Q	208	GLN
21	R	94	GLN
21	R	220	ASN
21	R	233	GLN
23	S	17	HIS
23	S	130	GLN
23	S	259	GLN
26	U	86	GLN
26	U	110	GLN
27	V	175	GLN
28	W	74	ASN
31	D	80	ASN
34	E	128	HIS
35	F	83	GLN
36	G	123	ASN
37	H	21	ASN
37	H	71	GLN
37	H	89	GLN
38	I	43	ASN
40	a	21	ASN
41	b	15	ASN
42	c	48	HIS
42	c	99	ASN
43	d	31	ASN
44	K	44	GLN
44	K	82	HIS
45	e	17	HIS
48	M	53	ASN
51	O	196	ASN
51	O	314	GLN
52	AX	54	HIS
53	BB	145	ASN
54	BF	7	GLN
54	BF	36	ASN
57	BL	87	ASN
58	AB	7	GLN
61	AK	98	ASN
64	AV	42	ASN
64	AV	43	HIS
64	AV	48	HIS
69	BN	33	GLN
71	AC	63	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
74	AL	20	ASN
77	AP	22	GLN
19	Pb	33	GLN
19	Pb	69	ASN
19	Pb	83	GLN
21	Rb	82	ASN
21	Rb	89	GLN
21	Rb	220	ASN
22	Ab	165	ASN
24	Bb	37	GLN
25	Tb	65	GLN
26	Ub	19	GLN
26	Ub	74	GLN
26	Ub	86	GLN
26	Ub	108	GLN
28	Wb	74	ASN
30	Xb	138	ASN
33	Zb	24	ASN
35	Fb	94	GLN
36	Gb	42	GLN
37	Hb	12	GLN
37	Hb	71	GLN
37	Hb	136	GLN
38	Ib	43	ASN
39	Jb	33	GLN
41	bb	15	ASN
42	cb	22	ASN
42	cb	27	ASN
43	db	106	GLN
43	db	113	ASN
44	Kb	44	GLN
44	Kb	82	HIS
45	eb	11	ASN
46	fb	42	ASN
48	Mb	20	GLN
48	Mb	53	ASN
49	gb	46	ASN
51	Ob	17	ASN
51	Ob	237	GLN
51	Ob	288	HIS
5	YA	121	ASN
5	YA	211	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	YA	279	ASN
6	YE	5	GLN
6	YE	48	GLN
6	YE	116	ASN
6	YE	328	ASN
7	YI	4	GLN
8	YM	61	ASN
9	YO	64	GLN
9	YO	157	ASN
9	YO	172	ASN
10	XA	77	GLN
11	XD	102	ASN
12	YD	55	ASN
12	YD	144	ASN
13	XG	20	ASN
13	XG	43	GLN
13	XG	68	HIS
14	XJ	103	ASN
14	XJ	149	GLN
15	XM	119	GLN
16	XQ	138	GLN
17	XU	29	ASN
52	XX	97	ASN
52	XX	121	GLN
55	YH	65	ASN
55	YH	108	GLN
55	YH	122	HIS
56	YJ	49	GLN
57	YL	87	ASN
60	XH	85	GLN
60	XH	111	ASN
62	XN	127	ASN
64	XV	6	ASN
64	XV	43	HIS
65	XY	12	GLN
66	YC	57	GLN
68	YK	77	ASN
68	YK	87	ASN
69	YN	33	GLN
70	YP	62	GLN
71	XC	63	ASN
72	XF	12	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
72	XF	13	ASN
72	XF	76	ASN
77	XP	22	GLN
77	XP	105	GLN
78	XT	33	GLN
79	YU	32	ASN
79	YU	193	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	BQ	3121/3396 (91%)	650 (20%)	63 (2%)
1	YQ	3120/3396 (91%)	676 (21%)	58 (1%)
18	2	1755/1800 (97%)	488 (27%)	62 (3%)
18	2b	1755/1800 (97%)	490 (27%)	0
2	BR	120/121 (99%)	15 (12%)	0
2	YR	120/121 (99%)	14 (11%)	0
3	BS	156/157 (99%)	29 (18%)	3 (1%)
3	YS	156/157 (99%)	32 (20%)	2 (1%)
80	n	75/76 (98%)	17 (22%)	0
81	m	74/75 (98%)	20 (27%)	0
82	nb	75/76 (98%)	42 (56%)	0
83	mb	76/77 (98%)	11 (14%)	0
84	l	56/57 (98%)	37 (66%)	0
All	All	10659/11309 (94%)	2521 (23%)	188 (1%)

All (2521) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	BQ	14	U
1	BQ	15	C
1	BQ	26	A
1	BQ	30	G
1	BQ	40	A
1	BQ	43	A
1	BQ	48	A
1	BQ	49	A
1	BQ	60	A
1	BQ	65	A
1	BQ	66	A
1	BQ	73	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	BQ	74	G
1	BQ	76	G
1	BQ	85	A
1	BQ	92	G
1	BQ	96	G
1	BQ	109	A
1	BQ	110	G
1	BQ	115	A
1	BQ	121	A
1	BQ	122	A
1	BQ	133	U
1	BQ	134	U
1	BQ	135	C
1	BQ	150	A
1	BQ	152	U
1	BQ	153	U
1	BQ	156	G
1	BQ	157	A
1	BQ	161	G
1	BQ	165	A
1	BQ	170	G
1	BQ	171	G
1	BQ	182	U
1	BQ	184	U
1	BQ	187	A
1	BQ	190	U
1	BQ	191	U
1	BQ	200	C
1	BQ	206	G
1	BQ	210	U
1	BQ	218	G
1	BQ	219	A
1	BQ	221	A
1	BQ	234	G
1	BQ	240	U
1	BQ	241	G
1	BQ	245	U
1	BQ	246	U
1	BQ	248	U
1	BQ	251	G
1	BQ	252	U
1	BQ	253	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	BQ	254	A
1	BQ	265	A
1	BQ	269	G
1	BQ	283	G
1	BQ	284	A
1	BQ	285	A
1	BQ	286	U
1	BQ	295	A
1	BQ	305	U
1	BQ	306	A
1	BQ	311	C
1	BQ	315	C
1	BQ	323	A
1	BQ	329	U
1	BQ	334	A
1	BQ	338	A
1	BQ	339	C
1	BQ	346	C
1	BQ	350	C
1	BQ	368	G
1	BQ	375	A
1	BQ	376	G
1	BQ	387	A
1	BQ	390	G
1	BQ	398	A
1	BQ	399	A
1	BQ	401	U
1	BQ	402	A
1	BQ	403	C
1	BQ	420	G
1	BQ	421	G
1	BQ	422	A
1	BQ	439	C
1	BQ	440	A
1	BQ	503	C
1	BQ	507	U
1	BQ	515	C
1	BQ	519	A
1	BQ	520	U
1	BQ	521	A
1	BQ	523	A
1	BQ	535	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	BQ	536	U
1	BQ	545	U
1	BQ	546	C
1	BQ	548	G
1	BQ	555	U
1	BQ	557	A
1	BQ	559	A
1	BQ	569	A
1	BQ	578	A
1	BQ	579	G
1	BQ	581	U
1	BQ	589	A
1	BQ	592	A
1	BQ	594	U
1	BQ	595	G
1	BQ	597	G
1	BQ	600	G
1	BQ	603	A
1	BQ	604	G
1	BQ	609	G
1	BQ	610	G
1	BQ	611	A
1	BQ	612	U
1	BQ	620	U
1	BQ	621	A
1	BQ	622	A
1	BQ	636	C
1	BQ	645	A
1	BQ	649	A
1	BQ	660	A
1	BQ	661	G
1	BQ	667	C
1	BQ	677	A
1	BQ	681	U
1	BQ	683	U
1	BQ	691	A
1	BQ	705	A
1	BQ	716	A
1	BQ	719	U
1	BQ	725	G
1	BQ	726	G
1	BQ	727	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	BQ	736	A
1	BQ	737	G
1	BQ	758	C
1	BQ	761	A
1	BQ	763	G
1	BQ	766	U
1	BQ	768	C
1	BQ	776	U
1	BQ	777	U
1	BQ	780	A
1	BQ	781	G
1	BQ	784	A
1	BQ	785	G
1	BQ	786	A
1	BQ	806	A
1	BQ	808	A
1	BQ	817	A
1	BQ	826	G
1	BQ	830	A
1	BQ	832	G
1	BQ	837	A
1	BQ	849	C
1	BQ	861	C
1	BQ	871	U
1	BQ	874	U
1	BQ	879	U
1	BQ	897	U
1	BQ	907	G
1	BQ	908	G
1	BQ	909	G
1	BQ	914	A
1	BQ	915	A
1	BQ	916	G
1	BQ	917	A
1	BQ	923	C
1	BQ	932	U
1	BQ	936	A
1	BQ	937	G
1	BQ	944	C
1	BQ	959	C
1	BQ	960	U
1	BQ	962	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	BQ	974	G
1	BQ	979	U
1	BQ	984	G
1	BQ	991	G
1	BQ	1002	A
1	BQ	1010	G
1	BQ	1014	U
1	BQ	1015	U
1	BQ	1016	C
1	BQ	1017	C
1	BQ	1018	G
1	BQ	1021	G
1	BQ	1024	G
1	BQ	1025	A
1	BQ	1026	A
1	BQ	1028	U
1	BQ	1029	G
1	BQ	1034	U
1	BQ	1035	G
1	BQ	1041	U
1	BQ	1047	A
1	BQ	1049	C
1	BQ	1063	G
1	BQ	1064	A
1	BQ	1065	A
1	BQ	1072	G
1	BQ	1075	A
1	BQ	1081	U
1	BQ	1082	U
1	BQ	1085	A
1	BQ	1087	G
1	BQ	1093	A
1	BQ	1096	U
1	BQ	1097	G
1	BQ	1098	A
1	BQ	1103	A
1	BQ	1104	G
1	BQ	1117	G
1	BQ	1131	G
1	BQ	1143	A
1	BQ	1152	G
1	BQ	1153	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	BQ	1159	A
1	BQ	1163	A
1	BQ	1178	G
1	BQ	1180	A
1	BQ	1181	U
1	BQ	1182	A
1	BQ	1186	G
1	BQ	1201	C
1	BQ	1202	A
1	BQ	1208	U
1	BQ	1221	A
1	BQ	1222	G
1	BQ	1223	A
1	BQ	1232	C
1	BQ	1236	G
1	BQ	1237	G
1	BQ	1239	C
1	BQ	1242	G
1	BQ	1243	G
1	BQ	1245	A
1	BQ	1246	G
1	BQ	1254	C
1	BQ	1256	G
1	BQ	1258	U
1	BQ	1262	G
1	BQ	1263	A
1	BQ	1264	G
1	BQ	1265	U
1	BQ	1270	A
1	BQ	1275	C
1	BQ	1277	C
1	BQ	1281	G
1	BQ	1285	G
1	BQ	1286	A
1	BQ	1295	G
1	BQ	1301	A
1	BQ	1308	A
1	BQ	1309	U
1	BQ	1325	U
1	BQ	1330	A
1	BQ	1348	U
1	BQ	1354	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	BQ	1356	U
1	BQ	1357	G
1	BQ	1385	C
1	BQ	1386	A
1	BQ	1399	A
1	BQ	1400	G
1	BQ	1418	A
1	BQ	1419	A
1	BQ	1434	G
1	BQ	1437	C
1	BQ	1438	U
1	BQ	1446	A
1	BQ	1452	A
1	BQ	1453	A
1	BQ	1455	U
1	BQ	1470	U
1	BQ	1475	A
1	BQ	1481	A
1	BQ	1482	A
1	BQ	1483	G
1	BQ	1487	G
1	BQ	1503	A
1	BQ	1508	C
1	BQ	1511	U
1	BQ	1523	U
1	BQ	1528	G
1	BQ	1536	G
1	BQ	1542	G
1	BQ	1554	U
1	BQ	1555	U
1	BQ	1556	C
1	BQ	1558	A
1	BQ	1560	G
1	BQ	1561	G
1	BQ	1562	C
1	BQ	1574	C
1	BQ	1575	A
1	BQ	1576	G
1	BQ	1577	G
1	BQ	1578	C
1	BQ	1579	C
1	BQ	1580	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	BQ	1581	C
1	BQ	1582	C
1	BQ	1583	A
1	BQ	1588	A
1	BQ	1589	A
1	BQ	1607	U
1	BQ	1620	U
1	BQ	1629	U
1	BQ	1639	C
1	BQ	1642	A
1	BQ	1643	A
1	BQ	1644	C
1	BQ	1645	U
1	BQ	1655	G
1	BQ	1658	G
1	BQ	1662	G
1	BQ	1683	A
1	BQ	1692	U
1	BQ	1694	U
1	BQ	1716	U
1	BQ	1717	U
1	BQ	1718	G
1	BQ	1724	U
1	BQ	1743	G
1	BQ	1750	A
1	BQ	1751	G
1	BQ	1760	A
1	BQ	1762	C
1	BQ	1764	U
1	BQ	1765	U
1	BQ	1766	G
1	BQ	1770	G
1	BQ	1775	G
1	BQ	1780	G
1	BQ	1796	G
1	BQ	1797	A
1	BQ	1808	G
1	BQ	1814	A
1	BQ	1815	U
1	BQ	1816	A
1	BQ	1817	G
1	BQ	1818	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	BQ	1821	U
1	BQ	1839	A
1	BQ	1841	A
1	BQ	1842	A
1	BQ	1846	C
1	BQ	1848	G
1	BQ	1849	C
1	BQ	1850	A
1	BQ	1851	G
1	BQ	1866	C
1	BQ	1878	G
1	BQ	1879	A
1	BQ	1880	U
1	BQ	1884	A
1	BQ	1893	A
1	BQ	1897	G
1	BQ	1904	C
1	BQ	1906	G
1	BQ	1930	A
1	BQ	1935	G
1	BQ	2100	A
1	BQ	2101	C
1	BQ	2102	U
1	BQ	2111	G
1	BQ	2113	A
1	BQ	2114	C
1	BQ	2121	G
1	BQ	2122	G
1	BQ	2131	A
1	BQ	2142	A
1	BQ	2144	A
1	BQ	2158	A
1	BQ	2169	G
1	BQ	2170	U
1	BQ	2188	A
1	BQ	2205	U
1	BQ	2207	A
1	BQ	2208	A
1	BQ	2209	U
1	BQ	2210	G
1	BQ	2212	C
1	BQ	2223	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	BQ	2228	A
1	BQ	2229	A
1	BQ	2232	A
1	BQ	2244	A
1	BQ	2246	G
1	BQ	2248	C
1	BQ	2249	G
1	BQ	2250	G
1	BQ	2251	G
1	BQ	2252	A
1	BQ	2253	G
1	BQ	2255	A
1	BQ	2256	A
1	BQ	2257	C
1	BQ	2261	G
1	BQ	2266	U
1	BQ	2269	U
1	BQ	2272	G
1	BQ	2273	G
1	BQ	2276	G
1	BQ	2279	A
1	BQ	2281	A
1	BQ	2288	G
1	BQ	2307	G
1	BQ	2309	A
1	BQ	2310	U
1	BQ	2313	A
1	BQ	2315	G
1	BQ	2335	G
1	BQ	2336	U
1	BQ	2350	C
1	BQ	2373	A
1	BQ	2374	C
1	BQ	2375	G
1	BQ	2376	G
1	BQ	2388	U
1	BQ	2393	G
1	BQ	2397	A
1	BQ	2401	A
1	BQ	2402	A
1	BQ	2403	G
1	BQ	2404	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	BQ	2405	C
1	BQ	2411	U
1	BQ	2412	G
1	BQ	2418	G
1	BQ	2419	A
1	BQ	2434	U
1	BQ	2435	G
1	BQ	2437	G
1	BQ	2438	A
1	BQ	2441	A
1	BQ	2506	U
1	BQ	2510	U
1	BQ	2511	A
1	BQ	2514	U
1	BQ	2515	A
1	BQ	2522	G
1	BQ	2523	A
1	BQ	2524	A
1	BQ	2525	G
1	BQ	2528	G
1	BQ	2530	G
1	BQ	2534	G
1	BQ	2538	U
1	BQ	2539	C
1	BQ	2540	A
1	BQ	2541	U
1	BQ	2542	U
1	BQ	2543	U
1	BQ	2544	U
1	BQ	2545	C
1	BQ	2552	C
1	BQ	2554	A
1	BQ	2555	G
1	BQ	2566	C
1	BQ	2567	C
1	BQ	2568	C
1	BQ	2569	A
1	BQ	2570	U
1	BQ	2571	U
1	BQ	2572	C
1	BQ	2573	G
1	BQ	2574	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	BQ	2584	G
1	BQ	2585	G
1	BQ	2587	U
1	BQ	2593	A
1	BQ	2594	C
1	BQ	2600	C
1	BQ	2606	G
1	BQ	2607	G
1	BQ	2614	G
1	BQ	2619	G
1	BQ	2626	A
1	BQ	2628	A
1	BQ	2629	U
1	BQ	2652	U
1	BQ	2656	A
1	BQ	2663	G
1	BQ	2672	G
1	BQ	2674	A
1	BQ	2677	G
1	BQ	2678	A
1	BQ	2683	U
1	BQ	2689	A
1	BQ	2690	G
1	BQ	2691	A
1	BQ	2694	A
1	BQ	2696	A
1	BQ	2704	A
1	BQ	2713	U
1	BQ	2714	G
1	BQ	2720	G
1	BQ	2728	G
1	BQ	2729	U
1	BQ	2737	C
1	BQ	2740	A
1	BQ	2753	G
1	BQ	2772	C
1	BQ	2773	C
1	BQ	2778	G
1	BQ	2779	A
1	BQ	2796	G
1	BQ	2799	A
1	BQ	2800	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	BQ	2801	A
1	BQ	2802	A
1	BQ	2803	A
1	BQ	2810	C
1	BQ	2814	G
1	BQ	2817	A
1	BQ	2818	U
1	BQ	2819	A
1	BQ	2821	C
1	BQ	2845	A
1	BQ	2847	A
1	BQ	2853	A
1	BQ	2860	U
1	BQ	2861	U
1	BQ	2871	G
1	BQ	2872	A
1	BQ	2873	U
1	BQ	2876	C
1	BQ	2887	A
1	BQ	2889	C
1	BQ	2894	C
1	BQ	2899	C
1	BQ	2900	A
1	BQ	2910	A
1	BQ	2923	U
1	BQ	2928	C
1	BQ	2935	U
1	BQ	2936	A
1	BQ	2938	G
1	BQ	2941	A
1	BQ	2942	C
1	BQ	2943	G
1	BQ	2947	G
1	BQ	2957	G
1	BQ	2965	U
1	BQ	2971	A
1	BQ	2972	G
1	BQ	2978	U
1	BQ	2979	U
1	BQ	2983	C
1	BQ	2990	G
1	BQ	2996	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	BQ	2997	G
1	BQ	3012	A
1	BQ	3023	U
1	BQ	3030	G
1	BQ	3049	A
1	BQ	3059	G
1	BQ	3068	U
1	BQ	3078	U
1	BQ	3079	U
1	BQ	3080	G
1	BQ	3086	A
1	BQ	3092	C
1	BQ	3101	G
1	BQ	3109	G
1	BQ	3113	A
1	BQ	3116	G
1	BQ	3122	A
1	BQ	3123	A
1	BQ	3130	A
1	BQ	3131	U
1	BQ	3142	A
1	BQ	3143	C
1	BQ	3144	G
1	BQ	3150	A
1	BQ	3151	U
1	BQ	3153	U
1	BQ	3158	G
1	BQ	3165	A
1	BQ	3170	A
1	BQ	3172	A
1	BQ	3173	G
1	BQ	3174	A
1	BQ	3176	G
1	BQ	3179	U
1	BQ	3181	C
1	BQ	3182	G
1	BQ	3187	A
1	BQ	3195	U
1	BQ	3196	U
1	BQ	3207	U
1	BQ	3210	A
1	BQ	3215	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	BQ	3217	C
1	BQ	3218	A
1	BQ	3219	G
1	BQ	3227	A
1	BQ	3229	G
1	BQ	3238	G
1	BQ	3244	A
1	BQ	3245	A
1	BQ	3246	G
1	BQ	3251	U
1	BQ	3259	U
1	BQ	3263	G
1	BQ	3267	A
1	BQ	3270	U
1	BQ	3272	C
1	BQ	3276	G
1	BQ	3279	A
1	BQ	3281	U
1	BQ	3286	G
1	BQ	3289	G
1	BQ	3290	G
1	BQ	3294	A
1	BQ	3295	A
1	BQ	3304	U
1	BQ	3309	G
1	BQ	3313	U
1	BQ	3316	A
1	BQ	3317	U
1	BQ	3318	G
1	BQ	3319	U
1	BQ	3334	U
1	BQ	3341	U
1	BQ	3342	A
1	BQ	3345	G
1	BQ	3348	G
1	BQ	3350	C
1	BQ	3351	U
1	BQ	3352	U
1	BQ	3353	G
1	BQ	3354	U
1	BQ	3355	U
1	BQ	3356	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	BQ	3357	U
1	BQ	3358	U
1	BQ	3368	U
1	BQ	3369	G
1	BQ	3378	C
1	BQ	3382	U
1	BQ	3389	U
1	BQ	3396	U
2	BR	7	G
2	BR	22	A
2	BR	33	U
2	BR	38	U
2	BR	50	U
2	BR	54	U
2	BR	55	A
2	BR	65	G
2	BR	73	C
2	BR	74	C
2	BR	76	A
2	BR	91	G
2	BR	99	G
2	BR	102	A
2	BR	112	G
3	BS	34	U
3	BS	35	C
3	BS	38	U
3	BS	48	A
3	BS	49	G
3	BS	59	A
3	BS	62	C
3	BS	63	G
3	BS	80	A
3	BS	81	U
3	BS	82	U
3	BS	83	C
3	BS	84	C
3	BS	86	U
3	BS	87	G
3	BS	90	U
3	BS	91	C
3	BS	95	G
3	BS	102	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	BS	104	A
3	BS	106	C
3	BS	111	A
3	BS	112	U
3	BS	113	U
3	BS	116	G
3	BS	125	U
3	BS	138	A
3	BS	156	U
3	BS	157	U
18	2	2	A
18	2	4	C
18	2	10	G
18	2	17	C
18	2	25	C
18	2	26	A
18	2	27	U
18	2	34	G
18	2	43	A
18	2	46	A
18	2	47	A
18	2	50	C
18	2	57	G
18	2	63	G
18	2	67	A
18	2	68	A
18	2	69	G
18	2	72	A
18	2	73	U
18	2	74	U
18	2	75	U
18	2	76	A
18	2	77	U
18	2	78	A
18	2	100	A
18	2	103	A
18	2	104	A
18	2	111	U
18	2	114	C
18	2	116	U
18	2	127	G
18	2	131	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2	132	U
18	2	133	U
18	2	134	U
18	2	135	A
18	2	136	C
18	2	137	U
18	2	140	A
18	2	141	U
18	2	144	U
18	2	145	A
18	2	146	U
18	2	153	G
18	2	156	A
18	2	158	U
18	2	159	U
18	2	160	C
18	2	161	U
18	2	178	U
18	2	185	U
18	2	186	C
18	2	187	G
18	2	189	C
18	2	190	C
18	2	191	C
18	2	192	U
18	2	194	U
18	2	195	G
18	2	196	G
18	2	197	A
18	2	200	A
18	2	215	A
18	2	218	A
18	2	219	A
18	2	227	U
18	2	228	G
18	2	229	U
18	2	231	U
18	2	233	C
18	2	234	G
18	2	236	A
18	2	238	U
18	2	239	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2	240	U
18	2	241	U
18	2	243	G
18	2	250	C
18	2	261	U
18	2	262	U
18	2	265	A
18	2	271	A
18	2	272	U
18	2	275	C
18	2	276	C
18	2	277	U
18	2	278	U
18	2	279	G
18	2	280	U
18	2	281	G
18	2	288	A
18	2	290	G
18	2	299	A
18	2	308	C
18	2	309	C
18	2	312	A
18	2	314	C
18	2	316	A
18	2	321	C
18	2	322	G
18	2	323	A
18	2	333	A
18	2	337	G
18	2	338	C
18	2	352	A
18	2	359	A
18	2	360	A
18	2	361	C
18	2	365	G
18	2	380	U
18	2	388	G
18	2	399	A
18	2	400	A
18	2	401	A
18	2	402	C
18	2	403	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2	404	G
18	2	411	C
18	2	416	A
18	2	417	A
18	2	418	G
18	2	423	G
18	2	424	C
18	2	425	A
18	2	426	G
18	2	439	U
18	2	444	C
18	2	445	A
18	2	446	A
18	2	448	C
18	2	459	G
18	2	460	A
18	2	468	A
18	2	470	A
18	2	475	A
18	2	477	A
18	2	484	C
18	2	485	A
18	2	486	G
18	2	488	G
18	2	493	U
18	2	495	C
18	2	496	G
18	2	497	G
18	2	498	G
18	2	499	U
18	2	500	C
18	2	501	U
18	2	502	U
18	2	504	U
18	2	505	A
18	2	506	A
18	2	507	U
18	2	508	U
18	2	510	G
18	2	511	A
18	2	512	A
18	2	513	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2	515	A
18	2	516	G
18	2	519	C
18	2	527	A
18	2	532	U
18	2	536	C
18	2	538	A
18	2	539	G
18	2	540	G
18	2	541	A
18	2	542	A
18	2	543	C
18	2	544	A
18	2	548	G
18	2	555	A
18	2	556	A
18	2	557	G
18	2	558	U
18	2	559	C
18	2	565	C
18	2	570	A
18	2	574	G
18	2	579	A
18	2	580	A
18	2	585	A
18	2	594	A
18	2	595	G
18	2	606	A
18	2	611	U
18	2	619	A
18	2	620	A
18	2	622	A
18	2	623	A
18	2	624	G
18	2	639	U
18	2	649	U
18	2	650	U
18	2	653	C
18	2	655	G
18	2	656	G
18	2	658	C
18	2	677	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2	679	U
18	2	680	U
18	2	682	C
18	2	684	A
18	2	685	A
18	2	686	C
18	2	687	G
18	2	694	U
18	2	696	C
18	2	697	C
18	2	702	G
18	2	703	G
18	2	704	C
18	2	705	U
18	2	707	A
18	2	709	C
18	2	710	U
18	2	712	G
18	2	715	U
18	2	718	U
18	2	719	U
18	2	721	U
18	2	722	G
18	2	723	G
18	2	725	U
18	2	727	U
18	2	728	U
18	2	730	G
18	2	731	C
18	2	732	G
18	2	733	A
18	2	734	A
18	2	735	C
18	2	737	A
18	2	738	G
18	2	741	C
18	2	742	U
18	2	743	U
18	2	745	U
18	2	755	A
18	2	756	A
18	2	758	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2	765	G
18	2	766	U
18	2	771	A
18	2	774	A
18	2	778	G
18	2	781	U
18	2	782	U
18	2	783	G
18	2	784	C
18	2	789	A
18	2	794	U
18	2	795	U
18	2	806	A
18	2	812	A
18	2	815	G
18	2	816	G
18	2	818	C
18	2	820	U
18	2	821	U
18	2	823	G
18	2	824	G
18	2	830	U
18	2	831	U
18	2	833	U
18	2	837	G
18	2	839	U
18	2	840	U
18	2	841	U
18	2	846	G
18	2	852	C
18	2	856	A
18	2	863	A
18	2	864	U
18	2	873	U
18	2	881	A
18	2	886	U
18	2	898	A
18	2	904	G
18	2	912	U
18	2	913	G
18	2	914	G
18	2	915	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2	928	U
18	2	933	A
18	2	935	U
18	2	942	G
18	2	944	A
18	2	945	U
18	2	960	U
18	2	966	A
18	2	969	C
18	2	970	A
18	2	982	U
18	2	984	G
18	2	987	G
18	2	988	A
18	2	992	A
18	2	993	A
18	2	996	U
18	2	1003	A
18	2	1004	U
18	2	1005	A
18	2	1007	C
18	2	1016	C
18	2	1020	A
18	2	1021	C
18	2	1024	U
18	2	1026	A
18	2	1028	C
18	2	1032	G
18	2	1039	A
18	2	1040	G
18	2	1052	U
18	2	1053	G
18	2	1057	U
18	2	1058	U
18	2	1059	U
18	2	1060	U
18	2	1061	A
18	2	1063	U
18	2	1076	A
18	2	1080	U
18	2	1082	C
18	2	1086	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2	1091	A
18	2	1092	A
18	2	1096	C
18	2	1097	U
18	2	1100	G
18	2	1109	G
18	2	1111	G
18	2	1113	A
18	2	1115	U
18	2	1126	G
18	2	1138	A
18	2	1150	G
18	2	1158	C
18	2	1159	C
18	2	1160	A
18	2	1164	G
18	2	1167	G
18	2	1170	G
18	2	1185	U
18	2	1191	U
18	2	1194	A
18	2	1196	A
18	2	1197	C
18	2	1199	G
18	2	1200	G
18	2	1204	A
18	2	1205	C
18	2	1207	C
18	2	1208	A
18	2	1217	A
18	2	1218	G
18	2	1220	C
18	2	1226	A
18	2	1228	G
18	2	1229	G
18	2	1230	A
18	2	1231	U
18	2	1239	U
18	2	1241	G
18	2	1242	A
18	2	1243	G
18	2	1244	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2	1245	G
18	2	1246	C
18	2	1255	G
18	2	1256	A
18	2	1257	U
18	2	1258	U
18	2	1260	U
18	2	1285	U
18	2	1286	U
18	2	1288	G
18	2	1294	G
18	2	1295	G
18	2	1301	U
18	2	1312	A
18	2	1314	U
18	2	1315	U
18	2	1316	G
18	2	1318	G
18	2	1320	U
18	2	1321	A
18	2	1337	A
18	2	1341	A
18	2	1344	A
18	2	1345	A
18	2	1346	A
18	2	1354	G
18	2	1361	U
18	2	1362	U
18	2	1363	U
18	2	1364	G
18	2	1367	G
18	2	1371	A
18	2	1378	U
18	2	1390	U
18	2	1398	U
18	2	1399	C
18	2	1410	A
18	2	1413	U
18	2	1415	U
18	2	1422	A
18	2	1427	A
18	2	1428	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2	1432	U
18	2	1445	G
18	2	1448	G
18	2	1451	C
18	2	1452	U
18	2	1453	G
18	2	1459	C
18	2	1471	A
18	2	1481	C
18	2	1482	C
18	2	1483	A
18	2	1489	U
18	2	1490	C
18	2	1491	U
18	2	1492	A
18	2	1493	A
18	2	1496	U
18	2	1506	G
18	2	1514	U
18	2	1515	A
18	2	1516	A
18	2	1523	G
18	2	1524	A
18	2	1535	U
18	2	1536	G
18	2	1537	C
18	2	1538	U
18	2	1540	G
18	2	1542	G
18	2	1553	G
18	2	1554	U
18	2	1555	A
18	2	1557	U
18	2	1559	A
18	2	1569	A
18	2	1573	A
18	2	1574	G
18	2	1582	U
18	2	1584	G
18	2	1585	U
18	2	1590	G
18	2	1596	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2	1597	A
18	2	1598	U
18	2	1600	A
18	2	1601	G
18	2	1615	C
18	2	1616	G
18	2	1619	C
18	2	1621	U
18	2	1657	U
18	2	1658	G
18	2	1663	G
18	2	1665	U
18	2	1678	A
18	2	1681	A
18	2	1682	U
18	2	1715	G
18	2	1716	C
18	2	1720	G
18	2	1754	A
18	2	1755	A
18	2	1756	A
18	2	1757	G
18	2	1766	A
18	2	1767	G
18	2	1769	U
18	2	1770	U
18	2	1780	G
18	2	1782	A
18	2	1783	C
18	2	1792	G
18	2	1793	G
18	2	1794	A
18	2	1795	U
18	2	1796	C
18	2	1799	U
18	2	1800	A
18	2b	2	A
18	2b	4	C
18	2b	25	C
18	2b	26	A
18	2b	27	U
18	2b	34	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2b	40	A
18	2b	43	A
18	2b	45	U
18	2b	46	A
18	2b	47	A
18	2b	48	G
18	2b	57	G
18	2b	60	U
18	2b	63	G
18	2b	68	A
18	2b	69	G
18	2b	72	A
18	2b	73	U
18	2b	74	U
18	2b	75	U
18	2b	77	U
18	2b	86	A
18	2b	93	A
18	2b	104	A
18	2b	111	U
18	2b	114	C
18	2b	115	G
18	2b	116	U
18	2b	127	G
18	2b	131	C
18	2b	132	U
18	2b	133	U
18	2b	134	U
18	2b	135	A
18	2b	136	C
18	2b	137	U
18	2b	138	A
18	2b	140	A
18	2b	141	U
18	2b	142	G
18	2b	145	A
18	2b	146	U
18	2b	153	G
18	2b	158	U
18	2b	159	U
18	2b	166	C
18	2b	177	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2b	178	U
18	2b	185	U
18	2b	186	C
18	2b	190	C
18	2b	191	C
18	2b	192	U
18	2b	194	U
18	2b	195	G
18	2b	196	G
18	2b	197	A
18	2b	200	A
18	2b	215	A
18	2b	218	A
18	2b	219	A
18	2b	226	A
18	2b	227	U
18	2b	228	G
18	2b	229	U
18	2b	231	U
18	2b	233	C
18	2b	236	A
18	2b	238	U
18	2b	239	C
18	2b	240	U
18	2b	241	U
18	2b	246	G
18	2b	250	C
18	2b	256	A
18	2b	261	U
18	2b	262	U
18	2b	265	A
18	2b	271	A
18	2b	272	U
18	2b	274	G
18	2b	275	C
18	2b	276	C
18	2b	277	U
18	2b	278	U
18	2b	279	G
18	2b	280	U
18	2b	281	G
18	2b	282	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2b	288	A
18	2b	290	G
18	2b	299	A
18	2b	309	C
18	2b	314	C
18	2b	316	A
18	2b	321	C
18	2b	322	G
18	2b	337	G
18	2b	338	C
18	2b	352	A
18	2b	359	A
18	2b	360	A
18	2b	361	C
18	2b	378	A
18	2b	399	A
18	2b	400	A
18	2b	401	A
18	2b	402	C
18	2b	404	G
18	2b	416	A
18	2b	417	A
18	2b	418	G
18	2b	423	G
18	2b	424	C
18	2b	425	A
18	2b	426	G
18	2b	428	A
18	2b	434	G
18	2b	437	A
18	2b	438	A
18	2b	439	U
18	2b	444	C
18	2b	445	A
18	2b	446	A
18	2b	448	C
18	2b	460	A
18	2b	468	A
18	2b	470	A
18	2b	475	A
18	2b	484	C
18	2b	485	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2b	486	G
18	2b	488	G
18	2b	493	U
18	2b	495	C
18	2b	496	G
18	2b	497	G
18	2b	498	G
18	2b	499	U
18	2b	500	C
18	2b	502	U
18	2b	504	U
18	2b	505	A
18	2b	506	A
18	2b	507	U
18	2b	508	U
18	2b	510	G
18	2b	511	A
18	2b	512	A
18	2b	513	U
18	2b	514	G
18	2b	515	A
18	2b	519	C
18	2b	527	A
18	2b	532	U
18	2b	534	A
18	2b	536	C
18	2b	538	A
18	2b	539	G
18	2b	540	G
18	2b	541	A
18	2b	542	A
18	2b	543	C
18	2b	545	A
18	2b	548	G
18	2b	551	G
18	2b	555	A
18	2b	556	A
18	2b	557	G
18	2b	558	U
18	2b	559	C
18	2b	565	C
18	2b	568	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2b	570	A
18	2b	574	G
18	2b	578	U
18	2b	579	A
18	2b	580	A
18	2b	582	U
18	2b	585	A
18	2b	594	A
18	2b	595	G
18	2b	608	U
18	2b	611	U
18	2b	619	A
18	2b	620	A
18	2b	622	A
18	2b	623	A
18	2b	624	G
18	2b	642	G
18	2b	648	G
18	2b	650	U
18	2b	652	G
18	2b	654	C
18	2b	655	G
18	2b	656	G
18	2b	657	U
18	2b	658	C
18	2b	677	G
18	2b	679	U
18	2b	680	U
18	2b	682	C
18	2b	684	A
18	2b	685	A
18	2b	686	C
18	2b	691	C
18	2b	694	U
18	2b	695	U
18	2b	696	C
18	2b	697	C
18	2b	698	U
18	2b	700	C
18	2b	702	G
18	2b	703	G
18	2b	704	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2b	705	U
18	2b	706	A
18	2b	707	A
18	2b	709	C
18	2b	710	U
18	2b	711	U
18	2b	712	G
18	2b	714	G
18	2b	718	U
18	2b	719	U
18	2b	720	G
18	2b	721	U
18	2b	722	G
18	2b	723	G
18	2b	725	U
18	2b	727	U
18	2b	728	U
18	2b	730	G
18	2b	731	C
18	2b	732	G
18	2b	733	A
18	2b	734	A
18	2b	735	C
18	2b	738	G
18	2b	742	U
18	2b	743	U
18	2b	745	U
18	2b	754	A
18	2b	755	A
18	2b	756	A
18	2b	765	G
18	2b	771	A
18	2b	774	A
18	2b	775	G
18	2b	778	G
18	2b	780	A
18	2b	781	U
18	2b	782	U
18	2b	783	G
18	2b	784	C
18	2b	787	G
18	2b	789	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2b	794	U
18	2b	795	U
18	2b	803	A
18	2b	806	A
18	2b	812	A
18	2b	815	G
18	2b	816	G
18	2b	818	C
18	2b	820	U
18	2b	821	U
18	2b	824	G
18	2b	829	A
18	2b	830	U
18	2b	831	U
18	2b	833	U
18	2b	839	U
18	2b	840	U
18	2b	841	U
18	2b	846	G
18	2b	854	U
18	2b	856	A
18	2b	863	A
18	2b	898	A
18	2b	899	G
18	2b	912	U
18	2b	913	G
18	2b	914	G
18	2b	915	A
18	2b	928	U
18	2b	933	A
18	2b	935	U
18	2b	942	G
18	2b	944	A
18	2b	945	U
18	2b	951	A
18	2b	959	U
18	2b	960	U
18	2b	966	A
18	2b	969	C
18	2b	970	A
18	2b	982	U
18	2b	992	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2b	993	A
18	2b	996	U
18	2b	1004	U
18	2b	1005	A
18	2b	1007	C
18	2b	1020	A
18	2b	1021	C
18	2b	1026	A
18	2b	1028	C
18	2b	1029	U
18	2b	1031	U
18	2b	1040	G
18	2b	1043	A
18	2b	1052	U
18	2b	1053	G
18	2b	1058	U
18	2b	1059	U
18	2b	1060	U
18	2b	1061	A
18	2b	1063	U
18	2b	1065	A
18	2b	1074	G
18	2b	1076	A
18	2b	1082	C
18	2b	1086	A
18	2b	1092	A
18	2b	1093	A
18	2b	1096	C
18	2b	1097	U
18	2b	1100	G
18	2b	1109	G
18	2b	1111	G
18	2b	1113	A
18	2b	1138	A
18	2b	1150	G
18	2b	1158	C
18	2b	1159	C
18	2b	1160	A
18	2b	1164	G
18	2b	1167	G
18	2b	1185	U
18	2b	1191	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2b	1194	A
18	2b	1196	A
18	2b	1197	C
18	2b	1199	G
18	2b	1200	G
18	2b	1203	A
18	2b	1204	A
18	2b	1207	C
18	2b	1212	G
18	2b	1217	A
18	2b	1218	G
18	2b	1226	A
18	2b	1228	G
18	2b	1229	G
18	2b	1230	A
18	2b	1231	U
18	2b	1239	U
18	2b	1240	U
18	2b	1241	G
18	2b	1242	A
18	2b	1243	G
18	2b	1244	A
18	2b	1245	G
18	2b	1246	C
18	2b	1255	G
18	2b	1256	A
18	2b	1257	U
18	2b	1258	U
18	2b	1259	U
18	2b	1276	U
18	2b	1286	U
18	2b	1288	G
18	2b	1294	G
18	2b	1307	U
18	2b	1312	A
18	2b	1314	U
18	2b	1315	U
18	2b	1318	G
18	2b	1320	U
18	2b	1321	A
18	2b	1337	A
18	2b	1344	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2b	1345	A
18	2b	1346	A
18	2b	1347	U
18	2b	1348	A
18	2b	1354	G
18	2b	1360	A
18	2b	1361	U
18	2b	1362	U
18	2b	1363	U
18	2b	1364	G
18	2b	1367	G
18	2b	1371	A
18	2b	1372	U
18	2b	1378	U
18	2b	1385	G
18	2b	1390	U
18	2b	1391	A
18	2b	1398	U
18	2b	1399	C
18	2b	1413	U
18	2b	1414	U
18	2b	1415	U
18	2b	1427	A
18	2b	1428	G
18	2b	1432	U
18	2b	1445	G
18	2b	1446	A
18	2b	1448	G
18	2b	1451	C
18	2b	1452	U
18	2b	1453	G
18	2b	1459	C
18	2b	1460	A
18	2b	1471	A
18	2b	1481	C
18	2b	1482	C
18	2b	1486	G
18	2b	1489	U
18	2b	1490	C
18	2b	1491	U
18	2b	1492	A
18	2b	1493	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2b	1494	C
18	2b	1496	U
18	2b	1506	G
18	2b	1514	U
18	2b	1515	A
18	2b	1516	A
18	2b	1517	U
18	2b	1521	G
18	2b	1523	G
18	2b	1524	A
18	2b	1535	U
18	2b	1536	G
18	2b	1537	C
18	2b	1538	U
18	2b	1553	G
18	2b	1554	U
18	2b	1555	A
18	2b	1557	U
18	2b	1558	U
18	2b	1559	A
18	2b	1569	A
18	2b	1574	G
18	2b	1575	G
18	2b	1584	G
18	2b	1585	U
18	2b	1590	G
18	2b	1596	C
18	2b	1598	U
18	2b	1600	A
18	2b	1601	G
18	2b	1616	G
18	2b	1619	C
18	2b	1621	U
18	2b	1622	G
18	2b	1632	C
18	2b	1657	U
18	2b	1658	G
18	2b	1663	G
18	2b	1665	U
18	2b	1678	A
18	2b	1680	G
18	2b	1681	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2b	1682	U
18	2b	1715	G
18	2b	1716	C
18	2b	1720	G
18	2b	1742	U
18	2b	1750	A
18	2b	1755	A
18	2b	1756	A
18	2b	1757	G
18	2b	1766	A
18	2b	1767	G
18	2b	1768	G
18	2b	1769	U
18	2b	1770	U
18	2b	1780	G
18	2b	1782	A
18	2b	1792	G
18	2b	1793	G
18	2b	1794	A
18	2b	1795	U
18	2b	1799	U
18	2b	1800	A
1	YQ	6	A
1	YQ	14	U
1	YQ	26	A
1	YQ	30	G
1	YQ	40	A
1	YQ	45	A
1	YQ	48	A
1	YQ	49	A
1	YQ	60	A
1	YQ	65	A
1	YQ	66	A
1	YQ	72	C
1	YQ	73	C
1	YQ	74	G
1	YQ	76	G
1	YQ	92	G
1	YQ	96	G
1	YQ	109	A
1	YQ	110	G
1	YQ	111	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	YQ	121	A
1	YQ	122	A
1	YQ	133	U
1	YQ	134	U
1	YQ	135	C
1	YQ	136	G
1	YQ	149	U
1	YQ	150	A
1	YQ	155	G
1	YQ	156	G
1	YQ	157	A
1	YQ	161	G
1	YQ	165	A
1	YQ	171	G
1	YQ	172	G
1	YQ	182	U
1	YQ	184	U
1	YQ	185	C
1	YQ	187	A
1	YQ	189	G
1	YQ	190	U
1	YQ	191	U
1	YQ	200	C
1	YQ	210	U
1	YQ	211	A
1	YQ	213	A
1	YQ	218	G
1	YQ	219	A
1	YQ	221	A
1	YQ	240	U
1	YQ	241	G
1	YQ	245	U
1	YQ	246	U
1	YQ	248	U
1	YQ	251	G
1	YQ	252	U
1	YQ	253	A
1	YQ	254	A
1	YQ	263	C
1	YQ	265	A
1	YQ	266	A
1	YQ	269	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	YQ	283	G
1	YQ	284	A
1	YQ	286	U
1	YQ	295	A
1	YQ	298	U
1	YQ	315	C
1	YQ	323	A
1	YQ	329	U
1	YQ	330	G
1	YQ	334	A
1	YQ	338	A
1	YQ	339	C
1	YQ	343	U
1	YQ	346	C
1	YQ	350	C
1	YQ	351	A
1	YQ	352	A
1	YQ	368	G
1	YQ	375	A
1	YQ	376	G
1	YQ	390	G
1	YQ	398	A
1	YQ	401	U
1	YQ	402	A
1	YQ	403	C
1	YQ	404	G
1	YQ	420	G
1	YQ	421	G
1	YQ	422	A
1	YQ	439	C
1	YQ	440	A
1	YQ	503	C
1	YQ	507	U
1	YQ	515	C
1	YQ	519	A
1	YQ	520	U
1	YQ	521	A
1	YQ	536	U
1	YQ	546	C
1	YQ	548	G
1	YQ	551	A
1	YQ	555	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	YQ	557	A
1	YQ	558	U
1	YQ	559	A
1	YQ	569	A
1	YQ	578	A
1	YQ	579	G
1	YQ	589	A
1	YQ	592	A
1	YQ	594	U
1	YQ	600	G
1	YQ	603	A
1	YQ	604	G
1	YQ	609	G
1	YQ	610	G
1	YQ	611	A
1	YQ	612	U
1	YQ	620	U
1	YQ	621	A
1	YQ	622	A
1	YQ	636	C
1	YQ	642	U
1	YQ	645	A
1	YQ	649	A
1	YQ	661	G
1	YQ	667	C
1	YQ	677	A
1	YQ	681	U
1	YQ	682	U
1	YQ	689	U
1	YQ	691	A
1	YQ	705	A
1	YQ	706	A
1	YQ	716	A
1	YQ	719	U
1	YQ	720	A
1	YQ	726	G
1	YQ	736	A
1	YQ	737	G
1	YQ	742	G
1	YQ	760	G
1	YQ	761	A
1	YQ	766	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	YQ	776	U
1	YQ	777	U
1	YQ	780	A
1	YQ	781	G
1	YQ	785	G
1	YQ	786	A
1	YQ	806	A
1	YQ	808	A
1	YQ	815	G
1	YQ	817	A
1	YQ	830	A
1	YQ	832	G
1	YQ	837	A
1	YQ	861	C
1	YQ	874	U
1	YQ	879	U
1	YQ	882	A
1	YQ	897	U
1	YQ	907	G
1	YQ	908	G
1	YQ	914	A
1	YQ	916	G
1	YQ	917	A
1	YQ	924	G
1	YQ	926	A
1	YQ	937	G
1	YQ	944	C
1	YQ	953	G
1	YQ	959	C
1	YQ	960	U
1	YQ	962	A
1	YQ	974	G
1	YQ	979	U
1	YQ	981	U
1	YQ	984	G
1	YQ	991	G
1	YQ	1001	G
1	YQ	1002	A
1	YQ	1010	G
1	YQ	1014	U
1	YQ	1015	U
1	YQ	1016	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	YQ	1017	C
1	YQ	1018	G
1	YQ	1021	G
1	YQ	1024	G
1	YQ	1025	A
1	YQ	1026	A
1	YQ	1028	U
1	YQ	1029	G
1	YQ	1034	U
1	YQ	1035	G
1	YQ	1047	A
1	YQ	1049	C
1	YQ	1063	G
1	YQ	1064	A
1	YQ	1065	A
1	YQ	1071	U
1	YQ	1072	G
1	YQ	1079	A
1	YQ	1081	U
1	YQ	1082	U
1	YQ	1085	A
1	YQ	1093	A
1	YQ	1094	U
1	YQ	1096	U
1	YQ	1097	G
1	YQ	1098	A
1	YQ	1103	A
1	YQ	1104	G
1	YQ	1117	G
1	YQ	1129	A
1	YQ	1131	G
1	YQ	1143	A
1	YQ	1144	U
1	YQ	1145	G
1	YQ	1152	G
1	YQ	1153	A
1	YQ	1159	A
1	YQ	1160	C
1	YQ	1178	G
1	YQ	1180	A
1	YQ	1181	U
1	YQ	1182	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	YQ	1192	C
1	YQ	1201	C
1	YQ	1202	A
1	YQ	1222	G
1	YQ	1223	A
1	YQ	1234	G
1	YQ	1236	G
1	YQ	1237	G
1	YQ	1239	C
1	YQ	1242	G
1	YQ	1243	G
1	YQ	1245	A
1	YQ	1246	G
1	YQ	1258	U
1	YQ	1262	G
1	YQ	1263	A
1	YQ	1264	G
1	YQ	1265	U
1	YQ	1270	A
1	YQ	1277	C
1	YQ	1285	G
1	YQ	1286	A
1	YQ	1295	G
1	YQ	1301	A
1	YQ	1305	U
1	YQ	1307	G
1	YQ	1308	A
1	YQ	1309	U
1	YQ	1310	G
1	YQ	1329	U
1	YQ	1330	A
1	YQ	1346	G
1	YQ	1348	U
1	YQ	1354	G
1	YQ	1355	A
1	YQ	1357	G
1	YQ	1385	C
1	YQ	1386	A
1	YQ	1399	A
1	YQ	1400	G
1	YQ	1408	G
1	YQ	1418	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	YQ	1419	A
1	YQ	1421	G
1	YQ	1434	G
1	YQ	1437	C
1	YQ	1443	G
1	YQ	1445	U
1	YQ	1446	A
1	YQ	1452	A
1	YQ	1455	U
1	YQ	1475	A
1	YQ	1477	A
1	YQ	1481	A
1	YQ	1482	A
1	YQ	1484	U
1	YQ	1487	G
1	YQ	1488	G
1	YQ	1495	U
1	YQ	1496	C
1	YQ	1508	C
1	YQ	1511	U
1	YQ	1523	U
1	YQ	1533	U
1	YQ	1544	G
1	YQ	1546	A
1	YQ	1549	U
1	YQ	1554	U
1	YQ	1555	U
1	YQ	1556	C
1	YQ	1559	A
1	YQ	1560	G
1	YQ	1561	G
1	YQ	1562	C
1	YQ	1563	C
1	YQ	1575	A
1	YQ	1576	G
1	YQ	1577	G
1	YQ	1578	C
1	YQ	1580	A
1	YQ	1581	C
1	YQ	1582	C
1	YQ	1583	A
1	YQ	1584	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	YQ	1587	A
1	YQ	1588	A
1	YQ	1589	A
1	YQ	1591	G
1	YQ	1605	A
1	YQ	1607	U
1	YQ	1620	U
1	YQ	1629	U
1	YQ	1639	C
1	YQ	1642	A
1	YQ	1643	A
1	YQ	1644	C
1	YQ	1645	U
1	YQ	1655	G
1	YQ	1658	G
1	YQ	1677	G
1	YQ	1683	A
1	YQ	1694	U
1	YQ	1716	U
1	YQ	1717	U
1	YQ	1722	U
1	YQ	1724	U
1	YQ	1736	G
1	YQ	1741	A
1	YQ	1750	A
1	YQ	1751	G
1	YQ	1759	C
1	YQ	1760	A
1	YQ	1762	C
1	YQ	1764	U
1	YQ	1765	U
1	YQ	1766	G
1	YQ	1769	G
1	YQ	1770	G
1	YQ	1775	G
1	YQ	1780	G
1	YQ	1796	G
1	YQ	1797	A
1	YQ	1808	G
1	YQ	1814	A
1	YQ	1816	A
1	YQ	1817	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	YQ	1818	U
1	YQ	1821	U
1	YQ	1838	G
1	YQ	1839	A
1	YQ	1840	U
1	YQ	1841	A
1	YQ	1842	A
1	YQ	1846	C
1	YQ	1849	C
1	YQ	1850	A
1	YQ	1851	G
1	YQ	1878	G
1	YQ	1879	A
1	YQ	1880	U
1	YQ	1881	A
1	YQ	1890	U
1	YQ	1893	A
1	YQ	1897	G
1	YQ	1906	G
1	YQ	1935	G
1	YQ	1938	U
1	YQ	1948	G
1	YQ	1953	G
1	YQ	2101	C
1	YQ	2102	U
1	YQ	2111	G
1	YQ	2112	U
1	YQ	2113	A
1	YQ	2114	C
1	YQ	2121	G
1	YQ	2122	G
1	YQ	2131	A
1	YQ	2139	A
1	YQ	2158	A
1	YQ	2169	G
1	YQ	2184	U
1	YQ	2188	A
1	YQ	2205	U
1	YQ	2207	A
1	YQ	2208	A
1	YQ	2209	U
1	YQ	2210	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	YQ	2212	C
1	YQ	2213	A
1	YQ	2223	A
1	YQ	2229	A
1	YQ	2244	A
1	YQ	2246	G
1	YQ	2249	G
1	YQ	2250	G
1	YQ	2251	G
1	YQ	2252	A
1	YQ	2253	G
1	YQ	2255	A
1	YQ	2256	A
1	YQ	2257	C
1	YQ	2261	G
1	YQ	2262	A
1	YQ	2266	U
1	YQ	2267	C
1	YQ	2269	U
1	YQ	2271	A
1	YQ	2272	G
1	YQ	2273	G
1	YQ	2274	U
1	YQ	2276	G
1	YQ	2279	A
1	YQ	2280	A
1	YQ	2281	A
1	YQ	2284	C
1	YQ	2288	G
1	YQ	2307	G
1	YQ	2309	A
1	YQ	2310	U
1	YQ	2313	A
1	YQ	2315	G
1	YQ	2372	A
1	YQ	2373	A
1	YQ	2374	C
1	YQ	2375	G
1	YQ	2388	U
1	YQ	2393	G
1	YQ	2394	G
1	YQ	2397	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	YQ	2398	A
1	YQ	2401	A
1	YQ	2402	A
1	YQ	2403	G
1	YQ	2404	A
1	YQ	2411	U
1	YQ	2412	G
1	YQ	2418	G
1	YQ	2419	A
1	YQ	2422	C
1	YQ	2434	U
1	YQ	2435	G
1	YQ	2437	G
1	YQ	2441	A
1	YQ	2505	U
1	YQ	2510	U
1	YQ	2511	A
1	YQ	2514	U
1	YQ	2515	A
1	YQ	2522	G
1	YQ	2523	A
1	YQ	2524	A
1	YQ	2525	G
1	YQ	2526	C
1	YQ	2530	G
1	YQ	2535	A
1	YQ	2536	A
1	YQ	2538	U
1	YQ	2539	C
1	YQ	2540	A
1	YQ	2541	U
1	YQ	2542	U
1	YQ	2543	U
1	YQ	2544	U
1	YQ	2545	C
1	YQ	2548	C
1	YQ	2549	G
1	YQ	2552	C
1	YQ	2554	A
1	YQ	2562	A
1	YQ	2566	C
1	YQ	2567	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	YQ	2568	C
1	YQ	2569	A
1	YQ	2570	U
1	YQ	2571	U
1	YQ	2572	C
1	YQ	2573	G
1	YQ	2574	G
1	YQ	2578	U
1	YQ	2580	A
1	YQ	2584	G
1	YQ	2585	G
1	YQ	2589	G
1	YQ	2593	A
1	YQ	2594	C
1	YQ	2606	G
1	YQ	2607	G
1	YQ	2614	G
1	YQ	2629	U
1	YQ	2636	A
1	YQ	2652	U
1	YQ	2655	U
1	YQ	2656	A
1	YQ	2663	G
1	YQ	2672	G
1	YQ	2674	A
1	YQ	2677	G
1	YQ	2683	U
1	YQ	2689	A
1	YQ	2690	G
1	YQ	2694	A
1	YQ	2696	A
1	YQ	2703	A
1	YQ	2704	A
1	YQ	2708	C
1	YQ	2714	G
1	YQ	2727	A
1	YQ	2728	G
1	YQ	2729	U
1	YQ	2737	C
1	YQ	2740	A
1	YQ	2752	U
1	YQ	2753	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	YQ	2754	G
1	YQ	2762	A
1	YQ	2772	C
1	YQ	2773	C
1	YQ	2777	G
1	YQ	2778	G
1	YQ	2779	A
1	YQ	2782	U
1	YQ	2796	G
1	YQ	2799	A
1	YQ	2800	G
1	YQ	2801	A
1	YQ	2803	A
1	YQ	2810	C
1	YQ	2814	G
1	YQ	2817	A
1	YQ	2818	U
1	YQ	2819	A
1	YQ	2821	C
1	YQ	2828	G
1	YQ	2845	A
1	YQ	2847	A
1	YQ	2849	C
1	YQ	2860	U
1	YQ	2861	U
1	YQ	2871	G
1	YQ	2872	A
1	YQ	2873	U
1	YQ	2874	G
1	YQ	2876	C
1	YQ	2887	A
1	YQ	2889	C
1	YQ	2894	C
1	YQ	2899	C
1	YQ	2900	A
1	YQ	2910	A
1	YQ	2916	U
1	YQ	2923	U
1	YQ	2924	U
1	YQ	2935	U
1	YQ	2936	A
1	YQ	2942	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	YQ	2943	G
1	YQ	2945	G
1	YQ	2947	G
1	YQ	2955	U
1	YQ	2957	G
1	YQ	2965	U
1	YQ	2971	A
1	YQ	2972	G
1	YQ	2979	U
1	YQ	2983	C
1	YQ	2990	G
1	YQ	2996	U
1	YQ	2997	G
1	YQ	3011	A
1	YQ	3012	A
1	YQ	3030	G
1	YQ	3039	C
1	YQ	3049	A
1	YQ	3059	G
1	YQ	3074	G
1	YQ	3078	U
1	YQ	3080	G
1	YQ	3086	A
1	YQ	3092	C
1	YQ	3093	C
1	YQ	3094	A
1	YQ	3104	U
1	YQ	3114	A
1	YQ	3116	G
1	YQ	3122	A
1	YQ	3130	A
1	YQ	3131	U
1	YQ	3134	A
1	YQ	3142	A
1	YQ	3143	C
1	YQ	3150	A
1	YQ	3151	U
1	YQ	3153	U
1	YQ	3158	G
1	YQ	3159	C
1	YQ	3165	A
1	YQ	3170	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	YQ	3172	A
1	YQ	3173	G
1	YQ	3174	A
1	YQ	3176	G
1	YQ	3179	U
1	YQ	3180	A
1	YQ	3181	C
1	YQ	3187	A
1	YQ	3195	U
1	YQ	3196	U
1	YQ	3197	G
1	YQ	3198	U
1	YQ	3207	U
1	YQ	3210	A
1	YQ	3217	C
1	YQ	3218	A
1	YQ	3219	G
1	YQ	3227	A
1	YQ	3229	G
1	YQ	3235	C
1	YQ	3238	G
1	YQ	3243	A
1	YQ	3244	A
1	YQ	3245	A
1	YQ	3246	G
1	YQ	3251	U
1	YQ	3259	U
1	YQ	3263	G
1	YQ	3267	A
1	YQ	3269	U
1	YQ	3270	U
1	YQ	3271	G
1	YQ	3272	C
1	YQ	3276	G
1	YQ	3279	A
1	YQ	3281	U
1	YQ	3286	G
1	YQ	3289	G
1	YQ	3290	G
1	YQ	3294	A
1	YQ	3295	A
1	YQ	3304	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	YQ	3309	G
1	YQ	3313	U
1	YQ	3316	A
1	YQ	3317	U
1	YQ	3318	G
1	YQ	3334	U
1	YQ	3335	A
1	YQ	3341	U
1	YQ	3342	A
1	YQ	3345	G
1	YQ	3348	G
1	YQ	3351	U
1	YQ	3352	U
1	YQ	3353	G
1	YQ	3354	U
1	YQ	3355	U
1	YQ	3356	G
1	YQ	3357	U
1	YQ	3358	U
1	YQ	3368	U
1	YQ	3369	G
1	YQ	3378	C
1	YQ	3384	U
1	YQ	3389	U
1	YQ	3390	G
1	YQ	3396	U
2	YR	7	G
2	YR	22	A
2	YR	38	U
2	YR	54	U
2	YR	55	A
2	YR	65	G
2	YR	73	C
2	YR	76	A
2	YR	87	G
2	YR	93	C
2	YR	102	A
2	YR	103	A
2	YR	112	G
2	YR	121	U
3	YS	23	U
3	YS	34	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	YS	35	C
3	YS	46	G
3	YS	48	A
3	YS	49	G
3	YS	59	A
3	YS	62	C
3	YS	63	G
3	YS	79	A
3	YS	80	A
3	YS	81	U
3	YS	82	U
3	YS	83	C
3	YS	84	C
3	YS	86	U
3	YS	87	G
3	YS	91	C
3	YS	95	G
3	YS	97	A
3	YS	104	A
3	YS	105	A
3	YS	106	C
3	YS	111	A
3	YS	113	U
3	YS	123	G
3	YS	125	U
3	YS	138	A
3	YS	148	G
3	YS	152	G
3	YS	156	U
3	YS	157	U
80	n	16	U
80	n	17	G
80	n	18	G
80	n	19	U
80	n	22	C
80	n	24	G
80	n	33	U
80	n	39	C
80	n	41	A
80	n	42	G
80	n	48	U
80	n	56	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
80	n	58	A
80	n	59	G
80	n	73	G
80	n	74	C
80	n	76	A
81	m	9	A
81	m	16	C
81	m	17	G
81	m	18	G
81	m	19	C
81	m	20	U
81	m	28	C
81	m	29	A
81	m	33	U
81	m	34	U
81	m	36	C
81	m	37	A
81	m	38	C
81	m	39	C
81	m	43	G
81	m	45	G
81	m	46	A
81	m	47	C
81	m	72	G
81	m	75	A
82	nb	4	C
82	nb	9	A
82	nb	13	C
82	nb	15	G
82	nb	16	U
82	nb	17	C
82	nb	18	G
82	nb	19	G
82	nb	20	U
82	nb	21	A
82	nb	22	G
82	nb	23	A
82	nb	25	C
82	nb	33	U
82	nb	34	A
82	nb	35	G
82	nb	36	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
82	nb	37	A
82	nb	38	A
82	nb	40	C
82	nb	41	C
82	nb	42	C
82	nb	43	C
82	nb	44	G
82	nb	47	U
82	nb	48	C
82	nb	49	C
82	nb	51	U
82	nb	52	G
82	nb	53	G
82	nb	54	U
82	nb	55	U
82	nb	57	G
82	nb	58	A
82	nb	59	U
82	nb	60	U
82	nb	68	C
82	nb	72	C
82	nb	73	A
82	nb	74	C
82	nb	75	C
82	nb	76	A
83	mb	2	G
83	mb	9	G
83	mb	19	G
83	mb	20	G
83	mb	21	U
83	mb	48	U
83	mb	49	C
83	mb	57	C
83	mb	63	C
83	mb	76	C
83	mb	77	A
84	l	5	U
84	l	6	U
84	l	8	U
84	l	9	U
84	l	10	U
84	l	11	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
84	1	12	U
84	1	13	U
84	1	16	G
84	1	19	A
84	1	23	U
84	1	24	U
84	1	25	U
84	1	26	U
84	1	28	U
84	1	29	U
84	1	30	U
84	1	31	U
84	1	32	A
84	1	33	A
84	1	34	U
84	1	38	G
84	1	39	G
84	1	40	A
84	1	42	G
84	1	46	C
84	1	49	C
84	1	50	C
84	1	52	U
84	1	53	U
84	1	54	U
84	1	55	U
84	1	56	U
84	1	57	U
84	1	58	U
84	1	59	U
84	1	60	U

All (188) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	BQ	13	A
1	BQ	65	A
1	BQ	151	A
1	BQ	170	G
1	BQ	217	U
1	BQ	240	U
1	BQ	282	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	BQ	619	A
1	BQ	715	A
1	BQ	735	A
1	BQ	765	C
1	BQ	873	C
1	BQ	916	G
1	BQ	1015	U
1	BQ	1027	A
1	BQ	1033	U
1	BQ	1062	A
1	BQ	1064	A
1	BQ	1081	U
1	BQ	1096	U
1	BQ	1103	A
1	BQ	1152	G
1	BQ	1222	G
1	BQ	1238	C
1	BQ	1241	U
1	BQ	1284	C
1	BQ	1307	G
1	BQ	1329	U
1	BQ	1481	A
1	BQ	1560	G
1	BQ	1573	G
1	BQ	1582	C
1	BQ	1605	A
1	BQ	1761	C
1	BQ	1815	U
1	BQ	1816	A
1	BQ	2101	C
1	BQ	2112	U
1	BQ	2204	C
1	BQ	2207	A
1	BQ	2209	U
1	BQ	2231	C
1	BQ	2260	U
1	BQ	2418	G
1	BQ	2513	U
1	BQ	2537	U
1	BQ	2583	C
1	BQ	2662	G
1	BQ	2772	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	BQ	2872	A
1	BQ	2971	A
1	BQ	3078	U
1	BQ	3121	U
1	BQ	3195	U
1	BQ	3218	A
1	BQ	3228	C
1	BQ	3269	U
1	BQ	3275	U
1	BQ	3289	G
1	BQ	3317	U
1	BQ	3341	U
1	BQ	3356	G
1	BQ	3357	U
3	BS	39	G
3	BS	80	A
3	BS	156	U
18	2	25	C
18	2	68	A
18	2	73	U
18	2	76	A
18	2	103	A
18	2	130	C
18	2	131	C
18	2	132	U
18	2	139	C
18	2	217	A
18	2	218	A
18	2	239	C
18	2	240	U
18	2	242	U
18	2	278	U
18	2	279	G
18	2	280	U
18	2	352	A
18	2	417	A
18	2	422	G
18	2	484	C
18	2	497	G
18	2	499	U
18	2	501	U
18	2	503	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	2	512	A
18	2	555	A
18	2	558	U
18	2	685	A
18	2	714	G
18	2	717	C
18	2	720	G
18	2	721	U
18	2	734	A
18	2	755	A
18	2	765	G
18	2	782	U
18	2	794	U
18	2	811	A
18	2	829	A
18	2	913	G
18	2	1058	U
18	2	1081	A
18	2	1196	A
18	2	1199	G
18	2	1227	A
18	2	1244	A
18	2	1255	G
18	2	1344	A
18	2	1421	A
18	2	1451	C
18	2	1481	C
18	2	1489	U
18	2	1491	U
18	2	1535	U
18	2	1553	G
18	2	1554	U
18	2	1568	C
18	2	1573	A
18	2	1596	C
18	2	1620	C
18	2	1657	U
1	YQ	65	A
1	YQ	170	G
1	YQ	217	U
1	YQ	240	U
1	YQ	282	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	YQ	715	A
1	YQ	735	A
1	YQ	765	C
1	YQ	873	C
1	YQ	916	G
1	YQ	1015	U
1	YQ	1027	A
1	YQ	1033	U
1	YQ	1062	A
1	YQ	1064	A
1	YQ	1081	U
1	YQ	1096	U
1	YQ	1103	A
1	YQ	1152	G
1	YQ	1222	G
1	YQ	1238	C
1	YQ	1241	U
1	YQ	1284	C
1	YQ	1285	G
1	YQ	1307	G
1	YQ	1329	U
1	YQ	1481	A
1	YQ	1560	G
1	YQ	1582	C
1	YQ	1761	C
1	YQ	1815	U
1	YQ	1816	A
1	YQ	2101	C
1	YQ	2112	U
1	YQ	2168	A
1	YQ	2204	C
1	YQ	2256	A
1	YQ	2260	U
1	YQ	2272	G
1	YQ	2418	G
1	YQ	2513	U
1	YQ	2537	U
1	YQ	2583	C
1	YQ	2662	G
1	YQ	2772	C
1	YQ	2777	G
1	YQ	2872	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	YQ	2971	A
1	YQ	3158	G
1	YQ	3195	U
1	YQ	3218	A
1	YQ	3228	C
1	YQ	3269	U
1	YQ	3289	G
1	YQ	3317	U
1	YQ	3340	G
1	YQ	3341	U
1	YQ	3357	U
3	YS	82	U
3	YS	156	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 15 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

The following chains have linkage breaks:

Mol	Chain	Number of breaks
48	Mb	1
48	M	1
38	Ib	1
4	XW	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	Mb	13:ARG	C	14:TYR	N	1.77
1	M	13:ARG	C	14:TYR	N	1.76
1	Ib	116:ILE	C	117:SER	N	1.19
1	XW	204:MET	C	205:ASN	N	1.18


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-4427. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 253



Y Index: 253




Z Index: 253


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 264



Y Index: 208



Z Index: 315


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.013. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 7857 nm^3 ; this corresponds to an approximate mass of 7097 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.189\AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.189 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	5.30	-	-
Author-provided FSC curve	5.33	8.27	5.76
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-4427 and PDB model 6I7O. Per-residue inclusion information can be found in section 3 on page 27.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.013 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.013).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 97% of all backbone atoms, 94% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary





















































































The table lists the average atom inclusion at the recommended contour level (0.013) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9371	 0.2120
2	 0.9823	 0.2500
2b	 0.9845	 0.2320
A	 0.8472	 0.1750
AA	 0.8702	 0.1540
AB	 0.8720	 0.2900
AC	 0.8508	 0.1560
AD	 0.9265	 0.1910
AE	 0.5137	 0.1200
AF	 0.9215	 0.1960
AG	 0.9316	 0.1220
AH	 0.9029	 0.1640
AI	 0.8891	 0.1510
AJ	 0.8988	 0.1590
AK	 0.9273	 0.1610
AL	 0.8747	 0.1770
AM	 0.9448	 0.1640
AN	 0.9160	 0.1560
AO	 0.8886	 0.2060
AP	 0.8565	 0.1380
AQ	 0.8980	 0.1490
AR	 0.9291	 0.1550
AS	 0.7830	 0.2540
AT	 0.8194	 0.2490
AU	 0.9075	 0.2080
AV	 0.8319	 0.1460
AW	 0.8510	 0.2310
AX	 0.9325	 0.2170
AY	 0.8066	 0.1830
Ab	 0.7975	 0.1770
B	 0.8211	 0.1500
BA	 0.9161	 0.2310
BB	 0.9047	 0.1430
BC	 0.8775	 0.1880
BD	 0.8923	 0.1600























































































Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
BE	 0.9110	 0.1590
BF	 0.8761	 0.1760
BG	 0.8471	 0.1680
BH	 0.8909	 0.1470
BI	 0.9334	 0.1030
BJ	 0.8718	 0.1380
BK	 0.9135	 0.1470
BL	 0.9123	 0.1530
BM	 0.8969	 0.1420
BN	 0.8132	 0.1610
BO	 0.9091	 0.1530
BP	 0.8765	 0.1590
BQ	 0.9866	 0.2460
BR	 0.9981	 0.1950
BS	 0.9916	 0.2240
BU	 0.6583	 0.0420
Bb	 0.8803	 0.1820
C	 0.9354	 0.1600
Cb	 0.9051	 0.1620
D	 0.8739	 0.1140
Db	 0.8500	 0.1130
E	 0.9221	 0.1390
Eb	 0.8891	 0.1440
F	 0.9036	 0.1460
Fb	 0.9222	 0.1600
G	 0.8263	 0.1810
Gb	 0.8499	 0.1790
H	 0.9489	 0.1490
Hb	 0.9125	 0.1580
I	 0.9574	 0.1370
Ib	 0.9426	 0.1440
J	 0.9316	 0.1600
Jb	 0.9051	 0.1580
K	 0.8838	 0.1420
Kb	 0.9170	 0.1630
L	 0.7778	 0.1800
Lb	 0.8658	 0.2060
M	 0.9340	 0.0610
Mb	 0.8868	 0.0590
N	 0.8327	 0.1060
Nb	 0.8674	 0.1110
O	 0.8330	 0.1420





















































































Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Ob	 0.9493	 0.1530
P	 0.8804	 0.2200
Pb	 0.8927	 0.2140
Q	 0.7920	 0.1990
Qb	 0.8576	 0.1950
R	 0.8912	 0.2510
Rb	 0.8109	 0.2130
S	 0.8972	 0.1680
Sb	 0.8361	 0.1390
T	 0.9336	 0.1510
Tb	 0.9172	 0.1410
U	 0.8861	 0.1770
Ub	 0.8991	 0.1540
V	 0.9241	 0.1590
Vb	 0.9116	 0.1280
W	 0.8793	 0.1960
Wb	 0.7774	 0.1490
X	 0.8487	 0.2010
XA	 0.9175	 0.1720
XB	 0.8390	 0.1680
XC	 0.8992	 0.1780
XD	 0.9055	 0.1380
XE	 0.6708	 0.1250
XF	 0.9264	 0.2350
XG	 0.9141	 0.1420
XH	 0.9146	 0.1840
XI	 0.8992	 0.1540
XJ	 0.9109	 0.1960
XK	 0.9315	 0.1580
XL	 0.8723	 0.2280
XM	 0.9264	 0.1470
XN	 0.9188	 0.1400
XO	 0.7550	 0.1230
XP	 0.7998	 0.2070
XQ	 0.9041	 0.2060
XR	 0.9159	 0.2170
XS	 0.7170	 0.2150
XT	 0.8552	 0.2290
XU	 0.8712	 0.1680
XV	 0.8739	 0.2020
XW	 0.8639	 0.2600
XX	 0.9078	 0.2020







Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
XY	 0.8119	 0.1620
Xb	 0.8215	 0.1510
Y	 0.8346	 0.2120
YA	 0.9124	 0.1540
YB	 0.8953	 0.1860
YC	 0.8530	 0.1530
YD	 0.8831	 0.1580
YE	 0.9159	 0.1970
YF	 0.8767	 0.1690
YG	 0.8662	 0.2150
YH	 0.8702	 0.1350
YI	 0.9386	 0.1340
YJ	 0.8726	 0.1650
YK	 0.9208	 0.1560
YL	 0.9097	 0.1380
YM	 0.9288	 0.1410
YN	 0.8580	 0.1620
YO	 0.8885	 0.1650
YP	 0.9127	 0.1710
YQ	 0.9857	 0.2550
YR	 0.9953	 0.2020
YS	 0.9946	 0.2560
YU	 0.6320	 0.0430
Yb	 0.8814	 0.1880
Z	 0.8672	 0.2080
Zb	 0.8999	 0.2000
a	 0.8524	 0.2050
ab	 0.8328	 0.2050
b	 0.8717	 0.2150
bb	 0.8497	 0.1730
c	 0.8620	 0.2710
cb	 0.8199	 0.1940
d	 0.9145	 0.1590
db	 0.8425	 0.1220
e	 0.8770	 0.2640
eb	 0.8703	 0.2550
f	 0.8621	 0.1950
fb	 0.9020	 0.1820
g	 0.8366	 0.1940
gb	 0.7081	 0.1420
l	 0.8638	 0.2020
m	 0.5116	 0.1390

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
mb	 0.9690	 0.2520
n	 0.9735	 0.2370
nb	 0.9568	 0.2040