



# wwPDB X-ray Structure Validation Summary Report ⓘ

Jun 7, 2023 – 06:25 PM JST

PDB ID : 8IAU  
Title : Crystal structure of Streptococcus pneumoniae pyruvate kinase in complex with oxalate and fructose 1,6-bisphosphate  
Authors : Nakashima, R.; Taguchi, A.  
Deposited on : 2023-02-09  
Resolution : 2.00 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.33  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.33


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	521	 % 86% 9% . .
1	B	521	 87% 8% . .
1	C	521	 3% 85% 9% . .
1	D	521	 % 86% 10% . .
1	E	521	 8% 79% 16% . .
1	F	521	 9% 82% 12% . .

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	G	521	
1	H	521	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	PEG	H	605	-	-	X	-

## 2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 31195 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	501	3840	2399	664	760	17	0	0	0
1	B	501	3840	2399	664	760	17	0	0	0
1	C	501	3840	2399	664	760	17	0	0	0
1	D	501	3840	2399	664	760	17	0	0	0
1	E	499	3820	2388	659	757	16	0	0	0
1	F	501	3840	2399	664	760	17	0	0	0
1	G	500	3828	2393	660	758	17	0	0	0
1	H	412	3148	1967	546	618	17	0	0	0

There are 160 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP Q8DQ84
A	-18	GLY	-	expression tag	UNP Q8DQ84
A	-17	SER	-	expression tag	UNP Q8DQ84
A	-16	SER	-	expression tag	UNP Q8DQ84
A	-15	HIS	-	expression tag	UNP Q8DQ84
A	-14	HIS	-	expression tag	UNP Q8DQ84
A	-13	HIS	-	expression tag	UNP Q8DQ84
A	-12	HIS	-	expression tag	UNP Q8DQ84
A	-11	HIS	-	expression tag	UNP Q8DQ84
A	-10	HIS	-	expression tag	UNP Q8DQ84
A	-9	SER	-	expression tag	UNP Q8DQ84
A	-8	SER	-	expression tag	UNP Q8DQ84
A	-7	GLY	-	expression tag	UNP Q8DQ84

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	LEU	-	expression tag	UNP Q8DQ84
A	-5	VAL	-	expression tag	UNP Q8DQ84
A	-4	PRO	-	expression tag	UNP Q8DQ84
A	-3	ARG	-	expression tag	UNP Q8DQ84
A	-2	GLY	-	expression tag	UNP Q8DQ84
A	-1	SER	-	expression tag	UNP Q8DQ84
A	0	HIS	-	expression tag	UNP Q8DQ84
B	-19	MET	-	initiating methionine	UNP Q8DQ84
B	-18	GLY	-	expression tag	UNP Q8DQ84
B	-17	SER	-	expression tag	UNP Q8DQ84
B	-16	SER	-	expression tag	UNP Q8DQ84
B	-15	HIS	-	expression tag	UNP Q8DQ84
B	-14	HIS	-	expression tag	UNP Q8DQ84
B	-13	HIS	-	expression tag	UNP Q8DQ84
B	-12	HIS	-	expression tag	UNP Q8DQ84
B	-11	HIS	-	expression tag	UNP Q8DQ84
B	-10	HIS	-	expression tag	UNP Q8DQ84
B	-9	SER	-	expression tag	UNP Q8DQ84
B	-8	SER	-	expression tag	UNP Q8DQ84
B	-7	GLY	-	expression tag	UNP Q8DQ84
B	-6	LEU	-	expression tag	UNP Q8DQ84
B	-5	VAL	-	expression tag	UNP Q8DQ84
B	-4	PRO	-	expression tag	UNP Q8DQ84
B	-3	ARG	-	expression tag	UNP Q8DQ84
B	-2	GLY	-	expression tag	UNP Q8DQ84
B	-1	SER	-	expression tag	UNP Q8DQ84
B	0	HIS	-	expression tag	UNP Q8DQ84
C	-19	MET	-	initiating methionine	UNP Q8DQ84
C	-18	GLY	-	expression tag	UNP Q8DQ84
C	-17	SER	-	expression tag	UNP Q8DQ84
C	-16	SER	-	expression tag	UNP Q8DQ84
C	-15	HIS	-	expression tag	UNP Q8DQ84
C	-14	HIS	-	expression tag	UNP Q8DQ84
C	-13	HIS	-	expression tag	UNP Q8DQ84
C	-12	HIS	-	expression tag	UNP Q8DQ84
C	-11	HIS	-	expression tag	UNP Q8DQ84
C	-10	HIS	-	expression tag	UNP Q8DQ84
C	-9	SER	-	expression tag	UNP Q8DQ84
C	-8	SER	-	expression tag	UNP Q8DQ84
C	-7	GLY	-	expression tag	UNP Q8DQ84
C	-6	LEU	-	expression tag	UNP Q8DQ84
C	-5	VAL	-	expression tag	UNP Q8DQ84

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-4	PRO	-	expression tag	UNP Q8DQ84
C	-3	ARG	-	expression tag	UNP Q8DQ84
C	-2	GLY	-	expression tag	UNP Q8DQ84
C	-1	SER	-	expression tag	UNP Q8DQ84
C	0	HIS	-	expression tag	UNP Q8DQ84
D	-19	MET	-	initiating methionine	UNP Q8DQ84
D	-18	GLY	-	expression tag	UNP Q8DQ84
D	-17	SER	-	expression tag	UNP Q8DQ84
D	-16	SER	-	expression tag	UNP Q8DQ84
D	-15	HIS	-	expression tag	UNP Q8DQ84
D	-14	HIS	-	expression tag	UNP Q8DQ84
D	-13	HIS	-	expression tag	UNP Q8DQ84
D	-12	HIS	-	expression tag	UNP Q8DQ84
D	-11	HIS	-	expression tag	UNP Q8DQ84
D	-10	HIS	-	expression tag	UNP Q8DQ84
D	-9	SER	-	expression tag	UNP Q8DQ84
D	-8	SER	-	expression tag	UNP Q8DQ84
D	-7	GLY	-	expression tag	UNP Q8DQ84
D	-6	LEU	-	expression tag	UNP Q8DQ84
D	-5	VAL	-	expression tag	UNP Q8DQ84
D	-4	PRO	-	expression tag	UNP Q8DQ84
D	-3	ARG	-	expression tag	UNP Q8DQ84
D	-2	GLY	-	expression tag	UNP Q8DQ84
D	-1	SER	-	expression tag	UNP Q8DQ84
D	0	HIS	-	expression tag	UNP Q8DQ84
E	-19	MET	-	initiating methionine	UNP Q8DQ84
E	-18	GLY	-	expression tag	UNP Q8DQ84
E	-17	SER	-	expression tag	UNP Q8DQ84
E	-16	SER	-	expression tag	UNP Q8DQ84
E	-15	HIS	-	expression tag	UNP Q8DQ84
E	-14	HIS	-	expression tag	UNP Q8DQ84
E	-13	HIS	-	expression tag	UNP Q8DQ84
E	-12	HIS	-	expression tag	UNP Q8DQ84
E	-11	HIS	-	expression tag	UNP Q8DQ84
E	-10	HIS	-	expression tag	UNP Q8DQ84
E	-9	SER	-	expression tag	UNP Q8DQ84
E	-8	SER	-	expression tag	UNP Q8DQ84
E	-7	GLY	-	expression tag	UNP Q8DQ84
E	-6	LEU	-	expression tag	UNP Q8DQ84
E	-5	VAL	-	expression tag	UNP Q8DQ84
E	-4	PRO	-	expression tag	UNP Q8DQ84
E	-3	ARG	-	expression tag	UNP Q8DQ84

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
E	-2	GLY	-	expression tag	UNP Q8DQ84
E	-1	SER	-	expression tag	UNP Q8DQ84
E	0	HIS	-	expression tag	UNP Q8DQ84
F	-19	MET	-	initiating methionine	UNP Q8DQ84
F	-18	GLY	-	expression tag	UNP Q8DQ84
F	-17	SER	-	expression tag	UNP Q8DQ84
F	-16	SER	-	expression tag	UNP Q8DQ84
F	-15	HIS	-	expression tag	UNP Q8DQ84
F	-14	HIS	-	expression tag	UNP Q8DQ84
F	-13	HIS	-	expression tag	UNP Q8DQ84
F	-12	HIS	-	expression tag	UNP Q8DQ84
F	-11	HIS	-	expression tag	UNP Q8DQ84
F	-10	HIS	-	expression tag	UNP Q8DQ84
F	-9	SER	-	expression tag	UNP Q8DQ84
F	-8	SER	-	expression tag	UNP Q8DQ84
F	-7	GLY	-	expression tag	UNP Q8DQ84
F	-6	LEU	-	expression tag	UNP Q8DQ84
F	-5	VAL	-	expression tag	UNP Q8DQ84
F	-4	PRO	-	expression tag	UNP Q8DQ84
F	-3	ARG	-	expression tag	UNP Q8DQ84
F	-2	GLY	-	expression tag	UNP Q8DQ84
F	-1	SER	-	expression tag	UNP Q8DQ84
F	0	HIS	-	expression tag	UNP Q8DQ84
G	-19	MET	-	initiating methionine	UNP Q8DQ84
G	-18	GLY	-	expression tag	UNP Q8DQ84
G	-17	SER	-	expression tag	UNP Q8DQ84
G	-16	SER	-	expression tag	UNP Q8DQ84
G	-15	HIS	-	expression tag	UNP Q8DQ84
G	-14	HIS	-	expression tag	UNP Q8DQ84
G	-13	HIS	-	expression tag	UNP Q8DQ84
G	-12	HIS	-	expression tag	UNP Q8DQ84
G	-11	HIS	-	expression tag	UNP Q8DQ84
G	-10	HIS	-	expression tag	UNP Q8DQ84
G	-9	SER	-	expression tag	UNP Q8DQ84
G	-8	SER	-	expression tag	UNP Q8DQ84
G	-7	GLY	-	expression tag	UNP Q8DQ84
G	-6	LEU	-	expression tag	UNP Q8DQ84
G	-5	VAL	-	expression tag	UNP Q8DQ84
G	-4	PRO	-	expression tag	UNP Q8DQ84
G	-3	ARG	-	expression tag	UNP Q8DQ84
G	-2	GLY	-	expression tag	UNP Q8DQ84
G	-1	SER	-	expression tag	UNP Q8DQ84

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	0	HIS	-	expression tag	UNP Q8DQ84
H	-19	MET	-	initiating methionine	UNP Q8DQ84
H	-18	GLY	-	expression tag	UNP Q8DQ84
H	-17	SER	-	expression tag	UNP Q8DQ84
H	-16	SER	-	expression tag	UNP Q8DQ84
H	-15	HIS	-	expression tag	UNP Q8DQ84
H	-14	HIS	-	expression tag	UNP Q8DQ84
H	-13	HIS	-	expression tag	UNP Q8DQ84
H	-12	HIS	-	expression tag	UNP Q8DQ84
H	-11	HIS	-	expression tag	UNP Q8DQ84
H	-10	HIS	-	expression tag	UNP Q8DQ84
H	-9	SER	-	expression tag	UNP Q8DQ84
H	-8	SER	-	expression tag	UNP Q8DQ84
H	-7	GLY	-	expression tag	UNP Q8DQ84
H	-6	LEU	-	expression tag	UNP Q8DQ84
H	-5	VAL	-	expression tag	UNP Q8DQ84
H	-4	PRO	-	expression tag	UNP Q8DQ84
H	-3	ARG	-	expression tag	UNP Q8DQ84
H	-2	GLY	-	expression tag	UNP Q8DQ84
H	-1	SER	-	expression tag	UNP Q8DQ84
H	0	HIS	-	expression tag	UNP Q8DQ84

- Molecule 2 is 1,6-di-O-phosphono-beta-D-fructofuranose (three-letter code: FBP) (formula:  $C_6H_{14}O_{12}P_2$ ).






Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			20	6	12	2		
2	B	1	Total	C	O	P	0	0
			20	6	12	2		
2	C	1	Total	C	O	P	0	0
			20	6	12	2		
2	D	1	Total	C	O	P	0	0
			20	6	12	2		
2	E	1	Total	C	O	P	0	0
			20	6	12	2		
2	F	1	Total	C	O	P	0	0
			20	6	12	2		
2	G	1	Total	C	O	P	0	0
			20	6	12	2		
2	H	1	Total	C	O	P	0	0
			20	6	12	2		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		
3	F	1	Total	Mg	0	0
			1	1		
3	G	1	Total	Mg	0	0
			1	1		
3	H	1	Total	Mg	0	0
			1	1		

- Molecule 4 is OXALATE ION (three-letter code: OXL) (formula: C<sub>2</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 2 4	0	0
4	B	1	Total C O 6 2 4	0	0
4	C	1	Total C O 6 2 4	0	0
4	D	1	Total C O 6 2 4	0	0
4	F	1	Total C O 6 2 4	0	0
4	G	1	Total C O 6 2 4	0	0
4	H	1	Total C O 6 2 4	0	0

- Molecule 5 is POTASSIUM ION (three-letter code: K) (formula: K).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total K 1 1	0	0
5	B	1	Total K 1 1	0	0
5	C	1	Total K 1 1	0	0
5	D	1	Total K 1 1	0	0
5	F	1	Total K 1 1	0	0

*Continued on next page...*

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	G	1	Total K 1 1	0	0
5	H	1	Total K 1 1	0	0

- Molecule 6 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 7 4 3	0	0
6	H	1	Total C O 7 4 3	0	0

- Molecule 7 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			10	6	4		
7	C	1	Total	C	O	0	0
			10	6	4		
7	D	1	Total	C	O	0	0
			10	6	4		
7	G	1	Total	C	O	0	0
			10	6	4		

- Molecule 8 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula:  $C_8H_{18}O_5$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	F	1	Total	C	O	0	0
			13	8	5		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	169	Total	O	0	0
			169	169		
9	B	139	Total	O	0	0
			139	139		
9	C	103	Total	O	0	0
			103	103		
9	D	147	Total	O	0	0
			147	147		
9	E	56	Total	O	0	0
			56	56		
9	F	101	Total	O	0	0
			101	101		
9	G	129	Total	O	0	0
			129	129		
9	H	72	Total	O	0	0
			72	72		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pyruvate kinase





- Molecule 1: Pyruvate kinase





- Molecule 1: Pyruvate kinase





• Molecule 1: Pyruvate kinase



• Molecule 1: Pyruvate kinase



• Molecule 1: Pyruvate kinase







## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	73.44Å 114.66Å 140.71Å 88.95° 88.12° 76.52°	Depositor
Resolution (Å)	49.38 – 2.00 49.37 – 2.00	Depositor EDS
% Data completeness (in resolution range)	97.0 (49.38-2.00) 97.0 (49.37-2.00)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.51 (at 2.00Å)	Xtrriage
Refinement program	REFMAC 5	Depositor
R, $R_{free}$	0.200 , 0.246 0.206 , 0.249	Depositor DCC
$R_{free}$ test set	14695 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	39.9	Xtrriage
Anisotropy	0.226	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 44.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.059 for -h,-k,l	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	31195	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	50.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.01% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PGE, OXL, FBP, PEG, PG4, K, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.85	1/3885 (0.0%)	0.98	5/5238 (0.1%)
1	B	0.83	1/3885 (0.0%)	0.97	4/5238 (0.1%)
1	C	0.81	0/3885	0.94	4/5238 (0.1%)
1	D	0.82	2/3885 (0.1%)	0.93	0/5238
1	E	0.78	0/3865	0.90	0/5214
1	F	0.78	0/3885	0.94	4/5238 (0.1%)
1	G	0.80	0/3873	0.92	2/5224 (0.0%)
1	H	0.80	0/3187	1.00	11/4298 (0.3%)
All	All	0.81	4/30350 (0.0%)	0.94	30/40926 (0.1%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	351	GLU	CD-OE2	5.96	1.32	1.25
1	A	351	GLU	CD-OE2	5.72	1.31	1.25
1	D	439	MET	CG-SD	-5.68	1.66	1.81
1	B	380	ARG	CD-NE	-5.07	1.37	1.46

The worst 5 of 30 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	380	ARG	NE-CZ-NH2	14.84	127.72	120.30
1	C	380	ARG	NE-CZ-NH1	-11.71	114.45	120.30
1	B	380	ARG	NE-CZ-NH2	11.65	126.12	120.30
1	F	380	ARG	NE-CZ-NH2	10.68	125.64	120.30
1	H	380	ARG	NE-CZ-NH2	10.55	125.58	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3840	0	3887	36	0
1	B	3840	0	3887	29	0
1	C	3840	0	3887	34	0
1	D	3840	0	3887	29	0
1	E	3820	0	3863	54	0
1	F	3840	0	3887	60	0
1	G	3828	0	3874	45	0
1	H	3148	0	3185	42	0
2	A	20	0	10	0	0
2	B	20	0	10	1	0
2	C	20	0	10	0	0
2	D	20	0	10	0	0
2	E	20	0	10	0	0
2	F	20	0	10	1	0
2	G	20	0	10	0	0
2	H	20	0	10	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
4	A	6	0	0	0	0
4	B	6	0	0	0	0
4	C	6	0	0	0	0
4	D	6	0	0	0	0
4	F	6	0	0	0	0
4	G	6	0	0	0	0
4	H	6	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	A	7	0	10	1	0
6	H	7	0	10	5	0
7	B	10	0	14	3	0
7	C	10	0	14	1	0
7	D	10	0	14	1	0
7	G	10	0	14	5	0
8	F	13	0	18	5	0
9	A	169	0	0	2	0
9	B	139	0	0	0	0
9	C	103	0	0	4	0
9	D	147	0	0	0	0
9	E	56	0	0	1	0
9	F	101	0	0	2	0
9	G	129	0	0	3	0
9	H	72	0	0	4	0
All	All	31195	0	30531	308	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 308 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:73:LYS:HE3	8:F:605:PG4:H22	1.32	1.11
1:G:368:ASN:HD21	1:G:422:ASN:ND2	1.51	1.06
1:F:99:PHE:HE2	1:F:125:THR:O	1.48	0.97
1:B:73:LYS:HE3	7:B:605:PGE:H52	1.51	0.93
1:A:311:THR:HG23	1:A:322:GLU:OE1	1.73	0.88

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	499/521 (96%)	484 (97%)	14 (3%)	1 (0%)	47	44
1	B	499/521 (96%)	488 (98%)	9 (2%)	2 (0%)	34	30
1	C	499/521 (96%)	482 (97%)	15 (3%)	2 (0%)	34	30
1	D	499/521 (96%)	484 (97%)	14 (3%)	1 (0%)	47	44
1	E	497/521 (95%)	462 (93%)	32 (6%)	3 (1%)	25	19
1	F	499/521 (96%)	468 (94%)	28 (6%)	3 (1%)	25	19
1	G	498/521 (96%)	485 (97%)	12 (2%)	1 (0%)	47	44
1	H	408/521 (78%)	392 (96%)	13 (3%)	3 (1%)	22	16
All	All	3898/4168 (94%)	3745 (96%)	137 (4%)	16 (0%)	34	30

5 of 16 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	189	PRO
1	E	237	GLU
1	F	306	THR
1	G	306	THR
1	A	306	THR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	411/428 (96%)	390 (95%)	21 (5%)	24	19
1	B	411/428 (96%)	397 (97%)	14 (3%)	37	36
1	C	411/428 (96%)	386 (94%)	25 (6%)	18	14
1	D	411/428 (96%)	391 (95%)	20 (5%)	25	21
1	E	409/428 (96%)	388 (95%)	21 (5%)	24	19
1	F	411/428 (96%)	388 (94%)	23 (6%)	21	17
1	G	410/428 (96%)	392 (96%)	18 (4%)	28	25
1	H	338/428 (79%)	320 (95%)	18 (5%)	22	18

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	3212/3424 (94%)	3052 (95%)	160 (5%)	24 20

5 of 160 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	236	GLU
1	H	22	LYS
1	F	380	ARG
1	G	314	GLU
1	H	226	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 31 such sidechains are listed below:

Mol	Chain	Res	Type
1	E	307	ASN
1	G	493	ASN
1	F	240	ASN
1	H	307	ASN
1	G	307	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 36 ligands modelled in this entry, 14 are monoatomic - leaving 22 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	FBP	C	601	-	18,20,20	0.90	0	23,32,32	1.38	2 (8%)
4	OXL	G	603	3	5,5,5	1.53	0	6,6,6	1.10	0
2	FBP	F	601	-	18,20,20	0.90	0	23,32,32	1.38	3 (13%)
6	PEG	H	605	-	6,6,6	0.52	0	5,5,5	0.29	0
4	OXL	D	603	3	5,5,5	1.85	1 (20%)	6,6,6	0.58	0
2	FBP	A	601	-	18,20,20	0.80	0	23,32,32	1.54	5 (21%)
4	OXL	B	603	3	5,5,5	1.15	0	6,6,6	1.43	1 (16%)
8	PG4	F	605	-	12,12,12	0.33	0	11,11,11	0.38	0
4	OXL	A	603	3	5,5,5	1.79	2 (40%)	6,6,6	1.26	0
7	PGE	D	605	-	9,9,9	0.47	0	8,8,8	0.26	0
7	PGE	G	605	-	9,9,9	0.34	0	8,8,8	0.45	0
2	FBP	H	601	-	18,20,20	0.82	0	23,32,32	1.67	5 (21%)
7	PGE	B	605	-	9,9,9	0.25	0	8,8,8	0.35	0
4	OXL	F	603	3	5,5,5	1.41	0	6,6,6	1.16	0
6	PEG	A	605	-	6,6,6	0.27	0	5,5,5	0.25	0
2	FBP	G	601	-	18,20,20	0.82	1 (5%)	23,32,32	1.28	3 (13%)
4	OXL	H	603	3	5,5,5	1.35	1 (20%)	6,6,6	1.46	0
2	FBP	D	601	-	18,20,20	1.10	1 (5%)	23,32,32	1.07	1 (4%)
2	FBP	B	601	-	18,20,20	0.96	1 (5%)	23,32,32	1.38	3 (13%)
2	FBP	E	601	-	18,20,20	0.93	1 (5%)	23,32,32	1.35	2 (8%)
4	OXL	C	603	3	5,5,5	1.45	1 (20%)	6,6,6	0.96	0
7	PGE	C	605	-	9,9,9	0.40	0	8,8,8	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FBP	C	601	-	-	5/13/32/32	0/1/1/1
4	OXL	G	603	3	-	0/4/4/4	-
2	FBP	F	601	-	-	4/13/32/32	0/1/1/1
6	PEG	H	605	-	-	3/4/4/4	-
4	OXL	D	603	3	-	1/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FBP	A	601	-	-	5/13/32/32	0/1/1/1
4	OXL	B	603	3	-	0/4/4/4	-
8	PG4	F	605	-	-	5/10/10/10	-
4	OXL	A	603	3	-	0/4/4/4	-
7	PGE	D	605	-	-	4/7/7/7	-
7	PGE	G	605	-	-	4/7/7/7	-
2	FBP	H	601	-	-	5/13/32/32	0/1/1/1
7	PGE	B	605	-	-	5/7/7/7	-
4	OXL	F	603	3	-	4/4/4/4	-
6	PEG	A	605	-	-	3/4/4/4	-
2	FBP	G	601	-	-	5/13/32/32	0/1/1/1
4	OXL	H	603	3	-	1/4/4/4	-
2	FBP	D	601	-	-	6/13/32/32	0/1/1/1
2	FBP	B	601	-	-	3/13/32/32	0/1/1/1
2	FBP	E	601	-	-	3/13/32/32	0/1/1/1
4	OXL	C	603	3	-	2/4/4/4	-
7	PGE	C	605	-	-	6/7/7/7	-

The worst 5 of 9 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	601	FBP	O2-C2	2.78	1.45	1.40
4	C	603	OXL	O4-C2	-2.65	1.22	1.30
4	D	603	OXL	O4-C2	-2.60	1.23	1.30
4	A	603	OXL	C2-C1	2.55	1.61	1.54
2	B	601	FBP	P1-O3P	-2.52	1.45	1.54

The worst 5 of 25 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	601	FBP	O2P-P1-O1	-4.01	96.06	106.73
2	B	601	FBP	O5P-P2-O6	-3.97	96.17	106.73
2	H	601	FBP	O5P-P2-O6	-3.96	96.19	106.73
2	A	601	FBP	O6-P2-O4P	-3.44	96.82	106.47
2	E	601	FBP	O6P-P2-O5P	3.42	120.70	107.64

There are no chirality outliers.

5 of 74 torsion outliers are listed below:




Mol	Chain	Res	Type	Atoms
2	A	601	FBP	C1-O1-P1-O2P
2	A	601	FBP	O1-C1-C2-C3
2	A	601	FBP	O1-C1-C2-O5
2	B	601	FBP	O1-C1-C2-C3
2	B	601	FBP	O1-C1-C2-O5


There are no ring outliers.


9 monomers are involved in 23 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	601	FBP	1	0
6	H	605	PEG	5	0
8	F	605	PG4	5	0
7	D	605	PGE	1	0
7	G	605	PGE	5	0
7	B	605	PGE	3	0
6	A	605	PEG	1	0
2	B	601	FBP	1	0
7	C	605	PGE	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






















## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	501/521 (96%)	-0.02	3 (0%) 89 88	23, 38, 63, 89	0
1	B	501/521 (96%)	-0.21	2 (0%) 92 92	27, 41, 63, 95	0
1	C	501/521 (96%)	0.12	17 (3%) 45 44	28, 47, 77, 107	0
1	D	501/521 (96%)	0.05	7 (1%) 75 74	23, 41, 66, 97	0
1	E	499/521 (95%)	0.55	42 (8%) 11 10	33, 61, 87, 105	0
1	F	501/521 (96%)	0.45	49 (9%) 7 7	28, 48, 94, 132	0
1	G	500/521 (95%)	0.23	30 (6%) 21 20	28, 46, 80, 103	0
1	H	412/521 (79%)	0.19	26 (6%) 20 19	30, 51, 88, 112	0
All	All	3916/4168 (93%)	0.17	176 (4%) 33 32	23, 46, 81, 132	0

The worst 5 of 176 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	24	GLY	6.7
1	F	23	PHE	5.9
1	F	167	THR	5.8
1	H	188	ILE	5.7
1	F	121	GLY	5.7

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
7	PGE	D	605	10/10	0.79	0.20	49,59,61,62	0
8	PG4	F	605	13/13	0.83	0.14	46,54,61,62	0
7	PGE	G	605	10/10	0.87	0.17	53,56,60,62	0
7	PGE	C	605	10/10	0.88	0.14	49,57,65,67	0
7	PGE	B	605	10/10	0.88	0.11	42,50,53,55	0
6	PEG	A	605	7/7	0.90	0.11	43,48,54,58	0
4	OXL	H	603	6/6	0.90	0.11	57,69,73,74	0
4	OXL	G	603	6/6	0.91	0.08	38,49,60,61	0
5	K	H	604	1/1	0.91	0.14	74,74,74,74	0
4	OXL	F	603	6/6	0.93	0.13	42,56,66,66	0
5	K	C	604	1/1	0.93	0.08	71,71,71,71	0
4	OXL	A	603	6/6	0.93	0.12	38,45,55,60	0
6	PEG	H	605	7/7	0.94	0.07	44,50,56,63	0
4	OXL	C	603	6/6	0.94	0.08	42,45,54,57	0
3	MG	C	602	1/1	0.95	0.09	58,58,58,58	0
5	K	G	604	1/1	0.95	0.04	60,60,60,60	0
3	MG	D	602	1/1	0.95	0.04	40,40,40,40	0
3	MG	G	602	1/1	0.95	0.06	50,50,50,50	0
2	FBP	G	601	20/20	0.95	0.11	43,50,59,65	0
4	OXL	B	603	6/6	0.96	0.07	37,44,47,49	0
2	FBP	H	601	20/20	0.96	0.10	37,48,53,55	0
5	K	F	604	1/1	0.96	0.05	64,64,64,64	0
4	OXL	D	603	6/6	0.96	0.06	39,40,51,55	0
3	MG	H	602	1/1	0.96	0.08	58,58,58,58	0
3	MG	A	602	1/1	0.96	0.04	38,38,38,38	0
2	FBP	A	601	20/20	0.97	0.09	32,42,49,49	0
5	K	D	604	1/1	0.97	0.06	65,65,65,65	0
2	FBP	C	601	20/20	0.97	0.08	42,54,59,60	0
2	FBP	D	601	20/20	0.97	0.11	39,50,60,62	0
3	MG	B	602	1/1	0.97	0.05	39,39,39,39	0
2	FBP	E	601	20/20	0.97	0.09	37,52,58,67	0
2	FBP	B	601	20/20	0.98	0.08	34,41,45,50	0
2	FBP	F	601	20/20	0.98	0.08	41,51,57,58	0
3	MG	F	602	1/1	0.98	0.04	51,51,51,51	0
5	K	A	604	1/1	0.98	0.05	50,50,50,50	0
5	K	B	604	1/1	0.99	0.05	46,46,46,46	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around FBP H 601:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around FBP A 601:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around FBP C 601:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around FBP D 601:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around FBP E 601:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around FBP B 601:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.5 Other polymers [i](#)

There are no such residues in this entry.