



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2024 – 12:47 PM JST

PDB ID : 6ICM
Title : Pseudomonas putida CBB5 NdmA with ferredoxin domain of NdmD
Authors : Kim, J.H.; Kim, B.H.; Kang, S.Y.; Song, H.K.
Deposited on : 2018-09-06
Resolution : 2.96 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3104 (3.00-2.92)
Clashscore	141614	3462 (3.00-2.92)
Ramachandran outliers	138981	3340 (3.00-2.92)
Sidechain outliers	138945	3343 (3.00-2.92)
RSRZ outliers	127900	2986 (3.00-2.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	369	 2% 71% 18% • 11%
1	B	369	 2% 74% 15% • 11%
1	C	369	 3% 68% 20% • 11%
2	D	87	 3% 57% 38% ••

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8753 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Methylxanthine N1-demethylase NdmA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	330	2683	1710	460	501	12	0	0	0
1	B	330	2682	1710	460	500	12	0	0	0
1	C	330	2683	1710	460	501	12	0	0	0

There are 54 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-17	MET	-	expression tag	UNP H9N289
A	-16	GLY	-	expression tag	UNP H9N289
A	-15	SER	-	expression tag	UNP H9N289
A	-14	SER	-	expression tag	UNP H9N289
A	-13	HIS	-	expression tag	UNP H9N289
A	-12	HIS	-	expression tag	UNP H9N289
A	-11	HIS	-	expression tag	UNP H9N289
A	-10	HIS	-	expression tag	UNP H9N289
A	-9	HIS	-	expression tag	UNP H9N289
A	-8	HIS	-	expression tag	UNP H9N289
A	-7	GLU	-	expression tag	UNP H9N289
A	-6	ASN	-	expression tag	UNP H9N289
A	-5	LEU	-	expression tag	UNP H9N289
A	-4	TYR	-	expression tag	UNP H9N289
A	-3	PHE	-	expression tag	UNP H9N289
A	-2	GLN	-	expression tag	UNP H9N289
A	-1	GLY	-	expression tag	UNP H9N289
A	0	SER	-	expression tag	UNP H9N289
B	-17	MET	-	expression tag	UNP H9N289
B	-16	GLY	-	expression tag	UNP H9N289
B	-15	SER	-	expression tag	UNP H9N289
B	-14	SER	-	expression tag	UNP H9N289
B	-13	HIS	-	expression tag	UNP H9N289

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-12	HIS	-	expression tag	UNP H9N289
B	-11	HIS	-	expression tag	UNP H9N289
B	-10	HIS	-	expression tag	UNP H9N289
B	-9	HIS	-	expression tag	UNP H9N289
B	-8	HIS	-	expression tag	UNP H9N289
B	-7	GLU	-	expression tag	UNP H9N289
B	-6	ASN	-	expression tag	UNP H9N289
B	-5	LEU	-	expression tag	UNP H9N289
B	-4	TYR	-	expression tag	UNP H9N289
B	-3	PHE	-	expression tag	UNP H9N289
B	-2	GLN	-	expression tag	UNP H9N289
B	-1	GLY	-	expression tag	UNP H9N289
B	0	SER	-	expression tag	UNP H9N289
C	-17	MET	-	expression tag	UNP H9N289
C	-16	GLY	-	expression tag	UNP H9N289
C	-15	SER	-	expression tag	UNP H9N289
C	-14	SER	-	expression tag	UNP H9N289
C	-13	HIS	-	expression tag	UNP H9N289
C	-12	HIS	-	expression tag	UNP H9N289
C	-11	HIS	-	expression tag	UNP H9N289
C	-10	HIS	-	expression tag	UNP H9N289
C	-9	HIS	-	expression tag	UNP H9N289
C	-8	HIS	-	expression tag	UNP H9N289
C	-7	GLU	-	expression tag	UNP H9N289
C	-6	ASN	-	expression tag	UNP H9N289
C	-5	LEU	-	expression tag	UNP H9N289
C	-4	TYR	-	expression tag	UNP H9N289
C	-3	PHE	-	expression tag	UNP H9N289
C	-2	GLN	-	expression tag	UNP H9N289
C	-1	GLY	-	expression tag	UNP H9N289
C	0	SER	-	expression tag	UNP H9N289

- Molecule 2 is a protein called Oxidoreductase NdmD.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	D	87	670	417	113	133	7	0	0	0

- Molecule 3 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	Fe	S		
3	A	1	4	2	2	0	0
3	B	1	4	2	2	0	0
3	C	1	4	2	2	0	0
3	D	1	4	2	2	0	0

- Molecule 4 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Fe		
4	A	1	1	1	0	0
4	B	1	1	1	0	0
4	C	1	1	1	0	0

- Molecule 5 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C₈H₁₈O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	D	1	Total	C	O	0	0
			13	8	5		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	O	0	0
			1	1		
6	B	1	Total	O	0	0
			1	1		
6	C	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Methylxanthine N1-demethylase NdmA



- Molecule 1: Methylxanthine N1-demethylase NdmA




- Molecule 1: Methylxanthine N1-demethylase NdmA





ILE

● Molecule 2: Oxidoreductase NdmD



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	118.27Å 118.27Å 455.69Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	42.46 – 2.96 42.46 – 2.96	Depositor EDS
% Data completeness (in resolution range)	99.6 (42.46-2.96) 99.6 (42.46-2.96)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.19 (at 2.95Å)	Xtrriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.204 , 0.261 0.204 , 0.261	Depositor DCC
R_{free} test set	1999 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	69.8	Xtrriage
Anisotropy	0.273	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 44.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8753	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FES, PG4, FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.47	0/2764	0.62	0/3762
1	B	0.55	2/2763 (0.1%)	0.65	0/3761
1	C	0.59	4/2764 (0.1%)	0.60	0/3762
2	D	0.62	1/679 (0.1%)	0.81	2/915 (0.2%)
All	All	0.55	7/8970 (0.1%)	0.64	2/12200 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	113	ARG	NE-CZ	-11.71	1.17	1.33
1	C	113	ARG	CD-NE	-10.04	1.29	1.46
1	C	113	ARG	CZ-NH2	-9.77	1.20	1.33
1	B	9	GLU	CD-OE1	-9.17	1.15	1.25
1	C	113	ARG	CZ-NH1	-8.67	1.21	1.33
1	B	9	GLU	CD-OE2	-6.26	1.18	1.25
2	D	580	LYS	CE-NZ	-5.58	1.35	1.49

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	507	LEU	CA-CB-CG	8.22	134.20	115.30
2	D	580	LYS	CG-CD-CE	-5.10	96.59	111.90

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	7	ASN	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2683	0	2545	42	0
1	B	2682	0	2542	38	0
1	C	2683	0	2545	53	0
2	D	670	0	672	32	0
3	A	4	0	0	1	0
3	B	4	0	0	1	0
3	C	4	0	0	1	0
3	D	4	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
5	D	13	0	18	4	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
All	All	8753	0	8322	152	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (152) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:555:GLU:HB2	2:D:580:LYS:NZ	1.70	1.06
2:D:537:CYS:SG	2:D:537:CYS:O	2.15	1.03
1:A:268:ARG:NH2	1:A:275:ASP:OD1	2.08	0.86
1:A:268:ARG:NH1	1:A:273:ASP:OD1	2.09	0.85
2:D:555:GLU:HB2	2:D:580:LYS:CE	2.09	0.82

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:555:GLU:HB2	2:D:580:LYS:HZ1	1.43	0.82
1:B:9:GLU:O	1:B:325:LYS:NZ	2.13	0.79
1:C:207:ASP:O	1:C:240:TYR:OH	2.08	0.72
1:B:202:PHE:CE2	1:B:320:TRP:HE3	2.07	0.72
1:A:348:ARG:NH1	1:A:350:TYR:OH	2.23	0.72
2:D:555:GLU:CB	2:D:580:LYS:HZ1	2.03	0.70
2:D:507:LEU:HD12	2:D:583:LYS:HE2	1.75	0.69
1:A:89:ASP:OD2	1:A:95:GLN:NE2	2.24	0.68
2:D:555:GLU:HB2	2:D:580:LYS:HE3	1.76	0.68
2:D:555:GLU:CB	2:D:580:LYS:NZ	2.51	0.67
1:B:84:HIS:NE2	1:C:170:ASP:OD2	2.20	0.65
1:C:159:ALA:O	1:C:260:THR:HG23	1.98	0.64
2:D:555:GLU:HB2	2:D:580:LYS:HZ2	1.63	0.63
1:A:172:SER:HB2	1:C:84:HIS:HD2	1.64	0.62
1:B:100:CYS:SG	1:C:309:VAL:HG22	2.39	0.61
1:C:157:TRP:CD1	1:C:290:LYS:HD2	2.36	0.61
1:B:314:SER:O	1:B:318:ARG:HG3	2.01	0.60
1:B:144:ASP:OD1	1:B:146:ARG:HD3	2.02	0.60
2:D:555:GLU:OE2	2:D:557:HIS:NE2	2.36	0.59
1:C:192:ILE:HG23	1:C:312:LYS:HD2	1.84	0.58
1:C:336:ARG:HG3	1:C:340:LEU:HD12	1.85	0.58
1:C:206:TYR:HB2	1:C:223:PHE:HB2	1.85	0.58
1:C:29:ALA:HB2	1:C:37:LEU:HD12	1.87	0.56
1:C:164:ARG:O	1:C:164:ARG:HD2	2.04	0.56
1:C:177:ILE:HD11	1:C:289:ASP:OD1	2.05	0.56
1:A:44:GLU:OE1	1:A:59:ARG:NH1	2.38	0.55
2:D:537:CYS:SG	2:D:539:GLN:O	2.64	0.55
1:B:84:HIS:HB2	3:B:400:FES:S1	2.47	0.55
1:A:170:ASP:OD2	1:C:84:HIS:NE2	2.28	0.55
1:C:202:PHE:CE2	1:C:320:TRP:HE3	2.26	0.54
1:B:140:SER:HB3	1:B:234:ASN:HD21	1.73	0.54
1:B:195:MET:HE3	1:B:313:VAL:HG13	1.90	0.53
1:C:59:ARG:NH1	1:C:112:ASP:OD2	2.30	0.53
2:D:563:LYS:HA	2:D:566:ARG:HG3	1.90	0.53
1:A:314:SER:O	1:A:318:ARG:HG3	2.08	0.53
1:A:20:VAL:HG11	1:A:125:ILE:HD12	1.90	0.53
1:A:139:PHE:HA	1:A:234:ASN:OD1	2.09	0.52
1:B:119:ARG:HG2	1:B:120:TYR:CD2	2.45	0.52
1:B:319:LYS:O	1:B:323:GLU:HG3	2.09	0.52
1:C:170:ASP:OD1	1:C:171:PHE:N	2.41	0.52
1:C:242:SER:OG	1:C:243:SER:N	2.42	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:317:TYR:CZ	1:B:321:LEU:HD11	2.46	0.51
2:D:506:GLU:O	2:D:513:ILE:HA	2.11	0.51
1:B:191:PRO:HG2	1:B:206:TYR:CE1	2.45	0.51
1:C:193:VAL:HG21	1:C:205:VAL:O	2.11	0.51
1:B:322:ARG:NH2	5:D:602:PG4:O1	2.44	0.51
1:A:172:SER:HB2	1:C:84:HIS:CD2	2.45	0.51
2:D:506:GLU:HB2	2:D:584:ILE:O	2.11	0.51
1:A:51:LEU:HD12	1:A:56:VAL:HG21	1.93	0.50
2:D:546:ILE:HD13	5:D:602:PG4:H71	1.93	0.50
1:B:61:ARG:HB2	1:C:297:TRP:CZ2	2.46	0.50
1:A:348:ARG:NH1	1:A:350:TYR:HH	2.08	0.50
2:D:554:LEU:HD22	2:D:572:ILE:HD12	1.94	0.50
1:A:194:PRO:HB2	1:A:346:SER:HB3	1.94	0.50
1:A:177:ILE:HG22	1:A:178:HIS:CE1	2.48	0.49
1:A:239:LYS:HB2	1:A:242:SER:HB3	1.93	0.49
1:B:88:TYR:CE1	1:B:111:VAL:HG13	2.47	0.49
1:B:78:ARG:CZ	1:B:95:GLN:HB2	2.41	0.49
1:B:191:PRO:HG2	1:B:206:TYR:HE1	1.77	0.49
1:B:202:PHE:CE2	1:B:320:TRP:CE3	2.97	0.49
1:B:205:VAL:HG21	1:B:348:ARG:NH2	2.28	0.49
2:D:546:ILE:CD1	5:D:602:PG4:H71	2.43	0.48
1:B:9:GLU:C	1:B:325:LYS:HZ3	2.10	0.48
1:C:193:VAL:HG11	1:C:206:TYR:CE1	2.49	0.48
1:A:297:TRP:HA	1:A:298:PRO:C	2.35	0.47
1:B:84:HIS:HD2	1:C:172:SER:HB2	1.79	0.47
2:D:556:HIS:CD2	2:D:566:ARG:HB3	2.48	0.47
1:A:12:TYR:CD1	1:A:325:LYS:HG3	2.50	0.47
1:A:312:LYS:NZ	1:A:345:GLU:OE1	2.47	0.47
1:B:62:CYS:HB2	1:B:69:LEU:HD21	1.97	0.47
1:C:39:VAL:HG23	1:C:46:LEU:HB2	1.97	0.47
2:D:554:LEU:HD12	2:D:569:GLY:HA2	1.96	0.47
2:D:575:CYS:SG	2:D:576:VAL:HG13	2.55	0.46
1:B:195:MET:HE1	1:B:202:PHE:CE1	2.51	0.46
2:D:508:LYS:HB3	2:D:588:LEU:O	2.15	0.46
1:A:314:SER:HB3	1:C:65:ARG:HH21	1.80	0.46
1:C:100:CYS:HB2	1:C:103:SER:HB2	1.98	0.46
1:C:141:ALA:HB1	1:C:147:LEU:HD12	1.98	0.45
1:B:87:GLN:OE1	1:B:96:LEU:HD23	2.16	0.45
1:B:297:TRP:HA	1:B:298:PRO:C	2.37	0.45
1:C:157:TRP:NE1	1:C:290:LYS:HD2	2.31	0.45
1:A:171:PHE:HE1	1:A:313:VAL:HG21	1.82	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:297:TRP:CZ2	1:C:61:ARG:HB2	2.52	0.45
1:B:195:MET:HE2	1:B:202:PHE:CD1	2.51	0.45
1:C:163:ARG:NH2	1:C:301:ALA:HA	2.31	0.45
1:C:86:TRP:NE1	1:C:97:VAL:HG13	2.32	0.45
1:C:155:TYR:OH	1:C:164:ARG:NH2	2.38	0.44
2:D:516:VAL:HG13	2:D:525:ALA:HB2	1.98	0.44
1:A:171:PHE:HA	1:A:174:PHE:CE2	2.51	0.44
1:B:140:SER:HB3	1:B:234:ASN:ND2	2.32	0.44
1:C:37:LEU:CD2	1:C:39:VAL:HG13	2.47	0.44
1:C:62:CYS:SG	1:C:88:TYR:OH	2.64	0.44
1:C:164:ARG:HD2	1:C:164:ARG:C	2.37	0.44
1:A:237:VAL:O	1:A:245:LEU:HD12	2.17	0.44
1:B:148:ARG:O	1:B:267:ALA:HA	2.18	0.44
1:C:113:ARG:HH11	1:C:113:ARG:HD3	1.42	0.44
1:A:100:CYS:HB2	1:A:103:SER:HB2	1.99	0.44
1:C:65:ARG:HB2	3:C:400:FES:S2	2.57	0.44
1:A:162:GLU:O	1:A:166:GLU:HG3	2.17	0.44
1:C:156:TRP:O	1:C:157:TRP:HD1	2.00	0.44
1:B:195:MET:CE	1:B:202:PHE:CE1	3.01	0.44
1:C:19:PRO:O	1:C:253:CYS:HB2	2.18	0.44
2:D:507:LEU:HB3	2:D:585:VAL:HG13	2.00	0.43
1:A:66:SER:O	1:B:296:GLN:HA	2.18	0.43
1:B:9:GLU:C	1:B:325:LYS:NZ	2.71	0.43
1:C:245:LEU:HD12	1:C:246:HIS:H	1.84	0.43
2:D:533:ILE:HD11	2:D:547:THR:HG21	2.01	0.43
1:C:245:LEU:N	1:C:269:GLU:OE1	2.47	0.43
1:C:167:ASN:ND2	1:C:293:ILE:HD11	2.34	0.43
1:A:245:LEU:HD12	1:A:246:HIS:H	1.83	0.43
1:C:71:LEU:HB2	1:C:82:PRO:HG3	2.01	0.43
1:A:176:PHE:CZ	1:C:85:GLY:HA3	2.53	0.43
1:A:297:TRP:CE2	1:C:61:ARG:HB2	2.54	0.43
5:D:602:PG4:H41	5:D:602:PG4:H62	1.70	0.43
1:C:148:ARG:O	1:C:267:ALA:HA	2.19	0.42
2:D:508:LYS:HB2	2:D:510:THR:HG22	2.00	0.42
1:A:158:ASP:HB3	1:A:294:GLU:HG2	2.00	0.42
1:A:171:PHE:CE1	1:A:313:VAL:HG21	2.55	0.42
2:D:580:LYS:HB2	2:D:580:LYS:HE2	1.79	0.42
2:D:580:LYS:HE2	2:D:580:LYS:H	1.84	0.42
1:A:171:PHE:HA	1:A:174:PHE:HE2	1.85	0.42
1:A:12:TYR:CE1	1:A:325:LYS:HE2	2.54	0.42
1:C:119:ARG:HG2	1:C:120:TYR:CD2	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:96:LEU:HD12	1:B:97:VAL:N	2.35	0.42
1:A:314:SER:CB	1:C:65:ARG:HH21	2.33	0.42
1:A:184:ASP:HB3	1:A:187:ASN:HB3	2.02	0.41
1:B:168:PHE:HB3	1:B:233:ILE:HD13	2.01	0.41
1:A:16:PHE:CD1	1:A:230:PRO:HD3	2.55	0.41
1:A:119:ARG:HG2	1:A:120:TYR:CD2	2.55	0.41
2:D:505:VAL:HG12	2:D:506:GLU:N	2.35	0.41
1:A:196:ASP:OD2	1:A:348:ARG:NH1	2.53	0.41
1:B:162:GLU:O	1:B:166:GLU:HG3	2.21	0.41
1:B:71:LEU:HB2	1:B:82:PRO:HG3	2.01	0.41
2:D:509:LYS:HE2	2:D:587:ASP:OD1	2.21	0.41
1:B:149:ILE:HG12	1:B:267:ALA:HB2	2.02	0.41
2:D:536:SER:O	2:D:538:GLU:HG3	2.21	0.41
1:A:84:HIS:HB2	3:A:400:FES:S2	2.60	0.41
2:D:581:SER:OG	2:D:582:LYS:N	2.54	0.41
1:C:87:GLN:O	1:C:94:CYS:HA	2.21	0.41
1:B:319:LYS:HD2	2:D:560:TYR:CZ	2.56	0.40
1:C:78:ARG:HB3	1:C:88:TYR:O	2.20	0.40
1:C:177:ILE:HG21	1:C:177:ILE:HD13	1.66	0.40
1:A:163:ARG:NH2	1:A:301:ALA:HA	2.35	0.40
1:A:284:LEU:O	1:A:288:GLU:HG3	2.21	0.40
1:C:191:PRO:HG2	1:C:206:TYR:CE2	2.56	0.40
1:C:151:ILE:HG12	1:C:265:ILE:HG12	2.03	0.40
1:C:312:LYS:NZ	1:C:345:GLU:OE2	2.53	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	326/369 (88%)	301 (92%)	21 (6%)	4 (1%)	13 43

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	326/369 (88%)	305 (94%)	17 (5%)	4 (1%)	13	43
1	C	326/369 (88%)	301 (92%)	24 (7%)	1 (0%)	41	73
2	D	85/87 (98%)	74 (87%)	8 (9%)	3 (4%)	3	17
All	All	1063/1194 (89%)	981 (92%)	70 (7%)	12 (1%)	14	46

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	243	SER
1	B	270	GLN
1	A	241	SER
1	B	242	SER
1	A	137	PRO
1	A	242	SER
1	A	270	GLN
2	D	568	SER
2	D	536	SER
1	B	132	ASP
2	D	537	CYS
1	C	144	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	295/328 (90%)	282 (96%)	13 (4%)	28	62
1	B	294/328 (90%)	286 (97%)	8 (3%)	44	74
1	C	295/328 (90%)	280 (95%)	15 (5%)	24	56
2	D	79/79 (100%)	77 (98%)	2 (2%)	47	76
All	All	963/1063 (91%)	925 (96%)	38 (4%)	32	65

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	83	TYR
1	A	100	CYS
1	A	113	ARG
1	A	164	ARG
1	A	172	SER
1	A	202	PHE
1	A	206	TYR
1	A	207	ASP
1	A	228	SER
1	A	234	ASN
1	A	242	SER
1	A	243	SER
1	A	271	SER
1	B	24	THR
1	B	83	TYR
1	B	140	SER
1	B	163	ARG
1	B	164	ARG
1	B	172	SER
1	B	202	PHE
1	B	223	PHE
1	C	8	ASP
1	C	11	GLU
1	C	24	THR
1	C	43	ASN
1	C	56	VAL
1	C	83	TYR
1	C	100	CYS
1	C	113	ARG
1	C	164	ARG
1	C	172	SER
1	C	202	PHE
1	C	234	ASN
1	C	250	ASN
1	C	257	SER
1	C	269	GLU
2	D	504	GLU
2	D	536	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	250	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	556	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 3 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	FES	B	400	1	0,4,4	-	-	-		
5	PG4	D	602	-	12,12,12	0.52	0	11,11,11	0.45	0
3	FES	D	601	2	0,4,4	-	-	-		
3	FES	C	400	1	0,4,4	-	-	-		
3	FES	A	400	1	0,4,4	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FES	B	400	1	-	-	0/1/1/1
5	PG4	D	602	-	-	6/10/10/10	-
3	FES	D	601	2	-	-	0/1/1/1
3	FES	C	400	1	-	-	0/1/1/1
3	FES	A	400	1	-	-	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	D	602	PG4	C6-C5-O3-C4
5	D	602	PG4	O2-C3-C4-O3
5	D	602	PG4	C8-C7-O4-C6
5	D	602	PG4	O1-C1-C2-O2
5	D	602	PG4	C1-C2-O2-C3
5	D	602	PG4	O3-C5-C6-O4

There are no ring outliers.

4 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	400	FES	1	0
5	D	602	PG4	4	0
3	C	400	FES	1	0
3	A	400	FES	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	330/369 (89%)	-0.11	6 (1%) 68 51	38, 53, 88, 128	0
1	B	330/369 (89%)	-0.01	6 (1%) 68 51	37, 53, 87, 123	0
1	C	330/369 (89%)	0.06	11 (3%) 46 30	48, 65, 101, 136	0
2	D	87/87 (100%)	0.29	3 (3%) 45 29	51, 67, 90, 116	0
All	All	1077/1194 (90%)	0.00	26 (2%) 59 42	37, 58, 93, 136	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	241	SER	6.5
1	A	242	SER	6.5
1	C	242	SER	5.7
1	A	241	SER	5.0
1	C	350	TYR	4.6
1	B	241	SER	4.5
1	C	206	TYR	4.5
1	C	240	TYR	4.3
1	C	7	ASN	3.6
1	B	242	SER	3.5
2	D	580	LYS	3.3
1	C	344	ILE	3.2
1	B	102	ASN	3.1
1	B	239	LYS	3.0
1	A	239	LYS	2.7
2	D	506	GLU	2.7
1	B	206	TYR	2.5
1	B	7	ASN	2.5
1	C	239	LYS	2.4
1	A	186	ASN	2.4
1	A	240	TYR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	8	ASP	2.2
2	D	503	TYR	2.2
1	C	8	ASP	2.2
1	C	349	SER	2.1
1	C	348	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	FE	B	401	1/1	0.78	0.13	100,100,100,100	0
4	FE	C	401	1/1	0.88	0.07	106,106,106,106	0
4	FE	A	401	1/1	0.92	0.06	95,95,95,95	0
5	PG4	D	602	13/13	0.94	0.16	49,54,57,59	0
3	FES	A	400	4/4	1.00	0.18	39,40,42,43	0
3	FES	B	400	4/4	1.00	0.18	51,52,54,61	0
3	FES	C	400	4/4	1.00	0.18	51,52,53,55	0
3	FES	D	601	4/4	1.00	0.11	60,64,67,73	0

6.5 Other polymers [i](#)

There are no such residues in this entry.